

eCast Monthly Summary Report for 2009-05-01 ~ 2009-05-31

June 4, 2009

Copyright (c) Atmospheric and Environmental Research (AER), Inc., 2009

AER Proprietary Information --

Release or disclosure only with the expressed written permission of AER

ECMWF/MEX MAX Temperature Regional Summary

MAE (2009-05-01~2009-05-31)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
USSE	-0.04	2.7/2.0	3.1/2.3	3.1/2.5	3.5/2.6	3.6/2.8	3.8/3.2	4.0/3.7	4.2/4.9	4.1/4.9	4.3/5.0	4.3/5.1	4.4/5.1	4.4/5.2	4.5/5.3	4.5/5.4
USNE	-0.03	3.0/2.3	3.5/3.0	3.7/3.4	4.0/3.8	4.9/4.8	6.0/5.9	6.3/5.6	6.8/6.8	7.2/6.9	6.8/7.1	6.8/7.2	6.9/7.3	6.8/7.5	7.2/7.6	7.1/7.8
USSC	0.02	2.5/2.2	2.7/2.5	2.8/2.7	3.2/3.0	3.4/3.3	3.7/3.7	4.3/4.2	4.8/5.4	5.5/5.5	5.1/5.5	5.1/5.6	5.1/5.7	5.3/5.8	5.6/5.9	5.5/6.0
USNC	0.03	2.9/2.6	3.2/3.1	3.5/3.8	3.9/4.4	4.5/4.8	5.0/4.9	5.6/5.2	6.0/6.2	6.4/6.3	6.1/6.4	6.2/6.6	6.3/6.7	6.4/6.9	6.5/7.0	6.3/7.2
CME18	0.08	2.7/2.4	3.0/2.8	3.2/3.3	3.8/3.7	4.3/4.3	4.9/4.8	5.1/5.0	5.3/6.7	5.8/6.8	5.6/7.0	5.8/7.1	6.1/7.3	6.2/7.5	6.3/7.6	6.2/7.8
USNW	0.11	2.2/1.9	2.4/2.1	2.3/2.6	3.0/3.2	4.0/4.1	4.4/4.7	4.7/4.8	5.1/7.5	5.2/7.5	5.3/7.6	5.7/7.7	6.6/7.7	7.0/7.8	7.2/7.9	7.1/8.0
USSW	0.12	2.8/2.4	3.1/2.9	3.2/3.1	3.6/3.3	4.1/3.7	4.4/4.1	4.6/4.6	5.0/7.0	5.1/7.1	5.0/7.3	5.2/7.4	5.5/7.5	5.6/7.7	5.6/7.8	5.7/8.0

Bias (2009-05-01~2009-05-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
USNW	-0.30	-0.1/-0.2	-0.0/-0.2	-0.2/0.2	-0.5/0.2	-0.3/-0.4	0.4/-1.5	0.3/-2.2	0.3/-4.2	0.4/-4.5	-0.1/-4.7	-1.0/-5.0	-1.3/-5.2	-1.0/-5.5	-0.7/-5.7	-0.6/-6.0
USSW	0.02	-0.1/-0.3	-0.0/0.0	0.0/0.1	-0.2/-0.1	0.0/0.1	0.5/0.2	0.3/-0.1	0.2/-4.7	-0.1/-5.0	-0.1/-5.2	-0.2/-5.4	-0.2/-5.6	-0.1/-5.8	-0.0/-6.0	0.2/-6.2
CME18	0.28	-0.2/-0.4	-0.0/-0.4	0.2/-0.7	0.4/-0.9	0.3/-1.1	0.4/-0.8	0.4/-0.6	0.4/-3.7	0.4/-4.0	0.5/-4.3	0.4/-4.7	0.2/-5.0	0.2/-5.3	0.2/-5.6	0.3/-5.9
USNC	0.44	0.0/-0.2	0.1/-0.2	0.6/-0.7	0.8/-1.3	0.4/-1.7	0.4/-1.2	0.3/-0.6	0.4/-2.6	0.3/-3.0	0.5/-3.4	0.4/-3.7	0.4/-4.1	0.5/-4.4	0.6/-4.8	0.8/-5.2
USSE	0.48	-0.5/-0.4	-0.9/-0.1	-0.8/-0.1	-1.0/-0.5	-0.6/-0.2	-0.3/-0.4	-0.2/-0.2	-0.1/-1.1	0.6/-1.3	1.2/-1.5	1.6/-1.8	2.0/-2.0	2.1/-2.2	2.1/-2.4	2.1/-2.6
USSC	0.74	-0.2/-0.4	-0.3/-0.5	-0.2/0.1	-0.0/0.1	-0.0/0.3	0.5/0.5	0.6/0.8	1.0/-2.2	0.6/-2.4	1.1/-2.6	1.5/-2.9	1.6/-3.1	1.6/-3.3	1.7/-3.6	1.7/-3.8
USNE	1.50	0.0/-0.2	0.1/-0.1	0.7/-0.1	1.3/-1.1	1.6/-1.4	1.4/-1.4	1.5/-0.6	1.5/-2.5	1.9/-2.8	2.5/-3.2	2.4/-3.5	2.1/-3.9	1.9/-4.2	1.7/-4.6	1.7/-4.9

USNW: US North West USNC: US North Central USNE: US North East USSE: US South East USSC: US South Central USSW: US South West

red: $S < -0.3$ orange: $-0.3 < S < -0.1$ grey: $-0.1 < S < 0.1$ green: $0.1 < S < 0.3$ blue: $S > 0.3$

S_score: average of $(1 - \text{ECMWF-value} / \text{MEX-value})$

red: $B \geq 4.0$ orange: $4.0 > B \geq 2.0$ black: $2.0 > B \geq -2.0$ green: $-2.0 > B \geq -4.0$ blue: $B < -4.0$

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature Regional Summary

MAE (2009-05-01~2009-05-31)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
USNW	0.06	2.5/0.0	2.4/2.0	2.4/2.3	2.7/2.7	3.1/3.0	3.4/3.5	3.8/3.7	4.1/4.8	4.0/4.9	4.1/4.9	4.0/5.0	4.2/5.1	4.6/5.2	4.9/5.3	5.0/--
USSW	0.10	2.7/0.0	2.9/2.4	3.1/2.4	3.1/2.5	3.4/2.6	3.4/2.7	3.6/2.9	3.7/5.9	3.7/6.0	3.6/6.2	3.6/6.4	3.8/6.5	4.0/6.7	4.1/6.9	4.1/--
USNC	0.12	2.3/0.0	2.4/3.3	2.7/3.5	3.1/3.7	3.4/3.9	4.0/4.3	4.4/4.5	5.2/5.7	5.5/5.8	5.4/6.0	5.2/6.1	5.5/6.2	5.8/6.4	5.9/6.6	5.9/--
USSC	0.13	2.2/0.0	2.4/2.3	2.5/2.5	2.8/2.7	3.2/3.2	3.7/3.6	4.1/4.1	4.4/6.6	4.7/6.7	4.8/6.9	5.0/7.0	5.5/7.2	5.8/7.3	6.1/7.5	6.4/--
USNE	0.19	2.3/0.0	2.4/2.8	2.7/3.1	2.9/3.4	3.1/3.7	4.0/4.1	4.4/4.6	4.9/6.5	5.2/6.6	5.0/6.8	5.0/7.0	5.1/7.1	5.4/7.3	5.6/7.5	5.8/--
CME18	0.21	2.1/0.0	2.1/2.4	2.4/2.6	2.7/2.8	3.0/3.1	3.4/3.4	3.7/3.9	4.0/6.0	4.2/6.2	4.1/6.4	4.0/6.5	4.3/6.7	4.6/6.9	4.8/7.1	4.8/--
USSE	0.24	1.9/0.0	2.1/2.0	2.1/2.2	2.3/2.3	2.5/2.4	2.9/2.5	3.1/3.0	3.3/6.1	3.3/6.3	3.2/6.5	3.3/6.7	3.5/6.9	3.6/7.1	3.8/7.3	4.2/--

Bias (2009-05-01~2009-05-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
USSE	-0.25	-0.1/0.0	-0.1/-0.2	-0.2/-0.6	-0.3/-0.6	-0.3/-0.5	-0.5/-0.6	-0.1/-0.7	0.0/-4.9	-0.0/-5.1	0.1/-5.4	-0.1/-5.7	-0.2/-6.0	-0.2/-6.2	-0.6/-6.5	-1.0/--
CME18	0.25	-0.0/0.0	0.2/0.2	0.3/0.3	0.4/0.2	0.4/0.1	0.3/0.0	0.3/0.2	0.3/-4.4	0.4/-4.7	0.3/-5.0	0.4/-5.3	0.3/-5.6	0.2/-5.9	0.1/-6.2	-0.2/--
USSC	0.37	-0.1/0.0	-0.2/0.0	-0.2/0.3	-0.0/0.1	0.1/0.3	0.3/0.2	0.4/0.7	0.7/-3.8	1.0/-4.1	0.9/-4.4	0.9/-4.7	0.8/-5.0	0.6/-5.3	0.4/-5.6	-0.1/--
USSW	0.41	0.5/0.0	0.6/0.1	0.7/0.1	0.6/0.0	0.6/-0.3	0.8/-0.5	1.0/-0.9	0.8/-5.3	0.5/-5.5	0.2/-5.7	0.4/-5.9	0.0/-6.1	-0.1/-6.3	-0.1/-6.6	-0.3/--
USNE	0.88	0.1/0.0	0.3/0.6	0.6/0.3	0.7/0.6	0.7/0.3	0.5/0.4	0.7/0.6	0.9/-3.6	1.2/-4.0	1.4/-4.3	1.6/-4.6	1.4/-5.0	1.3/-5.3	0.9/-5.6	0.8/--
USNW	0.99	-0.0/0.0	0.4/0.2	0.3/0.6	0.3/0.8	0.3/1.1	0.8/0.7	1.3/0.3	1.2/-2.3	1.3/-2.5	1.9/-2.7	1.6/-3.0	1.2/-3.2	1.4/-3.4	1.5/-3.6	1.4/--
USNC	1.16	0.2/0.0	0.2/1.0	0.4/1.0	0.9/0.6	0.9/0.7	0.9/1.1	1.0/1.6	0.9/-2.4	1.1/-2.7	1.6/-3.1	1.6/-3.4	1.8/-3.8	2.0/-4.1	2.1/-4.5	1.9/--

USNW: US North West USNC: US North Central USNE: US North East USSE: US South East USSC: US South Central USSW: US South West

red: $S < -0.3$ orange: $-0.3 < S < -0.1$ grey: $-0.1 < S < 0.1$ green: $0.1 < S < 0.3$ blue: $S > 0.3$

S_score: average of $(1 - \text{ECMWF-value} / \text{MEX-value})$

red: $B \geq 4.0$ orange: $4.0 > B \geq 2.0$ black: $2.0 > B \geq -2.0$ green: $-2.0 > B \geq -4.0$ blue: $B < -4.0$

avg_bias: average of ECMWF-value

ECMWF/MEX MAX Temperature in CME18

MAE (2009-05-01~2009-05-31)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ATL	-0.27	3.2/1.9	3.4/2.5	3.3/3.0	3.8/2.7	3.5/2.2	4.2/3.6	5.0/4.0	4.9/4.2	5.2/4.1	5.0/4.2	5.5/4.3	5.3/4.4	4.5/4.4	5.0/4.4	4.8/4.5
LGA	-0.16	4.1/2.1	4.4/3.0	4.4/3.5	4.5/3.7	5.2/4.8	7.0/5.9	6.3/5.0	6.7/6.7	7.2/6.7	7.1/6.8	7.2/7.1	7.2/7.1	6.9/7.3	7.4/7.5	7.3/7.6
CVG	-0.11	2.2/1.9	2.2/2.5	2.6/3.1	2.7/3.4	3.2/2.9	3.7/3.0	4.3/3.4	4.9/4.3	5.7/4.5	5.5/4.5	5.6/4.6	5.4/4.8	5.8/5.0	5.9/5.1	5.7/5.3
BWI	-0.10	2.4/2.1	3.0/2.8	3.3/3.1	3.5/3.0	5.2/3.1	6.0/5.4	6.1/5.4	6.2/6.4	6.9/6.5	6.5/6.5	6.5/6.5	6.9/6.6	6.8/6.7	6.8/6.9	7.2/7.0
DFW	-0.08	2.9/2.5	3.4/2.5	3.3/2.5	3.5/2.9	3.3/3.5	3.2/4.1	3.8/3.9	4.1/4.2	4.9/4.3	4.3/4.4	4.4/4.5	4.9/4.5	5.1/4.6	5.2/4.8	5.2/5.0
MCI	-0.01	3.1/2.7	2.5/2.3	2.7/3.0	3.7/3.8	4.0/4.1	5.1/4.0	4.8/5.2	5.3/6.3	6.1/6.4	6.0/6.5	6.1/6.5	6.5/6.5	7.2/6.7	7.2/6.8	6.8/6.9
DTW	-0.00	2.9/2.0	3.5/2.6	3.4/3.1	3.2/3.7	3.6/4.9	4.4/3.8	4.9/3.8	4.1/4.7	4.8/4.9	4.5/5.0	4.7/5.1	4.5/5.5	5.2/5.7	5.3/5.9	5.2/6.2
PHL	0.02	2.3/2.2	3.3/3.3	3.9/3.5	4.5/3.8	5.3/4.8	6.9/6.1	6.4/5.4	6.8/7.3	7.2/7.5	6.5/7.6	7.1/7.8	7.0/8.0	6.5/8.2	7.0/8.4	7.0/8.5
ORD	0.03	2.8/2.9	3.5/2.8	3.8/4.5	5.0/4.8	5.5/5.9	5.7/5.1	5.7/5.6	5.6/5.9	5.2/5.9	5.3/6.2	6.1/6.3	5.9/6.5	6.7/6.6	6.3/7.0	6.0/7.2
DSM	0.04	3.1/3.2	3.5/3.2	3.9/3.7	4.6/4.1	5.6/5.2	5.6/5.1	5.5/6.3	5.7/6.8	5.9/6.9	5.6/7.0	6.2/7.1	6.9/7.2	6.9/7.3	6.9/7.3	6.4/7.5
IAH	0.07	1.5/1.5	2.0/1.8	2.1/1.7	2.8/2.4	3.3/2.5	3.3/2.9	3.7/3.4	3.6/5.1	4.1/5.2	3.9/5.3	3.8/5.4	3.9/5.6	3.8/5.6	4.4/5.7	4.5/5.9
BOS	0.12	3.7/3.0	4.1/4.5	4.6/5.4	4.8/5.8	5.4/6.9	6.9/8.0	6.9/7.9	7.5/8.8	7.8/8.9	7.6/9.1	8.0/9.3	8.2/9.4	8.2/9.6	8.5/9.8	8.4/9.9
PDX	0.12	2.6/2.6	2.9/3.2	3.1/3.2	3.7/3.4	4.7/4.5	4.7/5.3	5.0/5.5	5.3/8.0	5.3/8.0	6.3/8.2	6.7/8.3	7.5/8.4	7.6/8.6	7.6/8.6	7.4/8.8
TUS	0.17	2.0/1.5	1.8/1.8	2.0/2.2	2.7/2.3	3.5/2.9	3.9/3.6	4.3/3.7	5.2/9.0	5.6/9.2	5.5/9.4	5.6/9.6	5.5/9.9	5.7/10.1	5.9/10.3	6.2/10.5
MSP	0.18	2.9/3.3	2.8/3.9	3.8/5.1	4.9/5.8	5.1/6.4	5.5/6.9	5.9/6.6	6.0/7.6	7.4/7.6	6.8/7.9	6.4/8.1	7.5/8.3	7.3/8.6	7.1/8.8	6.6/9.1
SAC	0.22	3.7/3.5	3.7/4.5	3.7/4.7	4.1/5.0	4.5/5.2	5.1/6.1	5.3/6.7	6.0/8.7	6.0/8.9	6.2/9.1	6.5/9.2	7.1/9.3	6.9/9.5	6.7/9.6	6.5/9.7
SLC	0.24	1.9/2.1	2.3/2.0	2.5/2.5	3.3/3.5	4.0/4.1	4.0/4.5	4.3/5.2	4.8/7.6	4.9/7.9	4.7/8.1	4.5/8.3	5.1/8.5	5.2/8.8	5.5/9.1	5.2/9.3
LAS	0.39	1.4/1.5	1.6/1.9	1.8/2.4	2.4/2.1	2.4/3.0	2.4/2.9	2.9/2.9	3.5/9.6	3.8/10.0	3.5/10.3	3.7/10.6	4.3/11.0	4.4/11.3	4.3/11.6	4.4/11.9

Bias (2009-05-01~2009-05-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
PDX	-2.49	-0.8/-1.7	-1.1/-1.8	-1.6/-2.6	-1.4/-2.1	-1.3/-2.9	-1.6/-3.6	-2.1/-3.6	-1.9/-6.3	-1.5/-6.5	-2.9/-6.7	-3.7/-6.9	-4.3/-7.1	-4.3/-7.4	-4.0/-7.5	-4.8/-7.7
LAS	-1.71	-0.3/0.5	-0.2/-0.7	-0.5/-0.3	-1.2/-1.1	-1.2/-1.9	-1.0/-1.6	-1.3/-1.8	-1.8/-9.6	-2.1/-10.0	-1.6/-10.3	-2.4/-10.6	-2.9/-11.0	-3.0/-11.3	-3.1/-11.6	-3.1/-11.9
IAH	-0.73	-0.1/0.0	-0.1/-0.0	-0.2/-0.2	-0.3/-1.0	-0.4/-0.2	-0.5/-0.2	-0.3/-0.3	-0.1/-3.5	-0.7/-3.7	-1.3/-4.0	-1.1/-4.2	-1.3/-4.4	-1.2/-4.6	-1.9/-4.8	-1.6/-5.1
ORD	-0.56	0.1/-1.2	0.0/-0.5	0.4/-2.7	0.7/-2.0	-0.3/-3.9	0.0/-2.8	-0.4/-2.6	-0.5/-3.3	-0.5/-3.7	-1.3/-4.1	-1.3/-4.5	-1.3/-4.8	-1.4/-5.2	-1.3/-5.6	-1.3/-6.0
MSP	-0.52	0.1/-2.2	0.1/-2.5	0.8/-3.3	0.3/-4.0	-0.6/-4.7	-1.3/-4.1	-0.9/-3.0	-0.8/-4.2	-1.0/-4.5	-1.5/-5.0	-0.9/-5.4	-0.8/-5.8	-1.0/-6.2	-0.3/-6.6	-0.1/-7.0
TUS	-0.34	0.0/0.3	-0.2/0.4	-0.1/0.0	-0.0/1.3	-0.3/1.7	0.1/2.0	0.7/2.0	0.3/-6.9	-0.0/-7.2	-0.7/-7.5	-0.7/-7.8	-1.1/-8.1	-0.9/-8.4	-1.2/-8.6	-1.0/-8.9
DFW	-0.26	-0.7/-0.5	-1.1/-0.5	-1.0/0.1	-0.9/0.2	-1.2/0.8	-0.7/1.7	0.2/1.7	-0.3/-1.4	-0.8/-1.6	-0.6/-1.9	0.3/-2.1	0.7/-2.4	0.5/-2.6	0.6/-2.8	1.1/-3.1
SAC	-0.24	0.1/-1.4	0.5/-1.6	0.8/-2.2	0.4/-2.1	0.7/-0.8	1.0/-0.6	0.6/-2.1	0.5/-5.8	0.2/-6.1	-0.7/-6.4	-1.6/-6.7	-1.8/-7.0	-1.5/-7.3	-1.3/-7.5	-1.5/-7.8
DTW	0.14	0.5/0.7	0.6/0.4	0.7/-0.9	1.6/-2.6	0.9/-3.4	0.6/-1.4	0.4/-0.4	0.5/-2.3	0.6/-2.7	0.3/-3.1	-0.7/-3.5	-0.8/-3.9	-1.2/-4.3	-1.1/-4.7	-0.9/-5.1
ATL	0.68	-0.5/-0.3	-0.6/0.3	-1.1/0.6	-1.2/0.7	-0.9/0.7	-0.3/-0.0	-0.8/0.9	0.2/0.6	0.6/0.4	1.7/0.1	2.2/-0.1	2.6/-0.4	2.7/-0.6	2.9/-0.8	2.8/-1.0
BOS	0.91	0.1/-0.3	0.6/-0.4	1.1/-1.0	1.5/-1.9	1.6/-1.6	1.2/-2.0	0.8/-2.5	0.7/-3.5	1.4/-3.8	1.4/-4.2	0.9/-4.5	0.7/-4.9	0.7/-5.2	0.4/-5.6	0.5/-5.9
SLC	0.93	0.1/0.6	0.3/0.9	0.7/1.5	0.9/1.6	0.9/1.6	1.5/0.9	1.8/0.4	1.2/-5.6	1.2/-6.0	1.4/-6.3	0.8/-6.6	0.4/-7.0	0.7/-7.3	1.0/-7.6	1.1/-8.0
PHL	1.12	-0.1/-0.2	-0.0/-0.6	0.6/-1.0	0.9/-1.1	1.7/-1.7	1.1/-0.9	1.2/-0.2	0.9/-4.3	0.7/-4.6	1.9/-4.9	2.3/-5.3	1.7/-5.6	1.4/-5.9	1.2/-6.2	1.4/-6.5
DSM	1.22	-0.4/-0.4	0.4/-0.3	1.4/-0.1	1.4/-0.6	0.5/-0.8	1.3/-1.1	0.7/-0.5	1.5/-3.0	1.5/-3.3	1.3/-3.7	1.6/-4.0	1.2/-4.4	1.8/-4.7	1.9/-5.1	2.1/-5.4
MCI	1.51	-0.1/-0.1	0.5/-0.3	1.1/0.3	1.2/0.4	0.8/1.1	1.6/0.5	1.5/0.6	1.8/-2.3	1.7/-2.5	1.0/-2.9	2.1/-3.2	1.8/-3.5	2.2/-3.8	2.7/-4.1	2.7/-4.4
CVG	1.63	0.1/-0.7	0.3/-1.2	0.5/-1.5	1.2/-1.4	1.3/-1.5	1.4/-1.2	1.4/-0.6	1.2/-1.9	1.3/-2.2	2.4/-2.5	2.7/-2.8	2.8/-3.2	2.6/-3.5	2.5/-3.8	2.8/-4.1
LGA	1.83	-0.9/0.4	-0.3/1.0	0.0/0.9	0.4/-0.7	0.5/-0.5	1.0/-1.3	1.3/0.1	1.7/-2.1	2.5/-2.4	4.0/-2.8	3.8/-3.1	3.6/-3.5	3.4/-3.8	3.3/-4.2	3.1/-4.5
BWI	1.90	-0.3/-0.1	-0.4/0.6	0.3/0.4	1.4/0.7	2.1/-0.6	2.2/0.5	2.1/0.7	1.7/-1.6	1.9/-1.9	3.4/-2.2	3.4/-2.5	3.0/-2.8	2.6/-3.1	2.3/-3.4	2.7/-3.7

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: -2.0 > B >= -4.0 blue: B < -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature in CME18

MAE (2009-05-01~2009-05-31)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
DSM	0.04	2.3/0.0	2.6/1.9	2.5/2.3	3.4/2.6	3.9/3.2	4.3/3.8	4.7/4.2	4.5/5.8	4.8/6.0	4.5/6.1	4.3/6.3	4.6/6.5	5.4/6.8	5.4/7.1	5.4/--
SAC	0.07	1.9/0.0	2.4/2.7	4.1/2.4	3.0/2.6	3.1/2.9	2.8/3.0	3.1/2.7	3.0/4.2	3.1/4.3	3.0/4.5	3.3/4.6	3.7/4.7	3.8/4.8	4.0/5.0	4.0/--
DFW	0.08	1.8/0.0	2.3/2.2	2.6/2.5	2.7/2.2	2.8/3.4	3.2/3.3	4.1/4.4	4.0/5.1	4.7/5.2	4.3/5.3	4.3/5.4	4.5/5.5	5.0/5.7	5.3/5.8	5.2/--
MCI	0.09	2.0/0.0	2.3/2.3	2.6/2.5	2.9/2.9	3.5/2.7	3.7/3.6	4.0/4.3	3.9/4.9	4.8/5.0	4.1/5.2	3.8/5.4	4.1/5.5	4.8/5.7	4.7/6.0	4.5/--
IAH	0.10	2.1/0.0	2.4/2.0	2.6/1.8	2.3/2.2	3.3/2.9	3.5/3.5	4.1/3.9	4.0/7.2	4.5/7.3	4.6/7.4	5.2/7.6	5.7/7.8	6.4/7.9	6.3/8.1	7.0/--
MSP	0.11	2.1/0.0	2.3/2.7	2.7/3.1	3.7/3.7	4.1/4.1	4.6/4.8	5.0/4.8	5.3/6.4	5.4/6.6	5.5/6.8	5.3/6.8	5.8/7.1	6.5/7.3	6.3/7.5	6.1/--
PHL	0.13	2.0/0.0	2.4/2.3	2.9/2.9	3.1/3.3	3.4/3.3	4.6/3.9	4.5/4.5	4.6/5.4	4.6/5.7	4.3/5.8	4.2/6.0	4.3/6.3	4.4/6.5	4.5/6.7	4.6/--
DTW	0.14	1.9/0.0	2.1/3.3	2.3/3.2	3.0/3.4	3.2/3.8	3.7/3.2	3.6/3.5	4.5/4.5	4.3/4.8	4.5/4.9	3.9/5.1	3.9/5.3	4.2/5.5	4.9/5.7	4.7/--
PDX	0.15	3.8/0.0	1.5/1.3	1.5/1.5	1.7/1.9	2.2/1.8	2.2/2.7	2.6/2.7	2.8/3.6	2.8/3.7	2.6/3.8	2.7/3.8	2.9/4.0	3.0/4.2	3.1/4.3	3.2/--
LGA	0.16	2.3/0.0	2.1/2.6	2.4/2.5	2.5/2.9	2.5/2.5	3.0/2.8	3.2/3.3	3.4/4.0	3.7/4.2	3.4/4.4	3.0/4.6	3.2/4.8	3.6/5.0	3.8/5.3	3.9/--
CVG	0.17	2.4/0.0	2.8/4.3	3.2/4.0	3.2/4.0	2.7/4.2	3.7/4.2	4.2/4.6	5.8/5.9	5.7/6.2	5.9/6.4	5.4/6.5	5.9/6.7	5.7/6.8	5.6/7.0	5.5/--
ORD	0.18	1.7/0.0	2.0/2.6	2.2/2.4	2.8/3.1	3.4/3.4	3.4/3.6	4.0/3.8	4.1/5.9	5.0/6.1	5.1/6.4	4.4/6.5	4.4/6.7	5.0/7.0	5.5/7.1	5.2/--
BOS	0.18	1.8/0.0	2.0/2.4	2.1/2.8	2.2/3.0	2.5/3.1	3.3/3.5	3.7/3.9	3.9/4.5	3.9/4.6	3.7/4.8	4.0/5.1	4.1/5.2	4.3/5.4	4.5/5.5	4.5/--
BWI	0.27	1.9/0.0	1.5/2.5	2.2/3.5	2.7/3.5	3.5/4.2	4.7/4.6	5.1/5.6	5.3/7.7	5.6/7.9	5.4/8.1	5.3/8.3	5.6/8.5	5.9/8.7	6.1/8.8	6.5/--
TUS	0.28	2.6/0.0	2.3/1.8	2.2/1.8	2.3/1.9	2.6/1.8	2.3/2.2	2.5/2.5	2.9/8.8	2.8/9.1	2.9/9.4	3.1/9.7	3.1/10.0	3.0/10.3	3.0/10.5	3.1/--
ATL	0.28	1.9/0.0	2.0/2.2	2.3/2.0	2.4/2.5	2.6/2.3	2.8/2.7	3.2/3.0	3.4/6.5	3.1/6.7	2.6/7.0	2.6/7.2	3.3/7.4	3.3/7.6	3.7/7.9	4.5/--
SLC	0.35	2.0/0.0	2.0/2.8	2.1/2.8	2.4/3.3	2.6/3.9	2.8/3.7	3.0/4.6	3.2/5.8	3.3/6.0	3.6/6.0	3.7/6.3	3.9/6.5	4.2/6.6	4.1/6.9	4.2/--
LAS	0.48	1.4/0.0	1.4/1.9	1.5/1.9	1.8/2.1	1.9/2.5	2.0/2.8	2.0/3.1	2.7/11.5	3.5/11.8	3.9/12.1	3.9/12.4	4.3/12.7	4.8/13.0	5.0/13.3	5.2/--

Bias (2009-05-01~2009-05-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
LAS	-2.14	-0.3/0.0	-0.3/0.5	-0.3/0.5	-0.7/0.3	-0.5/-1.0	-0.7/-2.4	-1.0/-2.9	-1.6/-11.5	-2.4/-11.8	-3.0/-12.1	-3.2/-12.4	-3.9/-12.7	-4.4/-13.0	-4.8/-13.3	-5.0/--
PDX	-0.51	-2.8/0.0	-0.1/-0.9	-0.2/-0.2	-0.3/0.1	-0.4/0.6	0.0/0.5	0.3/0.4	-0.1/-2.9	-0.2/-3.1	-0.3/-3.3	-0.6/-3.5	-0.8/-3.7	-0.6/-3.9	-0.7/-4.1	-0.8/--
ORD	-0.45	-0.1/0.0	-0.1/-0.7	-0.2/-0.7	0.0/-0.2	-0.7/-0.6	-0.3/-0.5	-0.8/0.5	-1.0/-4.0	-1.4/-4.4	-1.0/-4.7	-0.5/-5.0	-0.2/-5.4	-0.3/-5.7	-0.2/-6.0	-0.1/--
LGA	-0.06	0.3/0.0	0.5/1.6	0.8/1.1	1.0/1.3	0.7/0.2	0.4/0.5	0.2/0.5	0.4/-3.1	0.6/-3.4	-0.1/-3.7	-0.6/-4.1	-0.8/-4.4	-1.0/-4.7	-1.4/-5.0	-1.6/--
ATL	-0.03	0.2/0.0	0.1/-1.2	-0.3/-1.1	-0.4/-1.3	-0.1/-1.2	-0.3/-1.5	0.1/-1.1	-0.2/-5.2	0.0/-5.5	0.8/-5.8	0.6/-6.1	0.2/-6.4	0.2/-6.7	-0.2/-7.0	-1.0/--
TUS	0.11	0.0/0.0	-0.0/0.6	-0.5/0.6	-0.4/0.5	-0.3/-0.5	-0.1/0.1	0.3/-0.2	0.4/-8.8	0.7/-9.1	0.4/-9.4	0.8/-9.7	0.1/-10.0	0.2/-10.3	0.3/-10.5	-0.1/--
DFW	0.16	-0.6/0.0	-0.8/-0.0	-0.7/0.7	-0.3/0.4	0.1/1.4	0.3/1.4	-0.7/1.8	0.3/-2.8	-0.1/-3.1	0.4/-3.4	1.0/-3.7	1.1/-4.0	1.2/-4.3	0.9/-4.6	0.4/--
SAC	0.30	0.5/0.0	0.7/0.5	1.8/0.5	0.9/0.3	0.5/0.5	0.7/0.8	0.8/-0.7	0.5/-3.9	0.3/-4.1	-0.3/-4.3	0.3/-4.4	-0.2/-4.6	-0.5/-4.7	-0.6/-4.9	-0.9/--
PHL	0.38	0.1/0.0	0.4/0.1	0.6/-0.3	0.5/0.0	0.7/0.1	0.6/-0.2	0.4/0.2	0.6/-3.5	0.9/-3.8	0.8/-4.2	0.6/-4.5	0.2/-4.9	-0.0/-5.2	-0.2/-5.6	-0.4/--
IAH	0.41	0.0/0.0	0.2/-0.3	0.4/0.0	0.3/-0.4	0.7/-0.1	0.7/0.1	0.9/0.5	1.3/-4.4	1.5/-4.7	0.8/-5.0	0.7/-5.3	0.5/-5.5	-0.2/-5.8	-0.5/-6.1	-1.4/--
MSP	0.47	0.2/0.0	0.4/0.1	0.5/-0.0	1.3/-0.5	0.5/-0.7	0.8/-0.6	0.3/0.2	-0.1/-4.1	0.2/-4.5	-0.2/-4.9	-0.3/-5.3	0.5/-5.7	0.3/-6.1	1.4/-6.5	1.0/--
MCI	0.60	0.4/0.0	0.1/-0.2	0.5/0.2	0.7/0.8	0.2/0.6	0.6/0.1	0.4/0.5	0.4/-3.3	0.8/-3.6	0.1/-3.9	0.3/-4.3	0.8/-4.6	1.1/-5.0	1.8/-5.3	0.9/--
BOS	0.79	0.5/0.0	0.9/0.8	1.0/0.5	1.2/0.2	1.1/0.0	0.9/-0.2	0.9/-0.1	0.9/-3.1	1.0/-3.4	1.1/-3.7	1.0/-4.0	0.7/-4.4	0.5/-4.6	0.2/-5.0	0.0/--
DSM	0.79	0.1/0.0	-0.1/-0.5	0.3/0.0	1.2/0.0	0.8/-0.3	0.9/-0.6	0.1/0.4	-0.0/-4.0	0.9/-4.4	0.8/-4.8	0.8/-5.2	1.2/-5.5	1.2/-5.9	2.0/-6.3	1.6/--
CVG	0.81	0.0/0.0	0.1/-0.6	0.1/-0.6	0.4/-1.3	0.4/0.4	-0.1/0.5	0.7/0.4	0.6/-3.4	1.0/-3.8	2.0/-4.1	1.5/-4.5	1.5/-4.8	1.6/-5.1	1.3/-5.5	0.8/--
BWI	0.96	0.6/0.0	0.6/0.2	0.7/0.1	0.5/0.6	0.7/0.7	0.3/0.6	0.8/0.9	1.1/-4.3	1.3/-4.6	1.8/-5.0	1.9/-5.3	1.5/-5.6	1.1/-5.9	0.8/-6.3	0.6/--
DTW	0.96	0.3/0.0	0.0/1.5	0.5/1.2	1.4/0.1	1.4/-0.4	0.9/0.5	1.2/0.7	0.9/-1.9	0.7/-2.3	1.3/-2.6	1.1/-3.0	1.2/-3.4	1.5/-3.7	0.8/-4.1	1.0/--
SLC	0.99	0.1/0.0	0.3/2.0	0.6/2.3	0.5/2.8	0.7/2.8	0.6/1.2	0.6/1.6	0.9/-4.4	1.1/-4.7	0.9/-5.0	1.8/-5.3	1.7/-5.5	1.5/-5.8	1.8/-6.1	1.8/--

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: -2.0 > B >= -4.0 blue: B < -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MAX Temperature in USNW

	S-score	MAE (2009-05-01~2009-05-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
EUG	-0.07	2.8/2.4	2.9/2.3	3.3/1.9	3.9/2.7	4.7/4.2	4.4/4.5	4.7/4.8	5.1/6.7	5.3/6.7	6.2/6.8	6.6/6.9	7.0/7.0	7.1/7.1	7.2/7.1	7.1/7.2
ALW	0.05	1.9/1.7	2.2/1.5	1.9/2.1	2.7/3.0	4.2/3.5	4.7/4.4	5.0/4.5	4.8/7.0	5.2/7.1	4.9/7.1	5.2/7.2	6.0/7.2	6.7/7.3	6.8/7.4	6.9/7.5
SEA	0.07	2.4/1.5	2.2/2.6	2.4/3.1	2.9/3.4	4.2/4.1	4.6/4.6	4.9/4.8	5.7/6.2	5.0/6.3	4.1/6.3	4.7/6.4	5.9/6.4	5.9/6.5	5.8/6.5	5.9/6.6
YKM	0.11	2.0/1.6	2.3/1.9	2.1/2.5	3.1/3.4	3.8/4.7	4.5/5.0	4.8/4.8	5.0/7.9	5.5/7.9	5.6/7.9	6.1/8.0	6.8/8.0	7.6/8.0	7.8/8.1	7.8/8.2
PDX	0.12	2.6/2.6	2.9/3.2	3.1/3.2	3.7/3.4	4.7/4.5	4.7/5.3	5.0/5.5	5.3/8.0	5.3/8.0	6.3/8.2	6.7/8.3	7.5/8.4	7.6/8.6	7.6/8.6	7.4/8.8
BOI	0.13	2.1/1.5	2.5/1.5	2.0/2.4	2.7/3.1	3.6/3.6	4.6/4.6	4.5/4.7	5.0/8.9	5.4/9.1	5.2/9.1	5.6/9.3	6.5/9.4	7.1/9.5	7.8/9.7	7.9/9.9
PDT	0.15	2.1/1.9	2.2/2.1	1.8/3.0	2.7/3.5	3.9/4.4	4.3/4.4	4.7/4.6	5.1/7.5	5.1/7.5	4.9/7.6	5.6/7.6	6.5/7.7	7.3/7.7	7.5/7.9	7.5/8.0
GEG	0.25	1.6/1.9	1.6/2.0	1.5/2.5	2.1/2.9	2.8/3.4	3.4/4.6	3.8/5.0	4.3/7.5	4.9/7.5	5.1/7.6	5.3/7.7	6.4/7.8	6.9/7.8	6.9/7.9	6.5/8.0

	avg-bias	Bias (2009-05-01~2009-05-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
PDX	-2.49	-0.8/-1.7	-1.1/-1.8	-1.6/-2.6	-1.4/-2.1	-1.3/-2.9	-1.6/-3.6	-2.1/-3.6	-1.9/-6.3	-1.5/-6.5	-2.9/-6.7	-3.7/-6.9	-4.3/-7.1	-4.3/-7.4	-4.0/-7.5	-4.8/-7.7
EUG	-2.47	-1.0/-1.2	-1.4/-0.5	-1.8/-0.5	-1.6/-0.5	-1.4/-0.8	-1.8/-1.9	-2.2/-2.2	-1.7/-3.6	-1.9/-3.8	-3.1/-4.0	-3.8/-4.2	-4.0/-4.4	-3.9/-4.6	-3.9/-4.8	-3.7/-5.0
GEG	-1.15	-0.4/0.6	-0.4/0.1	-0.6/0.6	-1.1/0.2	-1.0/-0.1	-0.1/-1.5	-0.4/-2.3	-0.5/-3.9	-0.7/-4.1	-1.8/-4.4	-2.1/-4.7	-2.6/-5.0	-2.3/-5.3	-1.7/-5.5	-1.6/-5.8
ALW	0.48	0.3/-0.6	0.7/-0.9	0.5/-0.2	0.3/-0.3	0.2/-0.4	1.5/-2.2	1.9/-2.9	1.4/-3.5	1.6/-3.7	0.8/-4.0	-0.4/-4.3	-1.1/-4.5	-0.5/-4.8	-0.2/-5.0	0.2/-5.3
YKM	0.54	0.4/-0.5	0.7/0.2	0.7/1.3	-0.2/0.5	-0.4/0.9	1.2/-0.7	1.6/-1.2	1.5/-3.9	1.5/-4.1	1.2/-4.4	-0.1/-4.7	-0.4/-5.0	-0.2/-5.2	0.2/-5.5	0.4/-5.8
PDT	0.59	0.1/1.4	0.4/1.8	0.3/2.2	-0.0/1.6	0.0/1.4	1.5/-0.1	1.7/-1.5	1.3/-3.8	1.3/-4.1	1.2/-4.4	-0.1/-4.6	-0.5/-4.9	0.2/-5.2	0.6/-5.4	0.8/-5.7
SEA	0.82	0.2/-0.6	0.2/-0.8	0.1/-1.1	0.0/-0.3	0.7/-1.8	1.1/-1.5	0.8/-2.1	1.3/-2.8	1.2/-3.0	1.7/-3.2	0.7/-3.5	0.7/-3.6	1.1/-3.8	1.4/-4.0	1.3/-4.3
BOI	1.32	0.2/0.7	0.6/0.2	0.5/1.9	0.2/2.3	0.3/0.6	1.5/-0.8	1.3/-1.4	1.2/-6.2	1.5/-6.5	2.0/-6.8	1.7/-7.1	1.5/-7.4	1.8/-7.7	2.5/-8.0	3.0/-8.3

red: $S < -0.3$ orange: $-0.3 < S < -0.1$ grey: $-0.1 < S < 0.1$ green: $0.1 < S < 0.3$ blue: $S > 0.3$

S_score: average of $(1 - \text{ECMWF-value} / \text{MEX-value})$

red: $B \geq 4.0$ orange: $4.0 > B \geq 2.0$ black: $2.0 > B \geq -2.0$ green: $-2.0 > B \geq -4.0$ blue: $B < -4.0$

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature in USNW

	S-score	MAE (2009-05-01~2009-05-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
SEA	-0.18	1.8/0.0	1.8/1.2	1.9/1.7	2.0/2.0	2.0/1.8	2.1/2.4	2.4/2.2	2.8/2.2	2.6/2.1	2.5/2.1	2.6/2.1	2.5/2.3	3.1/2.4	3.2/2.5	3.1/--
PDT	-0.16	2.7/0.0	3.2/2.0	3.0/2.3	3.3/2.8	4.2/3.3	4.7/3.6	4.9/4.1	5.1/4.9	5.0/4.9	5.1/4.9	4.5/5.0	4.8/5.1	5.2/5.0	5.7/5.1	5.7/--
EUG	-0.11	2.6/0.0	2.9/2.2	2.7/2.0	3.7/2.9	4.3/3.4	4.7/4.4	4.9/4.5	5.4/4.8	5.2/4.8	4.6/4.8	4.7/4.8	4.9/4.9	5.0/5.0	5.0/5.0	5.1/--
YKM	0.07	4.0/0.0	4.1/2.9	4.2/3.5	4.0/3.7	4.0/4.8	4.1/4.8	4.2/4.6	4.6/5.9	4.4/6.0	4.7/6.0	5.0/6.1	5.2/6.2	5.6/6.1	5.8/6.4	5.7/--
GEG	0.07	1.9/0.0	2.3/1.9	2.3/2.3	2.7/2.3	2.7/2.9	3.4/3.1	3.5/3.5	3.8/5.0	3.7/5.2	4.0/5.1	4.0/5.2	4.5/5.3	4.8/5.5	5.2/5.6	5.6/--
PDX	0.15	3.8/0.0	1.5/1.3	1.5/1.5	1.7/1.9	2.2/1.8	2.2/2.7	2.6/2.7	2.8/3.6	2.8/3.7	2.6/3.8	2.7/3.8	2.9/4.0	3.0/4.2	3.1/4.3	3.2/--
ALW	0.24	2.0/0.0	2.0/2.1	1.9/2.1	1.8/2.3	2.3/2.8	2.8/3.2	3.5/3.5	3.8/5.7	3.9/5.8	3.8/5.9	3.7/6.1	4.0/6.2	4.3/6.2	4.6/6.4	4.8/--
BOI	0.24	1.3/0.0	1.7/2.2	1.9/3.0	2.1/3.3	2.9/3.3	3.6/4.2	4.0/4.6	4.8/6.6	4.6/6.8	5.0/6.8	4.7/6.8	5.4/7.0	5.9/7.2	6.2/7.3	6.6/--

	avg-bias	Bias (2009-05-01~2009-05-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
PDX	-0.51	-2.8/0.0	-0.1/-0.9	-0.2/-0.2	-0.3/0.1	-0.4/0.6	0.0/0.5	0.3/0.4	-0.1/-2.9	-0.2/-3.1	-0.3/-3.3	-0.6/-3.5	-0.8/-3.7	-0.6/-3.9	-0.7/-4.1	-0.8/--
GEG	0.50	-0.4/0.0	-0.5/-0.4	-0.6/0.7	-0.5/1.2	-0.6/0.4	0.2/0.3	0.6/-0.2	0.5/-2.8	0.7/-3.1	1.4/-3.3	1.2/-3.5	1.1/-3.8	1.2/-4.1	1.4/-4.3	1.8/--
YKM	0.68	0.4/0.0	0.3/0.3	-0.1/0.4	-0.4/0.7	-0.0/2.4	0.4/2.0	0.9/1.3	0.8/-3.3	1.1/-3.5	1.6/-3.8	1.6/-4.0	0.8/-4.2	1.0/-4.5	1.0/-4.7	0.9/--
EUG	0.97	0.5/0.0	0.9/0.5	0.9/0.4	0.8/0.9	0.7/2.0	1.1/2.1	1.6/1.7	1.6/-0.2	1.6/-0.3	1.2/-0.5	0.9/-0.6	0.7/-0.8	1.0/-0.9	0.8/-1.0	0.4/--
ALW	1.11	0.2/0.0	0.4/-0.4	0.4/0.1	0.5/-0.4	0.3/-0.5	0.7/-0.4	1.5/-1.7	1.4/-3.9	1.8/-4.1	2.6/-4.4	1.7/-4.6	1.3/-4.8	1.0/-5.0	1.5/-5.2	1.3/--
SEA	1.12	0.6/0.0	0.8/-0.2	0.4/0.5	0.5/0.5	0.2/1.0	0.8/1.0	1.4/1.2	1.3/-0.8	1.1/-1.0	1.5/-1.1	1.9/-1.3	1.4/-1.5	1.8/-1.6	1.7/-1.8	1.5/--
BOI	1.93	0.4/0.0	0.5/1.6	0.8/1.9	0.9/2.0	0.9/1.9	1.6/-0.6	1.7/-0.6	1.9/-3.7	2.3/-4.0	3.4/-4.2	2.7/-4.5	2.6/-4.7	2.8/-5.0	3.2/-5.2	3.2/--
PDT	2.08	0.8/0.0	1.0/0.8	0.9/1.1	0.8/1.2	1.0/1.4	1.7/0.8	2.2/0.3	2.3/-0.9	2.3/-1.2	3.6/-1.4	3.1/-1.5	2.7/-1.8	2.8/-2.0	2.9/-2.2	3.1/--

red: $S < -0.3$ orange: $-0.3 < S < -0.1$ grey: $-0.1 < S < 0.1$ green: $0.1 < S < 0.3$ blue: $S > 0.3$

S_score: average of $(1 - \text{ECMWF-value} / \text{MEX-value})$

red: $B \geq 4.0$ orange: $4.0 > B \geq 2.0$ black: $2.0 > B \geq -2.0$ green: $-2.0 > B \geq -4.0$ blue: $B < -4.0$

avg_bias: average of ECMWF-value

ECMWF/MEX MAX Temperature in USNC

MAE (2009-05-01~2009-05-31)																
	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
IND	-0.21	2.7/2.1	2.9/2.4	3.5/3.2	4.0/3.6	3.9/3.2	4.6/3.8	5.5/4.1	6.1/4.8	6.6/4.8	6.3/5.0	6.3/5.1	6.0/5.2	6.5/5.4	6.6/5.5	6.1/5.6
LEX	-0.19	2.4/1.3	2.3/1.6	2.4/2.2	2.8/2.5	3.8/3.5	4.0/3.0	4.6/3.5	5.6/4.9	6.9/5.0	6.3/5.2	6.0/5.3	5.3/5.4	5.2/5.6	5.6/5.7	5.5/5.9
SDF	-0.15	2.6/1.5	3.0/2.1	3.0/2.6	2.5/2.8	3.3/2.9	3.4/2.9	4.2/3.5	5.6/4.9	6.6/5.0	6.0/5.0	5.7/5.3	5.2/5.5	5.3/5.5	5.4/5.7	5.4/6.0
EVV	-0.12	2.9/2.0	3.1/2.3	2.9/3.1	2.9/2.8	3.2/3.0	3.5/3.2	4.3/3.3	5.3/4.7	6.0/4.8	5.7/4.9	5.6/5.1	5.1/5.1	5.3/5.3	5.6/5.4	5.1/5.5
DEC	-0.12	2.3/1.8	2.6/2.5	2.8/3.2	3.4/3.0	3.7/2.9	4.6/4.1	4.2/4.2	5.1/4.7	5.5/4.7	5.2/4.8	5.3/4.8	5.3/4.8	6.0/4.8	6.1/4.9	5.4/5.1
CVG	-0.11	2.2/1.9	2.2/2.5	2.6/3.1	2.7/3.4	3.2/2.9	3.7/3.0	4.3/3.4	4.9/4.3	5.7/4.5	5.5/4.5	5.6/4.6	5.4/4.8	5.8/5.0	5.9/5.1	5.7/5.3
MKE	-0.10	5.1/3.6	5.6/3.4	5.9/4.2	6.6/6.9	7.2/7.4	7.5/6.4	7.9/7.2	7.5/7.6	7.1/7.7	7.1/7.8	8.1/7.8	8.0/8.0	8.7/8.1	8.3/8.2	8.0/8.4
FAR	-0.05	4.0/3.3	4.4/3.9	4.5/4.8	5.2/5.7	5.9/6.0	6.5/6.1	7.3/5.9	6.7/6.3	7.7/6.6	7.4/6.5	7.5/6.8	7.6/6.9	6.9/7.2	6.5/7.3	6.7/7.6
DTW	-0.00	2.9/2.0	3.5/2.6	3.4/3.1	3.2/3.7	3.6/4.9	4.4/3.8	4.9/3.8	4.1/4.7	4.8/4.9	4.5/5.0	4.7/5.1	4.5/5.2	5.2/5.7	5.3/5.9	5.2/6.2
LAN	-0.00	3.2/2.5	3.7/3.1	3.7/3.0	3.8/4.5	4.2/5.8	4.6/4.3	4.7/4.6	5.2/4.8	5.2/4.9	4.5/5.1	5.0/5.3	5.0/5.5	5.6/5.7	5.5/5.8	5.2/6.1
OMA	0.02	3.5/3.1	3.7/3.3	4.5/3.7	4.7/4.4	5.3/4.6	5.5/5.0	6.4/6.3	6.7/7.3	6.8/7.4	6.1/7.5	6.7/7.7	7.1/7.9	7.1/8.0	7.0/8.2	6.3/8.4
DLH	0.03	4.5/3.1	4.1/3.9	4.4/4.7	5.2/6.1	5.5/6.5	6.6/7.0	6.8/7.7	7.7/7.4	7.6/7.6	7.4/7.7	7.7/7.9	7.9/8.1	7.5/8.3	7.5/8.6	7.5/8.8
FWA	0.03	1.9/2.3	2.3/2.7	3.2/3.5	3.5/3.9	3.8/3.7	4.4/4.4	5.1/4.6	5.7/5.3	6.1/5.4	5.7/5.5	5.5/5.7	5.5/5.9	6.0/6.1	5.9/6.3	5.5/6.5
ORD	0.03	2.8/2.9	3.5/2.8	3.8/4.5	5.0/4.8	5.5/5.9	5.7/5.1	5.7/5.6	5.6/5.9	5.2/5.9	5.3/6.2	6.1/6.3	5.9/6.5	6.7/6.6	6.3/7.0	6.0/7.2
DBQ	0.03	2.1/2.0	2.7/2.6	3.3/3.2	4.2/4.5	4.8/4.7	4.6/4.7	4.9/4.9	5.3/5.6	5.2/5.7	5.0/5.7	5.7/5.9	5.9/6.1	6.1/6.2	5.9/6.4	5.9/6.5
CMH	0.04	2.1/2.0	2.8/2.8	2.5/3.2	2.5/3.5	2.7/3.3	4.0/3.7	4.6/3.7	5.4/5.5	6.4/5.6	6.3/5.9	5.4/6.0	5.5/6.2	5.8/6.3	6.1/6.5	6.0/6.7
DSM	0.04	3.1/3.2	3.5/3.2	3.9/3.7	4.6/4.1	5.6/5.2	5.6/5.1	5.5/6.3	5.7/6.8	5.9/6.9	5.6/7.0	6.2/7.1	6.9/7.2	6.9/7.3	6.9/7.3	6.4/7.5
FSD	0.05	2.7/2.5	2.9/3.4	3.6/4.0	4.2/5.1	5.0/5.6	5.5/5.9	6.5/5.8	6.6/6.9	7.6/7.0	6.7/7.2	6.4/7.3	7.4/7.4	7.1/7.6	7.4/7.6	7.1/7.8
CLE	0.06	4.2/2.8	4.0/3.5	4.4/3.9	3.6/4.4	4.1/5.3	4.9/5.0	5.9/4.9	5.5/6.5	7.0/6.7	6.6/6.9	5.8/7.2	5.5/7.3	5.5/7.3	6.0/7.8	5.9/8.0
PIR	0.06	2.5/2.3	3.5/3.9	3.5/4.5	3.5/3.9	3.5/4.5	5.2/5.6	5.3/5.4	5.2/5.6	7.2/7.3	6.3/7.3	6.8/7.4	7.6/7.9	7.2/7.6	7.2/7.9	7.1/7.9
BIS	0.08	2.5/3.0	3.0/3.7	3.8/4.2	4.0/4.8	4.5/4.3	5.2/5.4	6.8/5.6	7.0/6.8	6.8/7.0	6.8/7.1	6.8/7.2	6.5/7.4	6.2/7.5	5.9/7.6	6.1/7.9
APN	0.09	3.7/3.6	3.7/2.9	4.0/4.7	4.9/6.7	5.7/7.9	7.1/6.9	6.8/7.8	6.8/8.0	7.3/8.2	7.6/8.3	7.9/8.6	8.3/8.8	8.1/8.9	7.6/9.1	7.6/9.1
YNG	0.12	3.0/2.6	2.8/3.1	3.1/4.0	2.8/4.0	4.3/5.2	5.5/6.3	6.6/5.4	6.4/7.3	6.9/7.4	6.8/7.6	6.0/7.8	6.0/8.0	6.5/8.1	7.1/8.4	7.1/8.6
DAY	0.16	2.0/2.8	2.6/3.6	3.0/4.0	3.2/4.5	3.4/3.8	4.1/4.5	4.7/4.4	5.6/6.0	6.2/6.2	6.0/6.5	5.4/6.7	5.4/6.9	5.6/7.2	5.9/7.5	5.8/7.8
RAP	0.17	2.3/2.9	2.5/4.2	3.0/4.4	3.4/4.3	4.8/4.7	4.9/4.6	6.0/6.3	6.9/7.5	6.9/7.7	5.5/7.7	6.1/7.9	7.1/8.0	6.7/8.1	6.4/8.2	6.7/8.3
MSP	0.18	2.9/3.3	2.8/3.9	3.8/5.1	4.9/5.8	5.1/6.4	5.5/6.9	5.9/6.6	6.0/7.6	7.4/7.6	6.8/7.9	6.4/8.1	7.5/8.3	7.3/8.6	7.1/8.8	6.6/9.1
GTF	0.19	2.5/4.0	3.2/4.8	2.8/4.6	3.5/4.9	4.7/5.0	5.3/5.6	5.3/5.0	5.5/7.4	4.7/7.5	5.3/7.5	6.2/7.5	6.7/7.6	7.1/7.7	7.4/7.8	7.7/7.9

Bias (2009-05-01~2009-05-31)																
	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
FAR	-2.04	-0.7/0.3	-1.1/1.3	-1.0/0.1	-1.5/0.2	-1.8/1.0	-2.8/1.1	-2.8/1.0	-3.2/0.3	-3.5/0.7	-3.5/1.1	-2.8/1.5	-2.4/2.0	-1.6/2.5	-1.1/3.0	-0.7/3.5
MKE	-1.24	-0.1/2.5	0.2/2.6	0.6/3.1	0.4/4.3	0.2/5.4	-1.0/4.4	-1.7/3.5	-1.6/3.4	-1.7/3.7	-2.2/4.2	-2.1/4.5	-2.5/4.9	-2.5/5.4	-2.5/5.7	-2.3/6.2
LAN	-0.89	-0.6/0.5	-0.4/0.4	0.0/1.1	0.7/3.0	0.0/4.1	-0.6/2.4	-0.8/1.4	-1.0/2.2	-1.0/2.6	-1.1/3.0	-1.7/3.8	-2.0/4.2	-1.9/4.6	-1.6/5.1	-1.6/5.1
BIS	-0.85	-0.4/0.1	-0.8/1.3	-0.4/1.3	-1.0/0.5	-0.8/1.0	-0.7/1.6	-1.1/0.8	-1.2/1.7	-1.7/2.1	-1.9/2.5	-1.7/2.9	-0.8/3.4	-0.5/3.8	-0.1/4.2	0.4/4.6
ORD	-0.56	0.1/-1.2	0.0/0.5	0.4/-2.7	0.7/-2.0	-0.3/-3.9	0.0/-2.8	-0.4/-2.6	-0.5/-3.3	-0.5/-3.7	-1.3/-4.1	-1.3/4.5	-1.3/4.8	-1.4/5.2	-1.3/5.6	-1.3/6.0
MSP	-0.52	0.1/-2.2	0.1/-2.5	0.8/-3.3	0.3/-4.0	-0.6/-4.7	-1.3/-4.1	-0.9/-3.0	-0.8/-4.2	-1.0/-4.5	-1.5/-5.0	-0.9/5.4	-0.8/5.8	-1.0/6.2	-0.3/6.6	-0.1/7.0
FWA	-0.12	-0.4/0.5	-0.4/-1.2	-0.2/-1.3	0.4/-2.3	-0.0/-2.7	-0.8/-2.7	-0.5/-0.8	-0.6/-3.0	-0.7/-3.4	0.6/3.8	0.2/4.2	0.4/4.6	0.1/5.0	-0.0/5.4	0.3/5.7
DTW	0.14	0.5/0.7	0.6/0.4	0.7/0.9	1.6/-2.6	0.9/3.4	0.6/1.4	0.4/0.4	0.5/-2.3	0.6/-2.7	0.3/3.1	-0.7/3.5	-0.8/3.9	-1.2/4.3	-1.1/4.7	-0.9/5.1
OMA	0.14	0.2/0.6	0.6/0.2	1.4/0.3	1.2/-1.0	-0.0/0.9	0.5/0.9	-0.2/0.3	0.4/3.9	-0.2/4.2	-0.7/4.5	-0.4/4.9	-0.8/5.2	-0.1/5.5	0.0/5.9	0.2/6.2
APN	0.19	-0.0/1.3	0.0/0.9	0.5/1.6	1.1/4.2	0.1/4.5	0.7/4.7	-0.2/1.4	0.6/3.4	0.6/3.8	1.8/4.3	-0.8/4.7	-0.4/5.2	-0.5/5.6	-0.4/6.1	-0.3/6.5
DEC	0.39	-0.5/0.4	-0.3/0.0	0.1/-1.0	0.4/0.3	-0.1/-1.2	0.1/0.5	0.2/0.7	0.0/0.4	0.2/0.1	0.5/0.3	1.0/0.6	0.8/1.0	1.3/1.3	1.4/1.6	0.9/2.0
YNG	0.44	0.1/-1.3	0.0/-1.4	0.2/-2.3	0.9/3.1	1.0/3.6	0.9/3.3	0.5/-2.1	0.6/4.3	1.0/4.6	1.6/5.0	0.4/5.3	0.2/5.7	-0.1/6.0	-0.6/6.4	-0.3/6.7
GTF	0.46	-0.0/3.5	0.5/3.8	0.7/3.5	0.6/3.2	0.7/2.8	1.0/1.6	0.4/0.3	0.2/2.4	0.2/2.6	0.6/2.9	0.2/3.2	0.4/3.5	0.8/3.8	-0.1/4.1	0.6/4.4
DLH	0.59	0.8/-1.3	0.8/-1.6	1.1/-2.0	1.3/-3.0	-0.2/-3.2	-0.0/-2.7	0.1/-2.1	0.6/1.4	0.1/1.8	0.2/2.3	0.5/2.7	0.4/3.2	1.0/3.6	1.0/4.1	1.1/4.6
DAY	0.61	-0.1/1.7	-0.3/2.3	0.2/2.9	0.7/3.1	1.0/3.5	0.3/2.9	0.6/1.9	0.3/4.9	0.4/5.3	1.4/5.6	1.0/5.9	1.2/6.3	0.8/6.6	0.6/7.0	1.0/7.3
RAP	0.69	0.3/2.0	1.1/3.6	1.4/2.6	0.6/1.9	0.3/1.9	1.6/2.0	1.5/1.4	1.7/4.0	-0.2/4.3	-0.5/4.6	-0.6/5.0	-0.6/5.3	-0.1/5.6	1.8/5.9	2.1/6.3
CMH	0.97	-0.1/0.9	-0.3/1.4	0.2/-2.1	0.8/-2.2	1.0/2.3	0.7/2.4	0.8/0.8	0.6/3.3	0.9/3.6	2.1/4.0	1.6/4.3	1.8/4.7	1.5/5.0	1.3/5.4	1.7/5.7
PIR	1.11	0.3/1.4	0.9/3.4	1.6/2.8	0.8/1.9	0.7/1.0	1.2/1.9	1.2/0.8	2.3/1.9	0.5/2.3	-0.1/2.6	0.4/3.0	0.7/3.4	1.7/3.8	2.1/4.1	2.3/4.5
CLE	1.14	0.5/1.5	0.7/1.6	1.0/1.7	1.7/3.3	1.6/4.4	1.5/3.0	1.0/1.8	1.0/4.3	1.1/4.7	1.9/5.0	1.3/5.4	1.3/5.8	0.9/6.1	0.6/6.5	1.0/6.9
FSD	1.14	0.1/0.3	0.8/1.3	1.4/0.7	1.1/-1.3	0.4/-2.3	0.5/-1.5	0.5/0.4	1.0/3.1	0.7/3.5	0.9/3.9	1.1/4.3	1.2/4.6	2.1/5.0	2.6/5.4	2.7/5.8
EVV	1.15	0.3/0.2	0.2/0.8	0.2/0.7	0.5/0.7	0.6/0.1	0.9/0.1	1.0/0.1	1.3/1.6	1.7/1.9	1.6/2.2	2.0/2.5	1.8/2.9	1.8/3.2	1.7/3.5	1.7/3.8
DSM	1.22	-0.4/0.4	0.4/0.3	1.4/0.1	1.4/0.6	0.5/0.8	1.3/1.1	0.7/0.5	1.5/3.0	1.5/3.3	1.3/3.7	1.6/4.0	1.2/4.4	1.8/4.7	1.9/5.1	2.1/5.4
DBQ	1.24	0.0/0.1	0.0/0.2	0.8/0.1	1.4/1.3	0.7/1.7	1.4/0.7	0.9/0.4	1.6/1.6	1.5/2.0	1.5/2.4	1.6/2.7	1.5/3.1	1.7/3.5	1.8/3.9	2.1/4.3
LEX	1.45	0.1/0.9	-0.5/0.4	-0.3/0.6	0.6/1.0	0.6/1.4	1.4/1.3	1.6/1.3	1.8/1.6	2.5/1.9	2.4/2.2	2.7/2.5	2.2/2.7	2.2/3.0	2.0/3.3	2.3/3.6
CVG	1.63	0.1/0.7	0.3/1.2	0.5/1.5	1.2/1.4	1.3/1.5	1.4/1.2	1.4/0.6	2.1/1.9	1.3/2.2	2.4/2.5	2.7/2.8	2.8/3.2	2.6/3.5	2.8/4.1	2.8/4.1
SDF	1.70	0.4/1.2	0.2/0.4	0.5/0.7	0.9/1.2	1.2/1.4	1.5/1.3	1.7/1.5	2.2/2.4	2.6/2.6	2.5/2.9	2.7/3.2	2.3/3.5	2.2/3.7	2.2/4.0	2.4/4.3
IND	1.72	0.4/0.3	0.7/0.5	1.2/1.0	1.5/0.7	1.4/1.2	0.8/0.5	1.4/0.2	1.0/2.1	1.3/2.5	2.3/2.8	2.9/3.2	3.0/3.5	2.7/3.8	2.6/4.2	2.6/4.5

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3
 S_score: average of (1 - ECMWF-value / MEX-value)
 red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: -2.0 > B >= -4.0 blue: B < -4.0
 avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature in USNC

MAE (2009-05-01~2009-05-31)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
APN	-0.13	2.3/0.0	2.4/3.8	2.7/3.9	2.7/3.1	3.9/4.3	4.2/4.8	5.3/4.4	5.9/5.0	6.4/5.0	7.1/4.9	6.8/5.0	6.3/4.9	7.2/4.8	7.1/4.9	6.9/--
FAR	-0.05	2.9/0.0	2.8/4.4	3.1/3.3	3.7/4.4	4.1/4.6	4.8/6.9	5.3/6.0	6.0/5.5	6.5/5.5	5.7/5.3	6.3/5.3	6.9/5.0	7.1/5.1	7.4/5.1	6.9/--
PIR	-0.03	2.6/0.0	2.5/4.0	2.5/3.7	2.5/4.2	3.1/4.0	4.1/5.2	5.2/5.1	5.4/4.9	5.8/4.7	5.3/4.7	5.9/4.8	6.2/4.6	6.7/4.8	6.9/4.8	7.0/--
DLH	-0.02	2.3/0.0	2.2/2.5	2.5/2.9	3.1/3.0	3.2/3.0	3.3/3.6	3.8/4.8	4.4/4.4	4.8/4.5	4.5/4.5	5.0/4.5	5.5/4.7	5.7/4.6	5.6/4.8	5.7/--
RAP	-0.00	2.6/0.0	2.8/5.1	3.4/5.6	3.9/5.2	4.9/4.9	4.9/4.9	5.5/5.3	6.0/5.4	6.3/5.2	5.7/5.3	5.8/5.3	6.0/5.3	6.2/5.4	7.1/5.3	7.0/--
BIS	0.01	2.4/0.0	2.5/3.7	3.1/3.9	3.7/4.2	4.5/4.7	5.3/6.1	5.4/5.8	5.9/5.5	6.6/5.6	6.0/5.7	6.2/5.7	6.6/5.8	6.6/6.0	6.7/5.9	6.8/--
FWA	0.03	2.4/0.0	2.7/3.7	2.6/3.4	2.7/4.1	3.4/3.6	4.4/4.8	4.3/4.2	5.9/4.9	6.7/5.1	5.7/5.3	5.3/5.4	5.4/5.5	5.5/5.6	5.6/5.9	6.0/--
DBQ	0.04	2.0/0.0	2.1/2.8	2.4/3.1	2.9/3.4	3.4/3.8	4.7/4.5	4.7/4.4	5.3/5.1	5.8/5.1	5.4/5.2	5.1/5.3	4.9/5.5	5.4/5.6	5.9/5.7	5.5/--
DSM	0.04	2.3/0.0	2.6/1.9	2.5/2.3	3.4/2.6	3.9/3.2	4.3/3.8	4.7/4.2	4.5/5.8	4.8/6.0	4.5/6.1	4.3/6.3	4.6/6.5	5.4/6.8	5.4/7.1	5.4/--
OMA	0.06	2.5/0.0	2.6/2.8	3.1/3.2	3.9/3.2	4.3/3.5	4.6/4.2	5.0/5.0	5.4/5.9	6.0/6.0	5.2/6.3	4.7/6.4	4.9/6.7	5.5/7.0	5.4/7.1	5.6/--
FSD	0.08	2.6/0.0	2.9/3.8	2.9/4.5	3.8/5.0	4.2/4.3	4.8/4.9	5.2/4.7	5.7/6.1	6.2/6.3	6.2/6.3	5.8/6.5	6.4/6.7	7.3/6.9	7.2/7.2	7.2/--
GTF	0.09	3.4/0.0	3.7/3.5	4.5/4.6	4.7/4.5	4.3/4.6	4.7/4.9	4.3/5.0	5.2/6.0	5.0/6.0	5.1/6.2	5.2/6.3	5.5/6.3	5.8/6.4	6.0/6.5	6.2/--
YNG	0.10	2.8/0.0	3.0/3.8	3.1/4.3	4.0/4.2	4.0/4.0	4.3/4.4	5.1/4.8	6.2/7.3	7.2/7.3	6.9/7.5	6.4/7.6	6.9/7.7	6.6/7.8	6.6/8.0	7.0/--
MSP	0.11	2.1/0.0	2.3/2.7	2.7/3.1	3.7/3.7	4.1/4.1	4.6/4.8	5.0/4.8	5.3/6.4	5.4/6.6	5.5/6.8	5.3/6.8	5.8/7.1	6.5/7.3	6.3/7.5	6.1/--
CMH	0.13	2.3/0.0	2.2/3.5	2.6/4.0	3.1/4.2	3.4/4.1	4.1/4.3	4.7/4.5	6.3/5.8	5.9/6.0	5.9/6.2	5.8/6.5	6.1/6.6	5.7/6.9	5.5/7.2	5.9/--
MKE	0.14	2.6/0.0	2.5/3.0	2.7/3.1	3.6/3.6	4.4/4.2	4.1/4.3	4.0/4.5	3.9/5.5	4.5/5.7	4.7/5.8	4.8/5.9	4.7/6.3	5.8/6.5	5.8/6.7	5.3/--
DTW	0.14	1.9/0.0	2.1/3.3	2.3/3.2	3.0/3.4	3.2/3.8	3.7/3.2	3.6/3.5	4.5/4.5	4.3/4.8	4.5/4.9	3.9/5.1	3.9/5.3	4.2/5.5	4.9/5.7	4.7/--
DEC	0.15	2.0/0.0	2.1/2.6	2.1/3.0	2.5/3.5	3.0/4.0	3.3/3.7	3.3/3.6	4.2/5.2	4.9/5.4	4.8/5.5	5.2/5.6	4.9/5.8	5.3/5.9	5.7/6.0	5.7/--
CVG	0.17	2.4/0.0	2.8/4.3	3.2/4.0	3.2/4.0	2.7/4.2	3.7/4.2	4.2/4.6	5.8/5.9	5.7/6.2	5.9/6.4	5.4/6.5	5.9/6.7	5.7/6.8	5.6/7.0	5.5/--
ORD	0.18	1.7/0.0	2.0/2.6	2.2/2.4	2.8/3.1	3.4/3.4	3.4/3.6	4.0/3.8	4.1/5.9	5.0/6.1	5.1/6.4	4.4/6.5	4.4/6.7	5.0/7.0	5.5/7.1	5.2/--
LAN	0.19	2.3/0.0	2.3/3.1	2.6/3.3	3.1/3.5	3.2/4.5	4.0/4.3	4.5/4.3	4.9/6.4	5.1/6.5	5.0/6.6	4.8/6.8	4.8/7.0	5.7/7.1	6.1/7.4	5.9/--
DAY	0.20	1.4/0.0	1.9/3.4	2.2/3.6	2.5/3.8	2.5/3.8	3.2/4.5	3.8/4.3	5.3/5.4	5.5/5.5	5.3/5.7	5.1/6.0	5.8/6.2	5.3/6.5	5.6/6.7	6.0/--
IND	0.21	2.2/0.0	2.4/2.6	2.5/2.7	2.6/3.3	2.3/3.4	3.0/3.4	3.4/3.5	4.4/5.8	4.6/6.1	5.1/6.3	4.6/6.5	4.9/6.8	4.9/7.1	5.1/7.4	5.4/--
CLE	0.22	2.0/0.0	2.5/3.2	2.3/3.5	2.9/3.8	2.8/3.9	3.3/3.9	3.9/4.2	5.3/6.5	5.2/6.5	5.5/6.7	4.9/6.8	5.5/7.1	5.4/7.3	5.6/7.5	5.9/--
EVV	0.26	2.0/0.0	2.5/3.0	2.8/3.1	2.5/3.6	2.4/3.7	3.5/3.7	3.7/4.9	4.5/6.4	4.6/6.6	4.7/6.8	4.7/7.1	5.2/7.4	5.2/7.5	5.3/7.8	5.2/--
SDF	0.27	1.9/0.0	2.0/2.8	2.3/3.0	2.2/3.1	2.2/3.3	3.0/3.4	3.4/4.1	4.6/6.1	4.7/6.3	4.7/6.5	4.7/6.6	5.0/6.9	4.7/7.1	4.9/7.3	5.0/--
LEX	0.31	1.7/0.0	1.3/2.9	1.7/2.5	2.0/3.2	1.6/2.8	2.6/2.9	3.3/4.3	4.8/6.5	5.1/6.7	4.9/6.9	5.1/7.1	5.4/7.3	5.1/7.5	5.2/7.7	5.5/--

Bias (2009-05-01~2009-05-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ORD	-0.45	-0.1/0.0	-0.1/-0.7	-0.2/-0.7	0.0/-0.2	-0.7/-0.6	-0.3/-0.5	-0.8/0.5	-1.0/-4.0	-1.4/-4.4	-1.0/-4.7	-0.5/-5.0	-0.2/-5.4	-0.3/-5.7	-0.2/-6.0	-0.1/--
OMA	-0.34	0.3/0.0	-0.3/-0.1	0.2/0.9	0.2/0.8	-0.2/0.1	-0.4/0.6	-0.8/0.8	-0.6/-4.1	-0.1/-4.5	-0.9/-4.8	-1.1/-5.2	-0.6/-5.5	-0.5/-5.9	0.3/-6.3	-0.5/--
EVV	0.41	-0.0/0.0	-0.2/1.2	-0.1/0.6	0.2/0.4	0.0/0.7	-0.2/0.9	0.5/1.0	0.4/-4.4	0.8/-4.7	1.0/-5.0	0.8/-5.4	1.1/-5.7	0.9/-6.1	0.7/-6.4	0.4/--
LEX	0.42	0.0/0.0	-0.0/-0.2	-0.1/0.2	-0.2/0.2	0.1/0.4	-0.0/0.8	0.7/1.1	0.6/-3.9	1.1/-4.2	1.2/-4.5	1.2/-4.8	0.9/-5.2	0.7/-5.5	0.4/-5.8	-0.2/--
MSP	0.47	0.2/0.0	0.4/0.1	0.5/-0.0	1.3/-0.5	0.5/-0.7	0.8/-0.6	0.3/0.2	-0.1/-4.1	0.2/-4.5	-0.2/-4.9	-0.3/-5.3	0.5/-5.7	0.3/-6.1	1.4/-6.5	1.0/--
CMH	0.65	0.0/0.0	-0.4/0.8	-0.5/0.9	0.3/-0.2	0.2/1.0	0.1/1.3	0.8/1.1	0.5/-3.1	0.7/-3.4	1.7/-3.8	1.8/-4.1	1.2/-4.5	1.9/-4.9	1.0/-5.2	0.8/--
IND	0.69	-0.2/0.0	0.3/0.2	0.2/0.4	0.7/0.1	0.6/0.3	0.6/0.5	0.9/0.5	0.7/-4.5	0.8/-4.8	1.5/-5.2	0.8/-5.5	1.1/-5.9	1.1/-6.3	1.0/-6.6	0.4/--
DAY	0.69	-0.0/0.0	0.3/1.2	0.3/1.5	0.9/0.8	0.8/1.3	0.5/1.7	0.8/1.7	0.8/-2.9	0.7/-3.2	1.2/-3.6	0.9/-4.0	0.8/-4.3	1.3/-4.7	0.8/-5.1	0.3/--
DEC	0.69	-0.3/0.0	-0.3/0.2	0.1/1.2	1.0/0.8	1.0/1.1	0.9/1.0	0.6/1.2	0.4/-2.6	0.3/-2.9	0.7/-3.3	0.8/-3.6	1.1/-3.9	1.3/-4.2	1.4/-4.5	1.4/--
DBQ	0.75	0.3/0.0	0.3/0.8	0.7/1.4	1.5/0.3	1.1/0.2	1.3/1.5	0.7/1.6	0.6/-0.8	0.7/-1.2	0.7/-1.5	0.3/-1.9	0.7/-2.3	0.5/-2.6	0.8/-3.0	1.2/--
SDF	0.76	0.1/0.0	0.2/0.9	0.4/0.9	0.5/0.0	0.6/1.4	0.3/1.6	1.1/1.6	0.8/-3.9	1.4/-4.2	1.4/-4.5	1.1/-4.9	1.1/-5.2	1.1/-5.5	0.8/-5.9	0.4/--
DSM	0.79	0.1/0.0	-0.1/-0.5	0.3/0.0	1.2/0.0	0.8/-0.3	0.9/-0.6	0.1/0.4	-0.0/-4.0	0.9/-4.4	0.8/-4.8	0.8/-5.2	1.2/-5.5	1.2/-5.9	2.0/-6.3	1.6/--
CVG	0.81	0.0/0.0	0.1/-0.6	0.1/-0.6	0.4/-1.3	0.4/0.4	-0.1/0.5	0.7/0.4	0.6/-3.4	1.0/-3.8	2.0/-4.1	1.5/-4.5	1.5/-4.8	1.6/-5.1	1.3/-5.5	0.8/--
MKE	0.96	0.2/0.0	0.2/-1.2	0.4/-1.3	0.8/-2.0	0.8/-2.5	1.1/-1.6	0.9/-0.7	0.7/-4.1	0.5/-4.4	1.8/-4.8	0.9/-5.1	1.5/-5.4	1.6/-5.8	1.5/-6.1	1.7/--
DTW	0.96	0.3/0.0	0.0/1.5	0.5/1.2	1.4/0.1	1.4/-0.4	0.9/0.5	1.2/0.7	0.9/-1.9	0.7/-2.3	1.3/-2.6	1.1/-3.0	1.2/-3.4	1.5/-3.7	0.8/-4.1	1.0/--
GTF	1.10	0.1/0.0	0.1/1.5	-0.0/3.0	0.7/2.4	0.6/2.9	1.0/2.4	1.1/2.4	1.1/-1.2	1.7/-1.5	1.9/-1.8	1.6/-2.1	1.8/-2.4	1.5/-2.6	1.6/-2.9	1.7/--
LAN	1.25	0.6/0.0	0.4/0.8	0.7/0.5	1.5/-0.3	1.2/-0.2	0.9/-0.5	1.1/0.7	0.9/-3.5	0.7/-3.8	1.7/-4.2	1.7/-4.5	1.9/-4.9	2.3/-5.2	1.5/-5.5	1.6/--
FWA	1.30	-0.0/0.0	-0.1/1.6	0.3/1.2	1.0/0.8	1.0/1.3	0.8/1.9	1.0/2.1	1.0/-1.5	0.6/-1.9	2.2/-2.3	2.3/-2.6	2.3/-3.0	2.8/-3.4	2.3/-3.7	2.1/--
CLE	1.30	0.2/0.0	0.5/0.2	0.5/0.1	1.3/-0.0	1.6/0.2	1.2/0.5	1.6/1.1	1.5/-3.5	1.4/-3.8	1.9/-4.2	1.8/-4.5	1.5/-4.9	2.1/-5.2	1.4/-5.5	1.0/--
FSD	1.40	0.5/0.0	0.8/2.0	0.7/1.9	1.4/1.0	0.9/0.5	0.8/1.4	0.6/1.7	0.3/-4.0	0.9/-4.5	1.3/-4.8	1.8/-5.2	2.2/-5.6	2.3/-6.0	3.3/-6.5	3.2/--
YNG	1.89	0.7/0.0	1.4/0.5	1.6/0.5	1.6/0.7	2.2/0.6	1.7/0.7	2.4/2.0	2.2/-2.7	2.0/-3.0	2.5/-3.3	2.3/-3.6	2.1/-3.9	2.4/-4.2	1.7/-4.5	1.5/--
RAP	2.32	0.2/0.0	0.5/4.4	0.8/4.8	1.3/4.9	1.4/4.1	1.7/4.0	1.8/3.8	2.4/0.7	2.8/0.4	2.8/0.1	2.7/-0.3	2.6/-0.6	3.0/-1.0	5.3/-1.3	5.5/--
BIS	2.33	0.4/0.0	0.5/2.4	0.8/1.8	1.8/2.0	1.8/2.0	1.8/2.8	2.0/3.7	2.3/-0.1	2.2/-0.5	2.2/-0.9	3.1/-1.3	3.4/-1.7	4.0/-2.1	4.9/-2.5	4.7/--
FAR	2.35	0.4/0.0	0.4/3.5	0.6/1.5	1.1/2.0	1.1/1.6	1.9/4.5	1.8/4.1	2.0/1.9	2.4/1.5	2.4/1.1	3.3/0.7	3.9/0.3	4.2/-0.2	5.1/-0.6	4.6/--
PIR	2.44	0.2/0.0	0.3/3.5	0.6/2.4	0.9/3.2	1.3/2.6	1.6/2.7	1.5/4.0	1.5/1.0	2.4/0.6	3.1/0.2	3.7/-0.2	4.1/-0.5	4.9/-0.9	5.4/-1.3	5.2/--
APN	2.66	-0.1/0.0	0.0/2.7	0.4/2.9	0.8/1.3	1.1/0.7	1.5/1.5	1.9/2.6	1.8/0.7	1.9/0.4	4.8/0.1	5.0/-0.2	5.1/-0.5	5.4/-0.8	4.9/-1.2	5.3/--
DLH	2.68	0.7/0.0	1.0/1.3	1.3/0.5	2.0/0.0	1.8/1.0	2.4/1.4	2.8/2.0	2.9/-0.5	3.1/-0.9	3.1/-1.2	3.3/-1.6	3.6/-1.9	3.7/-2.3	4.0/-2.7	4.4/--

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: -2.0 > B >= -4.0 blue: B < -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MAX Temperature in USNE

MAE (2009-05-01~2009-05-31)																
S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
DCA	-0.23	2.9/2.4	3.1/2.7	3.7/3.3	4.1/2.9	5.9/3.2	6.2/5.1	6.8/5.3	6.6/5.8	7.2/5.9	6.8/6.0	6.7/6.0	7.1/6.1	6.7/6.2	6.8/6.2	7.2/6.4
AVP	-0.22	2.6/1.8	3.5/2.7	4.1/2.8	4.4/3.5	5.2/4.6	6.5/5.2	6.5/5.0	7.1/5.6	7.1/5.7	6.8/5.7	6.4/5.8	6.5/6.1	6.5/6.1	6.8/6.2	6.7/6.3
PVD	-0.19	3.5/1.8	3.5/3.7	3.3/3.7	3.8/4.0	4.3/4.5	6.6/5.6	6.6/5.5	7.2/6.4	7.8/6.3	8.3/6.4	8.2/6.5	8.2/6.5	7.6/6.6	8.1/6.6	7.7/6.8
LGA	-0.16	4.1/2.1	4.4/3.0	4.4/3.5	4.5/3.7	5.2/4.8	6.0/5.9	6.3/5.0	6.7/6.7	7.2/6.7	7.1/6.8	7.2/7.1	6.9/7.3	7.2/7.1	7.4/7.5	7.3/7.6
IPT	-0.15	2.5/2.4	3.8/2.9	4.3/3.2	4.5/3.6	5.6/4.0	7.0/6.0	6.9/5.5	7.5/6.5	7.8/6.5	7.3/6.7	6.7/6.7	7.0/6.9	7.3/7.1	7.3/7.3	7.5/7.5
CRW	-0.14	3.1/2.4	3.4/2.7	3.2/3.3	3.8/3.1	5.2/4.5	5.7/4.6	6.4/5.0	7.2/6.4	8.2/6.5	7.7/6.5	7.5/6.6	6.7/6.6	6.4/6.7	7.0/6.8	7.0/6.9
EWR	-0.13	4.8/2.3	4.8/3.5	4.8/3.6	4.8/4.2	5.1/4.8	7.1/6.4	6.9/5.6	6.9/7.0	7.0/7.1	7.2/7.2	7.2/7.3	7.1/7.5	6.7/7.6	7.3/7.9	7.3/8.0
ROA	-0.12	3.0/2.3	3.0/3.0	3.0/3.0	3.4/3.2	4.9/3.9	5.4/4.4	5.1/4.2	5.5/5.2	5.6/5.3	6.3/5.4	6.0/5.5	6.5/5.6	6.2/5.6	6.0/5.6	6.2/5.8
JFK	-0.12	2.9/2.4	3.0/3.1	3.6/3.2	3.7/3.2	4.2/3.4	5.6/4.2	5.1/4.3	5.4/4.9	5.6/5.0	5.1/4.9	5.4/5.0	5.5/5.0	5.2/5.1	5.4/5.3	5.5/5.4
BWI	-0.10	2.4/2.1	3.0/2.8	3.3/3.1	3.5/3.0	5.2/3.1	6.0/5.4	6.1/5.4	6.2/6.4	6.9/6.5	6.5/6.5	6.5/6.5	6.9/6.6	6.8/6.7	6.8/6.9	7.2/7.0
ABE	-0.10	2.4/2.4	3.3/3.1	4.1/3.3	4.4/3.3	5.3/4.4	6.8/5.9	6.7/5.1	7.5/6.6	7.5/6.8	7.0/6.8	6.9/7.0	6.9/7.1	7.0/7.3	7.2/7.5	7.3/7.5
AOO	-0.08	2.6/2.4	2.9/2.5	3.2/2.8	3.3/3.3	5.3/3.9	6.2/6.3	6.9/6.1	7.4/7.0	7.9/7.1	7.6/7.1	7.2/7.1	7.4/7.2	7.3/7.3	7.6/7.3	7.9/7.4
ILG	-0.08	2.1/2.3	2.9/2.3	3.2/3.3	3.5/3.1	5.2/3.8	6.1/5.5	6.1/4.9	6.5/6.2	7.1/6.3	6.4/6.5	6.7/6.6	7.1/6.7	6.6/6.9	6.8/7.0	6.9/7.0
ROC	-0.06	4.7/2.5	4.9/2.9	4.6/3.5	4.6/5.5	5.1/5.9	5.7/6.0	6.5/6.2	7.1/7.2	7.0/7.4	6.7/7.5	6.7/7.7	6.6/7.9	6.9/8.1	7.8/8.4	7.5/8.5
CON	-0.05	3.3/2.5	3.9/3.0	3.9/3.2	4.9/3.8	5.6/5.4	6.8/8.1	7.4/7.0	8.1/7.9	8.2/8.1	7.6/8.1	8.0/8.2	8.0/8.5	7.9/8.5	8.2/8.8	7.7/8.8
BDL	-0.04	2.8/2.5	3.9/3.1	4.2/4.1	4.2/3.8	4.5/4.6	6.3/6.0	6.4/5.8	7.1/7.1	7.7/7.1	7.2/7.0	7.0/7.2	7.4/7.2	7.1/7.3	7.6/7.5	7.1/7.7
ORH	-0.03	4.2/2.1	4.5/3.2	4.3/3.9	4.9/4.5	5.1/5.2	6.0/6.8	6.1/5.8	7.1/7.7	7.4/7.8	6.6/8.0	6.9/8.0	7.1/8.2	7.3/8.4	7.7/8.6	7.3/8.7
MDT	-0.03	2.1/2.5	3.0/3.2	3.5/3.6	3.5/3.5	4.8/3.8	6.0/5.3	6.2/5.3	6.7/5.9	6.7/6.1	6.1/6.1	6.2/6.2	6.2/6.2	6.1/6.3	6.5/6.4	6.6/6.6
ACY	-0.03	3.0/2.9	3.7/2.8	4.3/3.6	4.9/3.7	5.5/4.6	7.0/6.4	6.0/5.0	6.1/6.8	6.1/7.0	6.4/7.1	6.4/7.2	6.4/7.4	6.3/7.5	7.0/7.6	6.8/7.7
ERI	-0.03	3.1/2.1	3.5/2.7	3.9/3.0	4.0/4.8	4.7/5.4	5.4/5.8	6.9/5.2	6.8/6.7	7.4/6.9	7.1/7.2	6.3/7.3	6.0/7.4	6.3/7.6	7.2/7.8	6.9/8.1
ALB	-0.02	2.8/2.3	3.3/2.9	3.2/3.3	3.3/3.3	4.4/4.4	5.3/5.5	5.8/4.6	6.9/6.6	7.6/6.6	6.9/6.8	6.4/6.9	6.6/6.9	6.6/7.1	7.2/7.3	6.9/7.5
PIT	-0.01	2.5/2.2	2.6/2.7	2.4/2.6	2.7/2.9	4.5/5.0	5.0/5.3	5.9/5.0	7.0/6.6	7.6/6.6	7.4/6.7	6.7/6.8	6.5/7.0	6.4/7.1	7.2/7.2	7.3/7.4
BGM	-0.01	2.1/2.3	2.8/3.2	2.8/2.7	3.2/3.0	4.2/4.9	5.3/5.2	6.4/5.3	7.2/6.6	7.6/6.7	7.2/6.8	6.8/6.9	6.9/7.1	7.0/7.4	7.5/7.6	7.2/7.8
RIC	0.00	3.0/2.5	3.3/3.0	3.6/3.1	3.7/3.1	5.0/3.7	5.3/4.7	5.3/4.6	5.3/6.8	5.9/6.9	6.3/7.0	5.9/7.1	6.1/7.3	6.1/7.5	6.3/7.5	6.4/7.6
MBA	0.01	3.6/2.5	4.1/3.1	4.1/4.1	4.5/4.4	5.0/6.1	6.6/7.5	7.0/6.2	7.6/8.1	8.2/8.3	7.5/8.4	7.7/8.5	7.8/8.6	7.6/8.8	8.1/9.1	7.6/9.2
PHL	0.02	2.3/2.2	3.3/3.4	3.9/3.5	4.5/3.8	5.3/4.8	6.9/6.1	6.4/5.4	6.8/7.3	7.2/7.5	6.5/7.6	7.1/7.8	7.0/8.0	6.5/8.2	7.0/8.4	7.0/8.5
AUG	0.03	3.4/2.7	3.3/3.4	3.8/3.5	4.6/4.3	5.2/6.8	6.3/7.1	7.2/7.0	7.3/7.4	7.5/7.5	7.3/7.8	7.5/7.7	7.6/8.0	7.5/8.1	7.8/8.3	7.3/8.5
SYR	0.04	2.5/2.0	3.0/2.5	3.2/2.9	3.1/4.5	4.6/5.5	5.5/5.5	6.9/5.7	7.1/7.2	7.3/7.3	6.8/7.5	6.5/7.7	6.7/7.8	6.8/8.1	7.1/8.3	7.0/8.5
MHT	0.06	3.4/2.1	3.7/2.9	3.8/3.7	4.5/4.4	5.1/6.3	6.4/7.5	6.8/6.9	7.4/8.5	7.6/8.7	7.0/8.9	7.4/9.0	7.5/9.2	7.4/9.5	7.8/9.5	7.3/9.9
PWM	0.07	2.5/2.0	3.0/3.2	3.2/4.1	4.0/4.6	5.1/6.6	6.3/7.4	6.9/7.3	7.4/7.6	7.8/7.8	7.4/8.0	7.9/8.1	7.8/8.3	7.6/8.3	7.9/8.5	7.6/8.7
LNS	0.07	2.3/2.3	3.0/2.8	3.2/3.6	3.5/3.2	4.2/3.9	5.5/5.4	5.9/5.2	6.4/7.0	6.7/7.2	6.1/7.5	6.1/7.7	6.4/7.9	6.3/8.2	6.6/8.5	6.7/8.8
BTV	0.09	1.9/2.4	2.2/2.6	2.4/2.8	3.3/4.5	3.9/5.8	5.0/5.2	6.0/4.7	6.4/6.2	6.5/6.4	6.3/6.5	6.1/6.7	6.1/6.8	6.2/7.1	6.8/7.3	6.2/7.6
NTU	0.11	3.9/2.8	3.7/3.2	3.8/3.7	3.8/3.2	4.2/4.6	4.7/4.8	4.5/6.3	5.0/7.5	6.3/7.6	5.8/7.7	5.2/7.9	6.1/8.0	6.4/8.1	6.2/8.2	6.3/8.3
BOS	0.12	3.7/3.0	4.1/4.5	4.6/5.4	4.8/5.8	5.4/6.9	6.9/8.0	6.9/7.9	7.5/8.8	7.8/8.9	7.6/9.1	8.0/9.3	8.2/9.4	8.2/9.6	8.5/9.8	8.4/9.9
BUF	0.12	3.7/2.5	3.7/3.0	3.4/3.8	3.8/5.0	4.5/6.1	4.7/5.0	5.5/5.8	6.0/7.1	6.5/7.3	5.9/7.5	5.6/7.7	5.6/7.9	6.0/8.1	6.7/8.3	6.4/8.5

Bias (2009-05-01~2009-05-31)																
avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
ROC	-0.30	0.1/0.6	-0.2/-0.5	0.4/-0.3	0.5/-3.8	-0.0/-3.4	-1.1/-3.6	-0.8/-2.5	-1.2/-2.6	-0.8/-3.0	0.4/-3.4	0.3/-3.8	-0.2/-4.2	-0.4/-4.6	-0.7/-5.1	-0.8/-5.5
BUF	0.39	0.3/-0.8	-0.2/-1.2	0.0/-2.1	0.3/-4.2	0.6/-4.9	0.0/-3.6	-0.1/-2.0	-0.0/-3.5	-0.3/-3.9	0.8/-4.3	1.3/-4.7	1.1/-5.1	0.7/-5.5	0.6/-5.9	0.6/-6.3
LNS	0.48	-1.1/-0.2	-0.8/-0.1	-0.5/-0.5	0.1/-0.5	0.4/-0.7	0.3/-1.0	0.4/0.3	0.4/-5.2	0.5/-5.5	1.9/-6.0	1.7/-6.4	1.3/-6.8	1.0/-7.2	0.7/-7.6	0.9/-8.0
RIC	0.66	-0.7/-1.0	-1.0/-0.4	-0.5/-0.3	-0.1/-0.5	0.9/-1.0	0.4/-1.5	0.6/-0.9	0.6/-3.8	0.9/-4.0	2.0/-4.3	1.7/-4.5	1.5/-4.7	1.4/-4.9	1.0/-5.2	1.1/-5.4
SYR	0.75	-0.1/-0.0	-0.4/-0.1	-0.1/-0.4	0.5/-2.3	0.6/-2.9	0.4/-2.5	0.9/-1.4	0.8/-3.0	0.9/-3.4	1.6/-3.8	1.4/-4.2	1.3/-4.6	1.1/-5.0	1.1/-5.5	1.0/-5.9
AOO	0.80	-0.2/0.2	-0.4/0.4	-0.1/-0.5	0.9/-0.7	1.5/-0.7	1.4/-1.1	1.3/0.5	0.8/-1.0	1.0/-1.3	1.4/-1.6	1.4/-2.0	1.2/-2.3	0.6/-2.6	0.5/-2.9	0.7/-3.2
NTU	0.88	-0.4/-1.7	-1.1/-1.9	-0.6/-0.8	-0.3/-1.5	1.2/-2.4	0.8/-2.3	1.0/-3.0	0.7/-4.4	1.9/-4.6	2.4/-4.8	1.9/-5.0	1.8/-5.3	1.6/-5.5	1.3/-5.6	1.0/-5.9
BOS	0.91	0.1/-0.3	0.6/-0.4	1.1/-1.0	1.5/-1.9	1.6/-1.6	1.2/-2.0	0.8/-2.5	0.7/-3.5	1.4/-3.8	1.4/-4.2	0.9/-4.5	0.7/-4.9	0.7/-5.2	0.4/-5.6	0.5/-5.9
ORH	0.94	0.2/0.5	0.3/1.0	0.9/0.6	1.5/-1.2	2.1/-0.3	1.2/-2.0	0.8/-1.2	0.8/-2.4	1.9/-2.7	1.1/-3.1	1.2/-3.5	0.8/-3.9	0.5/-4.3	0.5/-4.7	0.4/-5.1
MHT	1.00	0.5/-1.1	0.8/-0.2	1.2/0.2	1.5/-1.4	2.0/-1.1	1.4/-2.8	1.2/-1.2	1.1/-4.0	2.1/-4.4	1.0/-4.7	1.0/-5.2	0.6/-5.5	0.3/-6.0	0.2/-6.4	0.1/-6.8
PHL	1.12	-0.1/-0.2	-0.0/-0.6	0.6/-1.0	0.9/-1.1	1.7/-1.7	1.1/-0.9	1.2/-0.2	0.9/-4.3	0.7/-4.6	1.9/-4.9	2.3/-5.3	1.7/-5.6	1.4/-5.9	1.2/-6.2	1.4/-6.5
ERI	1.20	0.0/-0.8	0.1/-0.8	0.6/-1.5	1.4/-3.7	1.2/-3.0	1.0/-3.1	1.4/-2.1	1.0/-2.5	1.1/-2.9	2.9/-3.3	1.8/-3.7	1.7/-4.1	1.4/-4.5	0.9/-4.9	1.3/-5.3
EWR	1.22	-1.4/-0.2	-0.8/-0.6	-0.3/-0.5	-0.3/-1.6	-0.5/-1.7	0.3/-2.1	0.6/-0.7	1.2/-3.4	2.0/-3.7	3.4/-4.1	3.2/-4.4	3.0/-4.7	2.8/-5.1	2.6/-5.4	2.5/-5.8
PIT	1.25	0.2/-1.0	0.3/-0.8	0.6/-0.9	1.4/-1.5	1.9/-1.5	1.9/-1.8	1.5/-0.3	1.3/-3.4	1.3/-3.7	2.3/-4.0	1.6/-4.3	1.5/-4.6	1.1/-5.0	0.7/-5.3	1.1/-5.6
ILG	1.36	0.3/-0.8	-0.5/-1.0	0.3/-0.7	1.1/-0.8	2.1/-1.8	1.5/-1.1	1.7/-1.3	1.0/-2.7	0.8/-3.0	2.2/-3.4	2.5/-3.6	2.2/-4.0	1.8/-4.3	1.6/-4.6	1.8/-4.9
BTV	1.39	0.4/0.2	0.6/-0.5	1.3/-0.3	2.0/-2.9	2.0/-3.3	1.3/-1.5	1.8/-1.1	2.0/-1.9	2.1/-2.4	1.9/-2.9	1.7/-3.3	1.2/-3.8	0.8/-4.3	0.9/-4.8	0.8/-5.3
JFK	1.40	0.0/0.4	-0.1/0.9	0.6/0.3	0.7/0.1	0.8/-0.6	0.6/-0.5	1.2/0.5	1.7/-1.7	2.0/-2.1	2.1/-2.4	2.3/-2.7	2.4/-3.0	2.4/-3.6	2.0/-4.0	2.0/-4.0
MDT	1.49	-0.1/-0.0	0.3/0.7	0.8/0.5	1.8/-0.2	2.4/-0.6	2.0/0.5	2.1/0.7	1.7/-1.4	1.7/-1.7	2.0/-2.0	2.0/-2.3	1.8/-2.6	1.2/-2.9	1.2/-3.3	1.3/-3.6
CON	1.51	1.0/0.1	1.2/0.2	1.8/1.2	2.2/-0.4	2.9/-0.5	2.3/-2.1	2.1/+0.5	1.8/-1.2	2.7/-1.5	1.3/-1.9	1.3/-2.4	0.9/-2.8	0.5/-3.2	0.4/-3.6	0.3/-4.0
BDL	1.59	0.4/0.9	1.1/0.8	1.8/1.8	1.5/0.1	1.6/0.2	1.4/-0.9	0.9/0.1	1.0/-1.1	2.0/-1.5	2.4/-1.8	2.3/-2.2	2.1/-2.6	1.9/-3.0	1.9/-3.4	1.6/-3.7
ALB	1.64	-0.2/0.0	-0.1/-0.2	0.5/0.2	1.2/-1.2	1.5/-1.2	1.6/-1.3	1.9/-0.2	1.1/-1.7	2.8/-2.1	2.8/-2.5	2.6/-2.9	2.3/-3.3	1.8/-3.7	1.9/-4.1	1.9/-4.5
ABE	1.80	0.1/0.6	0.5/0.8	1.0/0.7	1.4/-0.3	1.8/-0.7	1.5/-0.5	1.8/0.5	2.0/-2.5	1.9/-2.9	2.9/-3.2	3.0/-3.5	2.6/-3.9	2.3/-4.3	2.1/-4.6	2.1/-5.0
LGA	1.83	-0.9/0.4	-0.3/1.0	0.0/0.9	0.4/-0.7	0.5/-0.5	1.0/-1.3	1.3/0.1	1.7/-2.1	2.5/-2.4	4.0/-2.8	3.8/-3.1	3.6/-3.5	3.4/-3.8	3.3/-4.2	3.1/-4.5
ACY	1.84	0.2/-0.4	0.6/-0.2	1.3/-0.4	1.8/-0.5	2.7/-1.2	1.9/-1.7	1.8/-1.0	1.6/-3.3	1.6/-3.6	2.6/-3.9	2.8/-4.3	2.3/-4.6	2.2/-4.9	1.9/-5.2	2.1/-5.5
BGM	1.86															

ECMWF/MEX MIN Temperature in USNE

MAE (2009-05-01~2009-05-31)

S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
AUG	0.00	2.2/0.0	2.5/2.7	3.0/2.7	3.0/2.9	3.2/3.5	3.8/3.8	4.4/3.8	4.6/4.8	4.8/5.0	5.2/5.1	5.2/5.3	5.1/5.5	5.3/5.6	5.8/5.7	5.4/--
BUF	0.03	2.9/0.0	3.1/2.6	3.1/2.5	3.1/3.3	3.2/3.8	4.1/3.5	4.2/3.7	4.8/5.3	5.2/5.5	5.1/5.7	4.9/5.9	5.1/6.0	5.2/6.2	5.6/6.4	5.8/--
DCA	0.04	2.2/0.0	2.7/1.7	2.8/2.0	2.9/2.7	2.9/2.8	3.7/3.5	3.8/4.1	4.5/5.7	4.8/5.9	4.9/6.1	4.8/6.2	4.9/6.4	4.9/6.6	4.7/6.7	5.1/--
RIC	0.04	2.4/0.0	2.5/1.4	2.4/2.3	2.9/2.3	3.6/3.0	4.9/3.5	5.2/5.0	5.0/8.6	5.5/8.8	5.7/8.9	6.3/9.3	6.5/9.5	6.9/9.6	7.1/--	7.1/--
ROC	0.07	3.0/0.0	3.0/3.5	2.8/3.5	3.0/3.2	3.2/3.6	3.7/3.8	4.2/4.3	5.0/5.6	5.5/5.6	5.6/5.7	5.6/5.9	5.7/6.0	5.7/6.1	5.8/6.2	6.2/--
AVP	0.10	3.0/0.0	2.4/3.4	2.9/3.9	3.5/4.5	3.8/4.6	4.7/4.7	5.6/5.3	6.3/6.5	6.8/6.5	5.7/6.6	5.8/6.7	6.3/6.8	6.4/6.9	6.9/7.0	6.9/--
ERI	0.11	2.8/0.0	2.9/3.9	2.9/4.1	3.3/3.9	3.0/4.1	3.6/4.1	4.7/4.5	5.4/5.7	6.1/5.8	5.2/6.0	5.6/6.2	5.9/6.5	5.9/6.5	5.9/6.5	6.1/--
BGM	0.12	2.2/0.0	2.5/2.6	2.8/2.9	3.1/3.5	3.1/4.2	3.9/4.1	5.1/4.8	5.9/6.7	6.2/6.8	5.9/6.9	5.8/7.1	5.8/7.2	5.8/7.4	6.4/7.6	6.8/--
BDL	0.12	1.8/0.0	2.3/2.8	2.5/3.7	2.3/4.0	3.0/4.2	4.3/4.4	4.5/4.7	4.6/5.2	5.2/5.3	4.8/5.3	5.5/5.4	5.2/5.5	5.7/5.7	5.5/5.8	5.8/--
PHL	0.13	2.0/0.0	2.4/2.3	2.9/2.9	3.1/3.3	3.4/3.3	4.6/3.9	4.5/4.5	4.6/5.4	4.6/5.7	4.3/5.8	4.2/6.0	4.3/6.3	4.4/6.5	4.5/6.7	4.6/--
ORH	0.13	3.0/0.0	2.8/2.6	2.8/3.0	2.8/3.3	3.1/3.5	4.4/4.5	4.7/4.7	4.9/5.9	5.0/6.1	4.9/6.2	5.3/6.5	4.9/6.7	5.6/6.8	5.7/7.1	5.6/--
ILG	0.14	2.5/0.0	2.6/2.4	3.3/3.0	3.4/3.6	3.5/3.7	4.3/4.1	4.4/5.1	5.2/6.9	5.5/7.0	5.3/7.2	5.0/7.4	5.2/7.5	5.7/7.7	6.0/7.9	6.3/--
SYR	0.15	2.5/0.0	2.5/3.4	2.6/3.3	3.2/3.2	3.1/4.4	3.9/4.6	4.8/4.9	5.2/6.5	5.9/6.5	5.9/6.7	5.8/6.9	5.8/7.0	6.0/7.2	6.2/7.3	6.4/--
CON	0.15	3.1/0.0	3.2/3.5	3.5/4.3	3.4/4.0	3.4/4.5	3.9/4.7	4.5/4.9	5.1/5.7	5.4/6.0	4.7/6.1	4.9/6.2	5.1/6.4	5.7/6.5	6.0/6.8	6.1/--
AOO	0.16	2.4/0.0	2.4/2.9	2.9/3.4	2.8/3.5	2.7/3.9	3.3/3.8	3.9/4.6	5.0/6.1	5.5/6.1	5.5/6.1	5.0/6.2	5.5/6.4	5.8/6.5	6.1/6.6	6.4/--
LGA	0.16	2.3/0.0	2.1/2.6	2.4/2.5	2.5/2.9	2.5/2.5	3.0/2.8	3.2/3.3	3.4/4.0	3.7/4.2	3.4/4.4	3.0/4.6	3.2/4.8	3.6/5.0	3.8/5.3	3.9/--
BTV	0.16	3.2/0.0	3.3/3.1	3.6/3.4	3.7/4.3	3.6/5.1	5.1/5.7	5.1/5.3	5.1/6.8	5.4/7.0	5.3/7.1	5.2/7.2	5.8/7.5	5.9/7.7	6.3/7.7	6.5/--
MBA	0.17	2.4/0.0	2.6/2.8	2.9/2.9	2.7/3.4	2.9/3.7	4.0/3.8	4.3/4.5	4.9/5.8	4.6/5.9	4.5/6.3	4.5/6.4	4.4/6.6	5.2/6.9	5.5/7.0	5.4/--
MDT	0.17	2.0/0.0	2.5/2.7	3.1/3.3	3.1/3.6	3.1/3.8	4.0/4.2	4.3/5.1	5.1/6.2	5.4/6.4	4.9/6.5	4.7/6.6	5.1/6.8	5.4/7.0	5.6/7.2	5.8/--
IPT	0.18	2.7/0.0	2.3/2.8	2.7/2.9	2.9/3.6	3.3/4.0	3.6/3.9	4.2/4.5	5.2/6.8	6.0/7.0	5.5/7.1	5.6/7.3	5.7/7.5	5.8/7.6	6.1/7.7	6.5/--
BOS	0.18	1.8/0.0	2.0/2.4	2.1/2.8	2.2/3.0	2.5/3.1	3.3/3.5	3.7/3.9	3.9/4.5	3.9/4.6	3.7/4.8	4.0/5.1	4.1/5.2	4.3/5.4	4.5/5.5	4.5/--
ROA	0.19	2.1/0.0	2.1/2.7	2.4/2.6	3.0/2.6	3.6/3.2	4.5/4.1	5.1/5.1	5.3/8.2	5.1/4.8	5.4/8.5	5.7/8.6	5.8/8.8	5.7/9.0	5.7/9.1	6.2/--
PIT	0.19	2.1/0.0	2.0/2.8	2.5/2.8	2.9/3.3	3.3/3.4	3.8/3.8	4.4/4.4	5.1/7.1	5.6/7.3	5.7/7.5	5.4/7.6	5.5/7.8	5.6/8.0	6.0/8.1	6.4/--
ACY	0.19	2.7/0.0	2.8/2.3	3.1/2.9	3.5/3.4	3.7/3.7	4.4/4.3	4.3/4.9	4.7/7.9	5.2/8.2	5.3/8.3	5.2/8.5	5.1/8.7	5.4/8.9	5.5/9.1	5.5/--
ABE	0.20	2.8/0.0	2.5/3.5	3.2/4.1	3.6/4.7	3.9/5.1	4.9/5.4	5.3/6.1	6.1/7.6	6.5/7.7	5.9/7.7	5.8/7.9	6.3/7.9	6.8/8.0	7.0/8.2	7.3/--
EWR	0.20	2.0/0.0	2.1/3.0	2.3/2.6	2.0/2.9	2.4/2.9	3.3/3.2	3.6/3.9	3.6/4.4	3.9/4.5	3.6/4.8	3.3/4.9	3.5/5.0	4.1/5.3	4.2/5.5	4.3/--
PWM	0.20	2.4/0.0	2.4/2.9	2.6/3.2	2.5/3.0	2.7/3.8	3.0/4.1	4.0/3.8	4.5/5.4	4.8/5.5	4.1/5.6	4.2/5.8	4.1/6.0	4.5/6.1	5.0/6.3	5.1/--
NTU	0.21	2.4/0.0	2.2/2.5	2.3/2.9	2.9/3.2	3.4/3.8	4.9/4.2	5.0/5.3	5.1/8.7	5.9/8.9	5.9/9.0	6.1/9.1	6.6/9.3	6.9/9.5	7.1/9.7	7.3/--
ALB	0.21	1.8/0.0	2.0/2.7	1.8/3.3	2.2/3.4	2.9/4.1	4.2/4.7	5.0/5.1	5.8/6.3	6.0/6.4	5.1/6.5	5.1/6.6	5.4/6.8	5.3/6.9	5.9/7.1	6.0/--
CRW	0.24	2.1/0.0	1.9/2.8	2.3/2.6	2.4/3.5	3.5/3.5	4.1/4.2	4.9/5.2	5.8/8.4	5.6/8.5	6.2/8.7	6.0/8.9	5.9/9.0	5.9/9.1	6.3/9.3	6.8/--
PVD	0.25	1.1/0.0	1.3/2.2	1.3/2.1	1.5/2.5	2.1/2.9	2.6/2.8	2.8/3.6	3.6/4.6	4.1/4.7	3.9/4.9	4.0/5.0	3.6/5.2	4.0/5.4	4.1/5.5	4.5/--
BWI	0.27	1.9/0.0	1.5/2.5	2.2/3.5	2.7/3.5	3.5/4.2	4.7/4.6	5.1/5.6	5.3/7.7	5.6/7.9	5.4/8.1	5.3/8.3	5.6/8.5	5.9/8.7	6.1/8.8	6.5/--
JFK	0.30	1.5/0.0	1.7/2.0	2.0/2.5	1.9/2.8	2.1/2.4	2.9/2.8	3.3/3.2	3.1/4.9	3.1/5.1	3.1/5.3	2.8/5.6	2.7/5.9	3.0/6.2	3.3/6.5	3.3/--
LNS	0.33	2.2/0.0	2.0/2.9	2.7/3.4	3.0/3.8	3.4/4.2	4.3/4.4	4.7/5.4	5.5/9.9	5.9/10.2	5.4/10.5	5.3/10.7	5.7/11.0	6.1/11.3	6.4/11.5	6.8/--
MHT	0.45	1.6/0.0	2.0/3.4	2.4/3.2	2.8/3.9	3.0/4.2	3.9/4.4	4.6/4.7	5.0/11.1	4.4/11.5	4.3/11.9	4.1/12.2	3.9/12.6	4.7/13.0	4.8/13.3	5.0/--

Bias (2009-05-01~2009-05-31)

avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
NTU	-1.20	-0.6/0.0	-1.0/0.5	-1.4/0.5	-1.6/0.3	-1.2/-0.2	-1.8/-0.9	-1.6/-0.9	-1.1/-6.0	-0.7/-6.4	-0.4/-6.6	-0.8/-6.9	-1.2/-7.3	-1.3/-7.5	-1.3/-7.8	-1.8/--
BUF	-0.28	-0.0/0.0	-0.5/1.3	-0.4/0.0	-0.2/0.0	-0.4/-0.5	-0.9/-0.6	-0.7/0.6	-1.3/-1.7	-1.0/-2.1	-0.7/-2.5	0.6/-2.8	0.4/-3.2	0.6/-3.6	0.0/-4.0	0.2/--
LGA	-0.06	0.3/0.0	0.5/1.6	0.8/1.1	1.0/1.3	0.7/0.2	0.4/0.5	0.2/0.5	0.4/-3.1	0.6/-3.4	-0.1/-3.7	-0.6/-4.1	-0.8/-4.4	-1.0/-4.7	-1.4/-5.0	-1.6/--
RIC	0.07	-0.2/0.0	-0.1/-0.1	-0.2/-0.9	0.1/0.3	0.7/0.5	1.0/0.2	0.4/-0.1	0.5/-5.2	0.8/-5.5	0.6/-5.8	0.3/-6.1	-0.1/-6.4	-0.3/-6.7	-0.5/-7.1	-1.1/--
LNS	0.11	0.2/0.0	0.2/0.7	0.1/-0.1	-0.0/0.8	0.1/0.5	-0.3/0.5	-0.0/0.9	0.3/-9.0	0.7/-9.4	0.6/-9.7	0.5/-10.0	0.2/-10.4	-0.1/-10.7	-0.3/-11.1	-0.6/--
BTV	0.17	-0.4/0.0	-0.2/0.3	0.4/0.1	0.1/0.8	-0.0/1.0	-0.7/0.3	-0.3/0.5	-0.2/-3.1	0.3/-3.5	0.8/-3.8	0.8/-4.2	0.8/-4.6	0.7/-5.0	0.2/-5.3	0.2/--
ROC	0.24	-0.5/0.0	-0.4/1.4	-0.4/1.3	0.0/0.5	-0.0/0.4	-0.5/0.4	-0.0/0.9	-0.5/-1.5	-0.3/-1.8	-0.1/-2.2	1.3/-2.5	1.4/-2.9	1.5/-3.3	1.0/-3.6	1.1/--
PHL	0.38	0.1/0.0	0.4/0.1	0.6/-0.3	0.5/0.0	0.7/0.1	0.6/-0.2	0.4/0.2	0.6/-3.5	0.9/-3.8	0.8/-4.2	0.6/-4.5	0.2/-4.9	0.0/-5.2	0.2/-5.6	-0.4/--
MDT	0.47	0.3/0.0	0.4/0.4	0.5/-0.3	0.3/0.4	0.3/0.5	0.3/0.4	0.5/0.7	0.7/-3.8	1.0/-4.2	1.0/-4.5	0.8/-4.8	0.6/-5.1	0.4/-5.5	0.0/-5.8	-0.1/--
PVD	0.48	-0.3/0.0	0.1/1.0	0.3/1.0	0.4/0.7	0.3/0.5	0.2/0.3	0.1/-0.0	0.6/-3.0	1.1/-3.4	0.9/-3.7	1.3/-4.0	0.9/-4.3	0.9/-4.6	0.3/-5.0	0.0/--
MHT	0.56	0.1/0.0	0.6/-1.0	0.9/0.6	0.9/-0.4	0.6/-1.0	0.3/-1.1	-0.2/-0.8	0.5/-11.1	0.8/-11.5	0.6/-11.9	1.2/-12.2	1.0/-12.6	0.9/-13.0	0.4/-13.3	0.0/--
EWR	0.57	0.3/0.0	0.5/1.4	1.0/1.2	1.0/1.0	1.0/0.8	0.8/0.9	0.4/1.5	1.1/-2.5	0.7/-2.9	0.6/-3.3	0.4/-3.6	0.2/-4.0	-0.0/-4.3	-0.1/-4.6	-0.1/--
ILG	0.66	0.7/0.0	1.0/-0.2	1.2/-0.5	1.0/0.5	1.1/0.5	0.8/0.2	0.7/0.7	0.9/-3.8	1.2/-4.1	1.3/-4.5	0.6/-4.8	0.2/-5.2	-0.0/-5.5	-0.3/-5.9	-0.5/--
SYR	0.67	-0.1/0.0	-0.1/1.2	0.1/1.1	0.4/1.3	0.3/0.7	-0.1/1.1	0.6/1.4	0.2/-2.3	0.7/-2.6	1.2/-3.0	1.3/-3.4	1.6/-3.7	1.6/-4.1	1.3/-4.4	1.2/--
DCA	0.71	-0.3/0.0	-0.1/0.4	0.1/0.1	-0.1/0.7	0.2/0.9	0.3/1.0	0.5/1.1	1.0/-3.6	1.3/-4.0	1.7/-4.3	1.9/-4.6	1.4/-4.9	1.2/-5.3	0.9/-5.6	0.6/--
BOS	0.79	0.5/0.0	0.9/0.8	1.0/0.5	1.2/0.2	1.1/0.0	0.9/-0.2	0.9/-0.1	1.0/-3.4	1.1/-3.7	1.0/-4.0	0.7/-4.4	0.5/-4.6	0.2/-5.0	0.0/-5.3	0.0/--
ERI	0.83	0.3/0.0	0.3/1.3	-0.1/1.1	0.4/0.7	-0.0/0.6	-0.2/0.7	1.4/1.3	0.8/-1.3	0.8/-1.7	1.4/-2.0	1.8/-2.4	1.5/-2.7	1.8/-3.1	1.2/-3.5	1.1/--
ACY	0.83	-0.2/0.0	0.1/0.7	0.6/0.2	0.8/0.8	0.9/0.1	0.7/-0.2	0.4/-0.1	0.6/-5.6	1.3/-5.9	1.7/-6.2	1.4/-6.6	1.2/-6.9	1.1/-7.3	1.0/-7.6	0.8/--
JFK	0.85	-0.0/0.0	0.2/0.4	0.6/0.5	0.7/0.9	0.7/0.5	0.7/0.8	0.9/0.3	1.0/-4.4	1.3/-4.7	1.5/-5.0	1.2/-5.3	1.2/-5.6	1.1/-5.9	0.8/-6.2	0.7/--
ABE	0.85	0.6/0.0	0.5/0.9	0.5/1.0	0.4/1.1	0.5/0.2	0.3/1.1	0.5/0.9	1.1/-3.5	1.5/-3.8	1.4/-4.2	1.6/-4.5	1.3/-4.9	1.1/-5.2	0.9/-5.6	0.6/--
AOO	0.86	0.2/0.0	0.5/0.4	0.8/-0.7	0.9/0.3	1.0/0.6	1.1/0.4	1.4/0.6	1.0/-1.8	1.3/-2.1	1.3/-2.5	1.1/-2.8	0.8/-3.1	0.8/-3.5	0.5/-3.8	0.2/--
BWI	0.96	0.6/0.0	0.6/0.2	0.7/0.1	0.5/0.6	0.7/0.7	0.3/0.6	0.8/0.9	1.1/-4.3	1.3/-4.6	1.8/-5.0	1.9/-5.3	1.5/-5.6	1.1/-5.9	0.8/-6.3	0.6/--
PIT	1.01	0.3/0.0	0.2/-0.5	0.4/-0.1	1.0/0.1	1.0/0.8	0.9/1.1	1.5/1.4	1.2/-3.2	1.3/-3.5	1.8/-3.9	1.6/-4.2	1.2/-4.5	1.4/-4.9	0.8/-5.2	0.6/--
PWM	1.03	-0.2/0.0	0.2/0.4	0.7/-0.3	0.4/-0.6	0.4/-0.4	0.3/-0.4	0.3/-0.5	0.9/-3.2	1.3/-3.5	1.8/-3.8	2.3/-4.1	2.0/-4.4	2.0/-4.7	1.7/-5.0	1.4/--
IPT	1.24	0.2/0.0	0.5/0.3	0.3/-0.6	0.6/0.5	0.5/-0.5	0.6/0.3	0.8/0.2	1.5/-3.6	1.7/-						

ECMWF/MEX MAX Temperature in USSE

MAE (2009-05-01~2009-05-31)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
CLT	-0.29	3.1/2.4	3.6/2.4	3.0/2.7	3.4/2.2	4.2/2.7	4.4/3.1	3.8/3.6	4.3/4.1	4.6/4.1	5.8/4.2	5.8/4.3	6.1/4.4	5.8/4.5	5.5/4.6	5.3/4.7
ATL	-0.27	3.2/1.9	3.4/2.5	3.3/3.0	3.8/2.7	3.5/2.2	4.2/3.6	5.0/4.0	4.9/4.2	5.2/4.1	5.0/4.2	5.5/4.3	5.3/4.4	4.5/4.4	5.0/4.4	4.8/4.5
SAV	-0.20	3.5/2.0	4.5/2.1	4.9/2.8	5.6/2.9	4.5/3.3	4.6/3.9	5.2/4.8	5.2/6.1	4.8/6.2	5.4/6.3	5.3/6.2	5.6/6.2	5.5/6.3	5.5/6.4	5.6/6.5
SSI	-0.17	2.7/1.7	2.7/1.7	2.8/1.9	3.3/1.9	3.8/2.1	4.3/2.5	4.6/3.5	4.7/5.2	4.3/5.3	4.0/5.4	4.0/5.5	4.2/5.5	4.6/5.5	4.6/5.6	4.7/5.7
MCN	-0.10	3.5/2.5	3.6/2.9	3.8/3.5	4.2/3.0	3.9/2.8	4.2/3.3	4.5/3.7	4.7/4.8	4.5/4.8	4.9/5.0	5.0/5.0	4.9/5.2	4.4/5.3	4.7/5.3	4.7/5.4
JAX	-0.10	3.5/1.8	4.0/2.4	4.4/2.6	4.8/2.8	4.8/3.8	5.0/3.7	5.7/5.4	5.6/7.0	5.3/7.1	5.4/7.2	5.2/7.3	5.2/7.4	5.2/7.5	5.4/7.5	5.3/7.7
CAE	-0.09	2.9/2.4	3.1/2.7	2.9/2.4	3.5/2.7	3.9/3.4	4.1/3.3	4.0/4.2	4.4/5.0	4.7/5.0	5.6/5.1	5.5/5.1	5.4/5.1	5.5/5.2	5.1/5.2	5.4/5.3
TLH	-0.08	3.2/2.0	3.1/2.4	3.1/2.4	3.6/2.7	3.8/3.1	4.1/3.0	4.4/3.6	4.3/4.8	4.1/4.8	4.3/4.9	4.3/5.0	4.2/5.0	4.4/5.2	4.7/5.3	4.9/5.5
ABY	-0.08	3.4/2.0	3.4/2.5	3.6/2.5	3.9/2.7	3.9/3.0	4.2/3.5	4.5/4.0	4.7/5.3	4.3/5.4	4.4/5.4	4.4/5.5	4.4/5.6	4.4/5.7	4.5/5.7	4.8/5.8
FMY	0.08	1.6/1.6	2.3/1.9	2.4/2.3	2.7/2.5	2.8/2.3	2.6/2.2	2.8/2.2	2.7/2.9	2.5/3.0	2.5/3.1	2.2/3.2	2.0/3.2	2.1/3.3	2.4/3.4	2.3/3.6
MIA	0.09	1.3/1.8	1.6/1.9	1.6/2.4	1.6/2.3	1.8/2.4	1.9/2.4	2.2/2.5	2.5/2.1	2.4/2.2	2.6/2.3	2.6/2.4	2.4/2.4	2.4/2.4	2.3/2.5	2.2/2.6
RDU	0.09	2.9/2.8	3.7/2.9	2.5/2.2	2.7/2.5	3.7/2.8	4.3/3.9	4.0/4.3	4.2/6.6	4.3/6.7	5.1/6.8	5.1/7.0	5.6/7.1	5.4/7.3	4.9/7.3	5.1/7.5
TPA	0.14	1.9/1.7	2.5/2.2	2.6/2.3	3.0/2.6	3.1/2.7	2.8/2.8	2.6/2.6	2.5/4.7	2.2/4.7	2.4/4.8	2.7/4.9	3.5/5.0	3.9/5.1	4.3/5.2	4.6/5.3
MCO	0.20	1.8/1.7	2.1/1.9	2.0/2.5	2.3/2.6	2.8/2.8	2.8/3.0	3.3/3.3	3.3/5.1	3.5/5.1	3.2/5.2	3.4/5.2	3.1/5.2	3.5/5.3	3.7/5.4	3.6/5.5

Bias (2009-05-01~2009-05-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
FMY	-0.64	-0.7/-0.9	-1.1/-1.2	-0.9/-2.0	-1.0/-2.1	-1.1/-1.5	-1.1/-1.5	-1.1/-1.5	-1.1/-1.5	-0.9/-1.6	-0.7/-1.7	-0.3/-1.9	-0.1/-2.1	0.0/-2.2	0.2/-2.4	0.2/-2.5
MIA	-0.49	-0.4/-1.1	-0.6/-1.6	-0.5/-2.0	-0.6/-1.7	-0.7/-1.6	-0.8/-1.3	-0.7/-1.7	-0.8/-1.0	-0.6/-1.1	-0.8/-1.2	-0.7/-1.3	-0.3/-1.5	0.1/-1.6	-0.0/-1.7	0.1/-1.8
MCO	-0.25	-0.6/-0.9	-0.6/-0.5	-0.7/-1.1	-0.9/-1.2	-0.9/-0.6	-0.6/-0.6	-0.7/-0.5	-0.8/-1.0	-0.3/-1.1	-0.2/-1.3	-0.0/-1.5	0.3/-1.6	0.7/-1.8	0.6/-2.0	1.0/-2.2
SSI	0.14	-0.5/-1.0	-0.6/0.1	-0.6/-0.4	-0.8/-0.9	-0.3/-0.1	-0.1/0.3	0.3/0.2	0.5/-1.4	0.8/-1.6	0.3/-1.9	0.3/-2.1	0.7/-2.3	0.8/-2.5	0.7/-2.7	0.6/-3.0
SAV	0.15	-1.1/-0.1	-1.9/0.2	-1.8/0.3	-2.7/-0.4	-1.5/0.2	-1.1/-0.1	-1.3/0.3	-1.2/-0.1	-0.3/-0.3	1.6/-0.5	2.3/-0.7	2.7/-0.9	2.9/-1.2	2.7/-1.4	2.9/-1.6
JAX	0.15	-0.7/-1.1	-0.7/-0.6	-0.8/-0.8	-1.2/-0.9	-0.6/-0.7	-0.5/-0.5	-0.3/-0.6	-0.2/-1.9	0.2/-2.1	0.4/-2.3	1.0/-2.5	1.3/-2.6	1.5/-2.8	1.4/-3.0	1.5/-3.2
ABY	0.35	-0.3/-0.3	-0.4/0.8	-1.0/0.8	-1.3/-0.4	-0.8/0.3	-0.5/-0.1	-0.4/0.6	-0.2/-1.4	0.5/-1.6	0.9/-1.8	1.4/-2.1	1.7/-2.3	1.7/-2.5	2.0/-2.7	2.0/-3.0
TPA	0.61	-0.2/-0.6	-0.2/-1.1	-0.2/-0.9	-0.4/-1.2	-0.2/-0.5	0.1/-0.6	0.2/-0.2	0.4/-2.2	0.7/-2.4	1.0/-2.5	1.4/-2.7	1.6/-2.9	1.6/-3.1	1.8/-3.3	1.7/-3.5
ATL	0.68	-0.5/-0.3	-0.6/0.3	-1.1/0.6	-1.2/0.7	-0.9/0.7	-0.3/-0.0	-0.8/0.9	0.2/0.6	0.6/0.4	1.7/0.1	2.2/-0.1	2.6/-0.4	2.7/-0.6	2.9/-0.8	2.8/-1.0
MCN	0.81	-0.4/2.1	-0.8/2.4	-1.5/3.0	-1.5/2.2	-1.1/2.5	-0.4/1.1	-0.4/1.8	-0.1/-0.2	1.1/-0.4	2.1/-0.6	2.6/-0.9	3.0/-1.2	3.1/-1.4	3.2/-1.6	3.3/-1.9
RDU	1.06	-0.9/-2.0	-2.1/-1.7	-0.8/-0.6	-0.5/-1.4	0.2/-1.4	-0.1/-1.5	0.1/-2.0	0.1/-4.5	1.3/-4.6	2.5/-4.8	2.8/-5.1	3.4/-5.3	3.5/-5.5	3.3/-5.7	3.1/-5.9
CAE	1.06	-0.4/0.4	-1.0/0.4	-0.9/0.8	-0.8/-0.2	-0.6/-0.3	-0.2/-0.7	0.1/-0.2	-0.2/-0.5	0.9/-0.7	2.4/-1.0	3.0/-1.2	3.2/-1.5	3.4/-1.7	3.4/-1.9	3.5/-2.2
TLH	1.49	0.2/-0.4	0.3/0.1	0.2/-0.2	-0.2/-0.1	0.2/0.6	0.8/0.4	1.3/0.5	1.5/-0.6	1.9/-0.8	2.3/-1.1	2.6/-1.3	2.8/-1.5	2.6/-1.7	3.0/-1.9	2.8/-2.2
CLT	1.64	-0.9/0.5	-2.0/0.6	-1.1/1.5	-0.5/0.5	0.4/0.5	0.4/0.0	0.3/-0.3	0.4/-0.5	2.0/-0.7	3.8/-0.9	4.1/-1.2	4.4/-1.4	4.6/-1.6	4.5/-1.8	4.3/-2.0

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: -2.0 > B >= -4.0 blue: B < -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature in USSE

MAE (2009-05-01~2009-05-31)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
SSI	0.03	1.8/0.0	2.0/1.5	2.1/1.5	2.2/1.6	2.8/1.7	3.1/1.8	3.5/2.4	3.7/5.2	3.4/5.4	2.8/5.6	2.5/5.9	2.8/6.2	2.8/6.4	3.0/6.6	3.2/--
TPA	0.04	1.7/0.0	1.9/1.6	2.0/1.7	2.2/1.6	2.2/1.5	2.1/1.5	2.3/1.7	2.5/3.6	2.6/3.7	2.4/3.8	2.4/4.0	2.5/4.1	2.8/4.4	3.0/4.4	2.9/--
MIA	0.13	1.6/0.0	1.5/1.8	1.5/2.0	1.7/1.7	1.7/1.8	1.9/1.9	2.2/2.0	2.3/3.1	2.7/3.1	2.8/3.3	3.0/3.5	3.0/3.5	2.9/3.6	2.9/3.7	2.9/--
TLH	0.17	2.4/0.0	2.8/2.1	3.1/2.0	3.1/2.5	3.0/3.1	3.2/3.4	3.4/3.4	3.3/5.8	3.3/6.1	3.7/6.3	3.8/6.6	3.7/6.8	3.7/7.0	4.0/7.4	4.2/--
CLT	0.18	2.6/0.0	2.9/2.7	2.8/3.1	3.2/3.6	3.0/3.5	4.0/3.6	4.6/5.2	5.2/7.8	5.8/8.0	5.4/8.1	5.9/8.3	6.3/8.5	6.4/8.6	6.6/8.7	7.3/--
JAX	0.20	1.7/0.0	1.8/1.5	1.8/1.5	2.3/1.4	2.4/1.9	2.2/1.7	2.3/2.0	2.0/5.4	2.2/5.6	2.3/5.9	2.2/6.1	2.3/6.3	2.5/6.6	2.9/6.8	3.3/--
MCO	0.21	1.9/0.0	1.8/1.6	1.6/1.4	1.9/1.8	1.7/1.6	1.8/1.7	1.8/1.8	2.0/3.5	2.0/3.7	2.1/3.9	2.4/4.1	2.3/4.3	2.4/4.4	2.6/4.6	2.6/--
MCN	0.24	1.9/0.0	2.3/2.4	2.4/2.0	2.5/2.3	3.1/3.0	3.6/2.7	3.5/3.4	3.9/7.6	3.6/7.8	3.6/8.1	3.6/8.3	3.9/8.6	4.2/8.8	4.3/9.1	4.8/--
SAV	0.24	1.7/0.0	1.9/2.3	1.9/2.6	2.0/2.3	3.1/2.4	3.8/2.5	4.0/3.4	4.1/7.1	3.6/7.3	3.5/7.5	3.9/7.7	3.7/7.9	4.0/8.2	4.0/8.5	4.5/--
CAE	0.24	2.3/0.0	2.4/2.6	2.5/3.1	2.9/3.2	3.2/3.3	3.6/3.1	4.0/3.8	4.6/7.6	4.5/7.8	4.5/8.0	4.3/8.2	4.9/8.4	5.0/8.6	5.4/8.8	6.1/--
FMY	0.28	1.8/0.0	1.8/1.5	1.8/1.8	1.6/1.8	1.7/1.6	1.8/2.0	1.7/2.1	2.0/3.1	2.0/3.3	1.8/3.5	1.7/3.6	1.8/3.8	1.8/4.0	2.0/4.2	1.9/--
ATL	0.28	1.9/0.0	2.0/2.2	2.3/2.0	2.4/2.5	2.6/2.3	2.8/2.7	3.2/3.0	3.4/6.5	3.1/6.7	2.6/7.0	2.6/7.2	3.3/7.4	3.3/7.6	3.7/7.9	4.5/--
ABY	0.38	1.4/0.0	1.5/1.6	1.4/1.7	1.9/1.6	2.3/2.2	2.4/2.2	2.3/2.5	2.7/8.7	2.7/9.0	2.7/9.3	2.6/9.6	2.8/9.8	3.1/10.1	3.2/10.4	3.6/--
RDU	0.38	2.6/0.0	2.4/3.0	2.2/3.8	2.2/3.5	2.6/3.5	4.2/4.4	4.6/5.8	4.6/10.0	4.9/10.2	4.8/10.3	5.2/10.5	5.7/10.7	6.0/10.9	6.0/11.1	6.3/--

Bias (2009-05-01~2009-05-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
TLH	-1.48	-0.4/0.0	-0.6/-0.3	-1.1/0.0	-1.3/-0.7	-1.6/-1.0	-1.6/-1.2	-1.3/-0.9	-1.2/-5.2	-1.3/-5.5	-1.6/-5.9	-1.7/-6.2	-1.8/-6.5	-1.9/-6.9	-2.3/-7.2	-2.4/--
CAE	-1.06	-0.4/0.0	-0.6/-0.5	-1.1/-1.0	-1.3/-0.9	-1.3/-1.1	-1.8/-0.9	-1.5/-0.6	-1.4/-5.4	-1.6/-5.7	-1.2/-6.0	-0.7/-6.3	-0.7/-6.6	-0.3/-7.0	-0.7/-7.3	-1.4/--
JAX	-0.97	-0.5/0.0	-0.3/0.3	-0.5/-0.6	-0.7/-0.2	-0.7/-0.1	-0.8/0.1	-0.4/-0.2	-0.3/-4.9	-0.5/-5.2	-1.1/-5.4	-1.4/-5.7	-1.3/-6.0	-1.6/-6.3	-2.0/-6.5	-2.4/--
FMY	-0.55	-0.3/0.0	-0.5/-0.8	-0.6/-1.2	-0.6/-1.0	-0.7/-0.5	-0.6/-0.7	-0.5/-1.5	-0.1/-3.0	-0.2/-3.2	-0.2/-3.4	-0.4/-3.6	-0.7/-3.8	-0.8/-4.0	-1.0/-4.2	-1.1/--
MCN	-0.53	0.0/0.0	0.2/0.5	-0.3/-0.4	-0.4/-0.8	-1.0/-0.7	-0.8/-0.5	-0.4/-1.1	-0.7/-6.3	-0.8/-6.6	-0.4/-7.0	-0.6/-7.3	-0.5/-7.6	-0.5/-7.9	-0.8/-8.3	-1.1/--
ABY	-0.48	0.0/0.0	0.0/-0.3	-0.2/-0.5	-0.4/-0.9	-0.5/-0.6	-0.5/-1.4	-0.2/-1.2	-0.1/-8.4	-0.2/-8.7	-0.4/-9.0	-0.5/-9.3	-0.8/-9.6	-0.8/-10.0	-1.2/-10.3	-1.5/--
CLT	-0.42	-0.2/0.0	-0.4/-0.4	-0.7/-1.5	-0.8/-1.0	-0.8/-0.9	-1.0/-0.9	-0.7/-0.8	-0.4/-3.4	-0.5/-3.7	-0.2/-4.0	0.1/-4.3	0.0/-4.6	0.3/-4.9	-0.0/-5.2	-0.9/--
SAV	-0.34	-0.3/0.0	-0.1/-0.8	-0.2/-1.3	-0.2/-1.2	-0.7/-0.5	-0.9/-0.9	-0.1/-1.4	-0.1/-5.9	-0.3/-6.2	0.2/-6.5	-0.4/-6.8	-0.2/-7.1	-0.1/-7.4	-0.4/-7.7	-1.0/--
MCO	-0.14	-0.0/0.0	0.1/0.9	0.1/0.7	0.1/0.9	0.1/0.9	0.0/1.1	0.2/0.5	0.6/-3.1	0.4/-3.4	0.0/-3.5	-0.1/-3.7	-0.3/-3.9	-0.8/-4.2	-1.0/-4.4	-1.5/--
ATL	-0.03	0.2/0.0	0.1/-1.2	-0.3/-1.1	-0.4/-1.3	-0.1/-1.2	-0.3/-1.5	0.1/-1.1	-0.2/-5.2	0.0/-5.5	0.8/-5.8	0.6/-6.1	0.2/-6.4	0.2/-6.7	-0.2/-7.0	-1.0/--
RDU	0.05	-0.2/0.0	-0.4/-1.1	-0.4/-2.3	-0.3/-1.3	-0.4/-1.0	-1.4/-1.5	-0.8/-1.7	-0.0/-7.7	0.0/-8.0	1.0/-8.3	1.0/-8.6	0.8/-8.9	1.0/-9.2	0.8/-9.5	-0.1/--
MIA	0.62	0.4/0.0	0.4/0.3	0.5/0.2	0.6/0.0	0.7/-0.2	0.7/0.1	0.8/-0.2	1.0/-2.5	1.1/-2.7	1.0/-2.8	0.5/-3.0	0.6/-3.2	0.6/-3.3	0.3/-3.5	0.2/--
TPA	0.77	-0.0/0.0	0.1/0.3	0.1/0.5	0.2/-0.0	0.4/0.0	0.6/-0.3	1.0/0.5	1.4/-2.8	1.7/-3.0	1.5/-3.3	1.3/-3.5	1.2/-3.7	0.9/-4.0	0.7/-4.2	0.5/--
SSI	1.13	0.8/0.0	1.1/0.1	1.3/0.5	1.4/-0.4	1.6/0.2	1.8/0.5	2.1/-0.5	2.2/-4.2	2.1/-4.5	1.6/-4.8	0.7/-5.1	0.4/-5.3	0.4/-5.6	0.0/-5.9	-0.5/--

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: -2.0 > B >= -4.0 blue: B < -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MAX Temperature in USSC

		MAE (2009-05-01~2009-05-31)														
S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
GAD	-0.61	3.8/1.9	3.9/2.3	3.9/2.4	4.2/2.4	3.9/2.3	4.0/2.6	4.8/3.8	5.5/3.2	5.6/3.2	5.5/3.3	5.1/3.3	4.7/3.4	5.2/3.5	4.9/3.5	
BHM	-0.37	3.3/1.9	3.2/1.8	3.7/2.5	3.8/2.6	3.7/2.4	4.1/3.4	4.9/4.9	5.5/4.2	5.8/4.2	5.6/4.3	5.9/4.3	5.6/4.4	6.3/4.5	6.0/4.4	
HSV	-0.34	3.1/2.8	3.5/2.8	3.8/2.8	5.0/3.5	4.8/3.6	5.1/3.9	6.0/4.9	6.9/4.8	7.6/4.7	7.0/4.8	6.8/4.8	6.6/4.9	5.9/4.9	6.6/5.0	
CHA	-0.31	2.1/1.8	3.3/2.2	2.8/2.5	4.0/2.9	3.8/3.0	4.1/2.8	4.7/3.6	5.3/4.1	6.1/4.2	5.8/4.2	6.0/4.3	5.8/4.3	5.0/4.4	5.5/4.5	
BNA	-0.23	2.5/2.0	2.5/2.4	2.7/2.7	3.9/2.8	4.1/3.5	4.2/3.4	5.0/4.6	6.4/5.1	7.4/5.3	6.8/5.3	6.7/5.3	6.6/5.4	6.5/5.5	7.1/5.5	
OKC	-0.14	3.4/1.9	3.4/3.4	3.5/3.4	4.1/3.6	4.8/4.2	5.1/5.9	6.7/5.9	7.4/6.8	8.4/6.8	7.6/6.9	7.2/6.9	7.6/7.0	8.1/7.1	8.0/7.1	
LIT	-0.13	2.4/2.3	3.1/2.5	3.4/3.3	3.5/3.4	4.6/4.1	4.2/4.4	5.2/6.1	6.3/5.6	7.6/5.6	6.5/5.7	6.7/5.8	7.1/5.8	7.2/5.9	7.3/5.9	
DFW	-0.08	2.9/2.5	3.4/2.5	3.3/2.5	3.5/2.9	3.3/3.5	3.2/4.1	3.8/3.9	4.1/4.2	4.9/4.3	4.3/4.4	4.4/4.5	4.9/4.5	5.1/4.6	5.2/4.8	
MEM	-0.07	3.0/2.0	3.4/2.5	2.9/2.5	2.7/2.7	3.4/3.5	3.1/3.6	4.0/4.8	4.8/5.2	6.0/5.3	5.5/5.3	5.4/5.3	5.6/5.5	5.9/5.5	6.6/5.6	
JAN	-0.06	2.6/2.2	2.4/1.8	2.8/2.6	3.5/2.5	3.4/2.7	3.4/3.5	3.9/3.8	4.3/4.6	4.9/4.7	4.6/4.8	4.5/4.8	4.3/4.8	4.5/4.9	4.8/5.0	
TYS	-0.06	2.0/1.9	2.0/2.1	2.2/2.7	2.5/2.3	2.8/2.5	3.6/2.5	3.7/3.4	5.0/4.6	5.9/4.7	5.3/4.9	5.2/5.1	5.0/5.2	4.9/5.2	5.1/5.5	
MOB	-0.05	2.4/1.5	2.3/1.6	2.5/2.0	2.7/1.9	3.1/1.6	2.9/2.0	2.6/2.6	2.7/3.9	2.9/3.9	3.0/4.0	2.7/4.2	2.9/4.3	3.1/4.4	3.3/4.5	
TUL	-0.05	2.9/2.3	3.1/2.8	3.2/4.2	3.7/4.5	4.1/4.8	5.2/5.9	6.5/6.8	7.9/7.3	8.8/7.3	8.2/7.3	7.7/7.4	8.0/7.3	8.7/7.4	8.5/7.4	
MCI	-0.01	3.1/2.7	2.5/2.3	2.7/3.0	3.7/3.8	4.0/4.1	5.1/4.0	4.8/5.2	5.3/6.3	6.1/6.4	6.0/6.5	6.1/6.5	6.5/6.5	7.2/6.7	7.2/6.8	
LFK	-0.01	2.3/1.6	2.6/1.6	2.5/1.7	2.5/2.4	2.5/2.6	3.0/3.1	3.2/2.5	3.1/4.5	3.8/4.6	3.9/4.8	3.7/5.0	3.8/5.1	4.2/5.2	4.5/5.3	
STL	0.02	2.9/2.5	2.5/3.2	2.7/3.4	3.3/4.0	3.3/3.4	4.1/4.1	4.5/4.8	5.6/5.6	6.5/5.8	5.9/5.8	5.9/5.8	5.7/6.0	6.8/6.2	6.9/6.3	
MWL	0.02	3.2/3.4	3.1/3.4	3.0/3.1	3.5/3.5	3.1/4.0	3.5/4.7	4.7/4.6	5.0/5.1	5.4/5.2	5.1/5.2	5.4/5.1	5.4/5.1	5.4/5.1	5.4/5.2	
ICT	0.02	3.6/2.9	3.4/3.9	3.4/4.2	4.1/4.7	4.7/5.0	5.5/5.3	6.6/6.0	7.4/8.1	8.1/8.3	7.6/8.4	7.8/8.5	8.6/8.5	8.7/8.7	8.6/8.7	
ABI	0.04	3.3/3.5	2.7/4.1	3.1/4.0	3.4/3.6	3.7/5.4	4.5/5.4	5.5/5.5	5.8/6.3	6.6/6.3	6.5/6.2	6.7/6.3	7.1/6.4	7.2/6.3	7.3/6.3	
ELP	0.05	2.1/1.8	2.3/1.5	2.8/1.5	2.8/2.2	3.5/2.7	3.2/2.8	3.5/4.2	4.4/7.3	5.1/7.5	4.7/7.6	4.5/7.9	5.1/8.1	5.4/8.3	5.9/8.5	
COU	0.05	2.3/1.6	2.1/2.3	1.9/2.6	2.9/3.5	3.0/3.5	4.2/4.1	4.1/4.5	5.1/5.7	5.7/5.7	5.1/5.7	5.2/5.8	5.5/5.9	6.0/5.9	5.9/6.0	
TYR	0.05	2.3/2.2	2.6/2.3	2.3/2.6	2.6/3.1	2.7/2.7	3.0/3.6	3.4/3.5	3.5/4.1	4.2/4.0	3.6/4.0	3.6/4.1	3.8/4.2	4.0/4.3	4.2/4.2	
IAH	0.07	1.5/1.5	2.0/1.8	2.1/1.7	2.8/2.4	3.3/2.5	3.3/2.9	3.7/3.4	3.6/5.1	4.1/5.2	3.9/5.3	3.8/5.4	3.9/5.6	3.8/5.6	4.4/5.7	
AUS	0.08	1.7/1.7	2.1/2.4	2.2/2.2	2.7/2.7	3.4/2.9	4.2/3.5	4.6/4.0	5.1/5.5	5.1/5.6	4.5/5.7	4.6/5.7	4.5/5.8	4.3/5.9	4.7/6.0	
HOU	0.09	1.7/1.7	1.9/1.8	2.2/1.8	2.4/2.4	2.6/2.4	2.5/2.2	3.0/2.5	3.0/3.8	3.2/3.9	2.9/3.9	3.0/4.0	2.9/4.4	3.2/4.5	3.4/4.5	
MAF	0.11	2.4/3.3	2.6/3.6	3.3/3.3	3.5/3.9	3.5/4.3	4.7/5.5	5.4/6.2	5.8/6.9	6.9/7.1	6.6/7.2	6.5/7.2	6.6/7.4	7.1/7.5	7.3/7.6	
ACT	0.11	2.5/2.4	2.7/2.7	2.4/2.5	3.4/3.5	3.4/3.6	4.0/3.7	4.5/3.6	4.5/5.4	5.0/5.6	4.4/5.7	4.3/5.7	4.1/5.8	4.2/6.0	4.5/6.1	
SJT	0.12	3.2/3.5	2.9/3.7	3.2/3.3	3.6/3.5	2.9/3.6	3.9/4.1	4.5/4.0	4.5/5.6	5.2/5.6	4.9/5.8	4.9/6.0	4.9/6.1	5.0/6.2	4.9/6.5	
MSY	0.13	1.9/1.5	1.8/2.0	2.0/2.1	2.2/2.0	2.6/2.3	2.8/2.4	2.6/2.5	3.0/4.4	3.4/4.4	3.3/4.5	3.0/4.5	2.9/4.7	3.1/4.7	3.3/4.9	
BRO	0.28	1.1/1.6	1.5/1.7	1.5/1.9	1.6/2.3	1.7/2.0	1.8/2.2	1.8/2.2	2.4/4.8	2.8/4.9	3.3/5.0	3.6/5.1	3.5/5.2	3.7/5.3	4.0/5.4	
SAT	0.30	1.9/3.1	2.1/3.3	2.6/3.4	2.6/3.6	3.2/3.7	3.1/3.9	3.3/4.9	3.8/6.4	4.5/6.6	4.9/6.7	4.5/6.9	4.4/7.0	4.9/7.1	5.4/7.3	
VCT	0.31	2.3/2.0	2.0/1.9	1.8/2.0	2.2/2.4	2.4/2.4	2.3/2.5	2.9/3.2	2.7/6.4	2.9/6.6	3.1/6.7	3.0/6.9	2.8/7.0	3.1/7.2	3.5/7.4	
CRP	0.36	2.0/2.5	2.5/3.1	2.7/2.4	2.0/2.8	2.4/2.9	2.2/2.7	2.5/3.0	2.3/6.4	2.5/6.5	3.0/6.6	3.1/6.8	3.1/6.9	3.4/7.1	3.8/7.3	

		Bias (2009-05-01~2009-05-31)														
avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
IAH	-0.73	-0.1/0.0	-0.1/-0.0	-0.2/-0.2	-0.3/-1.0	-0.4/-0.2	-0.5/-0.2	-0.3/-0.3	-0.1/-3.5	-0.7/-3.7	-1.3/-4.0	-1.1/-4.2	-1.3/-4.4	-1.2/-4.6	-1.9/-4.8	
ACT	-0.57	-0.4/-1.6	-0.6/-1.3	-0.5/-1.0	-0.9/-1.2	-1.2/-0.8	-0.9/-0.7	-0.5/0.5	-0.5/-3.2	-1.0/-3.4	-0.8/-3.6	-0.3/-3.9	0.0/-4.1	-0.2/-4.4	-0.4/-4.6	
SAT	-0.53	-0.6/-2.7	-0.2/-2.6	-0.3/-2.7	-1.1/-2.9	-1.1/-2.9	-1.2/-2.4	-0.8/-2.7	0.1/-5.8	-0.6/-6.0	-0.5/-6.2	-0.4/-6.4	-0.2/-6.5	-0.3/-6.7	-0.7/-6.9	
HOU	-0.42	-0.2/-0.4	-0.2/-0.5	-0.5/-0.1	-0.5/-0.5	-0.5/-0.3	-0.3/-0.1	-0.0/-0.5	0.3/-2.5	-0.2/-2.7	-0.4/-2.9	-0.7/-3.1	-0.7/-3.4	-0.7/-3.6	-1.0/-3.8	
SJT	-0.33	-0.7/-1.0	-1.2/-0.7	-1.0/0.3	0.8/-0.9	-0.7/0.3	-0.9/0.6	-0.5/0.6	-0.3/-3.8	-0.5/-4.0	-0.2/-4.2	0.7/-4.4	0.6/-4.6	0.3/-4.8	0.2/-5.0	
DFW	-0.26	-0.7/-0.5	-1.1/-0.5	-1.0/0.1	-0.9/0.2	-1.2/0.8	-0.7/1.7	0.2/1.7	-0.3/-1.4	-0.8/-1.6	-0.6/-1.9	0.3/-2.1	0.7/-2.4	0.5/-2.6	0.6/-2.8	
VCT	-0.07	0.1/-0.9	0.0/-1.3	0.1/-1.0	-0.3/-1.8	-0.3/-1.3	-0.0/-0.9	0.1/-1.1	0.6/-5.8	0.2/-6.0	-0.1/-6.2	-0.2/-6.4	-0.1/-6.6	-0.2/-6.8	-0.5/-7.0	
LFK	-0.06	-0.0/0.7	-0.0/-0.1	-0.2/0.8	-0.2/0.5	-0.2/0.7	0.2/0.6	0.5/0.7	0.8/-2.8	-0.1/-3.0	-0.1/-3.3	0.1/-3.5	-0.2/-3.7	-0.0/-3.9	-0.8/-4.1	
TYR	-0.02	-0.1/0.2	-0.3/-0.1	-0.3/1.4	-0.3/1.6	-0.0/1.0	0.4/1.5	0.4/2.1	0.7/-0.3	-0.3/-0.5	0.2/-0.7	0.1/-0.9	0.2/-1.1	0.1/-1.3	-0.4/-1.4	
CRP	0.00	0.5/-2.5	0.3/-2.8	0.4/-2.0	0.3/-2.1	-0.5/-2.5	-0.5/-2.0	-0.7/-1.9	0.3/-6.2	0.1/-6.4	-0.0/-6.5	-0.1/-6.7	0.3/-6.9	0.0/-7.0	0.2/-7.4	
ELP	0.11	-0.3/-0.9	-0.7/-0.5	-1.3/-0.7	-1.1/-1.0	-0.9/0.2	-0.3/0.3	0.3/0.9	0.6/-5.8	0.3/-6.1	0.7/-6.4	0.8/-6.6	0.6/-6.9	0.7/-7.2	1.0/-7.5	
COU	0.13	-0.3/-0.3	-0.1/-0.3	0.0/-1.0	0.6/-1.5	0.5/-0.5	0.9/0.2	0.8/0.5	0.5/-1.9	0.1/-2.2	-0.4/-2.5	0.1/-2.8	-0.2/-3.1	-0.2/-3.4	-0.3/-3.9	
AUS	0.24	-0.1/0.0	0.3/-0.4	0.1/-0.2	0.4/0.1	0.2/-0.4	-0.3/0.4	0.0/-0.3	0.2/-4.1	-0.3/-4.3	-0.1/-4.5	-0.3/-4.6	0.4/-4.8	0.9/-5.0	1.0/-5.2	
MSY	0.26	-0.4/-0.8	-0.4/-1.6	-0.5/-1.5	-0.7/-1.1	-0.6/-1.5	-0.2/-1.4	0.5/-0.5	0.9/-2.5	1.1/-2.7	0.6/-2.9	0.6/-3.1	0.6/-3.4	0.6/-3.6	0.8/-4.1	
MOB	0.37	-0.1/-0.1	-0.3/-0.5	-0.8/-0.5	-0.8/0.2	-0.6/0.1	0.0/0.1	0.1/0.1	0.7/-1.4	0.9/-1.6	1.0/-1.8	1.0/-2.0	1.2/-2.3	1.2/-2.5	1.3/-2.7	
MAF	0.49	0.6/-2.0	-0.1/-1.5	-0.3/-0.1	-0.5/-1.5	-0.2/-1.3	0.1/-0.6	0.3/-0.7	0.7/-3.8	0.3/-4.0	0.6/-4.3	1.1/-4.6	1.4/-4.8	1.0/-5.1	1.2/-5.6	
MEM	0.77	-0.6/-0.5	-1.0/-0.6	-1.1/0.1	-0.7/0.7	-0.6/0.7	-0.0/1.5	0.1/2.0	0.7/-1.2	0.4/-1.5	1.7/-1.7	2.4/-2.0	2.5/-2.2	2.7/-2.5	2.6/-2.7	
BRO	0.77	0.0/1.3	-0.1/0.9	0.0/1.2	0.4/1.1	0.7/1.1	0.9/1.2	1.0/0.7	1.1/-4.1	1.1/-4.2	1.2/-4.4	1.2/-4.5	1.1/-4.7	1.1/-4.9	1.0/-5.0	
STL	0.96	-0.7/-0.3	-0.0/-0.4	0.0/-0.9	0.6/-1.2	0.5/-0.6	0.8/0.0	0.7/0.1	0.4/-1.9	0.3/-2.2	0.9/-2.5	2.1/-2.8	1.9/-3.1	2.4/-3.5	2.5/-3.7	
MWL	1.21	-0.4/-2.4	-0.3/-1.7	0.1/-0.9	0.6/-1.0	0.3/-0.4	0.8/-0.6	1.9/0.3	1.8/0.3	1.5/0.1	1.6/-0.1	2.2/-0.3	2.3/-0.5	1.8/-0.7	1.7/-1.0	
GAD	1.34	-0.4/0.0	-0.6/0.8	-0.9/0.9	-0.6/1.5	-0.1/0.8	0.6/1.0	0.3/2.1	1.3/0.8	1.2/0.5	2.5/0.3	3.0/0.1	3.2/-0.2	3.3/0.4	3.6/-0.6	
ABI	1.39	-0.2/-1.8	-0.3/-1.6	0.3/-1.1	1.0/0.2	0.7/-0.0	1.0/0.4	1.8/0.9	1.8/-1.4	1.5/-1.6	1.6/-1.8	2.4/-2.1	2.3/-2.3	2.4/-2.5	2.3/-2.8	
JAN	1.48	-0.2/0.4	-0.0/0.4	-0.5/0.6	-0.6/0.8	-0.3/0.6	0.5/0.6	1.0/1.4	1.5/-1.6	1.5/-1.8	2.9/-2.1	2.9/-2.4	2.9/-2.6	3.3/-2.8	3.5/-3.0	
MCI	1.51	-0.1/-0.1	0.5/-0.3	1.1/0.3	1.2/0.4	0.8/1.1	1.6/0.5	1.5/0.6	1.8/-2.3	1.7/-2.5	1.0/-2.9	2.1/-3.2	1.8/-3.5	2.2/-3.8	2.7/-4.1	
TYS	1.52	-0.1/0.5	-0.6/0.5	-0.2/1.1	1.0/0.7	0.9/0.7	1.4/0.9	1.2/0.8	1.3/-2.5	1.5/-2.7	2.6/-2.9	2.9/-3.2	2.5/-3.4	2.9/-3.6	2.8/-3.9	
ICT	1.55	-0.6/-0.7	-0.7/-0.8	-0.2/0.2	-0.0/0.6	-0.3/0.5	1.3/1.1	1.2/0.7	1.3/-2.8	0.7/-3.1	2.1/-3.4	3.3/-3.7	3.2/-4.0	3.6/-4.3	4.2/-4.6	
CHA	1.68	-0.0/-0.1	-0.4/0.2	-0.2/1.0	0.1/1.1	0.8/0.5	1.6/1.2	0.9/0.8	1.6/-1.0	1.9/-1.2	2.9/-1.4	3.2/-1.6	3.1/-1.8	3.2/-2.1	3.4/-2.3	
TUL	1.80	-0.1/0.3	0.1/0.0	0.1/2.3	0.8/2.8	0.6/3.0	1.6/3.9	1.7/3.5	1.6/1.2	0.9/0.9	2.1/0.7	3.0/0.5	3.4/0.2	3.4/-0.0	3.8/-0.3	
LIT	1.86	0.2/0.4	0.1/0.1	0.3/1.3	0.7/1.9	0.9/2.6	1.2/2.2	1.5/2.7	1.9/0.4	0.7/0.2	2.7/-0.1	3.2/-0.4	3.5/-0.6	3.7/-0.9	3.6/-1.2	
BHM	1.91	-0.3/0.3	-0.2/-0.2	0.6/0.8	-0.2/0.9	0.5/0.6	1.1/0.5	0.9/1.7	1.9/0.0	2.1/-0.2	3.4/-0.4	3.6/-0.				

ECMWF/MEX MIN Temperature in USSC

	S-score	MAE (2009-05-01~2009-05-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
AUS	-0.42	3.6/0.0	4.1/2.1	4.7/2.4	5.2/2.8	6.1/3.4	5.6/4.2	6.2/4.0	7.7/7.2	7.9/7.2	8.7/7.2	8.8/7.4	9.0/7.4	8.7/7.4	8.2/7.4	8.6/--
HOU	-0.20	2.9/0.0	3.2/2.1	3.2/1.7	3.2/2.3	4.0/2.9	4.2/3.0	4.9/3.4	4.9/6.3	5.7/6.4	6.2/6.5	6.3/6.6	6.8/6.8	7.2/7.0	7.4/7.1	7.9/--
OKC	-0.02	3.3/0.0	3.7/3.2	3.7/3.6	3.9/3.7	4.4/3.9	4.9/4.0	5.1/4.8	5.1/5.1	5.2/5.1	4.4/5.2	4.4/5.3	4.8/5.3	5.2/5.4	5.8/5.5	5.8/--
VCT	-0.00	1.7/0.0	1.8/1.9	1.8/2.0	2.6/2.4	3.2/2.4	3.4/3.2	4.0/3.2	4.1/6.5	4.6/6.5	5.4/6.5	6.5/6.7	7.1/6.8	7.9/6.9	8.1/6.9	8.6/--
TYR	0.03	1.9/0.0	2.4/1.7	2.3/1.9	2.9/1.9	3.5/3.4	3.9/4.3	4.2/4.6	4.5/6.7	4.8/6.8	5.0/7.0	5.8/7.1	6.2/7.2	6.8/7.4	7.1/7.4	7.3/--
MWL	0.05	2.3/0.0	2.8/2.7	2.7/2.8	2.6/2.6	3.2/3.8	4.1/4.7	4.7/5.3	4.7/6.2	5.1/6.2	5.8/6.2	6.1/6.2	6.4/6.3	6.9/6.4	7.2/6.5	7.5/--
ICT	0.05	2.1/0.0	2.5/1.9	2.9/2.8	3.5/3.1	4.4/3.6	5.0/4.0	5.1/4.5	4.5/5.2	4.5/5.4	3.8/5.5	3.7/5.8	4.2/6.0	4.6/6.2	5.0/6.5	5.0/--
CRP	0.07	2.0/0.0	1.7/1.7	1.8/2.0	2.2/2.5	2.9/2.7	2.9/3.3	3.7/3.4	4.1/6.5	4.5/6.7	5.5/6.8	6.2/6.8	6.9/6.9	7.8/7.0	7.8/7.2	8.3/--
ABI	0.08	1.8/0.0	2.5/3.6	2.6/4.0	2.6/3.2	3.1/4.0	4.0/4.8	4.8/5.3	5.4/5.6	5.4/5.6	5.9/5.7	6.1/5.5	6.1/5.7	6.7/5.7	6.7/5.8	6.7/--
ACT	0.08	1.9/0.0	2.2/1.8	2.3/2.5	2.8/2.5	3.2/3.7	3.9/4.2	4.5/4.8	4.6/7.2	5.1/7.4	5.9/7.4	6.8/7.5	7.3/7.5	7.8/7.6	8.1/7.8	8.6/--
TUL	0.08	2.1/0.0	2.6/2.8	2.6/3.4	2.7/3.3	3.4/3.9	4.0/3.7	4.4/4.1	4.4/4.6	5.3/4.7	4.3/4.8	4.0/4.8	4.4/5.1	4.5/5.1	4.6/5.3	4.7/--
DFW	0.08	1.8/0.0	2.3/2.2	2.6/2.5	2.7/2.2	2.8/3.4	3.2/3.3	4.1/4.4	4.0/5.1	4.7/5.2	4.3/5.3	4.3/5.4	4.5/5.5	5.0/5.7	5.3/5.8	5.2/--
SAT	0.08	2.1/0.0	2.4/2.3	2.5/2.3	3.1/2.5	3.3/2.8	3.7/3.1	4.2/3.4	4.2/7.0	4.5/7.1	4.9/7.3	5.0/7.4	5.4/7.6	6.0/7.8	6.4/8.0	6.8/--
MCI	0.09	2.0/0.0	2.3/2.3	2.6/2.5	2.9/2.9	3.5/2.7	3.7/3.6	4.0/4.3	3.9/4.9	4.8/5.0	4.1/5.2	3.8/5.4	4.1/5.5	4.8/5.7	4.7/6.0	4.5/--
BRO	0.10	1.7/0.0	1.4/2.0	1.5/2.0	2.0/2.5	2.3/2.5	2.9/2.9	3.8/3.7	4.2/6.5	4.9/6.5	5.7/6.6	6.5/6.6	7.1/6.7	7.7/6.8	7.8/6.8	8.3/--
IAH	0.10	2.1/0.0	2.4/2.0	2.6/1.8	2.3/2.2	3.3/2.9	3.5/3.5	4.1/3.9	4.0/7.2	4.5/7.3	4.6/7.4	5.2/7.6	5.7/7.8	6.4/7.9	6.3/8.1	7.0/--
GAD	0.10	2.3/0.0	2.8/2.5	3.5/2.5	3.6/2.9	4.1/3.3	4.7/3.6	4.9/4.1	5.5/7.7	5.1/7.9	4.3/8.2	4.2/8.3	5.0/8.5	5.1/8.7	5.5/9.0	6.4/--
SJT	0.11	2.3/0.0	2.6/3.0	2.4/2.6	2.4/2.7	2.6/2.9	2.8/3.3	3.9/4.5	4.5/6.4	4.8/6.6	5.7/6.6	5.9/6.7	6.5/6.8	7.1/7.0	7.5/7.1	7.8/--
MEM	0.11	2.5/0.0	2.6/1.8	2.4/2.2	3.0/2.4	3.1/2.5	3.3/3.2	3.8/4.0	4.3/6.4	4.2/6.5	4.0/6.6	4.4/6.9	4.7/7.1	4.5/7.3	4.8/7.5	5.5/--
LFK	0.13	1.8/0.0	2.0/1.9	2.4/1.7	2.1/2.4	3.2/3.2	4.1/4.1	4.2/4.5	4.4/8.3	4.6/8.5	5.5/8.7	6.8/8.8	7.4/9.0	8.2/9.2	8.5/9.3	8.9/--
LIT	0.16	2.2/0.0	2.4/2.2	2.6/2.6	2.6/2.8	3.1/2.8	3.3/3.2	3.8/3.7	3.9/5.7	4.2/5.8	4.5/6.1	3.8/6.3	4.4/6.5	4.2/6.7	4.6/6.9	4.7/--
ELP	0.17	3.3/0.0	3.0/2.7	3.0/2.5	3.0/3.3	3.1/3.2	3.6/3.5	3.5/3.6	4.1/7.3	5.0/7.4	5.1/7.7	5.5/7.9	5.2/8.0	5.3/8.3	5.8/8.6	5.8/--
STL	0.18	2.0/0.0	2.1/2.2	2.1/2.8	2.5/3.4	3.1/3.4	3.5/3.8	3.8/4.5	3.8/5.4	4.9/5.6	4.8/5.8	4.6/5.9	4.8/6.1	5.2/6.3	5.6/6.5	5.8/--
MAF	0.19	2.6/0.0	2.8/2.9	2.3/3.5	2.6/3.1	2.5/3.3	3.0/3.2	3.5/3.5	3.8/4.9	3.9/5.1	4.1/5.4	4.3/5.6	4.6/5.8	4.6/6.0	5.1/6.3	5.3/--
TYS	0.21	2.0/0.0	1.2/2.5	2.2/2.3	2.5/2.9	2.9/3.1	3.6/3.3	4.3/4.3	5.1/7.4	5.2/7.5	4.6/7.7	4.9/7.9	5.4/8.1	5.4/8.3	5.6/8.5	6.4/--
COU	0.24	1.7/0.0	1.7/2.3	1.9/3.0	2.0/3.2	2.6/3.7	3.1/3.8	3.3/4.7	3.9/4.9	4.8/5.0	4.2/5.2	4.2/5.5	4.5/5.5	4.7/5.8	4.7/6.1	4.8/--
HSV	0.24	2.2/0.0	2.6/2.3	2.5/2.5	2.9/2.9	3.0/2.8	3.8/3.3	4.2/4.8	4.6/8.5	4.5/8.6	3.9/8.8	4.5/9.0	5.1/9.1	5.1/9.4	5.7/9.5	6.5/--
JAN	0.24	2.2/0.0	2.4/2.0	2.7/2.3	2.9/2.6	3.2/3.4	3.5/4.0	3.6/4.1	3.6/8.0	3.7/8.2	3.7/8.4	4.2/8.5	4.5/8.7	5.4/8.9	5.8/9.0	6.1/--
MOB	0.27	1.9/0.0	2.5/2.5	2.3/2.3	2.6/2.6	2.8/3.4	3.4/3.5	3.3/3.7	3.2/7.7	3.4/7.9	3.8/8.1	4.4/8.3	5.1/8.5	5.4/8.6	5.6/8.8	5.7/--
BHM	0.27	2.4/0.0	2.5/2.7	3.0/2.7	3.0/2.6	3.2/3.3	3.7/3.8	4.1/3.9	5.2/9.0	4.3/9.3	3.9/9.5	4.1/9.7	4.5/10.0	4.5/10.2	5.0/10.5	5.5/--
BNA	0.28	1.5/0.0	1.5/2.2	1.8/2.0	2.3/3.1	3.0/3.2	3.8/3.4	4.0/4.1	4.4/7.4	4.3/7.7	4.1/7.7	4.2/8.0	4.8/8.3	4.8/8.3	5.6/8.6	6.1/--
CHA	0.31	1.8/0.0	2.2/2.4	2.4/2.3	2.3/2.7	2.3/3.0	3.0/3.5	3.8/4.4	4.5/8.2	4.6/8.4	4.2/8.6	4.2/8.8	5.0/9.0	5.0/9.2	5.5/9.4	6.3/--
MSY	0.35	1.8/0.0	2.0/1.7	1.8/1.6	2.0/2.2	2.1/1.6	2.0/2.1	2.1/2.9	1.9/6.5	1.9/6.7	2.1/6.9	2.4/7.2	2.7/7.4	3.1/7.6	3.3/7.9	3.5/--

	avg-bias	Bias (2009-05-01~2009-05-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
GAD	-1.99	-0.8/0.0	-1.5/-1.2	-2.3/-0.5	-2.4/+0.9	-2.7/-0.8	-2.5/-1.3	-2.2/-0.5	-2.6/-5.5	-2.1/+5.8	-1.4/-6.1	-1.3/-6.4	-1.5/-6.7	-1.6/-7.0	-2.0/-7.3	-2.8/--
CHA	-0.43	-0.2/0.0	-0.2/+0.3	-0.7/-1.0	-0.6/-1.1	-0.5/-0.6	-0.6/-1.5	-0.3/-1.3	-0.5/-6.4	0.2/-6.7	0.3/-7.0	0.1/-7.4	-0.3/-7.7	-0.4/-8.0	-0.8/-8.3	-1.9/--
MEM	-0.40	-0.3/0.0	-0.4/+0.1	-0.5/+0.3	-1.0/+0.4	-1.1/+0.0	-1.1/+1.0	-0.7/-0.2	-0.3/-4.8	0.2/-5.1	0.5/-5.4	0.4/-5.7	0.1/-6.0	-0.4/-6.3	-0.4/-6.6	-1.1/--
AUS	-0.39	-0.7/0.0	-0.5/0.2	-0.3/0.6	0.2/-0.4	0.6/0.3	1.0/-0.2	0.6/1.3	-0.1/-1.3	0.2/-1.5	-0.6/-1.8	-0.9/-2.1	-1.5/-2.3	-1.3/-2.6	-0.6/-2.8	-1.9/--
JAN	-0.30	-0.3/0.0	-0.3/+0.5	-0.3/-0.4	-0.5/-1.0	-0.3/-1.5	-0.2/-1.5	0.1/-1.1	0.1/-5.7	0.5/-6.0	0.1/-6.3	0.1/-6.6	-0.1/-7.0	-0.9/-7.3	-1.0/-7.6	-1.6/--
BHM	-0.18	0.1/0.0	-0.2/+0.0	-0.7/-0.5	-0.8/-0.1	-0.9/-0.0	-0.8/-0.9	-0.4/-0.3	-0.7/-7.2	-0.0/-7.5	0.8/-7.9	0.7/-8.2	0.6/-8.5	0.4/-8.8	-0.1/-9.2	-0.8/--
BNA	-0.18	-0.4/0.0	-0.6/0.5	-0.9/-0.4	-1.1/-0.1	-1.3/0.5	-1.2/0.1	-0.3/0.5	-0.3/-4.4	0.8/-4.7	1.0/-5.0	0.7/-5.4	0.6/-5.7	0.5/-6.0	0.2/-6.3	-0.5/--
ELP	-0.15	-0.7/0.0	-0.8/-0.6	-0.9/-0.5	-0.8/-1.4	-0.5/-1.2	-0.6/-1.1	-0.1/-0.7	0.8/-6.2	1.2/-6.5	0.5/-6.8	0.3/-7.2	0.3/-7.5	-0.2/-7.8	-0.6/-8.1	-0.2/--
MOB	-0.12	-0.1/0.0	-0.0/-0.9	-0.1/-0.5	-0.2/-0.8	-0.2/-1.2	0.0/-1.3	0.2/-1.3	0.5/-5.9	0.4/-6.2	0.3/-6.5	0.2/-6.8	-0.1/-7.0	-0.7/-7.3	-0.9/-7.6	-1.1/--
MSY	-0.04	-0.9/0.0	-1.1/-1.0	-0.8/-1.2	-0.8/-1.7	-0.7/-0.6	-0.3/-1.0	0.2/-1.8	0.6/-6.0	1.0/-6.3	1.0/-6.5	0.8/-6.8	0.5/-7.1	0.3/-7.4	0.0/-7.6	-0.6/--
LFK	-0.04	-0.3/0.0	-0.4/-1.0	-0.5/-0.6	-0.3/-1.1	-0.2/-0.7	-0.1/-1.1	0.0/0.5	0.6/-4.9	0.8/-5.2	0.5/-5.5	0.6/-5.8	0.3/-6.1	-0.2/-6.4	-0.4/-6.7	-1.0/--
HSV	-0.03	0.3/0.0	0.2/+0.4	-0.2/-1.0	-0.4/+0.7	-0.2/+0.8	-0.2/+1.0	0.0/+1.2	0.0/+6.1	0.6/+6.5	1.0/+6.8	0.6/+7.1	0.1/+7.4	-0.2/+7.7	-0.6/+8.0	-1.7/--
DFW	0.16	-0.6/0.0	-0.8/+0.0	-0.7/0.7	-0.3/0.4	0.1/1.4	0.3/1.4	-0.7/1.8	0.3/-2.8	-0.1/-3.1	0.4/-3.4	1.0/-3.7	1.1/-4.0	1.2/-4.3	0.9/-4.6	0.4/--
TYS	0.17	-0.2/0.0	-0.4/+0.2	-1.0/0.4	-1.0/0.5	-0.6/1.1	-0.4/0.6	0.1/1.1	0.4/-4.1	0.7/-4.4	1.4/-4.7	1.3/-5.0	1.0/-5.3	1.0/-5.6	0.6/-5.9	0.4/--
STL	0.22	0.1/0.0	-0.3/0.2	0.0/0.5	0.6/0.4	0.5/0.3	0.4/0.4	0.4/1.1	0.1/-3.3	-0.0/-3.6	-0.4/-4.0	0.0/-4.3	0.4/-4.6	0.5/-5.0	0.5/-5.3	0.4/--
SAT	0.39	0.0/0.0	0.2/+0.2	0.2/+0.0	0.4/+0.5	0.8/-0.3	0.8/-0.3	0.7/0.3	1.2/-4.8	1.1/-5.1	0.8/-5.4	0.5/-5.7	0.3/-6.0	-0.1/-6.3	-0.2/-6.5	-0.9/--
COU	0.39	0.3/0.0	-0.4/0.4	0.2/1.1	0.5/0.4	0.6/0.5	1.0/0.7	0.7/1.0	1.0/-2.8	0.3/-3.2	0.1/-3.5	0.3/-3.8	0.4/-4.1	0.3/-4.5	0.3/-4.8	0.2/--
IAH	0.41	0.0/0.0	0.2/+0.3	0.4/0.0	0.3/+0.4	0.7/+0.1	0.7/0.1	0.9/0.5	1.3/-4.4	1.5/-4.7	0.8/-5.0	0.7/-5.3	0.5/-5.5	-0.2/-5.8	-0.5/-6.1	-1.4/--
HOU	0.46	0.4/0.0	0.7/-1.1	0.9/-0.8	1.1/-1.1	1.4/-1.3	1.5/-0.3	1.7/-0.2	1.7/-4.2	1.8/-4.5	1.0/-4.7	-0.2/-5.0	-0.6/-5.2	-0.9/-5.5	-1.6/-5.7	-2.2/--
TYR	0.46	-0.3/0.0	-0.4/+0.5	-0.5/0.9	-0.2/0.6	0.1/2.4	0.3/1.5	0.3/2.0	1.1/-2.7	1.3/-3.0	1.1/-3.3	1.5/-3.5	1.2/-3.8	1.0/-4.1	0.6/-4.4	0.0/--
LIT	0.57	-0.5/0.0	-0.4/0.1	-0.8/0.1	-0.3/0.1	-0.8/0.3	-0.4/0.3	0.4/0.9	0.9/-3.8	1.4/-4.2	1.6/-4.5	1.7/-4.8	1.8/-5.1	1.4/-5.4	1.4/-5.7	1.0/--
MCI	0.60	0.4/0.0	0.1/+0.2	0.5/0.2	0.7/0.8	0.2/0.6	0.6/0.1	0.4/0.5	0.4/-3.3	0.8/-3.6	0.1/-3.9	0.3/-4.3	0.8/-4.6	1.1/-5.0	1.8/-5.3	0.9/--
VCT	0.61	-0.2/0.0	-0.2/+0.4	-0.3/0.1	0.1/+0.2	0.7/+0.3	0.7/0.3	1.1/0.3	1.4/-1.9	1.6/-2.2	1.5/-2.5	1.2/-2.7	1.0/-3.0	0.5/-3.3	0.5/-3.5	-0.2/--
ACT	0.71	0.4/0.0	0.0/0.4	-0.0/0.4	0.3/0.7	0.5/1.4	0.4/1.7	0.1/2.4	0.9/-2.6	1.4/-3.0	1.6/-3.3	1.6/-3.5	1.3/-3.9	1.2/-4.2	0.7/-4.5	0.2/--
ICT	0.71	0.5/0.0	-0.1/+0.5	0.3/1.4	0.5/1.5	0.5/1.0	1.2/0.6	1.1/1.9	1.2/-3.3	1.2/-3.7	0.3/-4.0	0.3/-4.4	0.7/-4.7	0.8/-5.0	1.2/-5.4	0.6/--
TUL	0.72	-0.0/0.0	-0.4/+0.5	-0.0/0.6	0.2/1.0	0.2/0.3	0.7/1.8	0.4/2.2	1.2/-1.2	0.8/-1.5	1.0/-1.9	1.3/-2.2	1.6/-2.5	1.4/-3.1	1.0/-3.1	1.0/--
BRO	1.18	0.1/0.0	0.3/1.2	0.4/1.1	0.6/1.2	1.0/0.5	1.4/0.6	1.6/0.9	1.8/-2.5	2.2/-2.7	2.0/-2.9	1.9/-3.1	1.6/-3.4	1.4/-3.5	1.0/-3.7	0.5/--

ECMWF/MEX MAX Temperature in USSW

	S-score	MAE (2009-05-01~2009-05-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
LGB	-0.40	4.1/3.8	4.6/4.0	4.9/4.7	4.8/3.7	5.7/4.5	6.0/4.7	5.8/4.8	6.3/4.0	5.3/3.9	5.5/3.9	6.0/4.0	6.9/4.1	6.7/4.1	6.9/4.1	7.4/4.0
OAK	-0.28	5.3/3.4	5.7/4.1	5.9/3.7	6.2/4.1	5.7/4.3	5.7/4.4	5.2/4.4	5.1/4.8	5.5/4.8	5.5/4.8	5.8/4.8	5.9/4.8	5.9/4.8	5.6/4.8	5.3/4.7
SFO	-0.23	4.9/3.5	4.8/3.8	4.9/3.9	5.5/4.4	5.7/4.3	5.7/3.9	5.3/4.3	5.0/4.6	5.3/4.6	5.1/4.6	5.0/4.5	5.3/4.5	5.4/4.5	5.5/4.5	5.3/4.5
SAN	-0.23	3.2/2.3	3.6/3.5	3.7/3.4	3.9/3.2	3.6/3.0	3.3/4.0	3.3/3.7	3.2/2.9	3.1/2.9	3.2/2.8	3.8/2.8	4.1/2.8	4.1/2.8	4.2/2.8	4.5/2.8
CQT	-0.18	3.5/2.2	3.9/4.1	4.1/3.8	4.1/4.0	4.7/3.7	4.9/3.9	4.5/3.7	4.7/3.7	4.6/3.6	4.1/3.6	3.8/3.6	4.2/3.5	4.0/3.5	4.0/3.6	4.0/3.5
LAX	-0.09	2.2/2.2	2.1/2.5	2.1/2.9	2.5/2.8	2.8/2.9	2.9/2.7	2.7/2.9	2.3/1.9	2.1/1.9	2.2/1.8	2.5/1.9	2.5/1.8	2.5/1.8	2.2/1.9	2.6/1.9
SJC	-0.04	4.1/3.4	3.7/3.4	3.6/3.1	3.9/4.5	4.6/4.7	5.0/4.4	5.3/4.9	5.1/4.6	4.7/4.6	4.3/4.5	4.6/4.5	4.9/4.5	4.7/4.6	4.6/4.6	4.2/4.7
NKX	-0.03	2.8/2.9	3.5/3.5	3.8/3.9	3.9/3.6	4.4/4.1	4.3/4.0	4.5/4.2	4.4/0.0	4.3/0.0	4.1/0.0	3.7/0.0	3.7/0.0	3.7/0.0	4.1/0.0	4.1/0.0
COS	-0.02	2.6/2.3	3.1/2.8	3.6/3.3	3.7/3.3	4.8/3.8	5.5/4.7	6.4/6.6	8.3/8.0	8.1/8.0	7.1/8.1	7.3/8.2	7.7/8.5	8.3/8.5	7.8/8.6	8.1/8.8
BUR	0.00	3.7/3.7	4.7/5.1	5.1/5.3	4.8/4.8	5.3/5.2	5.2/5.3	5.1/5.3	5.6/5.6	4.9/5.6	4.9/5.6	5.5/5.6	6.0/5.6	5.9/5.7	6.2/5.6	6.7/5.6
DEN	0.09	2.7/2.4	2.7/3.2	3.0/3.6	3.3/3.0	4.6/3.9	5.1/4.5	6.0/5.9	7.3/8.4	7.2/8.5	6.5/8.7	7.6/9.0	7.8/9.2	7.8/9.2	7.2/9.2	7.4/9.5
ABQ	0.10	1.8/1.3	2.2/1.9	2.8/2.3	2.6/2.5	3.5/3.3	3.7/3.5	4.4/4.5	5.0/7.7	5.7/7.8	5.2/7.8	4.9/7.8	5.4/7.9	5.9/8.0	6.2/8.2	6.6/8.3
RDD	0.13	3.1/2.6	3.7/2.7	3.5/2.5	4.2/3.8	4.9/4.5	5.2/5.6	5.2/6.1	6.0/10.5	6.4/10.7	6.7/10.9	7.6/11.2	7.8/11.5	8.1/11.7	8.1/12.0	7.9/12.3
RAL	0.14	2.6/2.8	3.2/3.3	3.2/3.5	3.4/3.6	3.8/4.3	4.1/4.3	4.6/4.6	4.5/6.7	4.6/6.7	4.8/6.8	5.8/6.9	5.9/7.0	6.0/7.0	6.0/7.0	5.9/7.1
WJF	0.16	3.1/2.3	3.3/2.4	3.4/3.0	4.1/2.6	4.6/3.5	4.8/3.7	5.0/4.7	4.8/12.3	5.4/12.5	6.0/12.8	6.5/13.1	6.2/13.4	6.2/13.5	6.2/13.8	6.2/14.1
TRM	0.16	2.3/2.1	2.7/2.3	3.0/2.3	3.2/2.3	3.4/2.6	3.5/2.7	3.6/3.4	3.7/6.8	3.4/6.9	3.8/7.1	3.5/7.3	3.6/7.6	3.7/7.8	3.9/8.0	4.1/8.2
FLG	0.17	1.6/1.6	1.7/2.4	1.9/2.5	2.0/2.5	2.7/3.2	3.5/3.5	4.6/5.2	6.1/8.9	6.9/9.0	7.2/9.2	7.8/9.3	7.9/9.4	8.2/9.5	8.3/9.7	8.4/10.0
TUS	0.17	2.0/1.5	1.8/1.8	2.0/2.2	2.7/2.3	3.5/2.9	3.9/3.6	4.3/3.7	5.2/9.0	5.9/9.2	5.5/9.4	5.6/9.6	5.5/9.9	5.7/10.1	5.9/10.3	6.2/10.5
PHX	0.19	2.2/1.5	2.2/2.0	2.3/2.0	3.0/2.1	3.4/2.7	3.4/3.3	3.8/3.4	4.5/9.8	4.5/10.1	4.4/10.3	4.6/10.5	5.1/10.8	5.2/11.1	5.3/11.3	5.2/11.5
RBL	0.20	2.8/3.1	3.2/3.6	3.2/3.5	4.3/4.2	5.0/5.1	5.3/5.3	5.6/6.1	6.5/10.2	6.9/10.5	7.0/10.7	7.4/11.0	7.9/11.2	8.0/11.5	8.1/11.7	7.5/12.0
BFL	0.21	1.9/1.8	2.1/1.3	2.2/2.3	2.7/1.9	3.0/2.7	3.7/3.8	3.5/3.9	4.1/7.7	4.4/8.0	4.1/8.3	3.6/8.5	3.8/8.7	4.1/9.0	4.2/9.3	4.4/9.5
SAC	0.22	3.7/3.5	3.7/4.5	3.7/4.7	4.1/5.0	4.5/5.2	5.1/6.1	5.3/6.7	6.0/8.7	6.0/8.9	6.2/9.1	6.5/9.2	7.1/9.3	6.9/9.5	6.7/9.6	6.5/9.7
SLC	0.24	1.9/2.1	2.3/2.0	2.5/2.5	3.3/3.5	4.0/4.1	4.0/4.5	4.3/5.2	4.8/7.6	4.9/7.9	4.7/8.1	4.5/8.3	5.1/8.5	5.2/8.8	5.5/9.1	5.2/9.3
FAT	0.24	2.3/1.9	2.3/1.7	2.3/2.2	2.6/2.4	3.2/3.0	3.7/3.2	3.9/3.9	4.1/8.8	4.3/9.1	3.6/9.3	4.0/9.5	4.5/9.8	4.8/10.1	4.6/10.4	4.6/10.6
RNO	0.36	1.5/1.6	1.5/1.9	1.9/2.0	2.4/2.9	3.3/3.1	3.7/4.1	3.8/4.4	3.7/9.9	3.8/10.1	4.1/10.3	4.1/10.6	4.5/10.8	4.9/11.1	4.8/11.4	4.6/11.6
LAS	0.39	1.4/1.5	1.6/1.9	1.8/2.4	2.4/2.1	2.4/3.0	2.4/2.9	2.9/2.9	3.5/9.6	3.8/10.0	3.5/10.3	3.7/10.6	4.3/11.0	4.4/11.3	4.3/11.6	4.4/11.9

	avg-bias	Bias (2009-05-01~2009-05-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
WJF	-4.11	-1.9/-0.4	-2.4/-1.0	-2.8/-0.9	-3.4/-0.9	-3.3/-0.8	-2.7/-0.9	-3.1/-2.4	-3.5/-12.2	-4.4/-12.5	-5.4/-12.7	-6.1/-13.0	-5.6/-13.3	-5.7/-13.5	-5.7/-13.8	-5.7/-14.1
TRM	-2.35	-0.8/-0.8	-1.2/-1.3	-1.4/-1.0	-2.2/-1.3	-2.0/-1.9	-1.7/-2.2	-1.7/-2.2	-2.1/-6.6	-2.6/-6.8	-3.6/-7.0	-3.2/-7.2	-3.3/-7.4	-3.4/-7.9	-3.4/-8.1	-3.3/-8.1
SJC	-1.78	-0.9/-1.4	-1.1/-0.5	-1.6/-0.4	-1.6/-2.3	-2.0/-2.2	-1.7/-1.7	-3.1/-1.6	-2.9/-0.6	-3.0/-0.8	-1.9/-0.9	-1.6/-1.1	-1.4/-1.2	-1.2/-1.4	-1.2/-1.5	-1.4/-1.6
LAS	-1.71	-0.3/0.5	-0.2/-0.7	-0.5/-0.3	-1.2/-1.1	-1.2/-1.9	-1.0/-1.6	-1.3/-1.8	-1.8/-9.6	-2.1/-10.0	-1.6/-10.3	-2.4/-10.6	-2.9/-11.0	-3.0/-11.3	-3.1/-11.6	-3.1/-11.9
FAT	-1.57	-0.8/0.8	-0.7/-0.0	-0.9/-0.2	-1.2/-0.1	-0.7/-0.4	-0.1/-0.1	-0.7/-1.9	-1.2/-8.6	-1.4/-8.9	-2.1/-9.2	-3.2/-9.5	-2.8/-9.8	-2.9/-10.1	-2.5/-10.4	-2.7/-10.6
RBL	-1.21	-0.9/-2.0	-0.7/-2.1	-0.5/-1.9	-1.5/-1.8	-1.1/-0.9	-0.5/-0.8	-0.5/-1.8	-0.2/-7.3	-0.8/-7.6	-1.5/-8.0	-2.4/-8.3	-2.2/-8.6	-2.2/-9.0	-1.6/-9.3	-1.5/-9.6
RAL	-1.18	0.2/-1.1	0.1/-0.0	0.2/-0.2	-0.7/-0.8	-0.7/-0.2	-0.3/-0.2	-0.7/-0.1	-0.4/-4.9	-1.3/-5.1	-1.7/-5.2	-2.3/-5.4	-2.3/-5.5	-2.5/-5.6	-2.7/-5.7	-2.6/-5.8
OAK	-0.68	-0.2/-1.1	-0.1/0.3	-0.2/0.2	-0.1/-0.5	-0.0/0.0	-0.1/-0.1	-0.6/0.0	-0.8/0.8	-1.0/0.7	-0.9/0.6	-1.1/0.5	-1.2/0.5	-1.2/0.4	-1.3/0.4	-1.4/0.3
PHX	-0.67	-0.1/0.9	-0.2/0.7	-0.3/0.7	-0.5/1.4	-0.6/1.2	-0.0/1.8	0.1/1.9	-0.1/-8.8	-0.4/-9.1	-0.6/-9.4	-1.1/-9.7	-1.7/-10.0	-1.5/-10.3	-1.6/-10.6	-1.4/-10.8
RDD	-0.62	-0.3/-1.5	-0.4/-1.5	-0.3/-1.0	-1.1/-0.7	-0.2/-0.2	0.0/-0.9	0.3/-1.5	0.7/-7.4	0.1/-7.7	-0.5/-8.1	-1.7/-8.4	-1.7/-8.8	-1.8/-9.1	-1.4/-9.5	-1.1/-9.8
NKX	-0.54	0.1/0.1	0.1/-0.1	-0.0/0.8	-0.2/0.4	-0.4/1.7	-0.6/2.5	-0.5/1.6	-0.7/0.0	-0.9/0.0	-1.7/0.0	-0.9/0.0	-0.8/0.0	-0.4/0.0	-0.6/0.0	-0.7/0.0
RNO	-0.45	-0.5/0.2	-0.5/0.9	-0.6/0.2	-0.9/-0.3	-0.1/0.4	0.3/-1.2	0.3/-1.6	-0.1/-9.2	-0.0/-9.5	-0.7/-9.7	-1.3/-10.0	-1.0/-10.3	-0.8/-10.6	-0.5/-10.9	-0.4/-11.2
BFL	-0.35	-0.9/-0.5	-0.8/0.1	-0.8/-0.3	-1.3/-0.5	-0.4/-0.2	0.3/0.3	0.1/-1.1	-0.3/-7.7	-0.3/-7.9	0.5/-8.2	-0.4/-8.5	-0.5/-8.7	-0.4/-9.0	-0.0/-9.3	-0.1/-9.5
TUS	-0.34	0.0/0.3	-0.2/0.4	-0.1/0.0	-0.0/1.3	-0.3/1.7	0.1/2.0	0.7/2.0	0.3/-6.9	-0.0/-7.2	-0.7/-7.5	-0.7/-7.8	-1.1/-8.1	-0.9/-8.4	-1.2/-8.6	-1.0/-8.9
SAC	-0.24	0.1/-1.4	0.5/-1.6	0.8/-2.2	0.4/-2.1	0.7/-0.8	1.0/-0.6	0.6/-2.1	0.5/-5.8	0.2/-6.1	-0.7/-6.4	-1.6/-6.7	-1.8/-7.0	-1.5/-7.3	-1.3/-7.5	-1.5/-7.8
ABQ	0.54	-0.3/-0.5	-0.6/0.3	-1.0/0.0	-0.8/-0.2	-0.6/0.8	0.0/1.3	0.4/1.0	0.6/-4.7	0.4/-5.1	1.2/-5.4	1.7/-5.7	1.5/-6.0	1.6/-6.3	1.9/-6.6	2.3/-6.9
FLG	0.70	0.2/0.3	0.3/0.3	0.4/0.4	0.4/0.8	0.9/1.7	1.8/0.6	2.1/0.6	2.0/-7.1	1.3/-7.4	1.3/-7.7	0.7/-8.0	0.0/-8.3	0.1/-8.6	0.5/-8.9	0.4/-9.2
SLC	0.93	0.1/0.6	0.3/0.9	0.7/1.5	0.9/1.6	0.9/1.6	1.5/0.9	1.8/0.4	1.2/-5.6	1.2/-6.0	1.4/-6.3	0.8/-6.6	0.4/-7.0	0.7/-7.3	1.0/-7.6	1.1/-8.0
LAX	0.94	0.5/1.3	0.3/0.8	0.3/1.4	0.4/0.9	0.7/1.1	0.9/1.0	1.0/1.6	0.7/0.0	0.7/0.0	1.1/-0.1	1.1/0.1	1.5/-0.1	1.3/0.2	1.3/0.2	1.9/0.2
SFO	1.54	0.7/-0.6	1.2/0.0	1.5/0.2	1.8/-0.9	2.1/-0.7	2.7/-1.2	2.5/+0.5	2.0/-1.2	2.2/-1.3	1.8/-1.4	0.7/-1.5	0.8/-1.5	1.2/-1.6	1.1/-1.6	0.8/-1.7
DEN	1.77	-0.1/-1.3	0.4/0.0	1.3/-0.7	1.2/0.2	1.7/0.1	1.4/1.4	1.0/1.4	0.9/-4.0	1.0/-4.4	1.8/-4.7	2.1/-5.0	2.6/-5.4	3.1/-5.7	3.7/-6.0	4.7/-6.3
SAN	1.86	1.3/0.6	1.2/1.7	1.2/1.3	1.2/0.9	1.0/1.3	1.3/2.0	1.4/1.1	1.5/1.1	1.4/1.1	1.9/1.0	2.6/1.0	2.9/1.0	3.0/1.0	2.7/1.0	3.1/1.0
BUR	1.86	0.6/0.4	0.7/0.9	0.6/0.3	0.1/0.8	0.5/-1.5	1.2/-1.3	0.8/0.7	1.3/-2.2	1.0/-2.2	1.5/-2.3	3.4/-2.4	4.1/-2.4	3.9/-2.5	4.1/-2.6	4.2/-2.7
CQT	2.05	1.1/1.0	1.1/1.0	1.4/1.4	1.3/0.7	1.8/-0.1	2.4/0.7	2.6/0.3	3.2/-1.2	2.7/-1.3	2.5/-1.3	2.4/-1.3	2.2/-1.4	2.0/-1.4	1.9/-1.4	2.0/-1.4
COS	2.32	0.1/0.2	0.3/0.5	1.3/0.4	1.0/0.5	1.5/0.4	2.1/1.4	1.6/2.4	0.8/-3.9	0.8/-4.2	3.2/-4.5	3.9/-4.8	3.8/-5.2	4.1/-5.5	4.6/-5.8	5.7/-6.1
LGB	3.83	1.5/-0.2	1.6/0.5	1.8/2.0	1.8/0.4	2.4/1.4	2.9/0.3	3.1/1.0	4.2/0.4	3.5/0.3	4.2/0.3	5.4/0.2	6.1/0.2	6.0/0.2	6.1/0.1	6.7/0.1

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: -2.0 > B >= -4.0 blue: B < -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature in USSW

	S-score	MAE (2009-05-01~2009-05-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
OAK	-0.92	2.5/0.0	2.9/1.5	2.9/1.9	3.5/1.9	3.9/2.0	4.7/2.2	5.0/2.0	4.7/2.6	4.6/2.6	4.1/2.6	5.2/2.7	5.3/2.6	5.2/2.7	5.5/2.6	5.6/--
BUR	-0.86	3.9/0.0	4.6/1.7	4.8/1.8	4.7/2.3	5.4/1.8	6.0/1.9	6.2/1.9	5.9/5.7	6.0/5.8	6.2/6.0	6.3/6.2	6.9/6.3	7.4/6.5	7.5/6.6	7.3/--
LGB	-0.75	2.9/0.0	3.5/1.4	4.1/1.5	3.5/1.2	3.3/1.3	3.4/1.3	4.0/1.1	3.7/2.8	3.1/2.9	2.8/3.1	2.5/3.3	2.1/3.4	2.1/3.5	2.1/3.7	2.1/--
SAN	-0.68	1.7/0.0	2.1/1.3	2.4/1.7	2.3/1.5	2.6/1.4	2.6/1.0	3.1/1.4	3.1/1.5	3.1/1.6	2.6/1.6	2.3/1.8	2.3/1.9	2.2/1.9	2.4/2.0	2.5/--
NKX	-0.45	2.8/0.0	2.9/1.9	3.2/2.4	2.9/2.1	3.1/1.9	2.7/2.5	3.1/1.7	3.0/0.0	2.9/0.0	2.6/0.0	2.8/0.0	2.4/0.0	2.6/0.0	2.4/0.0	2.6/--
RAL	-0.23	3.4/0.0	3.5/4.8	3.9/4.5	4.1/4.2	4.2/4.2	4.1/4.0	4.3/3.5	4.3/3.2	4.3/3.2	4.7/3.2	4.6/3.1	4.3/3.0	4.4/2.9	4.4/2.9	4.3/--
SFO	-0.18	1.4/0.0	1.7/1.7	2.2/1.9	2.3/1.7	2.6/1.7	2.3/1.7	2.6/1.7	2.4/2.5	2.5/2.4	2.3/2.4	2.5/2.4	2.7/2.5	2.8/2.5	3.0/2.6	3.0/--
TRM	-0.17	8.2/0.0	7.5/4.2	6.9/4.7	6.8/4.9	7.0/5.0	6.7/5.2	7.3/5.4	7.3/6.7	7.1/6.8	6.9/6.9	6.4/7.2	6.5/7.4	6.1/7.5	6.0/7.7	6.2/--
WJF	-0.12	4.4/0.0	4.8/3.2	5.5/2.8	5.4/3.7	5.5/3.3	5.6/3.3	6.0/4.4	6.2/8.6	5.9/8.8	6.6/9.1	6.3/9.4	6.6/9.6	7.1/9.9	7.0/10.2	7.0/--
SJC	-0.03	1.9/0.0	1.9/1.9	2.1/1.8	2.5/1.9	3.2/2.5	3.2/2.5	3.4/2.4	3.3/3.7	3.3/3.7	2.9/3.8	3.0/3.9	3.4/4.0	3.6/4.1	4.0/4.2	3.9/--
LAX	-0.02	1.8/0.0	1.9/1.0	1.8/1.1	1.7/1.0	1.8/1.3	1.8/1.3	1.9/1.0	1.6/2.5	1.5/2.6	1.5/2.7	1.2/2.8	1.1/3.0	1.1/3.1	1.0/3.2	1.1/--
SAC	0.07	1.9/0.0	2.4/2.7	4.1/2.4	3.0/2.6	3.1/2.9	2.8/3.0	3.1/2.7	3.0/4.2	3.1/4.3	3.0/4.5	3.3/4.6	3.7/4.7	3.8/4.8	4.0/5.0	4.0/--
FLG	0.11	4.0/0.0	4.4/2.8	4.9/3.6	5.0/3.5	4.5/3.8	4.5/3.7	4.0/4.4	4.5/7.4	4.4/7.6	4.4/7.8	4.6/8.2	4.8/8.5	5.0/8.7	5.0/8.7	5.1/--
RDD	0.13	3.9/0.0	4.4/3.6	4.3/4.0	4.3/3.7	5.1/3.8	5.0/3.6	5.1/3.9	4.6/8.1	4.5/8.4	4.4/8.5	4.4/8.7	4.9/8.9	5.0/9.2	5.2/9.3	5.5/--
CQT	0.16	1.3/0.0	1.5/1.2	1.8/1.3	1.5/1.1	1.7/1.5	1.7/1.5	1.9/1.2	1.4/2.8	1.4/2.9	1.2/3.0	1.2/3.2	1.4/3.3	1.6/3.4	1.7/3.5	1.8/--
DEN	0.21	3.4/0.0	3.2/3.1	3.3/2.9	3.1/3.5	3.2/3.2	3.0/3.2	3.0/3.5	3.6/5.2	3.8/5.5	3.8/5.7	3.4/6.0	3.7/6.3	3.8/6.5	4.1/6.8	3.9/--
COS	0.21	2.5/0.0	2.4/2.5	2.6/2.4	3.3/2.8	3.0/2.5	3.2/2.3	3.3/2.8	3.1/6.2	3.7/6.5	3.7/6.7	3.0/7.0	2.8/7.3	3.2/7.6	3.4/8.0	3.4/--
FAT	0.23	2.7/0.0	2.8/2.2	2.9/2.5	2.7/2.1	3.1/2.9	3.3/3.2	3.6/3.6	3.6/8.1	3.6/8.4	3.5/8.6	3.8/8.8	4.5/9.0	4.8/9.1	5.0/9.4	5.0/--
RBL	0.25	2.4/0.0	2.5/3.6	2.6/2.9	2.9/3.5	3.7/2.8	3.4/3.2	3.4/3.4	3.5/6.0	3.5/6.2	3.5/6.4	3.4/6.7	3.7/6.9	4.2/7.1	4.4/7.4	4.4/--
TUS	0.28	2.6/0.0	2.3/1.8	2.2/1.8	2.3/1.9	2.6/1.8	2.3/2.2	2.5/2.5	2.9/8.8	2.8/9.1	2.9/9.4	3.1/9.7	3.1/10.0	3.0/10.3	3.0/10.5	3.1/--
PHX	0.31	2.1/0.0	2.2/1.8	2.2/2.1	2.4/2.1	2.5/2.0	2.3/2.4	2.5/2.4	2.9/9.8	3.2/10.1	3.2/10.4	3.5/10.7	4.1/11.0	4.2/11.3	4.3/11.5	4.6/--
ABQ	0.35	1.9/0.0	1.9/2.7	1.7/2.7	2.3/2.2	2.4/2.8	2.9/3.1	3.1/2.9	3.7/8.2	4.4/8.4	4.2/8.7	4.3/9.1	4.0/9.4	3.8/9.7	4.3/10.0	4.1/--
SLC	0.35	2.0/0.0	2.0/2.8	2.1/2.8	2.4/3.3	2.6/3.9	2.8/3.7	3.0/4.6	3.2/5.8	3.3/6.0	3.5/6.1	3.7/6.3	3.9/6.5	4.2/6.6	4.1/6.9	4.2/--
RNO	0.39	2.4/0.0	2.5/2.5	2.8/2.5	3.1/3.1	3.4/3.3	3.2/3.2	3.4/4.1	4.3/12.2	3.5/12.4	3.7/12.7	2.9/12.9	3.0/13.2	3.6/13.4	3.9/13.6	4.0/--
BFL	0.40	1.8/0.0	1.9/1.6	1.8/1.6	1.8/1.7	2.1/2.5	2.0/2.9	2.4/3.6	2.5/8.2	2.5/8.5	2.8/8.7	2.7/9.0	3.4/9.3	3.5/9.5	3.7/9.8	3.6/--
LAS	0.48	1.4/0.0	1.4/1.9	1.5/1.9	1.8/2.1	1.9/2.5	2.0/2.8	2.0/3.1	2.7/11.5	3.5/11.8	3.9/12.1	3.9/12.4	4.3/12.7	4.8/13.0	5.0/13.3	5.2/--

	avg-bias	Bias (2009-05-01~2009-05-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
WJF	-2.18	1.0/0.0	1.1/0.1	1.1/-0.5	0.1/-2.4	-0.5/-1.7	-0.5/-1.5	-0.5/-2.8	-1.4/-8.3	-1.9/-8.6	-4.1/-8.9	-4.3/-9.2	-5.1/-9.5	-5.8/-9.7	-5.9/-10.0	-6.1/--
LAS	-2.14	-0.3/0.0	-0.3/0.5	-0.3/0.5	-0.7/0.3	-0.5/-1.0	-0.7/-2.4	-1.0/-2.9	-1.6/-11.5	-2.4/-11.8	-3.0/-12.1	-3.2/-12.4	-3.9/-12.7	-4.4/-13.0	-4.8/-13.3	-5.0/--
RDD	-1.79	-0.1/0.0	-0.3/-1.8	-0.5/-1.5	-0.7/-0.9	-0.8/-0.2	-0.4/-0.5	-1.0/-1.6	-1.3/-7.8	-1.8/-8.1	-2.5/-8.3	-2.4/-8.5	-3.1/-8.8	-3.6/-9.0	-3.8/-9.3	-4.4/--
FAT	-1.58	-0.5/0.0	-0.3/-0.3	-0.6/-0.5	-0.9/-0.5	-0.9/-1.5	-1.0/-1.0	-0.7/-2.0	-1.1/-8.0	-1.6/-8.2	-2.0/-8.5	-2.2/-8.7	-2.8/-8.9	-3.0/-9.1	-2.9/-9.4	-3.3/--
PHX	-1.30	0.0/0.0	0.1/0.3	0.1/-0.3	-0.5/-0.7	-0.6/-0.5	-0.4/-1.1	-0.6/-9.8	-1.0/-10.1	-1.9/-10.4	-2.1/-10.7	-2.7/-11.0	-2.9/-11.3	-2.9/-11.5	-3.4/--	
RBL	-0.99	-0.2/0.0	-0.1/-2.7	0.1/-1.8	0.1/-2.5	-0.2/-1.3	-0.1/-1.5	-0.2/-2.6	-0.5/-5.7	-1.0/-6.0	-1.6/-6.2	-1.4/-6.5	-1.9/-6.7	-2.4/-7.0	-2.7/-7.2	-3.0/--
BFL	-0.87	-0.4/0.0	-0.4/-0.5	-0.4/-0.5	-0.6/-0.1	-0.5/-1.2	-0.3/-1.5	0.1/-2.7	-0.4/-8.2	-0.7/-8.5	-1.3/-8.7	-1.1/-9.0	-1.7/-9.3	-1.7/-9.5	-1.8/-9.8	-2.0/--
FLG	-0.87	0.1/0.0	-0.2/-0.4	-0.3/-1.3	-0.0/-0.8	-0.1/-1.4	-0.1/-1.2	-0.4/-3.0	-0.6/-7.2	-1.0/-7.4	-1.2/-7.6	-1.0/-7.9	-1.3/-8.1	-1.9/-8.3	-2.5/-8.5	-2.5/--
NKX	-0.15	-0.1/0.0	0.5/0.6	0.6/-0.6	0.3/0.3	0.3/0.1	0.6/-1.1	0.7/-0.3	0.4/0.0	0.0/0.0	-0.6/0.0	-0.5/0.0	-1.2/0.0	-1.3/0.0	-0.8/0.0	-1.1/--
LAX	-0.10	-0.1/0.0	-0.2/-0.1	-0.2/-0.3	-0.2/-0.4	-0.0/-0.6	0.3/-1.0	0.4/-0.3	0.1/-2.5	-0.2/-2.6	-0.3/-2.7	-0.2/-2.8	-0.2/-3.0	-0.1/-3.1	-0.1/-3.2	-0.2/--
CQT	-0.07	0.2/0.0	0.1/-0.3	0.2/-0.3	0.1/-0.4	0.3/-0.8	0.5/-1.3	0.9/-0.4	0.6/-2.8	0.3/-2.9	0.1/-3.0	-0.4/-3.2	-0.7/-3.3	-1.0/-3.4	-1.1/-3.5	-1.2/--
TUS	0.11	0.0/0.0	-0.0/0.6	-0.5/0.6	-0.4/0.5	-0.3/-0.5	-0.1/0.1	0.3/-0.2	0.4/-8.8	0.7/-9.1	0.4/-9.4	0.8/-9.7	0.1/-10.0	0.2/-10.3	0.3/-10.5	-0.1/--
SAC	0.30	0.5/0.0	0.7/0.5	1.8/0.5	0.9/0.3	0.5/0.5	0.7/0.8	0.8/-0.7	0.5/-3.9	0.3/-4.1	-0.3/-4.3	0.3/-4.4	-0.2/-4.6	-0.5/-4.7	-0.6/-4.9	-0.9/--
RNO	0.38	0.6/0.0	0.8/0.2	1.0/0.5	0.8/0.2	0.6/-2.0	0.8/-1.7	0.5/-2.6	0.6/-12.2	0.6/-12.4	0.4/-12.7	0.1/-12.9	-0.1/-13.2	-0.2/-13.4	-0.2/-13.6	-0.6/--
SFO	0.81	0.3/0.0	0.3/0.7	0.4/1.1	0.4/1.3	0.4/0.6	0.6/0.5	0.9/0.1	1.2/-1.6	1.3/-1.7	1.0/-1.8	1.3/-1.9	1.1/-2.0	1.1/-2.1	0.9/-2.2	0.9/--
SJC	0.86	0.4/0.0	0.5/0.1	0.6/0.6	0.6/0.1	0.7/-0.7	0.8/-0.9	1.3/-1.0	1.4/-3.0	1.3/-3.2	0.7/-3.3	1.3/-3.4	0.8/-3.5	0.7/-3.6	0.9/-3.7	0.7/--
DEN	0.91	0.2/0.0	0.3/-0.9	0.4/-0.2	0.8/-0.3	0.8/-0.6	0.8/-0.7	1.0/0.2	0.6/-4.4	0.6/-4.7	0.3/-5.0	1.0/-5.4	1.3/-5.6	1.6/-6.0	1.9/-6.3	2.0/--
SLC	0.99	0.1/0.0	0.3/2.0	0.6/2.3	0.5/2.8	0.7/2.8	0.6/1.2	0.6/1.6	0.9/-4.4	1.1/-4.7	0.9/-5.0	1.8/-5.3	1.7/-5.5	1.5/-5.8	1.8/-6.1	1.8/--
ABQ	1.02	0.1/0.0	0.3/1.0	0.1/0.8	0.7/0.0	0.7/0.7	0.5/1.0	1.0/0.2	0.9/-8.1	0.9/-8.4	0.6/-8.7	1.7/-9.1	2.0/-9.4	1.7/-9.7	2.1/-10.0	2.0/--
COS	1.26	0.3/0.0	0.4/1.2	0.7/1.1	1.6/1.1	1.6/0.7	1.7/0.8	2.0/1.1	1.9/-6.1	1.2/-6.4	0.8/-6.7	1.3/-7.0	1.1/-7.3	1.3/-7.6	1.6/-8.0	1.6/--
TRM	1.56	3.3/0.0	3.7/0.4	3.3/0.9	2.9/0.5	2.4/0.8	2.3/2.2	2.6/1.9	2.0/-5.8	1.6/-6.1	1.3/-6.3	0.5/-6.6	0.1/-6.8	-0.5/-7.1	-0.8/-7.3	-1.1/--
LGB	1.62	0.8/0.0	1.2/-0.7	1.2/-0.7	1.1/-0.7	1.1/-0.7	1.6/-1.0	2.0/-0.9	2.0/-2.8	1.8/-2.9	2.2/-3.1	2.0/-3.3	1.7/-3.4	1.9/-3.5	2.0/-3.7	1.8/--
SAN	1.83	1.1/0.0	1.4/0.6	1.5/1.2	1.5/0.3	1.8/0.0	2.2/0.1	2.2/0.1	2.1/-1.2	2.1/-1.3	2.0/-1.5	2.1/-1.5	1.8/-1.6	1.7/-1.7	2.1/-1.8	1.9/--
RAL	2.54	1.5/0.0	1.6/3.6	1.9/3.5	2.0/2.6	2.2/2.7	2.6/2.4	3.1/1.7	3.0/0.7	2.9/0.5	3.6/0.3	3.3/0.2	2.8/0.0	2.6/0.2	2.6/0.3	2.4/--
OAK	3.72	1.3/0.0	1.8/0.6	2.1/0.7	2.6/1.2	3.0/0.5	3.5/0.7	4.1/0.0	4.1/1.0	4.1/0.9	3.6/0.8	5.1/0.7	4.9/0.6	4.9/0.5	5.4/0.5	5.4/--
BUR	4.81	2.0/0.0	2.4/0.7	2.8/0.7	3.2/0.1	4.1/1.1	5.0/1.1	5.2/1.2	5.1/5.7	5.0/5.8	5.6/6.0	5.6/6.2	6.2/6.3	6.6/6.5	6.8/6.6	6.6/--

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: -2.0 > B >= -4.0 blue: B < -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MAX Temperature in ALL

		MAE (2009-05-01~2009-05-31)														
S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
ABE	-0.10	2.4/2.4	3.3/3.1	4.1/3.3	4.4/3.3	5.3/4.4	6.8/5.9	6.7/5.1	7.5/6.6	7.5/6.8	7.0/6.8	6.9/7.0	6.9/7.1	7.0/7.3	7.2/7.5	7.3/7.5
ABI	0.04	3.3/3.5	2.7/4.1	3.1/4.0	3.4/3.6	3.7/5.4	4.5/5.4	5.5/5.5	5.8/6.3	6.5/6.3	6.6/6.2	6.5/6.2	6.7/6.3	7.1/6.4	7.2/6.3	7.3/6.3
ABQ	0.10	1.8/1.3	2.2/1.9	2.8/2.3	2.6/2.5	3.5/3.3	3.7/3.5	4.4/4.5	5.0/7.7	5.7/7.8	5.2/7.8	4.9/7.8	5.4/7.9	5.9/8.0	6.2/8.2	6.6/8.3
ABY	-0.08	3.4/2.0	3.4/2.5	3.6/2.5	3.9/2.7	3.9/3.0	4.2/3.5	4.5/4.0	4.7/5.3	4.3/5.4	4.4/5.4	4.4/5.6	4.4/5.6	4.4/5.7	4.5/5.7	4.8/5.8
ACT	0.11	2.5/2.4	2.7/2.7	2.4/2.5	3.4/3.5	3.4/3.6	4.0/3.7	4.5/3.6	4.5/5.4	5.0/5.6	4.4/5.7	4.3/5.7	4.1/5.8	4.2/6.0	4.5/6.1	4.3/6.1
ACY	-0.03	3.0/2.9	3.7/2.8	4.3/3.6	4.9/3.7	5.5/4.6	7.0/6.4	6.0/5.0	6.1/6.8	6.1/7.6	6.4/7.1	6.4/7.2	6.4/7.4	6.3/7.5	7.0/7.6	6.8/7.7
ALB	-0.02	2.8/2.3	3.3/2.9	3.2/3.3	3.3/3.8	4.4/4.4	5.3/5.5	5.8/4.6	6.9/6.6	7.6/6.6	6.9/6.8	6.4/6.9	6.6/6.9	6.6/7.1	7.2/7.3	6.9/7.5
ALW	0.05	1.9/1.7	2.2/1.5	1.9/2.1	2.7/3.0	4.2/3.5	4.7/4.4	5.0/4.5	4.8/7.0	5.2/7.1	4.9/7.1	5.2/7.2	6.0/7.2	6.7/7.3	6.8/7.4	6.9/7.5
AOO	-0.08	2.6/2.4	2.9/2.5	3.2/2.8	3.3/3.3	5.3/3.9	6.2/6.3	6.9/6.1	7.4/7.0	7.9/7.1	7.6/7.1	7.2/7.1	7.4/7.2	7.3/7.3	7.6/7.3	7.9/7.4
APN	0.09	3.7/3.6	3.7/2.9	4.0/4.7	4.9/6.7	5.7/7.9	7.0/7.6	7.1/6.9	6.8/7.8	6.7/8.0	7.3/8.2	7.6/8.3	7.9/8.6	8.3/8.8	8.1/8.9	7.6/9.1
ATL	-0.27	3.2/1.9	3.4/2.5	3.3/3.0	3.8/2.7	3.5/2.2	4.2/3.6	5.0/4.0	4.9/4.2	5.2/4.1	5.0/4.2	5.5/4.3	5.3/4.4	4.5/4.4	5.0/4.4	4.8/4.5
AUG	0.03	3.4/2.7	3.3/3.4	3.8/3.5	4.6/4.3	5.2/6.8	6.3/7.1	7.2/7.0	7.3/7.4	7.5/7.5	7.3/7.8	7.5/7.7	7.6/8.0	7.5/8.1	7.8/8.3	7.3/8.5
AUS	0.08	1.7/1.7	2.1/2.4	2.2/2.2	2.7/2.7	3.4/2.9	4.2/3.5	4.6/4.0	5.1/5.5	5.1/5.6	4.5/5.7	4.6/5.7	4.5/5.8	4.3/5.9	4.7/6.0	4.4/6.2
AVP	-0.22	2.6/1.8	3.5/2.7	4.1/2.8	4.4/3.5	5.2/4.6	6.5/5.2	6.5/5.0	7.1/5.6	7.1/5.7	6.8/5.7	6.4/5.8	6.5/6.0	6.5/6.1	6.8/6.2	6.7/6.3
BDL	-0.04	2.8/2.5	3.9/3.1	4.2/4.1	4.2/3.8	4.5/4.6	6.3/6.0	6.4/5.8	7.1/7.1	7.7/7.1	7.2/7.0	7.0/7.2	7.4/7.2	7.1/7.3	7.6/7.5	7.1/7.7
BFL	0.21	1.9/1.8	2.1/1.3	2.2/2.3	2.7/1.9	3.0/2.7	3.7/3.8	3.5/3.9	4.1/7.7	4.4/8.0	4.1/8.3	3.6/8.5	3.8/8.7	4.1/9.0	4.2/9.3	4.4/9.5
BGM	-0.01	2.1/2.3	2.8/3.2	2.8/2.7	3.2/3.0	4.2/4.9	5.3/5.2	6.4/5.3	7.2/6.6	7.6/6.7	7.2/6.8	6.8/6.9	6.9/7.1	7.0/7.4	7.5/7.6	7.2/7.8
BHM	-0.37	3.3/1.9	3.2/1.8	3.7/2.5	3.8/2.6	3.7/2.4	4.1/3.4	4.9/4.9	5.5/4.2	5.8/4.2	5.6/4.3	5.9/4.3	5.6/4.4	5.3/4.5	6.0/4.4	5.5/4.5
BIS	0.08	2.5/3.0	3.0/3.7	3.8/4.2	4.0/4.8	4.5/4.3	5.2/5.4	6.8/5.6	7.0/6.8	6.8/7.0	6.8/7.1	6.8/7.2	6.5/7.4	6.2/7.5	5.9/7.6	6.1/7.9
BNA	-0.23	2.5/2.0	2.5/2.4	2.7/2.7	3.9/2.8	4.1/3.5	4.2/3.4	5.0/4.6	6.4/5.1	7.4/5.3	6.8/5.3	6.7/5.3	6.6/5.4	6.5/5.5	7.1/5.5	6.9/5.6
BOI	0.13	2.1/1.5	2.5/1.5	2.0/2.4	2.7/3.1	3.6/3.6	4.6/4.6	4.5/4.7	5.0/8.9	5.4/9.1	5.2/9.1	5.6/9.3	6.5/9.4	7.1/9.5	7.8/9.7	7.9/9.9
BOS	0.12	3.7/3.0	4.1/4.5	4.6/5.4	4.8/5.8	5.4/6.9	6.9/8.0	6.9/7.9	7.5/8.8	7.8/8.9	7.6/9.1	8.0/9.3	8.2/9.4	8.2/9.6	8.5/9.8	8.4/9.9
BRO	0.28	1.1/1.6	1.5/1.7	1.5/1.9	1.6/2.3	1.7/2.0	1.8/2.2	2.4/4.8	2.8/4.9	3.3/5.0	3.6/5.1	3.5/5.2	3.7/5.3	4.0/5.3	4.0/5.4	4.0/5.4
BTV	0.09	1.9/2.4	2.2/2.6	2.4/2.8	3.3/4.5	3.9/5.8	5.0/5.2	6.0/4.7	6.6/6.2	6.5/6.4	6.3/6.5	6.1/6.7	6.1/6.8	6.2/7.1	6.8/7.3	6.2/7.6
BUF	0.12	3.7/2.5	3.7/3.0	3.4/3.8	3.8/5.0	4.5/6.1	4.7/5.0	5.5/5.8	6.0/7.1	6.5/7.3	5.9/7.5	5.6/7.7	5.6/7.9	6.0/8.1	6.7/8.3	6.4/8.5
BUR	0.00	3.7/3.7	4.7/5.1	5.1/5.3	4.8/4.8	5.3/5.2	5.2/5.3	5.1/5.3	5.5/5.6	4.9/5.6	4.9/5.6	5.5/5.6	6.0/5.6	5.9/5.7	6.2/5.6	6.7/5.6
BWI	-0.10	2.4/2.1	3.0/2.8	3.3/3.1	3.5/3.0	5.2/3.1	6.0/5.4	6.1/5.4	6.2/6.4	6.9/6.5	6.5/6.5	6.5/6.5	6.9/6.6	6.8/6.7	6.8/6.9	7.2/7.0
CAE	-0.09	2.9/2.4	3.1/2.7	2.9/2.4	3.5/2.7	3.9/3.4	4.1/3.3	4.0/4.2	4.4/5.0	4.7/5.0	5.6/5.1	5.5/5.1	5.4/5.1	5.5/5.2	5.1/5.2	5.4/5.3
CHA	-0.31	2.1/1.8	3.3/2.2	2.8/2.5	4.0/2.9	3.8/3.0	4.1/2.8	4.7/3.6	5.3/4.1	6.1/4.2	5.8/4.2	6.0/4.3	5.8/4.3	5.0/4.4	5.5/4.5	5.3/4.5
CLE	0.06	4.2/2.8	4.0/3.5	4.4/3.9	3.6/4.4	4.1/5.3	4.9/5.0	5.9/4.9	5.5/6.5	7.0/6.7	6.6/6.9	5.8/7.2	5.5/7.3	5.5/7.5	6.0/7.8	5.9/8.0
CLT	-0.29	3.1/2.4	3.6/2.4	3.0/2.7	3.4/2.2	4.2/2.7	4.4/3.1	3.8/3.6	4.3/4.1	4.6/4.1	5.8/4.2	5.8/4.3	6.1/4.4	5.8/4.5	5.5/4.6	5.3/4.7
CMH	0.04	2.1/2.0	2.8/2.8	2.5/3.2	2.5/3.5	2.7/3.3	4.0/3.7	4.6/3.7	5.4/5.5	6.4/5.6	6.3/5.9	5.4/6.0	5.5/6.2	5.8/6.3	6.1/6.5	6.0/6.7
CON	-0.05	3.3/2.5	3.9/3.0	3.9/3.2	4.9/3.8	5.6/5.4	6.8/8.1	7.4/7.0	8.1/7.9	8.2/8.1	7.6/8.1	8.0/8.2	8.0/8.5	7.9/8.5	8.2/8.8	7.7/8.8
COS	-0.02	2.6/2.3	3.1/2.8	3.6/3.3	3.7/3.3	4.8/3.8	5.5/4.7	6.4/6.6	8.3/8.0	8.1/8.0	7.1/8.1	7.3/8.2	7.7/8.5	8.3/8.5	7.8/8.6	8.1/8.8
COU	0.05	2.3/1.6	2.1/2.3	1.9/2.6	2.9/3.5	3.0/3.5	4.2/4.1	4.1/4.5	5.1/5.7	5.7/5.7	5.1/5.7	5.2/5.8	5.5/5.9	6.0/5.9	5.9/6.0	5.6/6.2
CQT	-0.18	3.5/2.2	3.9/4.1	4.1/3.8	4.1/4.0	4.7/3.7	4.9/3.9	4.5/3.7	4.7/3.7	4.6/3.6	4.1/3.6	3.8/3.6	4.2/3.5	4.0/3.5	4.0/3.6	4.0/3.5
CRP	0.36	2.0/2.5	2.5/3.1	2.7/2.4	2.0/2.8	2.4/2.9	2.2/2.7	2.5/3.0	2.3/6.4	2.5/6.4	3.1/6.8	3.1/6.9	3.4/7.1	3.8/7.3	3.7/7.4	3.7/7.4
CRW	-0.14	3.1/2.4	3.4/2.7	3.2/3.3	3.8/3.1	5.2/4.5	5.7/4.6	6.4/5.0	7.2/6.4	8.2/6.5	7.7/6.5	7.5/6.6	6.7/6.6	6.4/6.7	7.0/6.8	7.0/6.9
CVG	-0.11	2.2/1.9	2.2/2.5	2.6/3.1	2.7/3.4	3.2/2.9	3.7/3.0	4.3/3.4	4.9/4.3	5.7/4.5	5.5/4.5	5.6/4.6	5.4/4.8	5.8/5.0	5.9/5.1	5.7/5.3
DAY	0.16	2.0/2.8	2.6/3.6	3.0/4.0	3.2/4.5	3.4/3.8	4.1/4.5	4.7/4.4	5.6/6.0	6.2/6.2	6.0/6.5	5.4/6.7	5.4/6.9	5.6/7.2	5.9/7.5	5.8/7.8
DBQ	0.03	2.1/2.0	2.7/2.6	3.3/3.2	4.2/4.5	4.8/4.7	4.6/4.7	4.9/4.9	5.3/5.6	5.2/5.7	5.0/5.7	5.7/5.9	5.9/6.1	6.1/6.2	5.9/6.4	5.9/6.5
DCA	-0.23	2.9/2.4	3.1/2.7	3.7/3.3	4.1/2.9	5.9/3.2	6.2/5.1	6.8/5.3	6.6/5.8	7.2/5.9	6.8/6.0	6.7/6.0	7.1/6.1	6.7/6.2	6.8/6.2	7.2/6.4
DEC	-0.12	2.3/1.8	2.6/2.5	2.8/3.2	3.4/3.0	3.7/2.9	4.6/4.1	4.2/4.2	5.1/4.7	5.5/4.7	5.2/4.8	5.3/4.8	5.3/4.8	6.0/4.8	6.1/4.9	5.4/5.1
DEN	0.09	2.7/2.4	2.7/3.2	3.0/3.6	3.3/3.0	4.6/3.9	5.1/4.5	6.0/5.9	7.3/8.4	7.2/8.5	6.5/8.7	6.6/8.8	7.6/9.0	7.8/9.2	7.2/9.2	7.4/9.5
DFW	-0.08	2.9/2.5	3.4/2.5	3.3/2.5	3.5/2.9	3.3/3.5	3.2/4.1	3.8/3.9	4.1/4.2	4.9/4.3	4.3/4.4	4.4/4.5	4.9/4.5	5.1/4.6	5.2/4.8	5.2/5.0
DLH	0.03	4.5/3.1	4.1/3.9	4.4/4.7	5.2/6.1	5.5/6.5	6.6/7.0	6.8/7.7	7.7/7.4	7.6/7.6	7.4/7.7	7.7/7.9	7.9/8.1	7.5/8.3	7.5/8.6	7.5/8.8
DSM	0.04	3.1/3.2	3.5/3.2	3.9/3.7	4.6/4.1	5.6/5.2	5.6/5.1	5.5/6.3	5.7/6.8	5.9/6.9	5.6/7.0	6.2/7.1	6.9/7.2	6.9/7.3	6.9/7.3	6.4/7.5
DTW	-0.00	2.9/2.0	3.5/2.6	3.4/3.1	3.2/3.7	3.6/4.9	4.4/3.8	4.9/3.8	4.1/4.7	4.8/4.9	4.5/5.0	4.7/5.1	4.5/5.2	5.2/5.7	5.3/5.9	5.2/6.2
ELP	0.05	2.1/1.8	2.3/1.5	2.8/1.5	2.8/2.2	3.5/2.7	3.2/2.8	3.5/4.2	4.4/7.3	5.1/7.5	4.7/7.6	4.5/7.9	5.1/8.1	5.4/8.3	5.9/8.5	6.4/8.7
ERI	-0.03	3.1/2.1	3.5/2.7	3.9/3.0	4.0/4.8	4.7/5.4	5.4/5.8	6.9/5.2	6.8/6.7	7.4/6.9	7.1/7.2	6.3/7.3	6.0/7.4	6.3/7.6	7.2/7.8	6.9/8.1
EUG	-0.07	2.8/2.4	2.9/2.3	3.3/1.9	3.9/2.7	4.7/4.2	4.4/4.5	4.7/4.8	5.1/6.7	5.3/6.7	6.2/6.8	6.6/6.9	7.0/7.0	7.1/7.1	7.2/7.1	7.1/7.2
EVV	-0.12	2.9/2.0	3.1/2.3	2.9/3.1	2.9/2.8	3.2/3.0	3.5/3.2	4.3/3.3	5.3/4.7	6.0/4.8	5.7/4.9	5.6/5.1	5.1/5.1	5.3/5.3	5.6/5.4	5.1/5.5
EWR	-0.13	4.8/2.3	4.8/3.5	4.8/3.6	4.8/4.2	5.1/4.8	7.1/6.4	6.9/5.6	6.9/7.0	7.0/7.1	7.2/7.2	7.2/7.3	7.1/7.5	6.7/7.6	7.3/7.9	7.3/8.0
FAR	-0.05	4.0/3.3	4.4/3.9	4.5/4.8	5.5/2.7	5.9/6.0	6.5/6.1	7.3/5.9	6.7/6.3	7.7/6.9	7.4/6.5	7.5/6.8	7.6/6.9	6.9/7.2	6.5/7.3	6.7/7.6
FAT	0.24	2.3/1.9	2.3/1.7	2.3/2.2	2.6/2.4	3.2/3.0	3.7/3.2	3.9/3.9	4.1/8.8	4.3/9.1	3.6/9.3	4.0/9.5	4.5/9.8	4.8/10.1	4.6/10.4	4.6/10.6
FLG	0.17	1.6/1.6	1.7/2.4	1.9/2.5	2.0/2.5	2.7/3.2	3.5/3.5	4.6/5.2	6.1/8.9	6.9/9.0	7.2/9.2	7.8/9.3	7.9/9.4	8.2/9.5	8.3/9.7	8.4/10.0
FMY	0.08	1.6/1.6	2.3/1.9	2.4/2.3	2.7/2.5	2.8/2.3	2.6/2.2	2.8/2.2	2.7/2.9	2.5/3.0	2.5/3.1	2.0/3.2	2.0/3.2	2.1/3.3	2.4/3.4	2.3/3.6
FSD	0.05	2.7/2.5	2.9/3.4	3.6/4.0	4.2/5.1	5.0/5.6	5.5/5.9	6.5/5.8	6.6/6.9	7.6/7.0	6.7/7.2	6.4/7.3	7.4/7.4	7.1/7.6	7.4/7.6	7.1/7.8
FWA	0.03	1.9/2.3	2.3/2.7	3.2/3.5	3.5/3.9	3.8/3.7	4.4/4.4	5.1/4.6	5.7/5.3	6.1/5.4	5.7/5.5	5.5/5.7	5.5/5.9	6.0/6.1	5.9/6.3	5.5/6.5

GAD	-0.61	3.8/1.9	3.9/2.3	3.9/2.4	4.2/2.4	3.9/2.3	4.0/2.6	4.8/3.8	5.5/3.2	5.6/3.2	5.5/3.3	5.7/3.3	5.1/3.3	4.7/3.4	5.2/3.5	4.9/3.5
GEG	0.25	1.6/1.9	1.6/2.0	1.5/2.5	2.1/2.9	2.8/3.4	3.4/4.6	3.8/5.0	4.3/7.5	4.9/7.5	5.1/7.6	5.3/7.7	6.4/7.8	6.9/7.8	6.9/7.9	6.5/8.0
GTF	0.19	2.5/4.0	3.2/4.8	2.8/4.6	3.5/4.9	4.7/5.0	5.3/5.6	5.3/5.0	5.5/7.4	4.7/7.5	5.3/7.5	6.2/7.5	6.7/7.6	7.1/7.7	7.4/7.7	7.7/7.9
HOU	0.09	1.7/1.7	1.9/1.8	2.2/1.8	2.4/2.4	2.6/2.4	2.5/2.2	3.0/2.5	3.0/3.8	3.2/3.9	2.9/3.9	3.0/4.0	3.0/4.1	2.9/4.4	3.2/4.5	3.4/4.5
HSV	-0.34	3.1/2.8	3.5/2.8	3.8/2.8	5.0/3.5	4.8/3.6	5.1/3.9	6.0/4.9	6.9/4.8	7.6/4.7	7.0/4.8	6.8/4.8	6.6/4.9	5.9/4.9	6.6/5.0	6.4/5.0
IAH	0.07	1.5/1.5	2.0/1.8	2.1/1.7	2.8/2.4	3.3/2.5	3.3/2.9	3.7/3.4	3.6/5.1	4.1/5.2	3.9/5.3	3.8/5.4	3.9/5.6	3.8/5.6	4.4/5.7	4.5/5.9
ICT	0.02	3.6/2.9	3.4/3.9	3.4/4.2	4.1/4.7	4.7/5.0	5.5/5.3	6.6/6.0	7.4/8.1	8.8/8.2	8.1/8.3	7.6/8.4	7.8/8.5	8.6/8.5	8.7/8.7	8.6/8.7
ILG	-0.08	2.1/2.3	2.9/2.3	3.2/3.3	3.5/3.1	5.2/3.8	6.1/5.5	6.1/4.9	6.5/6.2	7.1/6.3	6.4/6.5	6.7/6.6	7.1/6.7	6.6/6.9	6.8/7.0	6.9/7.0
IND	-0.21	2.7/2.1	2.9/2.4	3.5/3.2	4.0/3.6	3.9/3.2	4.6/3.8	5.5/4.1	6.1/4.8	6.6/4.8	6.3/5.0	6.3/5.1	6.0/5.2	6.5/5.4	6.6/5.5	6.1/5.6
IPT	-0.15	2.5/2.4	3.8/2.9	4.3/3.2	4.5/3.6	5.6/4.0	7.0/6.0	6.9/5.5	7.5/6.5	7.8/6.5	7.3/6.7	6.7/6.7	7.0/6.9	7.3/7.1	7.3/7.3	7.5/7.5
JAN	-0.06	2.6/2.2	2.4/1.8	2.8/2.6	3.5/2.5	3.4/2.7	3.4/3.5	3.9/3.8	4.3/4.6	4.9/4.7	4.6/4.8	4.5/4.8	4.3/4.8	4.5/4.9	4.8/5.0	4.7/5.0
JAX	-0.10	3.5/1.8	4.0/2.4	4.4/2.6	4.8/2.8	4.8/3.8	5.0/3.7	5.7/5.4	5.6/7.0	5.3/7.1	5.4/7.2	5.2/7.3	5.2/7.4	5.2/7.5	5.4/7.5	5.3/7.7
JFK	-0.12	2.9/2.4	3.0/3.1	3.6/3.2	3.7/3.2	4.2/3.4	5.6/4.2	5.1/4.3	5.4/4.9	5.6/5.0	5.1/4.9	5.4/5.0	5.5/5.0	5.2/5.1	5.4/5.3	5.5/5.4
LAN	-0.00	3.2/2.5	3.7/3.1	3.7/3.0	3.8/4.5	4.2/5.8	4.6/4.3	4.7/4.6	5.2/4.8	5.2/4.9	4.5/5.1	5.0/5.3	5.0/5.5	5.6/5.7	5.5/5.8	5.2/6.1
LAS	0.39	1.4/1.5	1.6/1.9	1.8/2.4	2.4/2.1	2.4/3.0	2.4/2.9	2.9/2.9	3.5/9.6	3.8/10.0	3.5/10.3	3.7/10.6	4.3/11.0	4.4/11.3	4.3/11.6	4.4/11.9
LAX	-0.09	2.2/2.2	2.1/2.5	2.1/2.9	2.5/2.8	2.8/2.9	2.9/2.7	2.7/2.9	2.3/1.9	2.2/1.9	2.2/1.9	2.2/1.8	2.5/1.9	2.5/1.8	2.2/1.9	2.6/1.9
LEX	-0.19	2.4/1.3	2.3/1.6	2.4/2.2	2.8/2.5	3.8/3.5	4.0/3.0	4.6/3.5	5.6/4.9	6.9/5.0	6.3/5.2	6.0/5.3	5.3/5.4	5.2/5.6	5.5/5.7	5.5/5.9
LFK	-0.01	2.3/1.6	2.6/1.6	2.5/1.7	2.5/2.4	2.5/2.6	3.0/3.1	3.2/2.5	3.1/4.5	3.8/4.6	3.9/4.8	3.7/5.0	3.8/5.1	4.2/5.2	4.5/5.3	4.6/5.6
LGA	-0.16	4.1/2.1	4.4/3.0	4.4/3.5	4.5/3.7	5.2/4.8	7.0/5.9	6.3/5.0	6.7/6.7	7.2/6.7	7.1/6.8	7.2/7.1	7.2/7.1	6.9/7.3	7.4/7.5	7.3/7.6
LGB	-0.40	4.1/3.8	4.6/4.0	4.9/4.7	4.8/3.7	5.7/4.5	6.0/4.7	5.8/4.8	6.3/4.0	5.3/3.9	5.5/3.9	6.0/4.0	6.9/4.1	6.7/4.1	6.9/4.1	7.4/4.0
LIT	-0.13	2.4/2.3	3.1/2.5	3.4/3.3	3.5/3.2	4.6/4.1	4.2/4.4	5.2/6.1	6.3/5.6	7.6/5.6	6.5/5.7	6.7/5.8	7.1/5.8	7.2/5.9	7.3/5.9	6.8/5.8
LNS	0.07	2.3/2.3	3.0/2.8	3.2/3.6	3.5/3.2	4.2/3.9	5.5/5.4	5.9/5.2	6.4/7.0	6.7/7.2	6.1/7.5	6.1/7.7	6.4/7.9	6.3/8.2	6.6/8.5	6.7/8.8
MAF	0.11	2.4/3.3	2.6/3.6	3.3/3.3	3.5/3.9	3.5/4.3	4.7/5.5	5.4/6.2	5.8/6.9	6.9/7.1	6.6/7.2	6.5/7.2	6.6/7.4	7.1/7.5	7.3/7.6	7.5/7.7
MBA	0.01	3.6/2.5	4.1/3.1	4.1/4.1	4.5/4.4	5.0/6.1	6.6/7.5	7.0/6.2	7.6/8.1	8.2/8.3	7.5/8.4	7.7/8.5	7.8/8.6	7.6/8.8	8.1/9.1	7.6/9.2
MCI	-0.01	3.1/2.7	2.5/2.3	2.7/3.0	3.7/3.8	4.0/4.1	5.1/4.0	4.8/5.2	5.6/3.3	6.1/6.4	6.0/6.5	6.1/6.5	6.5/6.5	7.2/6.7	7.2/6.8	6.8/6.9
MCN	-0.10	3.5/2.5	3.6/2.9	3.8/3.5	4.2/3.0	3.9/2.8	4.2/3.3	4.5/3.7	4.7/4.8	4.5/4.8	4.9/5.0	5.0/5.0	4.9/5.2	4.4/5.3	4.7/5.3	4.7/5.4
MCO	0.20	1.8/1.7	2.1/1.9	2.0/2.5	2.3/2.6	2.8/2.8	2.8/3.0	3.3/3.3	3.3/5.1	3.5/5.1	3.2/5.2	3.4/5.2	3.1/5.2	3.5/5.3	3.7/5.4	3.6/5.5
MDT	-0.03	2.1/2.5	3.0/3.2	3.5/3.6	3.5/3.5	4.8/3.8	6.0/5.3	6.2/5.3	6.7/5.9	6.7/6.1	6.1/6.1	6.2/6.2	6.1/6.3	6.2/6.2	6.1/6.3	6.6/6.6
MEM	-0.07	3.0/2.0	3.4/2.5	2.9/2.5	2.7/2.7	3.4/3.5	3.1/3.6	4.0/4.8	4.8/5.2	6.0/5.3	5.5/5.3	5.4/5.3	5.6/5.5	5.9/5.5	6.6/5.6	5.9/5.7
MHT	0.06	3.4/2.1	3.7/2.9	3.8/3.7	4.5/4.4	5.1/6.3	6.4/7.5	6.8/6.9	7.4/8.5	7.4/8.5	7.0/8.9	7.4/9.0	7.5/9.2	7.4/9.5	7.3/9.5	7.3/9.9
MIA	0.09	1.3/1.8	1.6/1.9	1.6/2.4	1.6/2.3	1.8/2.4	1.9/2.4	2.2/2.5	2.5/2.1	2.4/2.2	2.6/2.3	2.6/2.4	2.4/2.4	2.3/2.5	2.2/2.6	2.2/2.6
MKE	-0.10	5.1/3.6	5.6/3.4	5.9/4.2	6.6/6.9	7.2/7.4	7.5/6.4	7.9/7.2	7.5/7.6	7.1/7.7	7.1/7.8	8.1/7.8	8.0/8.0	8.7/8.1	8.3/8.2	8.0/8.4
MOB	-0.05	2.4/1.5	2.3/1.6	2.5/2.0	2.7/1.9	3.1/1.6	2.9/2.0	2.6/2.6	2.7/3.9	2.9/3.9	3.0/4.0	2.7/4.2	2.9/4.3	3.1/4.4	3.3/4.5	3.6/4.7
MSP	0.18	2.9/3.3	2.8/3.9	3.8/5.1	4.9/5.8	5.1/6.4	5.5/6.9	5.9/6.6	6.0/7.6	7.4/7.6	6.8/7.9	6.4/8.1	7.5/8.3	7.3/8.6	7.1/8.8	6.6/9.1
MSY	0.13	1.9/1.5	1.8/2.0	2.0/2.1	2.2/2.0	2.6/2.3	2.8/2.4	2.6/2.5	3.0/4.4	3.4/4.4	3.3/4.5	3.0/4.5	2.9/4.7	3.1/4.7	3.3/4.9	3.3/5.0
MWL	0.02	3.2/3.4	3.1/3.4	3.4/3.1	3.5/3.5	3.1/4.0	3.5/4.7	4.7/4.6	5.0/5.1	5.4/5.2	5.1/5.2	5.4/5.1	5.5/5.1	5.4/5.1	5.4/5.2	5.4/5.2
NKX	-0.03	2.8/2.9	3.5/3.5	3.8/3.9	3.9/3.6	4.4/4.1	4.3/4.0	4.5/4.2	4.4/0.0	4.3/0.0	4.1/0.0	3.7/0.0	3.7/0.0	3.7/0.0	4.1/0.0	4.1/0.0
NTU	0.11	3.9/2.8	3.7/3.2	3.8/3.7	3.8/3.2	4.2/4.6	4.7/4.8	4.5/6.3	5.0/7.5	6.3/7.6	5.8/7.7	5.2/7.9	6.1/8.0	6.4/8.1	6.2/8.2	6.3/8.3
OAK	-0.28	5.3/3.4	5.7/4.1	5.9/3.7	6.2/4.1	5.7/4.3	5.7/4.4	5.2/4.4	5.1/4.8	5.5/4.8	5.5/4.8	5.8/4.8	5.9/4.8	5.9/4.8	5.6/4.8	5.3/4.7
OKC	-0.14	3.4/1.9	3.4/3.4	3.5/3.4	4.1/3.6	4.8/4.2	5.1/5.9	6.7/5.9	7.4/6.8	8.4/6.8	7.6/6.9	7.2/6.9	7.6/7.0	8.1/7.1	8.0/7.1	7.9/7.2
OMA	0.02	3.5/3.1	3.7/3.3	4.5/3.7	4.7/4.4	5.3/4.6	5.5/5.0	6.4/6.3	6.7/7.3	6.8/7.4	6.1/7.5	6.7/7.7	7.1/7.9	7.1/8.0	7.0/8.2	6.3/8.4
ORD	0.03	2.8/2.9	3.5/2.8	3.8/4.5	5.0/4.8	5.5/5.9	5.7/5.1	5.7/5.6	5.6/5.9	5.2/5.9	5.3/6.2	6.1/6.3	5.9/6.5	6.7/6.6	6.3/7.0	6.0/7.2
ORH	-0.03	4.2/2.1	4.5/3.2	4.3/3.9	4.9/4.5	5.1/5.2	6.0/6.8	6.1/5.8	7.1/7.7	7.4/7.8	6.6/8.0	6.9/8.0	7.1/8.2	7.3/8.4	7.7/8.6	7.3/8.7
PDT	0.15	2.1/1.9	2.2/2.1	1.8/3.0	2.7/3.5	3.9/4.4	4.3/4.4	4.7/4.6	5.1/7.5	5.1/7.5	4.9/7.6	5.6/7.6	6.5/7.7	7.3/7.7	7.5/7.9	7.5/8.0
PDX	0.12	2.6/2.6	2.9/3.2	3.1/3.2	3.7/3.4	4.7/4.5	4.7/5.3	5.0/5.5	5.3/8.0	5.3/8.0	6.3/8.2	6.7/8.3	7.5/8.4	7.6/8.6	7.6/8.6	7.4/8.8
PHL	0.02	2.3/2.2	3.3/3.3	3.9/3.5	4.5/3.8	5.3/4.8	6.9/6.1	6.4/5.4	6.8/7.3	7.2/7.5	6.5/7.6	7.1/7.8	7.0/8.0	6.5/8.2	7.0/8.4	7.0/8.5
PHX	0.19	2.2/1.5	2.2/2.0	2.3/2.0	3.0/2.1	3.4/2.7	3.4/3.3	3.8/3.4	4.5/9.8	4.5/10.1	4.4/10.3	4.6/10.5	5.1/10.8	5.2/11.1	5.3/11.3	5.2/11.5
PIR	0.06	2.5/2.3	3.5/3.9	3.5/4.5	3.9/5.2	3.5/5.4	5.2/5.6	6.3/6.0	7.2/7.3	7.3/7.3	6.6/7.3	6.8/7.4	7.6/7.5	7.2/7.6	7.2/7.9	7.1/7.9
PIT	-0.01	2.5/2.2	2.6/2.7	2.4/2.6	2.7/2.9	4.5/5.0	5.0/5.3	5.9/5.0	7.0/6.6	7.7/6.6	7.4/6.7	6.7/6.8	6.5/7.0	6.4/7.1	7.2/7.2	7.3/7.4
PVD	-0.19	3.5/1.8	3.5/3.7	3.3/3.7	3.8/4.0	4.3/4.5	6.6/5.6	6.6/5.5	7.2/6.4	7.8/6.3	8.3/6.4	8.2/6.5	8.2/6.5	7.6/6.6	8.1/6.6	7.7/6.8
PWM	0.07	2.5/2.0	3.0/3.2	3.2/4.1	4.0/4.6	5.1/6.6	6.3/7.4	6.6/7.3	7.4/7.6	7.8/7.8	7.4/8.0	7.9/8.1	7.8/8.3	7.6/8.3	7.9/8.5	7.6/8.7
RAL	0.14	2.6/2.8	3.2/3.3	3.2/3.5	3.4/3.6	3.8/4.3	4.1/4.3	4.6/4.6	4.5/6.7	4.6/6.7	4.8/6.8	5.8/6.9	5.9/7.0	6.0/7.0	6.0/7.0	5.9/7.1
RAP	0.17	2.3/2.9	2.5/4.2	3.0/4.4	3.4/4.3	4.8/4.7	4.9/4.6	6.0/6.3	6.9/7.5	6.9/7.7	5.5/7.7	6.1/7.9	7.1/8.0	6.7/8.1	6.4/8.2	6.7/8.3
RBL	0.20	2.8/3.1	3.2/3.6	3.2/3.5	4.3/4.2	5.0/5.1	5.3/5.3	5.6/6.1	6.5/10.2	6.9/10.5	7.0/10.7	7.4/11.0	7.9/11.2	8.0/11.5	7.8/11.7	7.5/12.0
RDD	0.13	3.1/2.6	3.7/2.7	3.5/2.5	4.2/3.8	4.9/4.5	5.2/5.6	5.2/6.1	6.0/10.5	6.4/10.7	6.7/10.9	7.6/11.2	7.8/11.5	8.1/11.7	8.1/12.0	7.9/12.3
RDU	0.09	2.9/2.8	3.7/2.9	2.5/2.2	2.7/2.5	3.7/2.8	4.3/3.9	4.0/4.3	4.2/6.6	4.3/6.7	5.1/6.8	5.1/7.0	5.6/7.1	5.4/7.3	4.9/7.3	5.1/7.5
RIC	0.00	3.0/2.5	3.3/3.0	3.6/3.1	3.7/3.1	5.0/3.7	5.3/4.7	5.3/4.6	5.3/6.8	5.9/6.9	6.3/7.0	5.9/7.1	6.1/7.3	6.1/7.5	6.3/7.5	6.4/7.6
RNO	0.36	1.5/1.6	1.5/1.9	1.9/2.0	2.4/2.9	3.3/3.1	3.7/4.1	3.8/4.4	3.7/9.9	3.8/10.1	4.1/10.3	4.1/10.6	4.5/10.8	4.9/11.1	4.8/11.4	4.6/11.6

ROA	-0.12	3.0/2.3	3.0/3.0	3.0/3.0	3.4/3.2	4.9/3.9	5.4/4.4	5.1/4.2	5.5/5.2	5.6/5.3	6.3/5.4	6.0/5.5	6.5/5.6	6.2/5.6	6.0/5.6	6.2/5.8
ROC	-0.06	4.7/2.5	4.9/2.9	4.6/3.5	4.6/5.5	5.1/5.9	5.7/6.0	6.5/6.2	7.1/7.2	7.0/7.4	6.7/7.5	6.7/7.7	6.6/7.9	6.9/8.1	7.8/8.4	7.5/8.5
SAC	0.22	3.7/3.5	3.7/4.5	3.7/4.7	4.1/5.0	4.5/5.2	5.1/6.1	5.3/6.7	6.0/8.7	6.0/8.9	6.2/9.1	6.5/9.2	7.1/9.3	6.9/9.5	6.7/9.6	6.5/9.7
SAN	-0.23	3.2/2.3	3.6/3.5	3.7/3.4	3.9/3.2	3.6/3.0	3.3/4.0	3.3/3.7	3.4/2.9	3.1/2.9	3.2/2.8	3.8/2.8	4.1/2.8	4.1/2.8	4.2/2.8	4.5/2.8
SAT	0.30	1.9/3.1	2.1/3.3	2.6/3.4	2.6/3.6	3.2/3.7	3.1/3.9	3.3/4.9	3.8/6.4	4.5/6.6	4.9/6.7	4.5/6.9	4.4/7.0	4.9/7.1	5.4/7.3	5.2/7.4
SAV	-0.20	3.5/2.0	4.5/2.1	4.9/2.8	5.6/2.9	4.5/3.3	4.6/3.9	5.2/4.8	5.2/6.1	4.8/6.2	5.4/6.3	5.3/6.2	5.6/6.2	5.5/6.3	5.5/6.4	5.6/6.5
SDF	-0.15	2.6/1.5	3.0/2.1	3.0/2.6	2.5/2.8	3.3/2.9	3.4/2.9	4.2/3.5	5.6/4.9	6.6/5.0	6.0/5.0	5.7/5.3	5.2/5.5	5.3/5.5	5.4/5.7	5.4/6.0
SEA	0.07	2.4/1.5	2.2/2.6	2.4/3.1	2.9/3.4	4.2/4.1	4.6/4.6	4.9/4.8	5.7/6.2	5.0/6.3	4.1/6.3	4.7/6.4	5.9/6.4	5.9/6.5	5.8/6.5	5.9/6.6
SFO	-0.23	4.9/3.5	4.8/3.8	4.9/3.9	5.5/4.4	5.7/4.3	5.7/3.9	5.3/4.3	5.0/4.6	5.3/4.6	5.1/4.6	5.0/4.5	5.3/4.5	5.4/4.5	5.5/4.5	5.3/4.5
SJC	-0.04	4.1/3.4	3.7/3.4	3.6/3.1	3.9/4.5	4.6/4.7	5.0/4.4	5.3/4.9	5.1/4.6	4.7/4.6	4.3/4.5	4.6/4.5	4.9/4.5	4.7/4.6	4.6/4.6	4.2/4.7
SJT	0.12	3.2/3.5	2.9/3.7	3.2/3.3	3.6/3.5	2.9/3.6	3.9/4.1	4.5/4.0	4.5/5.6	5.2/5.6	4.9/5.8	4.9/6.0	4.9/6.1	5.0/6.2	5.1/6.4	4.9/6.5
SLC	0.24	1.9/2.1	2.3/2.0	2.5/2.5	3.3/3.5	4.0/4.1	4.0/4.5	4.3/5.2	4.8/7.6	4.9/7.9	4.7/8.1	4.5/8.3	5.1/8.5	5.2/8.8	5.5/9.1	5.2/9.3
SSI	-0.17	2.7/1.7	2.7/1.7	2.8/1.9	3.3/1.9	3.8/2.1	4.3/2.5	4.6/3.5	4.7/5.2	4.3/5.3	4.0/5.4	4.0/5.5	4.2/5.5	4.6/5.5	4.6/5.6	4.7/5.7
STL	0.02	2.9/2.5	2.5/3.2	2.7/3.4	3.3/4.0	3.3/3.4	4.1/4.1	4.5/4.8	5.6/5.6	6.5/5.8	5.9/5.8	5.9/5.8	5.7/6.0	6.8/6.2	6.9/6.3	6.0/6.4
SYR	0.04	2.5/2.0	3.0/2.5	3.2/2.9	3.1/4.5	4.6/5.5	5.5/5.5	6.9/5.7	7.1/7.2	7.3/7.3	6.8/7.5	6.5/7.7	6.7/7.8	6.8/8.1	7.1/8.3	7.0/8.5
TLH	-0.08	3.2/2.0	3.1/2.4	3.1/2.4	3.6/2.7	3.8/3.1	4.1/3.0	4.4/3.6	4.3/4.8	4.1/4.8	4.3/4.9	4.3/5.0	4.2/5.0	4.4/5.2	4.7/5.3	4.9/5.5
TPA	0.14	1.9/1.7	2.5/2.2	2.6/2.3	3.0/2.6	3.1/2.7	2.8/2.8	2.6/2.6	2.5/4.7	2.2/4.7	2.4/4.8	2.7/4.9	3.5/5.0	3.9/5.1	4.3/5.2	4.6/5.3
TRM	0.16	2.3/2.1	2.7/2.3	3.0/2.3	3.2/2.3	3.4/2.6	3.5/2.7	3.6/3.4	3.7/6.8	3.4/6.9	3.8/7.1	3.5/7.3	3.6/7.6	3.7/7.8	3.9/8.0	4.1/8.2
TUL	-0.05	2.9/2.3	3.1/2.8	3.2/4.2	3.7/4.5	4.1/4.8	5.2/5.9	6.5/6.8	7.9/7.3	8.8/7.3	8.2/7.3	7.7/7.4	8.0/7.3	8.8/7.3	8.7/7.4	8.5/7.4
TUS	0.17	2.0/1.5	1.8/1.8	2.0/2.2	2.7/2.3	3.5/2.9	3.9/3.6	4.3/3.7	5.2/9.0	5.6/9.2	5.5/9.4	5.6/9.6	5.5/9.9	5.7/10.1	5.9/10.3	6.2/10.5
TYR	0.05	2.3/2.2	2.6/2.3	2.3/2.6	2.6/3.1	2.7/2.7	3.0/3.6	3.4/3.5	3.5/4.1	4.2/4.0	3.6/4.0	3.6/4.1	3.8/4.2	4.0/4.3	4.3/4.3	4.2/4.2
TYS	-0.06	2.0/1.9	2.0/2.1	2.2/2.7	2.5/2.3	2.8/2.5	3.6/2.5	3.7/3.4	5.0/4.6	5.9/4.7	5.3/4.9	5.2/5.1	5.0/5.2	4.9/5.2	5.1/5.4	5.1/5.5
VCT	0.31	2.3/2.0	2.0/1.9	1.8/2.0	2.2/2.4	2.4/2.4	2.3/2.5	2.9/3.2	2.7/6.4	2.9/6.6	3.1/6.7	3.0/6.9	2.8/7.0	3.1/7.2	3.5/7.4	3.4/7.6
WJF	0.16	3.1/2.3	3.3/2.4	3.4/3.0	4.1/2.6	4.6/3.5	4.8/3.7	5.0/4.7	4.8/12.3	5.4/12.5	6.0/12.8	6.5/13.1	6.2/13.4	6.2/13.5	6.2/13.8	6.2/14.1
YKM	0.11	2.0/1.6	2.3/1.9	2.1/2.5	3.1/3.4	3.8/4.7	4.5/5.0	4.8/4.8	5.0/7.9	5.5/7.9	5.6/7.9	6.1/8.0	6.8/8.0	7.6/8.0	7.8/8.1	7.8/8.2
YNG	0.12	3.0/2.6	2.8/3.1	3.1/4.0	2.8/4.0	4.3/5.2	5.5/6.3	6.6/5.4	6.4/7.3	6.9/7.4	6.8/7.6	6.0/7.8	6.0/8.0	6.5/8.1	7.1/8.4	7.1/8.6

Bias (2009-05-01~2009-05-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ABE	1.80	0.1/0.6	0.5/0.8	1.0/0.7	1.4/-0.3	1.8/-0.7	1.5/-0.5	1.8/0.5	2.0/-2.5	1.9/-2.9	2.9/-3.2	3.0/-3.5	2.6/-3.9	2.3/-4.3	2.1/-4.6	2.1/-5.0
ABI	1.39	-0.2/-1.8	-0.3/-1.6	0.3/-1.1	1.0/0.2	0.7/-0.0	1.0/0.4	1.8/0.9	1.8/-1.4	1.5/-1.6	1.6/-1.8	2.4/-2.1	2.3/-2.3	2.4/-2.5	2.3/-2.8	2.3/-3.0
ABQ	0.54	-0.3/-0.5	-0.6/0.3	-1.0/0.0	-0.8/-0.2	-0.6/0.8	0.0/1.3	0.4/1.0	0.6/-4.7	0.4/-5.1	1.2/-5.4	1.7/-5.7	1.5/-6.0	1.6/-6.3	1.9/-6.6	2.3/-6.9
ABY	0.35	-0.3/-0.3	-0.4/0.8	-1.0/0.8	-1.3/-0.4	-0.8/0.3	-0.5/-0.1	-0.4/0.6	-0.2/-1.4	0.5/-1.6	0.9/-1.8	1.4/-2.1	1.7/-2.3	1.7/-2.5	2.0/-2.7	2.0/-3.0
ACT	-0.57	-0.4/-1.6	-0.6/-1.3	-0.5/-1.0	-0.9/-1.2	-1.2/-0.8	-0.9/-0.7	-0.5/0.5	-0.5/-3.2	-1.0/-3.4	-0.8/-3.6	-0.3/-3.9	0.0/-4.1	-0.2/-4.4	-0.4/-4.6	-0.2/-4.8
ACY	1.84	0.2/-0.4	0.6/-0.2	1.3/-0.4	1.8/-0.5	2.7/-1.2	1.9/-1.7	1.8/-1.0	1.6/-3.3	1.6/-3.6	2.6/-3.9	2.8/-4.3	2.3/-4.6	2.2/-4.9	1.9/-5.2	2.1/-5.5
ALB	1.64	-0.2/0.0	-0.1/-0.2	0.5/0.2	1.2/-1.2	1.5/-1.2	1.6/-1.3	1.9/-0.2	2.1/-1.7	2.8/-2.1	2.8/-2.5	2.6/-2.9	2.3/-3.3	1.8/-3.7	1.9/-4.1	1.9/-4.5
ALW	0.48	0.3/-0.6	0.7/-0.9	0.5/-0.2	0.3/-0.3	0.2/-0.4	1.5/-2.2	1.9/-2.9	1.4/-3.5	1.6/-3.7	0.8/-4.0	-0.4/-4.3	-1.1/-4.5	-0.5/-4.8	-0.2/-5.0	0.2/-5.3
AOO	0.80	-0.2/0.2	-0.4/0.4	-0.1/-0.5	0.9/-0.7	1.5/-0.7	1.4/-1.1	1.3/0.5	0.8/-1.0	1.0/-1.3	1.4/-1.6	1.4/-2.0	1.2/-2.3	0.6/-2.6	0.5/-2.9	0.7/-3.2
APN	0.19	-0.0/-1.3	0.0/-0.9	0.5/-1.6	1.1/-4.2	1.1/-4.5	0.7/-4.7	-0.2/-1.4	0.6/-3.4	0.6/-3.8	1.8/-4.3	-0.8/-4.7	-0.4/-5.2	-0.5/-5.6	-0.4/-6.1	-0.3/-6.5
ATL	0.68	-0.5/-0.3	-0.6/0.3	-1.1/0.6	-1.2/0.7	-0.9/0.7	-0.3/-0.0	-0.8/0.9	0.2/0.6	0.6/0.4	1.7/0.1	2.2/-0.1	2.6/-0.4	2.7/-0.6	2.9/-0.8	2.8/-1.0
AUG	2.15	1.2/-1.8	1.2/-1.8	2.0/-1.4	2.7/-2.0	2.7/-2.9	2.7/-1.8	2.7/-1.9	2.6/-1.8	3.6/-2.3	2.7/-2.7	2.2/-3.1	1.8/-3.5	1.5/-3.9	1.5/-4.4	1.3/-4.8
AUS	0.24	-0.1/0.0	0.3/-0.4	0.1/-0.2	0.4/0.1	0.2/-0.4	-0.3/0.4	0.0/-0.3	0.2/-4.1	-0.3/-4.3	-0.1/-4.5	-0.3/-4.6	0.4/-4.8	0.9/-5.0	1.0/-5.2	1.2/-5.4
AVP	2.43	0.2/0.4	0.7/0.4	1.2/0.4	2.3/-0.8	2.4/-1.5	2.3/-0.8	2.5/0.6	3.0/-1.3	3.0/-1.7	3.4/-2.0	3.4/-2.4	3.2/-2.8	3.1/-3.2	2.9/-3.5	2.7/-3.9
BDL	1.59	0.4/0.9	1.1/0.8	1.8/1.8	1.5/0.1	1.6/0.2	1.4/-0.9	0.9/0.1	1.0/-1.1	2.0/-1.5	2.4/-1.8	2.3/-2.2	2.1/-2.6	1.9/-3.0	1.9/-3.4	1.6/-3.7
BFL	-0.35	-0.9/-0.5	-0.8/0.1	-0.8/-0.3	-1.3/-0.5	-0.4/-0.2	0.3/0.3	0.1/-1.1	-0.3/-7.7	-0.3/-7.9	0.5/-8.2	-0.4/-8.5	-0.5/-8.7	-0.4/-9.0	-0.0/-9.3	-0.1/-9.5
BGM	1.86	0.5/-1.0	0.6/-1.4	1.5/-1.1	2.2/-1.3	2.0/-3.1	1.9/-2.3	2.1/-0.8	2.0/-3.1	2.4/-3.5	2.9/-3.9	2.6/-4.3	2.3/-4.7	1.9/-5.1	1.5/-5.5	1.4/-6.0
BHM	1.91	-0.3/0.3	-0.2/-0.2	-0.6/0.8	-0.2/0.9	0.5/0.6	1.1/0.5	0.9/1.7	1.9/0.0	2.1/-0.2	3.4/-0.4	3.6/0.6	3.9/0.9	4.0/-1.1	4.3/-1.3	4.2/-1.5
BIS	-0.85	-0.4/0.1	-0.8/1.3	-0.4/1.3	-1.0/0.5	-0.8/1.0	-0.7/1.6	-1.1/0.8	-1.2/-1.7	-1.7/-2.1	-1.9/-2.5	-1.7/-2.9	-0.8/-3.4	-0.5/-3.8	-0.1/-4.2	0.4/-4.6
BNA	2.00	-0.1/1.2	-0.4/0.6	-0.0/0.9	0.9/0.8	0.3/2.1	1.3/1.6	1.3/2.3	1.7/-0.9	1.9/-1.1	3.1/-1.4	3.7/-1.6	3.8/-1.9	4.1/-2.1	4.3/-2.3	4.1/-2.6
BOI	1.32	0.2/0.7	0.6/0.2	0.5/1.9	0.2/2.3	0.3/0.6	1.5/-0.8	1.3/-1.4	1.2/-6.2	1.5/-6.5	2.0/-6.8	1.7/-7.1	1.5/-7.4	1.8/-7.7	2.5/-8.0	3.0/-8.3
BOS	0.91	0.1/-0.3	0.6/-0.4	1.1/-1.0	1.5/-1.9	1.6/-1.6	1.2/-2.0	0.8/-2.5	0.7/-3.5	1.4/-3.8	1.4/-4.2	0.9/-4.5	0.7/-4.9	0.7/-5.2	0.4/-5.6	0.5/-5.9
BRO	0.77	0.0/1.3	-0.1/0.9	0.0/1.2	0.4/1.1	0.7/1.1	0.9/1.2	1.0/0.7	1.1/-4.1	1.1/-4.2	1.2/-4.4	1.2/-4.5	1.1/-4.7	1.1/-4.9	1.0/-5.0	1.0/-5.2
BTV	1.39	0.4/0.2	0.6/-0.5	1.3/-0.3	2.0/-2.9	2.0/-3.3	1.3/-1.5	1.8/-1.1	2.0/-1.9	2.1/-2.4	1.9/-2.9	1.7/-3.3	1.2/-3.8	0.8/-4.3	0.9/-4.8	0.8/-5.3
BUF	0.39	0.3/-0.8	0.2/-1.2	0.0/-2.1	0.3/-4.2	0.6/-4.9	0.0/-3.6	0.1/-2.0	-0.0/-3.5	-0.3/-3.9	0.8/-4.3	1.3/-4.7	1.1/-5.1	0.7/-5.5	0.6/-5.9	0.6/-6.3
BUR	1.86	0.6/-0.4	0.7/0.9	0.6/0.3	1.0/0.8	0.5/-1.5	1.2/-1.3	0.8/0.7	1.3/-2.2	1.0/-2.2	1.5/-2.3	3.4/-2.4	4.1/-2.6	3.9/-2.5	4.1/-2.6	4.2/-2.7
BWI	1.90	-0.3/-0.1	-0.4/0.6	0.3/0.4	1.4/0.7	2.1/-0.6	2.2/0.5	2.1/0.7	1.7/-1.6	1.9/-1.9	3.4/-2.2	3.4/-2.5	3.0/-2.8	2.6/-3.1	2.3/-3.4	2.7/-3.7
CAE	1.06	-0.4/0.4	-1.0/0.4	-0.9/0.8	-0.8/-0.2	-0.6/-0.3	-0.2/-0.7	0.1/-0.2	-0.2/-0.5	0.9/-0.7	2.4/-1.0	3.0/-1.2	3.2/-1.5	3.4/-1.7	3.4/-1.9	3.5/-2.2
CHA	1.68	-0.0/-0.1	-0.4/0.2	-0.2/1.0	0.1/1.1	0.8/0.5	1.6/1.2	0.9/0.8	1.6/-1.0	1.9/-1.2	2.9/-1.4	3.2/-1.6	3.1/-1.8	3.4/-2.1	3.4/-2.3	3.1/-2.5
CLE	1.14	0.5/-1.5	0.7/-1.6	1.0/-1.7	1.7/-3.3	1.6/-4.4	1.5/-3.0	1.0/-1.8	1.0/-4.3	1.1/-4.7	1.9/-5.0	1.3/-5.4	1.3/-5.8	0.9/-6.1	0.6/-6.5	1.0/-6.9
CLT	1.64	-0.9/0.5	-2.0/0.6	-1.1/1.5	-0.5/0.5	0.4/0.5	0.4/0.0	0.3/-0.3	0.4/-0.5	2.0/-0.7	3.8/-0.9	4.1/-1.2	4.4/-1.4	4.6/-1.6	4.5/-1.8	4.3/-2.0
CMH	0.97	-0.1/-0.9	-0.3/-1.4	0.2/-2.1	0.8/-2.2	1.0/-2.3	0.7/-2.4	0.8/-0.8	0.6/-3.3	0.9/-3.6	2.1/-4.0	1.6/-4.3	1.8/-4.7	1.5/-5.0	1.3/-5.4	1.7/-5.7
CON	1.51	1.0/0.1	1.2/0.2	1.8/1.2	2.2/-0.4	2.9/-0.5	2.3/-2.1	2.1/-0.5	1.8/-1.2	2.7/-1.5	3.1/-1.9	1.3/-2.4	0.9/-2.8	0.5/-3.2	0.4/-3.6	0.3/-4.0
COS	2.32	0.1/0.2	0.3/0.5	1.3/0.4	1.0/0.5	1.5/0.4	2.1/1.4	1.6/2.4	0.8/-3.9	0.8/-4.2	3.2/-4.5	3.9/-4.8	3.8/-5.2	4.1/-5.5	4.6/-5.8	5.7/-6.1
COU	0.13	-0.3/-0.3	-0.1/-0.3	0.0/-1.0	0.6/-1.5	0.5/-0.5	0.9/0.2	0.8/0.5	0.5/-1.9	0.1/-2.2	-0.4/-2.5	0.1/-2.8	-0.2/-3.1	-0.2/-3.4	-0.2/-3.6	-0.3/-3.9
CQT	2.05	1.2/0.8	1.1/1.0	1.4/1.4	1.3/0.7	1.8/-0.1	2.4/0.7	2.6/0.3	3.2/-1.2	2.7/-1.3	2.5/-1.3	2.4/-1.3	2.2/-1.4	2.0/-1.4	1.9/-1.4	2.0/-1.4
CRP	0.00	0.5/-2.5	0.3/-2.8	0.4/-2.0	-0.3/-2.1	-0.5/-2.5	-0.5/-2.0	-0.7/-1.9	0.3/-6.2	0.1/-6.4	-0.0/-6.5	0.3/-6.9	0.0/-7.0	0.2/-7.2	0.0/-7.4	0.0/-7.4
CRW	2.38	0.2/0.3	0.2/-0.1	0.4/0.2	1.5/0.3	1.7/0.4	2.6/0.1	3.0/0.6	3.0/-2.1	3.6/-2.4	3.5/-2.6	3.9/-2.9	3.3/-3.1	2.9/-3.4	2.7/-3.6	3.1/-3.9
CVG	1.63	0.1/-0.7	0.3/-1.2	0.5/-1.5	1.2/-1.4	1.3/-1.5	1.4/-1.2	1.4/-0.6	1.2/-1.9	1.3/-2.2	1.4/-2.5	2.7/-2.8	2.8/-3.2	2.6/-3.5	2.5/-3.8	2.8/-4.1
DAY	0.61	-0.1/-1.7	-0.3/-2.3	0.2/-2.9	0.7/-3.1	1.0/-3.5	0.3/-2.9	0.6/-1.9	0.3/-4.9	0.4/-5.3	1.4/-5.6	1.0/-5.9	1.2/-6.3	0.8/-6.6	0.6/-7.0	1.0/-7.3
DBQ	1.24	0.0/-0.1	0.0/-0.2	0.8/0.1	1.4/-1.3	0.7/-1.7	1.4/-0.7	0.9/0.4	1.6/-1.6	1.5/-2.0	1.5/-2.4	1.6/-2.7	1.5/-3.1	1.7/-3.5	1.8/-3.9	2.1/-4.3
DCA	1.96	-0.1/0.9	-0.8/0.8	-0.2/1.2	1.0/0.8	1.8/0.6	2.2/0.8	2.3/1.2	1.9/-0.5	2.2/-0.7	3.6/-1.0	3.7/-1.3	3.4/-1.6	2.9/-1.9	2.6/-2.2	3.0/-2.5
DEC	0.39	-0.5/0.4	-0.3/0.0	0.1/-1.0	0.4/-0.3	-0.1/-1.2	0.1/0.5	0.2/0.7	0.0/0.4	0.2/0.1	0.5/-0.3	1.0/-0.6	0.8/-1.0	1.3/-1.3	1.4/-1.6	0.9/-2.0
DEN	1.77	-0.1/-1.3	0.4/-0.0	1.3/-0.7	1.2/0.2	1.7/0.1	1.4/1.4	1.0/1.4	0.9/-4.0	1.0/-4.4	1.8/-4.7	2.1/-5.0	2.6/-5.4	3.1/-5.7	3.7/-6.0	4.7/-6.3
DFW	-0.26	-0.7/-0.5	-1.1/-0.5	-1.0/0.1	-0.9/0.2	-1.2/0.8	-0.7/1.7	0.2/1.7	-0.3/-1.4	-0.8/-1.6	-0.6/-1.9	0.3/-2.1	0.7/-2.4	0.5/-2.6	0.6/-2.8	1.1/-3.1
DLH	0.59	0.8/-1.3	0.8/-1.6	1.1/-2.0	1.3/-3.0	-0.2/-3.2	-0.0/-2.7	0.1/-2.1	0.6/-1.4	0.1/-1.8	0.2/-2.3	0.5/-2.7	0.4/-3.2	1.0/-3.6	1.0/-4.1	1.1/-4.6
DSM	1.22	-0.4/-0.4	0.4/-0.3	1.4/-0.1	1.4/-0.6	0.5/-0.8	1.3/-1.1	0.7/-0.5	1.5/-3.0	1.5/-3.3	1.3/-3.7	1.6/-4.0	1.2/-4.4	1.8/-4.7	1.9/-5.1	2.1/-5.4
DTW	0.14	0.5/0.7	0.6/0.4	0.7/-0.9	1.6/-2.6	0.9/-3.4	0.6/-1.4	0.4/-0.4	0.5/-2.3	0.6/-2.7	0.3/-3.1	-0.7/-3.5	-0.8/-3.9	-1.2/-4.3	-1.1/-4.7	-0.9/-5.1
ELP	0.11	-0.3/-0.9	-0.7/-0.5	-1.3/-0.7	-1.1/-1.0	-0.9/0.2	-0.3/0.3	0.3/0.9	0.6/-5.8	0.3/-6.1	0.7/-6.4	0.8/-6.6	0.6/-6.9	0.7/-7.2	1.0/-7.5	1.3/-7.8
ERI	1.20	0.0/0.8	0.1/-0.8	0.6/-1.5	1.4/-3.7	1.2/-3.0	1.0/-3.1	1.4/-2.1	1.0/-2.5	1.1/-2.9	2.9/-3.3	1.8/-3.7	1.7/-4.1	1.4/-4.5	0.9/-4.9	1.3/-5.3
EUG	-2.47	-1.0/-1.2	-1.4/-0.5	-1.8/-0.5	-1.6/-0.5	-1.4/-0.8	-1.8/-1.9	-2.2/-2.2	-1.7/-3.6	-1.9/-3.8	-3.1/-4.0	-3.8/-4.2	-4.0/-4.4	-3.9/-4.6	-3.9/-4.8	-3.7/-5.0
EVR	1.15	0.3/-0.2	0.2/-0.8	0.2/-0.7	0.5/-0.7	0.6/0.1	0.9/-0.1	1.0/-0.1	1.3/-1.6	1.7/-1.9	1.6/-2.2	2.0/-2.5	1.8/-2.9	1.8/-3.2	1.7/-3.5	1.7/-3.8
EWR	1.22	-1.4/-0.2	-0.8/-0.6	-0.3/-0.5	-0.3/-1.6	-0.5/-1.7	0.3/-2.1	0.6/-0.7	1.2/-3.4	2.0/-3.7	3.4/-4.1	3.2/-4.4	3.0/-4.7	3.0/-5.1	2.6/-5.4	2.5/-5.8
FAR	-2.04	-0.7/0.3	-1.1/1.3	-1.0/-0.1	-1.5/-0.2	-1.8/-1.0	-2.8/1.0	-2.8/1.0	-3.2/-0.3	-3.5/-0.7	-3.5/-1.1	-2.8/-1.5	-2.4/-2.0	-1.6/-2.5	-1.1/-3.0	-0.7/-3.5
FAT	-1.57	-0.8/0.8	-0.7/-0.0	-0.9/-0.2	-1.2/-0.1	-0.7/-0.4	-0.1/-0.1	-0.7/-1.9	-1.2/-8.6	-1.4/-8.9	-2.1/-9.2	-3.2/-9.5	-2.8/-9.8	-2.9/-10.1	-2.5/-10.4	-2.7/-10.6
FLG	0.70	0.2/0.3	0.3/0.3	0.4/0.4	0.4/0.8	0.9/1.7	1.8/0.6	2.1/0.6	2.0/-7.1	1.3/-7.4	1.3/-7.7	0.7/-8.0	0.0/-8.3	-0.1/-8.6	-0.5/-8.9	-0.4/-9.2
FMY	-0.64	-0.7/-0.9	-1.1/-1.2	-0.9/-2.0	-1.0/-2.1	-1.1/-1.5	-1.1/-1.5	-1.1/-1.5	-0.9/-1.6	-0.7/-1.7	-0.3/-1.9	-0.1/-2.1	0.0/-2.2	0.2/-2.4	0.2/-2.4	0.2/-2.4
FSD	1.14	0.1/-0.3	0.8/-1.3	1.4/-0.7	1.1/-1.3	0.4/-2.3	0.5/-1.5	0.5/-0.4	1.0/-3.1	0.7/-3.5	0.9/-3.9	1.1/-4.3	1.2/-4.6	2.1/-5.0	2.6/-5.4	2.7/-5.8
FWA	-0.12	-0.4/-0.5	-0.4/-1.2	-0.2/-1.3	0.4/-2.3	-0.0/-2.7	-0.8/-2.7	-0.5/-0.8	-0.6/-3.0	-0.7/-3.4	0.6/-3.8	0.2/-4.2	0.4/-4.6	0.1/-5.0	-0.0/-5.4	0.3/-5.7

GAD	1.34	-0.4/0.0	-0.6/0.8	-0.9/0.9	-0.6/1.5	-0.1/0.8	0.6/1.0	0.3/2.1	1.3/0.8	1.2/0.5	2.5/0.3	3.0/0.1	3.2/-0.2	3.3/-0.4	3.6/-0.6	3.5/-0.9
GEG	-1.15	-0.4/0.6	-0.4/0.1	-0.6/0.6	-1.1/0.2	-1.0/-0.1	-0.1/-1.5	-0.4/-2.3	-0.5/-3.9	-0.7/-4.1	-1.8/-4.4	-2.1/-4.7	-2.6/-5.0	-2.3/-5.3	-1.7/-5.5	-1.6/-5.8
GTF	0.46	0.0/3.5	0.5/3.8	0.7/3.5	0.6/3.2	0.7/2.8	1.0/1.6	0.4/-0.3	0.2/-2.4	0.2/-2.6	0.6/-2.9	0.6/-3.2	0.4/-3.5	0.8/-3.8	0.1/-4.1	0.6/-4.4
HOU	-0.42	-0.2/-0.4	-0.2/-0.5	-0.5/-0.1	-0.5/-0.5	-0.5/-0.3	-0.3/-0.1	-0.0/-0.5	0.3/-2.5	-0.2/-2.7	-0.4/-2.9	-0.7/-3.1	-0.7/-3.4	-0.7/-3.6	-1.0/-3.8	-0.9/-4.0
HSV	2.03	-0.0/0.7	-0.1/0.7	-0.0/1.7	0.2/1.5	0.9/2.0	2.0/1.7	1.3/2.7	2.1/0.0	2.0/-0.2	3.3/-0.5	3.6/-0.7	3.6/-0.9	3.9/-1.1	4.0/-1.4	3.7/-1.6
IAH	-0.73	-0.1/0.0	-0.1/-0.0	-0.2/-0.2	-0.3/-1.0	-0.4/-0.2	-0.5/-0.2	-0.3/-0.3	-0.1/-3.5	-0.7/-3.7	-1.3/-4.0	-1.1/-4.2	-1.3/-4.4	-1.2/-4.6	-1.9/-4.8	-1.6/-5.1
ICT	1.55	-0.6/-0.7	-0.7/-0.8	-0.2/0.2	-0.0/0.6	-0.3/0.5	1.3/1.1	1.2/0.7	1.3/-2.8	0.7/-3.1	2.1/-3.4	3.3/-3.7	3.2/-4.0	3.6/-4.3	4.2/-4.6	4.5/-4.9
ILG	1.36	0.3/-0.8	-0.5/-1.0	0.3/-0.7	1.1/-0.8	2.1/-1.8	1.5/-1.1	1.7/-1.3	1.0/-2.7	0.8/-3.0	2.2/-3.4	2.5/-3.6	2.2/-4.0	1.8/-4.3	1.6/-4.6	1.8/-4.9
IND	1.72	0.4/0.3	0.7/-0.5	1.2/-1.0	1.5/-0.7	1.4/-1.2	0.8/-0.5	1.4/-0.2	1.0/-2.1	1.3/-2.5	2.3/-2.8	2.9/-3.2	3.0/-3.5	2.7/-3.8	2.6/-4.2	2.6/-4.5
IPT	2.62	0.7/0.5	1.4/0.1	2.1/-0.5	3.4/-1.3	3.2/-0.8	3.1/-0.6	3.1/0.3	2.9/-2.2	2.5/-2.5	3.6/-2.9	3.1/-3.3	2.9/-3.6	2.7/-4.0	2.5/-4.3	2.2/-4.7
JAN	1.48	-0.2/0.4	-0.0/0.4	-0.5/0.6	-0.6/0.8	-0.3/0.6	0.5/0.6	1.0/1.4	1.5/-1.6	1.5/-1.8	2.9/-2.1	2.9/-2.4	2.9/-2.6	3.3/-2.8	3.5/-3.0	3.6/-3.3
JAX	0.15	-0.7/-1.1	-0.7/-0.6	-0.8/-0.8	-1.2/-0.9	-0.6/-0.7	-0.5/-0.5	-0.3/-0.6	-0.2/-1.9	0.2/-2.1	0.4/-2.3	1.0/-2.5	1.3/-2.6	1.5/-2.8	1.4/-3.0	1.5/-3.2
JFK	1.40	0.0/0.4	-0.1/0.9	0.6/0.3	0.7/0.1	0.8/-0.6	0.6/-0.5	1.2/0.5	1.7/-1.7	2.0/-2.1	2.1/-2.4	2.3/-2.7	2.4/-3.0	2.4/-3.3	2.1/-3.6	2.0/-4.0
LAN	-0.89	-0.6/-0.5	-0.4/-0.4	0.0/-1.1	0.7/-3.0	0.0/-4.1	-0.6/-2.4	-0.8/-1.4	-1.0/-2.2	-1.0/-2.6	-1.1/-3.0	-1.5/-3.4	-1.7/-3.8	-2.0/-4.2	-1.9/-4.6	-1.6/-5.1
LAS	-1.71	-0.3/0.5	-0.2/-0.7	-0.5/-0.3	-1.2/-1.1	-1.2/-1.9	-1.0/-1.6	-1.3/-1.8	-1.8/-9.6	-2.1/-10.0	-1.6/-10.3	-2.4/-10.6	-2.9/-11.0	-3.0/-11.3	-3.1/-11.6	-3.1/-11.9
LAX	0.94	0.5/1.3	0.3/0.8	0.3/1.4	0.4/0.9	0.7/1.1	0.9/1.0	1.0/1.6	0.7/0.0	0.7/0.0	1.1/-0.1	1.1/0.1	1.5/0.1	1.7/0.2	1.3/0.2	1.9/0.2
LEX	1.45	0.1/0.9	-0.5/0.4	-0.3/0.6	0.6/1.0	0.6/1.4	1.4/1.3	1.6/1.3	1.8/-1.6	2.5/-1.9	2.4/-2.2	2.7/-2.5	2.2/-2.7	2.2/-3.0	2.0/-3.3	2.3/-3.6
LFK	-0.06	-0.0/0.7	-0.0/-0.1	-0.2/0.8	-0.2/0.5	-0.2/0.7	0.2/0.6	0.5/0.7	0.8/-2.8	-0.1/-3.0	-0.1/-3.3	0.1/-3.5	-0.2/-3.7	-0.0/-3.9	-0.8/-4.1	-0.7/-4.3
LGA	1.83	-0.9/0.4	-0.3/1.0	0.0/0.9	0.4/-0.7	0.5/-0.5	1.0/-1.3	1.3/0.1	1.7/-2.1	2.5/-2.4	4.0/-2.8	3.8/-3.1	3.6/-3.5	3.4/-3.8	3.3/-4.2	3.1/-4.5
LGB	3.83	1.5/-0.2	1.6/0.5	1.8/2.0	1.8/0.4	2.4/1.4	2.9/0.3	3.1/1.0	4.2/0.4	3.5/0.3	4.2/0.3	5.4/0.2	6.1/0.2	6.0/0.2	6.1/0.1	6.7/0.1
LIT	1.86	0.2/0.4	1.0/0.1	0.3/1.3	0.7/1.9	0.9/2.6	1.2/2.2	1.5/2.7	1.9/0.4	0.7/0.2	2.7/-0.1	3.2/-0.4	3.5/-0.6	3.7/-0.9	3.6/-1.2	3.8/-1.5
LNS	0.48	-1.1/-0.2	-0.8/-0.1	-0.5/-0.5	0.1/-0.5	0.4/-0.7	0.3/-1.0	0.4/0.3	0.4/-5.2	0.5/-5.5	1.9/-6.0	1.7/-6.4	1.3/-6.8	1.0/-7.2	0.7/-7.6	0.9/-8.0
MAF	0.49	0.6/-2.0	-0.1/-1.5	-0.3/-0.1	0.5/-1.5	-0.2/-1.3	0.1/-0.6	0.3/-0.7	0.7/-3.8	0.3/-4.0	0.6/-4.3	1.1/-4.6	1.4/-4.8	1.0/-5.1	1.2/-5.4	1.2/-5.6
MBA	2.27	-0.2/-0.5	0.3/-0.0	0.9/-0.4	1.2/-1.2	1.9/-0.5	2.1/-0.9	2.0/-0.5	2.0/-2.5	3.1/-2.8	3.8/-3.2	3.9/-3.6	3.4/-3.9	3.3/-4.3	3.3/-4.7	3.2/-5.1
MCI	1.51	-0.1/-0.1	0.5/-0.3	1.1/0.3	1.2/0.4	0.8/1.1	1.6/0.5	1.5/0.6	1.8/-2.3	1.7/-2.5	1.0/-2.9	1.8/-3.5	2.2/-3.8	2.7/-4.1	2.7/-4.4	2.7/-4.4
MCN	0.81	-0.4/2.1	-0.8/2.4	-1.5/3.0	-1.5/2.2	-1.1/2.5	-0.4/1.1	-0.4/1.8	-0.1/-0.2	1.1/0.4	2.1/-0.6	2.6/-0.9	3.0/-1.2	3.1/-1.4	3.2/-1.6	3.3/-1.9
MCO	-0.25	-0.6/-0.9	-0.6/-0.5	-0.7/-1.1	-0.9/-1.2	-0.9/-0.6	-0.6/-0.6	-0.7/-0.5	-0.8/-1.0	-0.3/-1.1	-0.2/-1.3	-0.0/-1.5	0.3/-1.6	0.7/-1.8	0.6/-2.0	1.0/-2.2
MDT	1.49	-0.1/0.0	0.3/0.7	0.8/0.5	1.8/-0.2	2.4/-0.6	2.0/0.5	2.1/0.7	1.7/-1.4	1.7/-1.7	2.0/-2.0	2.0/-2.3	1.8/-2.6	1.2/-2.9	1.2/-3.3	1.3/-3.6
MEM	0.77	-0.6/-0.5	-1.0/-0.6	-1.1/0.1	-0.7/0.7	-0.6/0.7	-0.0/1.5	0.1/2.0	0.7/-1.2	0.4/-1.5	1.7/-1.7	2.4/-2.0	2.5/-2.2	2.7/-2.5	2.6/-2.7	2.5/-3.0
MHT	1.00	0.5/-1.1	0.8/-0.2	1.2/0.2	1.5/-1.4	2.0/-1.1	1.4/-2.8	1.2/-1.2	1.1/-4.0	2.1/-4.4	1.0/-4.7	1.0/-5.2	0.6/-5.5	0.3/-6.0	0.2/-6.4	0.1/-6.8
MIA	-0.49	-0.4/-1.1	-0.6/-1.6	-0.5/-2.0	-0.6/-1.7	-0.7/-1.6	-0.8/-1.3	-0.7/-1.7	-0.8/-1.0	-0.6/-1.1	-0.8/-1.2	-0.7/-1.3	-0.3/-1.5	0.1/-1.6	-0.0/-1.7	0.1/-1.8
MKE	-1.24	-0.1/-2.5	0.2/-2.6	0.6/-3.1	0.4/-4.3	0.2/-5.4	-1.0/-4.4	-1.7/-3.5	-1.6/-3.4	-1.7/-3.7	-2.2/-4.2	-2.1/-4.5	-2.5/-4.9	-2.5/-5.4	-2.5/-6.2	-2.3/-6.2
MOB	0.37	-0.1/-0.1	-0.3/-0.5	-0.8/-0.5	-0.8/0.2	-0.6/0.1	0.0/0.1	0.1/0.1	0.7/-1.4	0.9/-1.6	1.0/-1.8	1.0/-2.0	1.2/-2.3	1.2/-2.5	1.3/-2.7	0.9/-2.9
MSP	-0.52	0.1/-2.2	0.1/-2.5	0.8/-3.3	0.3/-4.0	-0.6/-4.7	-1.3/-4.1	-0.9/-3.0	-0.8/-4.2	-1.0/-4.5	-1.5/-5.0	-0.9/-5.4	-0.8/-5.8	-1.0/-6.2	-0.3/-6.6	-0.1/-7.0
MSY	0.26	-0.4/-0.8	-0.4/-1.6	-0.5/-1.5	-0.7/-1.1	-0.6/-1.5	-0.2/-1.4	0.5/-0.5	0.9/-2.5	1.1/-2.7	0.6/-2.9	0.6/-3.1	0.6/-3.4	0.6/-3.6	0.8/-3.8	0.8/-4.1
MWL	1.21	-0.4/-2.4	-0.3/-1.7	0.1/-0.9	0.6/-1.0	0.3/-0.4	0.8/-0.6	1.9/0.3	1.8/0.3	1.5/0.1	1.6/-0.1	2.2/-0.3	2.3/-0.5	2.3/-0.7	1.7/-1.0	1.9/-1.2
NKX	-0.54	0.1/0.1	0.1/-0.1	-0.0/0.8	-0.2/0.4	-0.4/1.7	-0.6/2.5	-0.5/1.6	-0.7/0.0	-0.9/0.0	-1.7/0.0	-0.9/0.0	-0.8/0.0	-0.4/0.0	-0.6/0.0	-0.7/0.0
NTU	0.88	-0.4/-1.7	-1.1/-1.9	-0.6/-0.8	-0.3/-1.5	1.2/-2.4	0.8/-2.3	1.0/-3.0	0.7/-4.4	1.9/-4.6	2.4/-4.8	1.9/-5.0	1.8/-5.3	1.6/-5.5	1.3/-5.6	1.0/-5.9
OAK	-0.68	-0.2/-1.1	-0.1/0.3	-0.2/0.2	-0.1/-0.5	-0.0/-0.0	-0.1/-0.1	-0.6/0.0	-0.8/0.8	-1.0/0.7	-0.9/0.6	-1.1/0.5	-1.2/0.5	-1.2/0.4	-1.3/0.4	-1.4/0.3
OKC	2.15	0.1/-0.6	0.2/0.4	1.0/0.8	0.9/2.1	1.1/2.0	2.1/2.8	2.3/2.8	2.5/0.4	1.7/0.1	2.6/-0.1	3.3/-0.4	3.6/-0.6	3.5/-0.9	3.9/-1.1	4.4/-1.4
OMA	0.14	0.2/-0.6	0.6/-0.2	1.4/0.3	1.2/-1.0	-0.0/-0.9	0.5/-0.9	-0.2/-0.3	0.4/-3.9	-0.2/-4.2	-0.7/-4.5	-0.4/-4.9	-0.8/-5.2	-0.1/-5.5	0.0/-5.9	0.2/-6.2
ORD	-0.56	0.1/-1.2	0.0/-0.5	0.4/-2.7	0.7/-2.0	-0.3/-3.9	0.0/-2.8	-0.4/-2.6	-0.5/-3.3	-0.5/-3.7	-1.3/-4.1	-1.3/-4.5	-1.3/-4.8	-1.4/-5.2	-1.3/-5.6	-1.3/-6.0
ORH	0.94	0.2/0.5	0.3/1.0	0.9/0.6	1.5/-1.2	2.1/-0.3	1.2/-2.0	0.8/-1.2	0.8/-2.4	1.9/-2.7	1.1/-3.1	1.2/-3.5	0.8/-3.9	0.5/-4.3	0.5/-4.7	0.4/-5.1
PDT	0.59	0.1/1.4	0.4/1.8	0.3/2.2	-0.0/1.6	0.0/1.4	1.5/-0.1	1.7/-1.5	1.3/-3.8	1.3/-4.1	1.2/-4.4	-0.1/-4.6	-0.5/-4.9	0.2/-5.2	0.6/-5.4	0.8/-5.7
PDX	-2.49	-0.8/-1.7	-1.1/-1.8	-1.6/-2.6	-1.4/-2.1	-1.3/-2.9	-1.6/-3.6	-2.1/-3.6	-1.9/-6.3	-1.5/-6.5	-2.9/-6.7	-3.7/-6.9	-4.3/-7.1	-4.3/-7.4	-4.0/-7.5	-4.8/-7.7
PHL	1.12	-0.1/-0.2	-0.0/-0.6	0.6/-1.0	0.9/-1.1	1.7/-1.7	1.1/-0.9	1.2/-0.2	0.9/-4.3	0.7/-4.6	1.9/-4.9	2.3/-5.3	1.7/-5.6	1.4/-5.9	1.2/-6.2	1.4/-6.5
PHX	-0.67	-0.1/0.9	-0.2/0.7	-0.3/0.7	-0.5/1.4	-0.6/1.2	-0.0/1.8	0.1/1.9	-0.1/8.8	-0.4/-9.1	-0.6/-9.4	-1.1/-9.7	-1.7/-10.0	-1.5/-10.3	-1.6/-10.6	-1.4/-10.8
PIR	1.11	0.3/1.4	0.9/3.4	1.6/2.8	0.8/1.9	0.7/1.0	1.2/1.9	1.2/0.8	2.3/-1.9	0.5/-2.3	-0.1/-2.6	0.4/-3.0	0.7/-3.4	1.7/-3.8	2.1/-4.1	2.3/-4.5
PIT	1.25	0.2/-1.0	0.3/-0.8	0.6/-0.9	1.4/-1.5	1.9/-1.5	1.9/-1.8	1.5/-3.0	1.3/-3.4	1.3/-3.7	2.3/-4.0	1.6/-4.3	1.5/-4.6	1.1/-5.0	0.7/-5.3	1.1/-5.6
PVD	2.69	-0.6/0.9	0.1/2.3	0.6/1.4	1.1/0.7	1.0/0.1	1.6/0.1	1.9/0.1	2.3/-1.1	3.3/-1.5	5.1/-1.8	5.1/-2.1	4.8/-2.5	4.7/-2.8	4.7/-3.2	4.6/-3.5
PWM	1.98	0.3/-1.0	0.8/-1.6	1.4/-0.9	2.0/-2.6	2.6/-2.5	2.1/-2.8	2.1/-2.3	2.0/-3.5	3.2/-3.8	2.7/-4.2	2.6/-4.5	2.2/-4.9	2.0/-5.2	1.8/-5.5	1.9/-5.9
RAL	-1.18	0.2/-1.1	0.1/-0.0	0.2/-0.2	-0.7/-0.8	-0.7/-0.2	-0.3/-0.2	-0.7/-0.1	-0.4/-4.9	-1.3/-5.1	-1.7/-5.2	-2.3/-5.4	-2.3/-5.5	-2.5/-5.6	-2.7/-5.7	-2.6/-5.8
RAP	0.69	0.3/2.0	1.1/3.6	1.4/2.6	0.6/1.9	0.3/1.9	1.6/2.0	1.5/1.4	1.7/-4.0	-0.2/-4.3	-0.5/-4.6	-0.6/-5.0	-0.6/-5.3	-0.1/-5.6	1.8/-5.9	2.1/-6.3
RBL	-1.21	-0.9/-2.0	-0.7/-2.1	-0.5/-1.9	-1.5/-1.8	-1.1/-0.9	-0.5/-0.8	-0.5/-1.8	-0.2/-7.3	-0.8/-7.6	-1.5/-8.0	-2.2/-8.6	-2.2/-9.0	-1.6/-9.3	-1.5/-9.6	-1.5/-9.6
RDD	-0.62	-0.3/-1.5	-0.4/-1.5	-0.3/-1.0	-1.1/-0.7	-0.2/-0.2	0.0/-0.9	0.3/-1.5	0.7/-7.4	0.1/-7.7	-0.5/-8.1	-1.7/-8.4	-1.7/-8.8	-1.8/-9.1	-1.4/-9.5	-1.1/-9.8
RDU	1.06	-0.9/-2.0	-2.1/-1.7	-0.8/-0.6	-0.5/-1.4	0.2/-1.4	-0.1/-1.5	0.1/-2.0	1.1/-4.5	1.3/-4.6	2.5/-4.8	2.8/-5.1	3.4/-5.3	3.5/-5.5	3.3/-5.7	3.1/-5.9
RIC	0.66	-0.7/-1.0	-1.0/-0.4	-0.5/-0.3	-0.1/-0.5	0.9/-1.0	0.4/-1.5	0.6/-0.9	0.6/-3.8	0.9/-4.0	2.0/-4.3	1.7/-4.5	1.5/-4.7	1.4/-4.9	1.0/-5.2	1.1/-5.4
RNO	-0.45	-0.5/0.2	-0.5/0.9	-0.6/0.2	-0.9/0.3	-0.1/0.4	0.3/-1.2	0.3/-1.6	-0.1/-9.2	-0.0/-9.5	-0.7/-9.7	-1.3/-10.0	-1.0/-10.3	-0.8/-10.6	-0.5/-10.9	-0.4/-11.2

ROA	3.03	-0.2/0.2	-0.0/0.3	0.9/1.2	1.9/1.0	2.8/0.5	2.6/1.1	2.4/-0.4	2.8/-0.7	3.4/-1.0	5.2/-1.2	4.9/-1.5	4.9/-1.7	4.6/-2.0	4.4/-2.2	4.5/-2.5
ROC	-0.30	0.1/0.6	-0.2/-0.5	0.4/-0.3	0.5/-3.8	-0.0/-3.4	-1.1/-3.6	-0.8/-2.5	-1.2/-2.6	-0.8/-3.0	0.4/-3.4	0.3/-3.8	-0.2/-4.2	-0.4/-4.6	-0.7/-5.1	-0.8/-5.5
SAC	-0.24	0.1/-1.4	0.5/-1.6	0.8/-2.2	0.4/-2.1	0.7/-0.8	1.0/-0.6	0.6/-2.1	0.5/-5.8	0.2/-6.1	-0.7/-6.4	-1.6/-6.7	-1.8/-7.0	-1.5/-7.3	-1.3/-7.5	-1.5/-7.8
SAN	1.86	1.3/0.6	1.2/1.7	1.2/1.3	1.2/0.9	1.0/1.3	1.3/2.0	1.4/1.1	1.5/1.1	1.4/1.1	1.9/1.0	2.6/1.0	2.9/1.0	3.0/1.0	2.7/1.0	3.1/1.0
SAT	-0.53	-0.6/-2.7	-0.2/-2.6	-0.3/-2.7	-1.1/-2.9	-1.1/-2.9	-1.2/-2.4	-0.8/-2.7	0.1/-5.8	-0.6/-6.0	-0.5/-6.2	-0.4/-6.4	-0.2/-6.5	-0.3/-6.7	-0.7/-6.9	-0.1/-7.1
SAV	0.15	-1.1/-0.1	-1.9/0.2	-1.8/0.3	2.7/-0.4	-1.5/0.2	-1.1/-0.1	-1.3/0.3	-1.2/-0.1	-0.3/-0.3	1.6/-0.5	2.3/-0.7	2.7/-0.9	2.9/-1.2	2.7/-1.4	2.9/-1.6
SDF	1.70	0.4/1.2	0.2/0.4	0.5/0.7	0.9/1.2	1.2/1.4	1.5/1.3	1.7/1.5	2.2/-2.4	2.6/-2.6	2.5/-2.9	2.7/-3.2	2.3/-3.5	2.2/-3.7	2.2/-4.0	2.4/-4.3
SEA	0.82	0.2/-0.6	0.2/-0.8	0.1/-1.1	0.0/-0.3	0.7/-1.8	1.1/-1.5	0.8/-2.1	1.3/-2.8	1.2/-3.0	1.7/-3.0	0.7/-3.5	0.7/-3.6	1.1/-3.8	1.4/-4.0	1.3/-4.3
SFO	1.54	0.7/-0.6	1.2/-0.0	1.5/0.2	1.8/-0.9	2.1/-0.7	2.7/-1.2	2.5/-0.5	2.0/-1.2	2.2/-1.3	1.8/-1.4	0.7/-1.5	0.8/-1.5	1.2/-1.6	1.1/-1.6	0.8/-1.7
SJC	-1.78	-0.9/-1.4	-1.1/-0.5	-1.6/-0.4	-1.6/-2.3	-2.0/-2.2	-1.7/-1.7	-3.1/-1.6	-2.9/-0.6	-3.0/-0.8	-1.9/-0.9	-1.6/-1.1	-1.4/-1.2	-1.2/-1.4	-1.2/-1.5	-1.4/-1.6
SJT	-0.33	-0.7/-1.0	-1.2/-0.7	-1.0/0.3	-0.8/-0.9	-0.7/0.3	-0.9/0.6	-0.5/0.6	-0.3/-3.8	-0.5/-4.0	-0.2/-4.2	0.7/-4.4	0.6/-4.6	0.3/-4.8	0.2/-5.0	0.2/-5.2
SLC	0.93	0.1/0.6	0.3/0.9	0.7/1.5	0.9/1.6	0.9/1.6	1.5/0.9	1.8/0.4	1.2/-5.6	1.2/-6.0	1.4/-6.3	0.8/-6.6	0.4/-7.0	0.7/-7.3	1.0/-7.6	1.1/-8.0
SSI	0.14	-0.5/-1.0	-0.6/0.1	-0.6/-0.4	-0.8/-0.9	-0.3/-0.1	-0.1/0.3	0.3/0.2	0.5/-1.4	0.8/-1.6	0.3/-1.9	0.3/-2.1	0.7/-2.3	0.8/-2.5	0.7/-2.7	0.6/-3.0
STL	0.96	-0.7/-0.3	-0.0/-0.4	0.0/-0.9	0.6/-1.2	0.5/-0.6	0.8/0.0	0.7/0.1	0.4/-1.9	0.3/-2.2	0.9/-2.5	2.1/-2.8	1.9/-3.1	2.4/-3.5	2.5/-3.7	2.1/-4.1
SYR	0.75	-0.1/-0.0	-0.4/-0.1	-0.1/-0.4	0.5/-2.3	0.6/-2.9	0.4/-2.5	0.9/-1.4	0.8/-3.0	0.9/-3.4	1.6/-3.8	1.4/-4.2	1.3/-4.6	1.1/-5.0	1.1/-5.5	1.0/-5.9
TLH	1.49	0.2/-0.4	0.3/0.1	0.2/-0.2	-0.2/-0.1	0.2/0.6	0.8/0.4	1.3/0.5	1.5/-0.6	1.9/-0.8	2.3/-1.1	2.6/-1.3	2.8/-1.5	2.6/-1.7	3.0/-1.9	2.8/-2.2
TPA	0.61	-0.2/-0.6	-0.2/-1.1	-0.2/-0.9	-0.4/-1.2	-0.2/-0.5	0.1/-0.6	0.2/-0.2	0.4/-2.2	0.7/-2.4	1.0/-2.5	1.4/-2.7	1.6/-2.9	1.6/-3.1	1.8/-3.3	1.7/-3.5
TRM	-2.35	-0.8/-0.8	-1.2/-1.3	-1.4/-1.0	-2.2/-1.3	-2.0/-1.9	-1.2/-0.5	-1.7/-2.2	-2.1/-6.6	-2.6/-6.8	-3.6/-7.0	-3.2/-7.2	-3.3/-7.4	-3.2/-7.7	-3.4/-7.9	-3.3/-8.1
TUL	1.80	-0.1/0.3	0.1/0.0	0.1/2.3	0.8/2.8	0.6/3.0	1.6/3.9	1.7/3.5	1.6/1.2	0.9/0.9	2.1/0.7	3.0/0.5	3.4/0.2	3.4/0.0	3.8/0.3	4.2/-0.5
TUS	-0.34	0.0/0.3	-0.2/0.4	-0.1/0.0	-0.0/1.3	-0.3/1.7	0.1/2.0	0.7/2.0	0.3/-6.9	-0.0/-7.2	-0.7/-7.5	-0.7/-7.8	-1.1/-8.1	-0.9/-8.4	-1.2/-8.6	-1.0/-8.9
TYR	-0.02	-0.1/0.2	-0.3/-0.1	-0.3/1.4	-0.3/1.6	-0.0/1.0	0.4/1.5	0.4/2.1	0.7/-0.3	-0.3/-0.5	0.2/-0.7	0.1/-0.9	0.2/-1.1	0.1/-1.3	-0.4/-1.4	-0.4/-1.6
TYS	1.52	-0.1/0.5	-0.6/0.5	-0.2/1.1	1.0/0.7	0.9/0.7	1.4/0.9	1.2/0.8	1.3/-2.5	1.5/-2.7	2.6/-2.9	2.9/-3.2	2.5/-3.4	2.9/-3.6	2.8/-3.9	2.7/-4.1
VCT	-0.07	0.1/-0.9	0.0/-1.3	0.1/-1.0	-0.3/-1.8	-0.3/-1.3	-0.0/-0.9	0.1/-1.1	0.6/-5.8	0.2/-6.0	-0.1/-6.2	-0.2/-6.4	-0.1/-6.6	-0.2/-6.8	-0.5/-7.0	-0.5/-7.2
WJF	-4.11	-1.9/-0.4	-2.4/-1.0	-2.8/-0.9	-3.4/-0.9	-3.3/-0.8	-2.7/-0.9	-3.1/-2.4	-3.5/-12.2	-4.4/-12.5	-5.4/-12.7	-6.1/-13.0	-5.6/-13.3	-5.7/-13.5	-5.7/-13.8	-5.7/-14.1
YKM	0.54	0.4/-0.5	0.7/0.2	0.7/1.3	-0.2/0.5	-0.4/0.9	1.2/-0.7	1.6/-1.2	1.5/-3.9	1.5/-4.1	1.2/-4.4	-0.1/-4.7	-0.4/-5.0	-0.2/-5.2	0.2/-5.5	0.4/-5.8
YNG	0.44	0.1/-1.3	0.0/-1.4	0.2/-2.3	0.9/-3.1	1.0/-3.6	0.9/-3.3	0.5/-2.1	0.6/-4.3	1.0/-4.6	1.6/-5.0	0.4/-5.3	0.2/-5.7	-0.1/-6.0	-0.6/-6.4	-0.3/-6.7

red: $S < -0.3$

orange: $-0.3 < S < -0.1$

grey: $-0.1 < S < 0.1$

green: $0.1 < S < 0.3$

blue: $S > 0.3$

S_score: average of (1 - ECMWF-value / MEX-value)

red: $B \geq 4.0$

orange: $4.0 > B \geq 2.0$

black: $2.0 > B \geq -2.0$

green: $-2.0 > B \geq -4.0$

blue: $B < -4.0$

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature in ALL

	S-score	MAE (2009-05-01~2009-05-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ABE	0.20	2.8/0.0	2.5/3.5	3.2/4.1	3.6/4.7	3.9/5.1	4.9/5.4	5.3/6.1	6.1/7.6	6.5/7.7	5.9/7.7	5.8/7.9	6.3/7.9	6.8/8.0	7.0/8.2	7.3/--
ABI	0.08	1.8/0.0	2.5/3.6	2.6/4.0	2.6/3.2	3.1/4.0	4.0/4.8	4.8/5.3	5.4/5.6	5.4/5.6	5.9/5.7	5.7/5.7	6.1/5.7	6.7/5.7	6.7/5.8	6.7/--
ABQ	0.35	1.9/0.0	1.9/2.7	1.7/2.7	2.3/2.2	2.4/2.8	2.9/3.1	3.1/2.9	3.7/8.2	4.4/8.4	4.2/8.7	4.3/9.1	4.0/9.4	3.8/9.7	4.3/10.0	4.1/--
ABY	0.38	1.4/0.0	1.5/1.6	1.4/1.7	1.9/1.6	2.3/2.2	2.4/2.2	2.3/2.5	2.7/8.7	2.7/9.0	2.7/9.3	2.6/9.6	2.8/9.8	3.1/10.1	3.2/10.4	3.6/--
ACT	0.08	1.9/0.0	2.2/1.8	2.3/2.5	2.8/2.5	3.2/3.7	3.9/4.2	4.5/4.8	4.6/7.2	5.1/7.4	5.9/7.4	6.8/7.5	7.3/7.5	7.8/7.6	8.1/7.8	8.6/--
ACY	0.19	2.7/0.0	2.8/2.3	3.1/2.9	3.5/3.4	3.7/3.7	4.4/4.3	4.3/4.9	4.7/7.9	5.2/8.2	5.3/8.3	5.2/8.5	5.1/8.7	5.4/8.9	5.5/9.1	5.5/--
ALB	0.21	1.8/0.0	2.0/2.7	1.8/3.3	2.2/3.4	2.9/4.1	4.2/4.7	5.0/5.1	5.8/6.3	6.0/6.4	5.1/6.5	5.1/6.6	5.4/6.8	5.3/6.9	5.9/7.1	6.0/--
ALW	0.24	2.0/0.0	2.0/2.1	1.9/2.1	1.8/2.3	2.3/2.8	2.8/3.2	3.5/3.5	3.8/5.7	3.9/5.8	3.8/5.9	3.7/6.1	4.0/6.2	4.3/6.2	4.6/6.4	4.8/--
AOO	0.16	2.4/0.0	2.4/2.9	2.9/3.4	2.8/3.5	2.7/3.9	3.3/3.8	3.9/4.6	5.0/6.1	5.5/6.1	5.5/6.1	5.0/6.2	5.5/6.4	5.8/6.5	6.1/6.6	6.4/--
APN	-0.13	2.3/0.0	2.4/3.8	2.7/3.9	2.7/3.1	3.9/4.3	4.2/4.8	5.3/4.4	5.9/5.0	6.4/5.0	7.1/4.9	6.8/5.0	6.3/4.9	7.2/4.8	7.1/4.9	6.9/--
ATL	0.28	1.9/0.0	2.0/2.2	2.3/2.0	2.4/2.5	2.6/2.3	2.8/2.7	3.2/3.0	3.4/6.5	3.1/6.7	2.6/7.0	2.6/7.2	3.3/7.4	3.3/7.6	3.7/7.9	4.5/--
AUG	0.00	2.2/0.0	2.5/2.7	3.0/2.7	3.0/2.9	3.2/3.5	3.8/3.8	4.4/3.8	4.6/4.8	4.8/5.0	5.2/5.1	5.2/5.3	5.1/5.5	5.3/5.6	5.8/5.7	5.4/--
AUS	-0.42	3.6/0.0	4.1/2.1	4.7/2.4	5.2/2.8	6.1/3.4	5.6/4.2	6.2/4.0	7.7/7.2	7.9/7.2	8.7/7.2	8.8/7.4	9.0/7.4	8.7/7.4	8.2/7.4	8.6/--
AVP	0.10	3.0/0.0	2.4/3.4	2.9/3.9	3.5/4.5	3.8/4.6	4.7/4.7	5.6/5.3	6.3/6.5	6.6/6.5	5.7/6.6	5.8/6.7	6.3/6.8	6.4/6.9	6.9/7.0	6.9/--
BDL	0.12	1.8/0.0	2.3/2.8	2.5/3.7	2.3/4.0	3.0/4.2	4.3/4.4	4.5/4.7	4.6/5.2	5.2/5.3	4.8/5.3	5.5/5.4	5.2/5.5	5.7/5.7	5.5/5.8	5.8/--
BFL	0.40	1.8/0.0	1.9/1.6	1.8/1.6	1.8/1.7	2.1/2.5	2.0/2.9	2.4/3.6	2.5/8.2	2.5/8.5	2.8/8.7	2.7/9.0	3.4/9.3	3.5/9.5	3.7/9.8	3.6/--
BGM	0.12	2.2/0.0	2.5/2.6	2.8/2.9	3.1/3.5	3.1/4.2	3.9/4.1	5.1/4.8	5.9/6.7	6.2/6.8	5.9/6.9	5.8/7.1	5.8/7.2	5.8/7.4	6.4/7.6	6.8/--
BHM	0.27	2.4/0.0	2.5/2.7	3.0/2.7	3.0/2.6	3.2/3.3	3.7/3.8	4.1/3.9	5.2/9.0	4.3/9.3	3.9/9.5	4.1/9.7	4.5/10.0	4.5/10.2	5.0/10.5	5.5/--
BIS	0.01	2.4/0.0	2.5/3.7	3.1/3.9	3.7/4.2	4.5/4.7	5.3/6.1	5.4/5.8	5.9/5.5	6.6/5.6	6.0/5.7	6.2/5.7	6.6/5.8	6.6/6.0	6.7/5.9	6.8/--
BNA	0.28	1.5/0.0	1.5/2.2	1.5/2.2	2.3/3.1	3.0/3.2	3.8/3.4	4.0/4.1	4.4/7.4	4.3/7.7	4.1/7.7	4.2/8.0	4.8/8.3	4.8/8.3	5.4/8.6	6.1/--
BOI	0.24	1.3/0.0	1.7/2.2	1.9/3.0	2.1/3.3	2.9/3.3	3.6/4.2	4.0/4.6	4.8/6.6	4.6/6.8	5.0/6.8	4.7/6.8	5.4/7.0	5.9/7.2	6.2/7.3	6.6/--
BOS	0.18	1.8/0.0	2.0/2.4	2.1/2.8	2.2/3.0	2.5/3.1	3.3/3.5	3.7/3.9	3.9/4.5	3.9/4.6	3.7/4.8	4.0/5.1	4.1/5.2	4.3/5.4	4.5/5.5	4.5/--
BRO	0.10	1.7/0.0	1.4/2.0	1.5/2.0	2.0/2.5	2.3/2.5	2.9/2.9	3.8/3.7	4.2/6.5	4.9/6.5	5.7/6.6	6.5/6.6	7.1/6.7	7.7/6.8	7.8/6.8	8.3/--
BTV	0.16	3.2/0.0	3.3/3.1	3.6/3.4	3.7/4.3	3.6/5.1	5.1/5.7	5.1/5.3	5.1/6.8	5.4/7.0	5.3/7.1	5.2/7.2	5.8/7.5	5.9/7.7	6.3/7.7	6.5/--
BUF	0.03	2.9/0.0	3.1/2.6	3.1/2.5	3.1/3.3	3.2/3.8	4.1/3.5	4.2/3.7	4.8/5.3	5.2/5.5	5.1/5.7	4.9/5.9	5.1/6.0	5.2/6.2	5.6/6.4	5.8/--
BUR	-0.86	3.9/0.0	4.6/1.7	4.8/1.8	4.7/2.3	5.4/1.8	6.0/1.9	6.2/1.9	5.9/5.7	6.0/5.8	6.2/6.0	6.3/6.2	6.9/6.3	7.4/6.5	7.5/6.6	7.3/--
BWI	0.27	1.9/0.0	1.5/2.5	2.2/3.5	2.7/3.5	3.5/4.2	4.7/4.6	5.1/5.6	5.3/7.7	5.6/7.9	5.4/8.1	5.3/8.3	5.6/8.5	5.9/8.7	6.1/8.8	6.5/--
CAE	0.24	2.3/0.0	2.4/2.6	2.5/3.1	2.9/3.2	3.2/3.3	3.6/3.1	4.0/3.8	4.6/7.6	4.5/7.8	4.5/8.0	4.3/8.2	4.9/8.4	5.0/8.6	5.4/8.8	6.1/--
CHA	0.31	1.8/0.0	2.2/2.4	2.4/2.3	2.3/2.7	2.3/3.0	3.0/3.5	3.8/4.4	4.5/8.2	4.6/8.4	4.2/8.6	4.2/8.8	5.0/9.0	5.0/9.2	5.5/9.4	6.3/--
CLE	0.22	2.0/0.0	2.5/3.2	2.3/3.5	2.9/3.8	2.8/3.9	3.3/3.9	3.9/4.2	5.3/6.5	5.2/6.5	5.5/6.7	4.9/6.8	5.5/7.1	5.4/7.3	5.6/7.5	5.9/--
CLT	0.18	2.6/0.0	2.9/2.7	2.8/3.1	3.2/3.6	3.0/3.5	4.0/3.6	4.6/5.2	5.2/7.8	5.8/8.0	5.4/8.1	5.9/8.3	6.3/8.5	6.4/8.6	6.6/8.7	7.3/--
CMH	0.13	2.3/0.0	2.2/3.5	2.6/4.0	3.1/4.2	3.4/4.1	4.1/4.3	4.7/4.5	6.3/5.8	5.9/6.0	5.9/6.2	5.8/6.5	6.1/6.6	5.7/6.9	5.5/7.2	5.9/--
CON	0.15	3.1/0.0	3.2/3.5	3.5/4.3	3.4/4.0	3.4/4.5	3.9/4.7	4.5/4.9	5.1/5.7	5.4/6.0	4.9/6.2	4.9/6.2	5.1/6.4	5.7/6.5	6.0/6.8	6.1/--
COS	0.21	2.5/0.0	2.4/2.5	2.6/2.4	3.3/2.8	3.0/2.5	3.2/2.3	3.3/2.8	3.1/6.2	3.7/6.5	3.7/6.7	3.0/7.0	2.8/7.3	3.2/7.6	3.4/8.0	3.4/--
COU	0.24	1.7/0.0	1.7/2.3	1.9/3.0	2.0/3.2	2.6/3.7	3.1/3.8	3.3/4.7	3.9/4.9	4.8/5.0	4.2/5.2	4.2/5.5	4.5/5.5	4.7/5.8	4.7/6.1	4.8/--
CQT	0.16	1.3/0.0	1.5/1.2	1.8/1.3	1.5/1.1	1.7/1.5	1.7/1.5	1.9/1.2	1.4/2.8	1.4/2.9	1.2/3.0	1.2/3.2	1.4/3.3	1.6/3.4	1.7/3.5	1.8/--
CRP	0.07	2.0/0.0	1.7/1.7	1.8/2.0	2.2/2.5	2.9/2.7	2.9/3.3	3.7/3.4	4.1/6.5	4.5/6.7	5.5/6.8	6.2/6.8	6.9/6.9	7.8/7.0	7.8/7.2	8.3/--
CRW	0.24	2.1/0.0	1.9/2.8	2.3/2.6	2.4/3.5	3.5/3.5	4.1/4.2	4.9/5.2	5.8/8.4	5.6/8.5	6.2/8.7	6.0/8.9	5.9/9.0	5.9/9.1	6.3/9.3	6.8/--
CVG	0.17	2.4/0.0	2.8/4.3	3.2/4.0	3.2/4.0	2.7/4.2	3.7/4.2	4.2/4.6	5.8/5.9	5.7/6.2	5.9/6.4	5.4/6.5	5.9/6.7	5.7/6.8	5.6/7.0	5.5/--
DAY	0.20	1.4/0.0	1.9/3.4	2.2/3.6	2.5/3.8	2.5/3.8	3.2/4.5	3.8/4.3	5.3/5.4	5.5/5.5	5.3/5.7	5.1/6.0	5.8/6.2	5.3/6.5	5.6/6.7	6.0/--
DBQ	0.04	2.0/0.0	2.1/2.8	2.4/3.1	2.9/3.4	3.4/3.8	4.7/4.5	4.7/4.4	5.3/5.1	5.8/5.1	5.4/5.2	5.1/5.3	4.9/5.5	5.4/5.6	5.9/5.7	5.5/--
DCA	0.04	2.2/0.0	2.7/1.7	2.8/2.0	2.9/2.7	2.9/2.8	3.7/3.5	3.8/4.1	4.5/5.7	4.8/5.9	4.9/6.1	4.8/6.2	4.9/6.4	4.9/6.6	4.7/6.7	5.1/--
DEC	0.15	2.0/0.0	2.1/2.6	2.1/3.0	2.5/3.5	3.0/4.0	3.3/3.7	3.3/3.6	4.2/5.2	4.9/5.4	4.8/5.5	5.2/5.6	4.9/5.8	5.3/5.9	5.7/6.0	5.7/--
DEN	0.21	3.4/0.0	3.2/3.1	3.3/2.9	3.1/3.5	3.2/3.2	3.0/3.2	3.0/3.5	3.6/5.2	3.8/5.5	3.8/5.7	3.4/6.0	3.7/6.3	3.8/6.5	4.1/6.8	3.9/--
DFW	0.08	1.8/0.0	2.3/2.2	2.6/2.5	2.7/2.2	2.8/3.4	3.2/3.3	4.1/4.4	4.0/5.1	4.7/5.2	4.3/5.3	4.3/5.4	4.5/5.5	5.0/5.7	5.3/5.8	5.2/--
DLH	-0.02	2.3/0.0	2.2/2.5	2.5/2.9	3.1/3.0	3.2/3.0	3.3/3.6	3.8/4.8	4.4/4.4	4.8/4.5	4.5/4.5	5.0/4.5	5.5/4.7	5.7/4.6	5.6/4.8	5.7/--
DSM	0.04	2.3/0.0	2.6/1.9	2.5/2.3	3.4/2.6	3.9/3.2	4.3/3.8	4.7/4.2	4.5/5.8	4.8/6.0	4.5/6.1	4.3/6.3	4.6/6.5	5.4/6.8	5.4/7.1	5.4/--
DTW	0.14	1.9/0.0	2.1/3.3	2.3/3.2	3.0/3.4	3.2/3.8	3.7/3.2	3.6/3.5	4.5/4.5	4.3/4.8	4.5/4.9	3.9/5.1	3.9/5.3	4.2/5.5	4.9/5.7	4.7/--
ELP	0.17	3.3/0.0	3.0/2.7	3.0/2.5	3.0/3.3	3.1/3.2	3.6/3.5	3.5/3.6	4.1/7.3	5.0/7.4	5.1/7.7	5.5/7.9	5.2/8.0	5.3/8.3	5.8/8.6	5.8/--
ERI	0.11	2.8/0.0	2.9/3.9	2.9/4.1	3.3/3.9	3.0/4.1	3.6/4.1	4.7/4.5	5.4/5.5	5.7/5.7	6.1/5.8	5.2/6.0	5.6/6.2	5.9/6.5	5.9/6.5	6.1/--
EUG	-0.11	2.6/0.0	2.9/2.2	2.7/2.0	3.7/2.9	4.3/3.4	4.7/4.4	4.9/4.5	5.4/4.8	5.2/4.8	4.6/4.8	4.7/4.8	4.7/4.8	4.9/4.9	5.0/5.0	5.1/--
EVV	0.26	2.0/0.0	2.5/3.0	2.8/3.1	2.5/3.6	2.4/3.7	3.5/3.7	3.7/4.9	4.5/6.4	4.6/6.6	4.7/6.8	4.7/7.1	5.2/7.4	5.2/7.5	5.3/7.8	5.2/--
EWR	0.20	2.0/0.0	2.1/3.0	2.3/2.6	2.0/2.9	2.4/2.9	3.3/3.2	3.6/3.9	3.6/4.4	3.9/4.5	3.6/4.8	3.3/4.9	3.5/5.0	4.1/5.3	4.2/5.5	4.3/--
FAR	-0.05	2.9/0.0	2.8/4.4	3.1/3.3	3.7/4.4	4.1/4.6	4.8/6.9	5.3/6.0	6.0/5.5	6.5/5.5	5.7/5.3	6.3/5.3	6.9/5.0	7.1/5.1	7.4/5.1	6.9/--
FAT	0.23	2.7/0.0	2.8/2.2	2.9/2.5	2.7/2.1	3.1/2.9	3.3/3.2	3.6/3.6	3.6/8.1	3.6/8.4	3.5/8.6	3.8/8.8	4.5/9.0	4.8/9.1	5.0/9.4	5.0/--
FLG	0.11	4.0/0.0	4.4/2.8	4.9/3.6	5.0/3.5	4.5/3.8	4.5/3.7	4.0/4.4	4.5/7.4	4.4/7.6	4.4/7.8	4.4/8.0	4.6/8.2	4.8/8.5	5.0/8.7	5.1/--
FMY	0.28	1.8/0.0	1.8/1.5	1.8/1.8	1.6/1.8	1.7/1.6	1.8/2.0	1.7/2.1	2.0/3.1	2.0/3.3	1.8/3.5	1.7/3.6	1.8/3.8	1.8/4.0	2.0/4.2	1.9/--
FSD	0.08	2.6/0.0	2.9/3.8	2.9/4.5	3.8/5.0	4.2/4.3	4.8/4.9	5.2/4.7	5.7/6.1	6.2/6.3	6.2/6.3	5.8/6.5	6.4/6.7	7.3/6.9	7.2/7.2	7.2/--
FWA	0.03	2.4/0.0	2.7/3.7	2.6/3.4	2.7/4.1	3.4/3.6	4.4/4.8	4.3/4.2	5.9/4.9	6.7/5.1	5.7/5.3	5.3/5.4	5.4/5.5	5.5/5.6	5.6/5.9	6.0/--

GAD	0.10	2.3/0.0	2.8/2.5	3.5/2.5	3.6/2.9	4.1/3.3	4.7/3.6	4.9/4.1	5.5/7.7	5.1/7.9	4.3/8.2	4.2/8.3	5.0/8.5	5.1/8.7	5.5/9.0	6.4/--
GEG	0.07	1.9/0.0	2.3/1.9	2.3/2.3	2.7/2.3	2.7/2.9	3.4/3.1	3.5/3.5	3.8/5.0	3.7/5.2	4.0/5.1	4.0/5.2	4.5/5.3	4.8/5.5	5.2/5.6	5.6/--
GTF	0.09	3.4/0.0	3.7/3.5	4.5/4.6	4.7/4.5	4.3/4.6	4.7/4.9	4.3/5.0	5.2/6.0	5.0/6.0	5.1/6.2	5.2/6.3	5.5/6.3	5.8/6.4	6.0/6.5	6.2/--
HOU	-0.20	2.9/0.0	3.2/2.1	3.2/1.7	3.2/2.3	4.0/2.9	4.2/3.0	4.9/3.4	4.9/6.3	5.7/6.4	6.2/6.5	6.3/6.6	6.8/6.8	7.2/7.0	7.4/7.1	7.9/--
HSV	0.24	2.2/0.0	2.6/2.3	2.5/2.5	2.9/2.9	3.0/2.8	3.8/3.3	4.2/4.8	4.6/8.5	4.5/8.6	3.9/8.8	4.5/9.0	5.1/9.1	5.1/9.4	5.7/9.5	6.5/--
IAH	0.10	2.1/0.0	2.4/2.0	2.6/1.8	2.3/2.2	3.3/2.9	3.5/3.5	4.1/3.9	4.0/7.2	4.5/7.3	4.6/7.4	5.2/7.6	5.7/7.8	6.4/7.9	6.3/8.1	7.0/--
ICT	0.05	2.1/0.0	2.5/1.9	2.9/2.8	3.5/3.1	4.4/3.6	5.0/4.0	5.1/4.5	4.5/5.2	4.5/5.4	3.8/5.5	3.7/5.8	4.2/6.0	4.6/6.2	5.0/6.5	5.0/--
ILG	0.14	2.5/0.0	2.6/2.4	3.3/3.0	3.4/3.6	3.5/3.7	4.3/4.1	4.4/5.1	5.2/6.9	5.5/7.0	5.3/7.2	5.0/7.4	5.2/7.5	5.7/7.7	6.0/7.9	6.3/--
IND	0.21	2.2/0.0	2.4/2.6	2.5/2.7	2.6/3.3	2.3/3.4	3.0/3.4	3.4/3.5	4.4/5.8	4.6/6.1	5.1/6.3	4.6/6.5	4.9/6.8	4.9/7.1	5.1/7.4	5.4/--
IPT	0.18	2.7/0.0	2.3/2.8	2.7/2.9	2.9/3.6	3.3/4.0	3.6/3.9	4.2/4.5	5.2/6.8	6.0/7.0	5.5/7.1	5.6/7.3	5.7/7.5	5.8/7.6	6.1/7.7	6.5/--
JAN	0.24	2.2/0.0	2.4/2.0	2.7/2.3	2.9/2.6	3.2/3.4	3.5/4.0	3.6/4.1	3.6/8.0	3.7/8.2	3.7/8.4	4.2/8.5	4.5/8.7	5.4/8.9	5.8/9.0	6.1/--
JAX	0.20	1.7/0.0	1.8/1.5	1.8/1.5	2.3/1.4	2.4/1.9	2.2/1.7	2.3/2.0	2.0/5.4	2.2/5.6	2.3/5.9	2.2/6.1	2.3/6.3	2.5/6.6	2.9/6.8	3.3/--
JFK	0.30	1.5/0.0	1.7/2.0	2.0/2.5	1.9/2.8	2.1/2.4	2.9/2.8	3.3/3.2	3.1/4.9	3.1/5.1	3.1/5.3	2.8/5.6	2.7/5.9	3.0/6.2	3.3/6.5	3.3/--
LAN	0.19	2.3/0.0	2.3/3.1	2.6/3.3	3.1/3.5	3.2/4.5	4.0/4.3	4.5/4.3	4.9/6.4	5.1/6.5	5.0/6.6	4.8/6.8	4.8/7.0	5.7/7.1	6.1/7.4	5.9/--
LAS	0.48	1.4/0.0	1.4/1.9	1.5/1.9	1.8/2.1	1.9/2.5	2.0/2.8	2.0/3.1	2.7/11.5	3.5/11.8	3.9/12.1	3.9/12.4	4.3/12.7	4.8/13.0	5.0/13.3	5.2/--
LAX	-0.02	1.8/0.0	1.9/1.0	1.8/1.1	1.7/1.0	1.8/1.3	1.8/1.3	1.9/1.0	1.6/2.5	1.5/2.6	1.5/2.7	1.2/2.8	1.1/3.0	1.1/3.1	1.0/3.2	1.1/--
LEX	0.31	1.7/0.0	1.3/2.9	1.7/2.5	2.0/3.2	1.6/2.8	2.6/2.9	3.3/4.3	4.8/6.5	5.1/6.7	4.9/6.9	5.1/7.1	5.4/7.3	5.1/7.5	5.2/7.7	5.5/--
LFK	0.13	1.8/0.0	2.0/1.9	2.4/1.7	2.1/2.4	3.2/3.2	4.1/4.1	4.2/4.5	4.4/8.3	4.6/8.5	5.5/8.7	6.8/8.8	8.2/9.2	8.5/9.3	8.9/9.3	8.9/--
LGA	0.16	2.3/0.0	2.1/2.6	2.4/2.5	2.5/2.9	2.5/2.5	3.0/2.8	3.2/3.3	3.4/4.0	3.7/4.2	3.4/4.4	3.0/4.6	3.2/4.8	3.6/5.0	3.8/5.3	3.9/--
LGB	-0.75	2.9/0.0	3.5/1.4	4.1/1.5	3.5/1.2	3.3/1.3	3.4/1.3	4.0/1.1	3.7/2.8	3.1/2.9	2.8/3.1	2.5/3.3	2.1/3.4	2.1/3.5	2.1/3.7	2.1/--
LIT	0.16	2.2/0.0	2.4/2.2	2.6/2.6	2.6/2.8	3.1/2.8	3.3/3.2	3.8/3.7	3.9/5.7	4.2/5.8	4.5/6.1	4.4/6.5	4.4/6.5	4.6/7.4	4.6/6.9	4.7/--
LNS	0.33	2.2/0.0	2.0/2.9	2.7/3.4	3.0/3.8	3.4/4.2	4.3/4.4	4.7/5.4	5.5/9.9	5.9/10.2	5.4/10.5	5.3/10.7	5.7/11.0	6.1/11.3	6.4/11.5	6.8/--
MAF	0.19	2.6/0.0	2.8/2.9	2.3/3.5	2.6/3.1	2.5/3.3	3.0/3.2	3.5/3.5	3.8/4.9	3.9/5.1	4.1/5.4	4.3/5.6	4.6/5.8	4.9/6.4	5.1/6.3	5.3/--
MBA	0.17	2.4/0.0	2.6/2.8	2.9/2.9	2.7/3.4	2.9/3.7	4.0/3.8	4.3/4.5	4.9/5.8	4.6/5.9	4.5/6.3	4.5/6.4	4.4/6.6	5.2/6.9	5.5/7.0	5.4/--
MCI	0.09	2.0/0.0	2.3/2.3	2.6/2.5	2.9/2.9	3.5/2.7	3.7/3.6	4.0/4.3	3.9/4.9	4.8/5.0	4.1/5.2	4.1/5.5	4.8/5.7	4.7/6.0	4.5/--	
MCN	0.24	1.9/0.0	2.3/2.4	2.4/2.0	2.5/2.3	3.1/3.0	3.6/2.7	3.5/3.4	3.9/7.6	3.6/7.8	3.6/8.1	3.6/8.3	3.9/8.6	4.2/8.8	4.3/9.1	4.8/--
MCO	0.21	1.9/0.0	1.8/1.6	1.6/1.4	1.9/1.8	1.7/1.6	1.8/1.7	1.8/1.8	2.0/3.5	2.0/3.7	2.1/3.9	2.4/4.1	2.3/4.3	2.4/4.4	2.6/4.6	2.6/--
MDT	0.17	2.0/0.0	2.5/2.7	3.1/3.3	3.1/3.6	3.1/3.8	4.0/4.2	4.3/5.1	5.1/6.2	5.4/6.4	4.9/6.5	4.7/6.6	5.1/6.8	5.4/7.0	5.6/7.2	5.8/--
MEM	0.11	2.5/0.0	2.6/1.8	2.4/2.2	3.0/2.4	3.1/2.5	3.3/3.2	3.8/4.0	4.3/6.4	4.2/6.5	4.0/6.6	4.4/6.9	4.7/7.1	4.5/7.3	4.8/7.5	5.5/--
MHT	0.45	1.6/0.0	2.0/3.4	2.4/3.2	2.8/3.9	3.0/4.2	3.9/4.4	4.6/4.7	5.0/11.1	4.4/11.5	4.3/11.9	4.1/12.2	3.9/12.6	4.7/13.0	4.8/13.3	5.0/--
MIA	0.13	1.6/0.0	1.5/1.8	1.5/2.0	1.7/1.7	1.7/1.8	1.9/1.9	2.2/2.0	2.3/3.1	2.7/3.1	2.8/3.3	3.0/3.5	3.0/3.5	2.9/3.6	2.9/3.7	2.9/--
MKE	0.14	2.6/0.0	2.5/3.0	2.7/3.1	3.6/3.6	4.4/4.2	4.1/4.3	4.0/4.5	3.9/5.5	4.5/5.7	4.7/5.8	4.8/5.9	4.7/6.3	5.8/6.5	5.8/6.7	5.3/--
MOB	0.27	1.9/0.0	2.5/2.5	2.3/2.3	2.6/2.6	2.8/3.4	3.4/3.5	3.3/3.7	3.2/7.7	3.4/7.9	3.8/8.1	4.4/8.3	5.1/8.5	5.4/8.6	5.6/8.8	5.7/--
MSP	0.11	2.1/0.0	2.3/2.7	2.7/3.1	3.7/3.7	4.1/4.1	4.6/4.8	5.0/4.8	5.3/6.4	5.4/6.6	5.5/6.8	5.3/6.8	5.8/7.1	6.5/7.3	6.3/7.5	6.1/--
MSY	0.35	1.8/0.0	2.0/1.7	1.8/1.6	2.0/2.2	2.1/1.6	2.0/2.1	2.1/2.9	1.9/6.5	1.9/6.7	2.1/6.9	2.4/7.2	2.7/7.4	3.1/7.6	3.3/7.9	3.5/--
MWL	0.05	2.3/0.0	2.8/2.7	2.7/2.8	2.6/2.6	3.2/3.8	4.1/4.7	4.7/5.3	4.7/6.2	5.1/6.2	5.8/6.2	6.1/6.2	6.4/6.3	6.9/6.4	7.2/6.5	7.5/--
NKX	-0.45	2.8/0.0	2.9/1.9	3.2/2.4	2.9/2.1	3.1/1.9	2.7/2.5	3.1/1.7	3.0/0.0	2.9/0.0	2.6/0.0	2.8/0.0	2.4/0.0	2.6/0.0	2.4/0.0	2.6/--
NTU	0.21	2.4/0.0	2.2/2.5	2.3/2.9	2.9/3.2	3.4/3.8	4.9/4.2	5.0/5.3	5.1/8.7	5.9/8.9	5.9/9.0	6.1/9.1	6.8/9.3	6.9/9.5	7.1/9.7	7.3/--
OAK	-0.92	2.5/0.0	2.9/1.5	2.9/1.9	3.5/1.9	3.9/2.0	4.7/2.2	5.0/2.0	4.7/2.6	4.6/2.6	4.1/2.6	5.2/2.7	5.3/2.6	5.2/2.7	5.5/2.6	5.6/--
OKC	-0.02	3.3/0.0	3.7/3.2	3.7/3.6	3.9/3.7	4.4/3.9	4.9/4.0	5.1/4.8	5.1/5.1	5.2/5.1	4.4/5.2	4.4/5.3	4.8/5.3	5.2/5.4	5.8/5.5	5.8/--
OMA	0.06	2.5/0.0	2.6/2.8	3.1/3.2	3.9/3.2	4.3/3.5	4.6/4.2	5.0/5.0	5.4/5.9	6.0/6.0	5.2/6.3	4.7/6.4	4.9/6.7	5.5/7.0	5.4/7.1	5.6/--
ORD	0.18	1.7/0.0	2.0/2.6	2.2/2.4	2.8/3.1	3.4/3.4	3.4/3.6	4.0/3.8	4.1/5.9	5.0/6.1	5.1/6.4	4.4/6.5	4.4/6.7	5.0/7.0	5.5/7.1	5.2/--
ORH	0.13	3.0/0.0	2.8/2.6	2.8/3.0	2.8/3.3	3.1/3.5	4.4/4.5	4.7/4.7	4.9/5.9	5.0/6.1	4.9/6.2	5.3/6.5	4.9/6.7	5.6/6.8	5.7/7.1	5.6/--
PDT	-0.16	2.7/0.0	3.2/2.0	3.0/2.3	3.3/2.8	4.2/3.3	4.7/3.6	4.9/4.1	5.1/4.9	5.0/4.9	5.1/4.9	4.5/5.0	4.8/5.1	5.2/5.0	5.7/5.1	5.7/--
PDX	0.15	3.8/0.0	1.5/1.3	1.5/1.5	1.7/1.9	2.2/1.8	2.2/2.7	2.6/2.7	2.8/3.6	2.8/3.7	2.6/3.8	2.7/3.8	2.9/4.0	3.0/4.2	3.1/4.3	3.2/--
PHL	0.13	2.0/0.0	2.4/2.3	2.9/2.9	3.1/3.3	3.4/3.3	4.6/3.9	4.5/4.5	4.6/5.4	4.6/5.7	4.3/5.8	4.2/6.0	4.3/6.3	4.4/6.5	4.5/6.7	4.6/--
PHX	0.31	2.1/0.0	2.2/1.8	2.2/2.1	2.4/2.1	2.5/2.0	2.3/2.4	2.5/2.4	2.9/9.8	3.2/10.1	3.2/10.4	3.5/10.7	4.1/11.0	4.2/11.3	4.3/11.5	4.6/--
PIR	-0.03	2.6/0.0	2.5/4.0	2.5/3.7	2.5/4.2	3.1/4.0	4.1/5.2	5.2/5.1	5.4/4.9	5.8/4.7	5.3/4.7	5.9/4.8	6.2/4.6	6.7/4.8	6.9/4.8	7.0/--
PIT	0.19	2.1/0.0	2.0/2.8	2.5/2.8	2.9/3.3	3.3/3.4	3.8/3.8	4.4/4.4	5.1/7.1	5.6/7.3	5.7/7.5	5.4/7.6	5.5/7.8	5.6/8.0	6.0/8.1	6.4/--
PVD	0.25	1.1/0.0	1.3/2.2	1.3/2.1	1.5/2.5	2.1/2.9	2.6/2.8	2.8/3.3	3.6/4.6	4.1/4.7	3.9/4.9	4.0/5.0	3.6/5.2	4.0/5.4	4.1/5.5	4.5/--
PWM	0.20	2.4/0.0	2.4/2.9	2.6/3.2	2.5/3.0	2.7/3.8	3.0/4.1	4.0/3.8	4.5/5.4	4.8/5.5	4.1/5.6	4.2/5.8	4.1/6.0	4.5/6.1	5.0/6.3	5.1/--
RAL	-0.23	3.4/0.0	3.5/4.8	3.9/4.5	4.1/4.2	4.2/4.2	4.1/4.0	4.3/3.5	4.3/3.2	4.3/3.2	4.7/3.2	4.6/3.1	4.3/3.0	4.4/2.9	4.4/2.9	4.3/--
RAP	-0.00	2.6/0.0	2.8/5.1	3.4/5.6	3.9/5.2	4.9/4.9	4.9/4.9	5.5/5.3	6.0/5.4	6.3/5.2	5.7/5.3	5.8/5.3	6.0/5.3	6.2/5.4	7.1/5.3	7.0/--
RBL	0.25	2.4/0.0	2.5/3.6	2.6/2.9	2.9/3.5	3.7/2.8	3.4/3.2	3.4/3.4	3.5/6.0	3.5/6.2	3.5/6.4	3.4/6.7	3.7/6.9	4.2/7.1	4.4/7.4	4.4/--
RDD	0.13	3.9/0.0	4.4/3.6	4.3/4.0	4.3/3.7	5.1/3.8	5.0/3.6	5.1/3.9	4.6/8.1	4.5/8.4	4.4/8.5	4.4/8.7	4.9/8.9	5.0/9.2	5.2/9.3	5.5/--
RDU	0.38	2.6/0.0	2.4/3.0	2.2/3.8	2.2/3.5	2.6/3.5	4.2/4.4	4.6/5.8	4.6/10.0	4.9/10.2	4.8/10.3	5.2/10.5	5.7/10.7	6.0/10.9	6.0/11.1	6.3/--
RIC	0.04	2.4/0.0	2.5/1.4	2.4/2.3	2.9/2.3	3.6/3.0	4.9/3.5	5.2/5.0	5.0/8.6	5.5/8.8	5.7/8.9	5.9/9.1	6.3/9.3	6.5/9.5	6.9/9.6	7.1/--
RNO	0.39	2.4/0.0	2.5/2.5	2.8/2.5	3.1/3.1	3.4/3.3	3.2/3.2	3.4/4.1	4.3/12.2	3.5/12.4	3.7/12.7	2.9/12.9	3.0/13.2	3.6/13.4	3.9/13.6	4.0/--

ROA	0.19	2.1/0.0	2.1/2.7	2.4/2.6	3.0/2.6	3.6/3.2	4.5/4.1	5.1/5.1	5.3/8.2	5.1/8.4	5.4/8.5	5.7/8.6	5.8/8.8	5.7/9.0	5.7/9.1	6.2/--
ROC	0.07	3.0/0.0	3.0/3.5	2.8/3.5	3.0/3.2	3.2/3.6	3.7/3.8	4.2/4.3	5.0/5.6	5.5/5.6	5.6/5.7	5.6/5.9	5.7/6.0	5.7/6.1	5.8/6.2	6.2/--
SAC	0.07	1.9/0.0	2.4/2.7	4.1/2.4	3.0/2.6	3.1/2.9	2.8/3.0	3.1/2.7	3.0/4.2	3.1/4.3	3.0/4.5	3.3/4.6	3.7/4.7	3.8/4.8	4.0/5.0	4.0/--
SAN	-0.68	1.7/0.0	2.1/1.3	2.4/1.7	2.3/1.5	2.6/1.4	2.6/1.0	3.1/1.4	3.1/1.5	3.1/1.6	2.6/1.6	2.6/1.7	2.3/1.8	2.2/1.9	2.4/2.0	2.5/--
SAT	0.08	2.1/0.0	2.4/2.3	2.5/2.3	3.1/2.5	3.3/2.8	3.7/3.1	4.2/3.4	4.2/7.0	4.5/7.1	4.9/7.3	5.0/7.4	5.4/7.6	6.0/7.8	6.4/8.0	6.8/--
SAV	0.24	1.7/0.0	1.9/2.3	1.9/2.6	2.0/2.3	3.1/2.4	3.8/2.5	4.0/3.4	4.1/7.1	3.6/7.3	3.5/7.5	3.9/7.7	3.7/7.9	4.0/8.2	4.0/8.5	4.5/--
SDF	0.27	1.9/0.0	2.0/2.8	2.3/3.0	2.2/3.1	2.2/3.3	3.0/3.4	3.4/4.1	4.6/6.1	4.7/6.3	4.7/6.5	4.7/6.6	5.0/6.9	4.7/7.1	4.9/7.3	5.0/--
SEA	-0.18	1.8/0.0	1.8/1.2	1.9/1.7	2.0/2.0	2.0/1.8	2.1/2.4	2.4/2.2	2.8/2.2	2.6/2.1	2.5/2.1	2.6/2.1	2.5/2.3	3.1/2.4	3.2/2.5	3.1/--
SFO	-0.18	1.4/0.0	1.7/1.7	2.2/1.9	2.3/1.7	2.6/1.7	2.3/1.7	2.6/1.7	2.4/2.5	2.5/2.4	2.3/2.4	2.5/2.4	2.7/2.5	2.8/2.5	3.0/2.6	3.0/--
SJC	-0.03	1.9/0.0	1.9/1.9	2.1/1.8	2.5/1.9	3.2/2.5	3.2/2.5	3.4/2.4	3.3/3.7	3.3/3.7	2.9/3.8	3.0/3.9	3.4/4.0	3.6/4.1	4.0/4.2	3.9/--
SJT	0.11	2.3/0.0	2.6/3.0	2.4/2.6	2.4/2.7	2.6/2.9	2.8/3.3	3.9/4.5	4.5/6.4	4.8/6.6	5.7/6.6	5.9/6.7	6.5/6.8	7.1/7.0	7.5/7.1	7.8/--
SLC	0.35	2.0/0.0	2.0/2.8	2.1/2.8	2.4/3.3	2.6/3.9	2.8/3.7	3.0/4.6	3.2/5.8	3.3/6.0	3.5/6.1	3.7/6.3	3.9/6.5	4.2/6.6	4.1/6.9	4.2/--
SSI	0.03	1.8/0.0	2.0/1.5	2.1/1.5	2.2/1.6	2.8/1.7	3.1/1.8	3.5/2.4	3.7/5.2	3.4/5.4	2.8/5.6	2.5/5.9	2.8/6.2	2.8/6.4	3.0/6.6	3.2/--
STL	0.18	2.0/0.0	2.1/2.2	2.1/2.8	2.5/3.4	3.1/3.4	3.5/3.8	3.8/4.5	3.8/5.4	4.9/5.6	4.8/5.8	4.6/5.9	4.8/6.1	5.2/6.3	5.6/6.5	5.8/--
SYR	0.15	2.5/0.0	2.5/3.4	2.6/3.3	3.2/3.2	3.1/4.4	3.9/4.6	4.8/4.9	5.2/6.5	5.9/6.5	5.9/6.7	5.8/6.9	5.8/7.0	6.0/7.2	6.2/7.3	6.4/--
TLH	0.17	2.4/0.0	2.8/2.1	3.1/2.0	3.1/2.5	3.0/3.1	3.2/3.4	3.4/3.4	3.3/5.8	3.3/6.1	3.7/6.3	3.8/6.6	3.7/6.8	3.7/7.0	4.0/7.4	4.2/--
TPA	0.04	1.7/0.0	1.9/1.6	2.0/1.7	2.2/1.6	2.2/1.5	2.1/1.5	2.3/1.7	2.5/3.6	2.6/3.7	2.4/3.8	2.4/4.0	2.5/4.1	2.8/4.4	3.0/4.4	2.9/--
TRM	-0.17	8.2/0.0	7.5/4.2	6.9/4.7	6.8/4.9	7.0/5.0	6.7/5.2	7.3/5.4	7.3/6.7	7.1/6.8	6.9/6.9	6.4/7.2	6.5/7.4	6.1/7.5	6.0/7.7	6.2/--
TUL	0.08	2.1/0.0	2.6/2.8	2.6/3.4	2.7/3.3	3.4/3.9	4.0/3.7	4.4/4.1	4.4/4.6	5.3/4.7	4.3/4.8	4.0/4.8	4.4/5.1	4.5/5.1	4.6/5.3	4.7/--
TUS	0.28	2.6/0.0	2.3/1.8	2.2/1.8	2.3/1.9	2.6/1.8	2.3/2.2	2.5/2.5	2.9/8.8	2.8/9.1	2.9/9.4	3.1/9.7	3.1/10.0	3.0/10.3	3.0/10.5	3.1/--
TYR	0.03	1.9/0.0	2.4/1.7	2.3/1.9	2.9/1.9	3.5/3.4	3.9/4.3	4.2/4.6	4.5/6.7	4.8/6.8	5.0/7.0	5.8/7.1	6.2/7.2	6.8/7.4	7.1/7.4	7.3/--
TYS	0.21	2.0/0.0	2.1/2.5	2.2/2.3	2.5/2.9	2.9/3.1	3.6/3.3	4.3/4.3	5.1/7.4	5.2/7.5	4.6/7.7	4.9/7.9	5.4/8.1	5.4/8.3	5.6/8.5	6.4/--
VCT	-0.00	1.7/0.0	1.8/1.9	1.8/2.0	2.6/2.4	3.2/2.4	3.4/3.2	4.0/3.2	4.1/6.5	4.6/6.5	5.4/6.5	6.5/6.7	7.1/6.8	7.9/6.9	8.1/6.9	8.6/--
WJF	-0.12	4.4/0.0	4.8/3.2	5.5/2.8	5.4/3.7	5.5/3.3	5.6/3.3	6.0/4.4	6.2/8.6	5.9/8.8	6.6/9.1	6.3/9.4	6.6/9.6	7.1/9.9	7.0/10.2	7.0/--
YKM	0.07	4.0/0.0	4.1/2.9	4.2/3.5	4.0/3.7	4.0/4.8	4.1/4.8	4.2/4.6	4.6/5.9	4.4/6.0	4.7/6.0	5.0/6.1	5.2/6.2	5.6/6.1	5.8/6.4	5.7/--
YNG	0.10	2.8/0.0	3.0/3.8	3.1/4.3	4.0/4.2	4.0/4.0	4.3/4.4	5.1/4.8	6.2/7.3	7.2/7.3	6.9/7.5	6.4/7.6	6.9/7.7	6.6/7.8	6.6/8.0	7.0/--

Bias (2009-05-01~2009-05-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ABE	0.85	0.6/0.0	0.5/0.9	0.5/1.0	0.4/1.1	0.5/0.2	0.3/1.1	0.5/0.9	1.1/-3.5	1.5/-3.8	1.4/-4.2	1.6/-4.5	1.3/-4.9	1.1/-5.2	0.9/-5.6	0.6/--
ABI	1.64	0.0/0.0	-0.1/2.2	0.1/2.3	0.1/1.6	0.8/2.9	1.0/3.0	1.1/3.6	2.4/-1.4	2.3/-1.6	2.9/-1.9	2.7/-2.3	3.1/-2.6	3.3/-2.9	2.5/-3.2	2.3/--
ABQ	1.02	0.1/0.0	0.3/1.0	0.1/0.8	0.7/0-0.0	0.7/0.7	0.5/1.0	1.0/0.2	0.9/-8.1	0.9/-8.4	0.6/-8.7	1.7/-9.1	2.0/-9.4	1.7/-9.7	2.1/-10.0	2.0/--
ABY	-0.48	0.0/0.0	0.0/-0.3	-0.2/-0.5	-0.4/-0.9	-0.5/-0.6	-0.5/-1.4	-0.2/-1.2	-0.1/-8.4	-0.2/-8.7	-0.4/-9.0	-0.5/-9.3	-0.8/-9.6	-0.8/-10.0	-1.2/-10.3	-1.5/--
ACT	0.71	0.4/0.0	0.0/0.4	-0.0/0.4	0.3/0.7	0.5/1.4	0.4/1.7	0.1/2.4	0.9/-2.6	1.4/-3.0	1.6/-3.3	1.6/-3.5	1.3/-3.9	1.2/-4.2	0.7/-4.5	0.2/--
ACY	0.83	-0.2/0.0	0.1/0.7	0.6/0.2	0.8/0.8	0.9/0.1	0.7/-0.2	0.4/-0.1	0.6/-5.6	1.3/-5.9	1.7/-6.2	1.4/-6.6	1.2/-6.9	1.1/-7.3	1.0/-7.6	0.8/--
ALB	1.80	0.2/0.0	0.4/1.2	0.8/1.4	0.9/1.8	1.3/1.2	0.7/1.7	1.1/2.3	1.4/-2.4	2.2/-2.7	2.9/-3.1	3.2/-3.4	3.1/-3.8	3.2/-4.1	2.8/-4.5	2.7/--
ALW	1.11	0.2/0.0	0.4/-0.4	0.4/0.1	0.5/-0.4	0.3/-0.5	0.7/-0.4	1.5/-1.7	1.4/-3.9	1.8/-4.1	2.6/-4.4	1.7/-4.6	1.3/-4.8	1.0/-5.0	1.5/-5.2	1.3/--
AOO	0.86	0.2/0.0	0.5/0.4	0.8/-0.7	0.9/0.3	1.0/0.6	1.1/0.4	1.4/0.6	1.0/-1.8	1.3/-2.1	1.3/-2.5	1.1/-2.8	0.8/-3.1	0.8/-3.5	0.5/-3.8	0.2/--
APN	2.66	-0.1/0.0	0.0/2.7	0.4/2.9	0.8/1.3	1.1/0.7	1.5/1.5	1.9/2.6	1.8/0.7	1.9/0.4	4.8/0.1	5.0/-0.2	5.1/-0.5	5.4/-0.8	4.9/-1.2	5.3/--
ATL	-0.03	0.2/0.0	0.1/-1.2	-0.3/-1.1	-0.4/-1.3	-0.1/-1.2	-0.3/-1.5	0.1/-1.1	-0.2/-5.2	0.0/-5.5	0.8/-5.8	0.6/-6.1	0.2/-6.4	0.2/-6.7	-0.2/-7.0	-1.0/--
AUG	3.06	0.9/0.0	1.3/0.7	2.3/0.0	2.5/-0.1	2.6/-0.7	2.5/-0.1	3.0/0.0	3.4/-1.7	3.7/-2.0	3.9/-2.4	4.5/-2.7	4.3/-3.0	4.0/-3.4	3.7/-3.7	3.4/--
AUS	-0.39	-0.7/0.0	-0.5/0.2	-0.3/0.6	0.2/-0.4	0.6/0.3	1.0/-0.2	0.6/1.3	-0.1/-1.3	0.2/-1.5	-0.6/-1.8	-0.9/-2.1	-1.5/-2.3	-1.3/-2.6	-0.6/-2.8	-1.9/--
AVP	1.66	0.3/0.0	0.4/0.8	0.8/0.7	1.3/1.4	1.3/0.8	1.3/0.9	1.7/1.3	2.0/-2.2	2.3/-2.5	2.3/-2.8	2.5/-3.2	2.4/-3.5	2.3/-3.8	1.9/-4.2	1.9/--
BDL	2.20	0.2/0.0	0.8/0.9	1.2/1.1	1.3/1.5	1.2/1.1	1.4/1.3	1.3/1.7	1.7/-1.6	2.4/-2.0	3.0/-2.3	4.0/-2.6	3.8/-3.0	4.1/-3.3	3.3/-3.6	3.3/--
BFL	-0.87	-0.4/0.0	-0.4/-0.5	-0.4/-0.5	-0.6/-0.1	-0.5/-1.2	-0.3/-1.5	0.1/-2.7	-0.4/-8.2	-0.7/-8.5	-1.3/-8.7	-1.1/-9.0	-1.7/-9.3	-1.7/-9.5	-1.8/-9.8	-2.0/--
BGM	1.29	0.5/0.0	0.7/0.5	1.0/0.9	1.3/0.7	0.8/0.0	0.4/-0.5	1.0/0.6	0.7/-2.4	1.2/-2.8	2.1/-3.2	2.3/-3.5	2.1/-3.9	2.2/-4.3	1.5/-4.6	1.6/--
BHM	-0.18	0.1/0.0	-0.2/-0.0	-0.7/-0.5	-0.8/-0.1	-0.9/-0.0	-0.8/-0.9	-0.4/-0.3	-0.7/-7.2	-0.0/-7.5	0.8/-7.9	0.7/-8.2	0.6/-8.5	0.4/-8.8	-0.1/-9.2	-0.8/--
BIS	2.33	0.4/0.0	0.5/2.4	0.8/2.0	0.8/1.8	1.8/2.0	1.8/2.8	2.0/3.7	2.3/-0.1	2.2/-0.5	2.2/-0.9	3.1/-1.3	3.4/-1.7	4.0/-2.1	4.9/-2.5	4.7/--
BNA	-0.18	-0.4/0.0	-0.6/0.5	-0.9/-0.4	-1.1/-0.1	-1.3/0.5	-1.2/0.1	-0.3/0.5	-0.3/-4.4	0.8/-4.7	1.0/-5.0	0.7/-5.4	0.6/-5.7	0.5/-6.0	0.2/-6.3	-0.5/--
BOI	1.93	0.4/0.0	0.5/1.6	0.8/1.9	0.9/2.0	0.9/1.9	1.6/-0.6	1.7/-0.6	1.9/-3.7	2.3/-4.0	3.4/-4.2	2.7/-4.5	2.6/-4.7	2.8/-5.0	3.2/-5.2	3.2/--
BOS	0.79	0.5/0.0	0.9/0.8	1.0/0.5	1.2/0.2	1.1/0.0	0.9/-0.2	0.9/-0.1	0.9/-3.1	1.0/-3.4	1.1/-3.7	1.0/-4.0	0.7/-4.4	0.5/-4.6	0.2/-5.0	0.0/--
BRO	1.18	0.1/0.0	0.3/1.2	0.4/1.1	0.6/1.2	1.0/0.5	1.4/0.6	1.6/0.9	1.8/-2.5	2.2/-2.7	2.0/-2.9	1.9/-3.1	1.6/-3.4	1.4/-3.5	1.0/-3.7	0.5/--
BTV	0.17	-0.4/0.0	-0.2/0.3	0.4/0.1	0.1/0.8	-0.0/1.0	-0.7/0.3	-0.3/0.5	-0.2/-3.1	0.3/-3.5	0.8/-3.8	0.8/-4.2	0.8/-4.6	0.7/-5.0	0.2/-5.3	0.2/--
BUF	-0.28	-0.0/0.0	-0.5/1.3	-0.4/-0.0	-0.2/0.0	-0.4/-0.5	-0.9/-0.6	-0.7/0.6	-1.3/-1.7	-1.0/-2.1	-0.7/-2.5	0.6/-2.8	0.4/-3.2	0.6/-3.6	0.0/-4.0	0.2/--
BUR	4.81	2.0/0.0	2.4/-0.7	2.8/-0.7	3.2/-0.1	4.1/-1.1	5.0/-1.1	5.2/-1.2	5.1/-5.7	5.0/-5.8	5.6/-6.0	5.6/-6.2	6.2/-6.3	6.6/-6.5	6.8/-6.6	6.6/--
BWI	0.96	0.6/0.0	0.6/0.2	0.7/0.1	0.5/0.6	0.7/0.7	0.3/0.6	0.8/0.9	1.1/-4.3	1.3/-4.6	1.8/-5.0	1.9/-5.3	1.5/-5.6	1.1/-5.9	0.8/-6.3	0.6/--
CAE	-1.06	-0.4/0.0	-0.6/-0.5	-1.1/-1.0	-1.3/-0.9	-1.3/-1.1	-1.8/-0.9	-1.5/-0.6	-1.4/-5.4	-1.6/-5.7	-1.2/-6.0	-0.7/-6.3	-0.7/-6.6	-0.3/-7.0	-0.7/-7.3	-1.4/--
CHA	-0.43	-0.2/0.0	-0.2/-0.3	-0.7/-1.0	-0.6/-1.1	-0.5/-0.6	-0.6/-1.5	-0.3/-1.3	-0.5/-6.4	-0.2/-6.7	0.3/-7.0	0.1/-7.4	-0.3/-7.7	-0.4/-8.0	-0.8/-8.3	-1.9/--
CLE	1.30	0.2/0.0	0.5/0.2	0.5/0.1	1.3/-0.0	1.6/0.2	1.2/0.5	1.6/1.1	1.5/-3.5	1.4/-3.8	1.9/-4.2	1.8/-4.5	1.5/-4.9	2.1/-5.2	1.4/-5.5	1.0/--
CLT	-0.42	-0.2/0.0	-0.4/-0.4	-0.7/-1.5	-0.8/-1.0	-0.8/-0.9	-1.0/-0.9	-0.7/-0.8	-0.4/-3.4	-0.5/-3.7	-0.2/-4.0	0.1/-4.3	0.0/-4.6	0.3/-4.9	0.0/-5.2	-0.9/--
CMH	0.65	0.0/0.0	-0.4/0.8	-0.5/0.9	0.3/0.2	0.2/1.0	-0.1/1.3	0.8/1.1	0.5/-3.1	0.7/-3.4	1.7/-3.8	1.8/-4.1	1.2/-4.5	1.9/-4.9	1.0/-5.2	0.8/--
CON	1.64	-0.2/0.0	0.4/2.2	0.7/1.0	1.0/1.2	0.9/0.4	0.8/1.1	1.1/1.4	1.5/-2.7	1.6/-3.1	2.6/-3.4	3.2/-3.8	3.0/-4.1	3.1/-4.5	2.6/-4.8	2.5/--
COS	1.26	0.3/0.0	0.4/1.2	0.7/1.1	1.6/1.1	1.6/0.7	1.7/0.8	2.0/1.1	1.9/-6.1	1.2/-6.4	0.8/-6.7	1.3/-7.0	1.1/-7.3	1.3/-7.6	1.6/-8.0	1.6/--
COU	0.39	0.3/0.0	-0.4/0.4	0.2/1.1	0.5/0.4	0.6/0.5	1.0/0.7	0.7/1.0	1.0/-2.8	0.3/-3.2	0.1/-3.5	0.3/-3.8	0.4/-4.1	0.3/-4.5	0.3/-4.8	0.2/--
CQT	-0.07	0.2/0.0	0.1/-0.3	0.2/-0.3	0.1/-0.4	0.3/-0.8	0.5/-1.3	0.9/-0.4	0.6/-2.8	0.3/-2.9	0.1/-3.0	-0.4/-3.2	-0.7/-3.3	-1.0/-3.4	-1.1/-3.5	-1.2/--
CRP	1.68	0.3/0.0	0.5/-0.1	0.7/-0.2	1.1/-0.7	1.7/-0.6	1.8/-0.3	2.0/0.1	2.2/-3.5	2.8/-3.8	2.5/-4.0	2.3/-4.3	2.3/-4.5	1.8/-4.7	1.7/-5.0	1.4/--
CRW	1.49	0.4/0.0	0.4/0.2	0.4/-0.6	0.8/0.3	1.4/0.9	1.7/1.1	2.2/1.4	2.2/-4.9	2.6/-5.2	2.3/-5.5	2.3/-5.8	1.8/-6.1	1.6/-6.3	1.2/-6.6	0.9/--
CVG	0.81	0.0/0.0	0.1/-0.6	0.1/-0.6	0.4/-1.3	0.4/0.4	-0.1/0.5	0.7/0.4	0.6/-3.4	1.0/-3.8	2.0/-4.1	1.5/-4.5	1.5/-4.8	1.6/-5.1	1.3/-5.5	0.8/--
DAY	0.69	-0.0/0.0	0.3/1.2	0.3/1.5	0.9/0.8	0.8/1.3	0.5/1.7	0.8/1.7	0.8/-2.9	0.7/-3.2	1.2/-3.6	0.9/-4.0	0.8/-4.3	1.3/-4.7	0.8/-5.1	0.3/--
DBQ	0.75	0.3/0.0	0.3/0.8	0.7/1.4	1.5/0.3	1.1/0.2	1.3/1.5	0.7/1.6	0.6/-0.8	0.7/-1.2	0.7/-1.5	0.3/-1.9	0.7/-2.3	0.5/-2.6	0.8/-3.0	1.2/--
DCA	0.71	-0.3/0.0	-0.1/0.4	0.1/0.1	-0.1/0.7	0.2/0.9	0.3/1.0	0.5/1.1	1.0/-3.6	1.3/-4.0	1.7/-4.3	1.9/-4.6	1.4/-4.9	1.2/-5.3	0.9/-5.6	0.6/--
DEC	0.69	-0.3/0.0	-0.3/0.2	0.1/1.2	1.0/0.8	1.0/0.1	0.9/1.0	0.6/1.2	0.4/-2.6	0.3/-2.9	0.7/-3.3	0.8/-3.6	1.1/-3.9	1.3/-4.2	1.4/-4.5	1.4/--
DEN	0.91	0.2/0.0	0.3/-0.9	0.4/-0.2	0.8/-0.3	0.8/-0.6	0.8/-0.7	1.0/0.2	0.6/-4.4	0.6/-4.7	0.3/-5.0	1.0/-5.4	1.3/-5.6	1.6/-6.0	1.9/-6.3	2.0/--
DFW	0.16	-0.6/0.0	-0.8/-0.0	-0.7/0.7	-0.3/0.4	0.1/1.4	0.3/1.4	-0.7/1.8	0.3/-2.8	-0.1/-3.1	0.4/-3.4	1.0/-3.7	1.1/-4.0	1.2/-4.3	0.9/-4.6	0.4/--
DLH	2.68	0.7/0.0	1.0/1.3	1.3/0.5	2.0/0.0	1.8/1.0	2.4/1.4	2.8/2.0	2.9/-0.5	3.1/-0.9	3.1/-1.2	3.3/-1.6	3.6/-1.9	3.7/-2.3	4.0/-2.7	4.4/--
DSM	0.79	0.1/0.0	-0.1/-0.5	0.3/0.0	1.2/0.0	0.8/-0.3	0.9/-0.6	0.1/0.4	-0.0/-4.0	0.9/-4.4	0.8/-4.8	0.8/-5.2	1.2/-5.5	1.2/-5.9	2.0/-6.3	1.6/--
DTW	0.96	0.3/0.0	0.0/1.5	0.5/1.2	1.4/0.1	1.4/-0.4	0.9/0.5	1.2/0.7	0.9/-1.9	0.7/-2.3	1.3/-2.6	1.1/-3.0	1.2/-3.4	1.5/-3.7	0.8/-4.1	1.0/--
ELP	-0.15	-0.7/0.0	-0.8/-0.6	-0.9/-0.5	-0.8/-1.4	-0.5/-1.2	-0.6/-1.1	-0.1/-0.7	0.8/-6.2	1.2/-6.5	0.5/-6.8	0.3/-7.2	0.3/-7.5	-0.2/-7.8	-0.6/-8.1	-0.2/--
ERI	0.83	0.3/0.0	0.3/1.3	-0.1/1.1	0.4/0.7	-0.0/0.6	-0.2/0.7	1.4/1.3	0.8/-1.3	0.8/-1.7	1.4/-2.0	1.8/-2.4	1.5/-2.7	1.8/-3.1	1.2/-3.5	1.1/--
EUG	0.97	0.5/0.0	0.9/0.5	0.9/0.4	0.8/0.9	0.7/2.0	1.1/2.1	1.6/1.7	1.6/-0.2	1.6/-0.3	1.2/-0.5	0.9/-0.6	0.7/-0.8	1.0/-0.9	0.8/-1.0	0.4/--
EVR	0.41	-0.0/0.0	-0.2/1.2	-0.1/0.6	0.2/0.4	0.0/0.7	-0.2/0.9	0.5/1.0	0.4/-4.4	0.8/-4.7	1.0/-5.0	0.8/-5.4	1.1/-5.7	0.9/-6.1	0.7/-6.4	0.4/--
EWR	0.57	0.3/0.0	0.5/1.4	1.0/1.2	1.0/1.0	1.0/0.8	0.8/0.9	0.4/1.5	0.6/-2.2	1.1/-2.5	0.7/-2.9	0.6/-3.3	0.4/-3.6	0.2/-4.0	-0.0/-4.3	-0.1/--
FAR	2.35	0.4/0.0	0.4/3.5	0.6/1.5	1.1/2.0	1.1/1.6	1.9/4.5	1.8/4.1	2.0/1.9	2.4/1.5	2.4/1.1	3.3/0.7	3.9/0.3	4.2/-0.2	5.1/-0.6	4.6/--
FAT	-1.58	-0.5/0.0	-0.3/-0.3	-0.6/-0.5	-0.9/-0.5	-0.9/-1.5	-1.0/-1.0	-0.7/-2.0	-1.6/-8.2	-2.0/-8.5	-2.2/-8.7	-2.8/-8.9	-3.0/-9.1	-2.9/-9.4	-3.3/-9.7	-3.3/--
FLG	-0.87	0.1/0.0	-0.2/-0.4	-0.3/-1.3	-0.0/-0.8	-0.1/-1.4	-0.1/-1.2	-0.4/-3.0	-0.6/-7.2	-1.0/-7.4	-1.2/-7.6	-1.0/-7.9	-1.3/-8.1	-1.9/-8.3	-2.5/-8.5	-2.5/--
FMY	-0.55	-0.3/0.0	-0.5/-0.8	-0.6/-1.2	-0.6/-1.0	-0.7/-0.5	-0.6/-0.7	-0.5/-1.5	-0.2/-3.2	-0.2/-3.4	-0.2/-3.6	-0.4/-3.6	-0.7/-3.8	-0.8/-4.0	-1.0/-4.2	-1.1/--
FSD	1.40	0.5/0.0	0.8/2.0	0.7/1.9	1.4/1.0	0.9/0.5	0.8/1.4	0.6/1.7	0.3/-4.0	0.9/-4.5	1.3/-4.8	1.8/-5.2	2.2/-5.6	2.3/-6.0	3.3/-6.5	3.2/--
FWA	1.30	-0.0/0.0	-0.1/1.6	0.3/1.2	1.0/0.8	1.0/1.3	0.8/1.9	1.0/2.1	1.0/-1.5	0.6/-1.9	2.2/-2.3	2.3/-2.6	2.3/-3.0	2.8/-3.4	2.3/-3.7	2.1/--

GAD	-1.99	-0.8/0.0	-1.5/-1.2	-2.3/-0.5	-2.4/-0.9	-2.7/-0.8	-2.5/-1.3	-2.2/-0.5	-2.6/-5.5	-2.1/-5.8	-1.4/-6.1	-1.3/-6.4	-1.5/-6.7	-1.6/-7.0	-2.0/-7.3	-2.8/-
GEG	0.50	-0.4/0.0	-0.5/-0.4	-0.6/0.7	-0.5/1.2	-0.6/0.4	0.2/0.3	0.6/-0.2	0.5/-2.8	0.7/-3.1	1.4/-3.3	1.2/-3.5	1.1/-3.8	1.2/-4.1	1.4/-4.3	1.8/-
GTF	1.10	0.1/0.0	0.1/1.5	-0.0/3.0	0.7/2.4	0.6/2.9	1.0/2.4	1.1/2.4	1.1/-1.2	1.7/-1.5	1.9/-1.8	1.6/-2.1	1.8/-2.4	1.5/-2.6	1.6/-2.9	1.7/-
HOU	0.46	0.4/0.0	0.7/-1.1	0.9/-0.8	1.1/-1.1	1.4/-1.3	1.5/-0.3	1.7/-0.2	1.7/-4.2	1.8/-4.5	1.0/-4.7	-0.2/-5.0	-0.6/-5.2	-0.9/-5.5	-1.6/-5.7	-2.2/-
HSV	-0.03	0.3/0.0	0.2/-0.4	-0.2/-1.0	-0.4/-0.7	-0.2/-0.8	-0.2/-1.0	0.0/-1.2	0.0/-6.1	0.6/-6.5	1.0/-6.8	0.6/-7.1	0.1/-7.4	-0.2/-7.7	-0.6/-8.0	-1.7/-
IAH	0.41	0.0/0.0	0.2/-0.3	0.4/0.0	0.3/-0.4	0.7/-0.1	0.7/0.1	0.9/0.5	1.3/-4.4	1.5/-4.7	0.8/-5.0	0.7/-5.3	0.5/-5.5	-0.2/-5.8	-0.5/-6.1	-1.4/-
ICT	0.71	0.5/0.0	-0.1/-0.5	0.3/1.4	0.5/1.5	0.5/1.0	1.2/0.6	1.1/1.9	1.2/-3.3	1.2/-3.7	0.3/-4.0	0.3/-4.4	0.7/-4.7	0.8/-5.0	1.2/-5.4	0.6/-
ILG	0.66	0.7/0.0	1.0/-0.2	1.2/-0.5	1.0/0.5	1.1/0.5	0.8/0.2	0.7/0.7	0.9/-3.8	1.2/-4.1	1.3/-4.5	0.6/-4.8	0.2/-5.2	-0.0/-5.5	-0.3/-5.9	-0.5/-
IND	0.69	-0.2/0.0	0.3/0.2	0.2/0.4	0.7/-0.1	0.6/0.3	0.6/0.5	0.9/0.5	0.7/-4.5	0.8/-4.8	1.5/-5.2	0.8/-5.5	1.1/-5.9	1.1/-6.3	1.0/-6.6	0.4/-
IPT	1.24	0.2/0.0	0.5/0.3	0.3/-0.6	0.6/0.5	0.5/-0.5	0.6/0.3	0.8/0.2	1.5/-3.6	1.7/-3.9	2.0/-4.2	2.3/-4.5	2.4/-4.9	2.1/-5.2	1.7/-5.5	1.5/-
JAN	-0.30	-0.3/0.0	-0.3/-0.5	-0.3/-0.4	-0.5/-1.0	-0.3/-1.5	-0.2/-1.5	0.1/-1.1	0.1/-5.7	0.5/-6.0	0.1/-6.3	0.1/-6.6	-0.1/-7.0	-0.9/-7.3	-1.0/-7.6	-1.6/-
JAX	-0.97	-0.5/0.0	-0.3/0.3	-0.5/-0.6	-0.7/-0.2	-0.7/-0.1	-0.8/0.1	-0.4/-0.2	-0.3/-4.9	-0.5/-5.2	-1.1/-5.4	-1.4/-5.7	-1.3/-6.0	-1.6/-6.3	-2.0/-6.5	-2.4/-
JFK	0.85	-0.0/0.0	0.2/0.4	0.6/0.5	0.7/0.9	0.7/0.5	0.7/0.8	0.9/0.3	1.0/-4.4	1.3/-4.7	1.5/-5.0	1.2/-5.3	1.2/-5.6	1.1/-5.9	0.8/-6.2	0.7/-
LAN	1.25	0.6/0.0	0.4/0.8	0.7/0.5	1.5/-0.3	1.2/-0.2	0.9/-0.5	1.1/0.7	0.9/-3.5	0.7/-3.8	1.7/-4.2	1.7/-4.5	1.9/-4.9	2.3/-5.2	1.5/-5.5	1.6/-
LAS	-2.14	-0.3/0.0	-0.3/0.5	-0.3/0.5	-0.7/0.3	-0.5/-1.0	-0.7/-2.4	-1.0/-2.9	-1.6/-11.5	-2.4/-11.8	-3.0/-12.1	-3.2/-12.4	-3.9/-12.7	-4.4/-13.0	-4.8/-13.3	-5.0/-
LAX	-0.10	-0.1/0.0	-0.2/-0.1	-0.2/-0.3	-0.2/-0.4	-0.0/-0.6	0.3/-1.0	0.4/-0.3	0.1/-2.5	-0.2/-2.6	-0.3/-2.7	-0.2/-2.8	-0.2/-3.0	-0.1/-3.1	-0.1/-3.2	-0.2/-
LEX	0.42	0.0/0.0	-0.0/-0.2	-0.1/0.2	-0.2/0.2	0.1/0.4	0.0/0.8	0.7/1.1	0.6/-3.9	1.1/-4.2	1.2/-4.5	1.2/-4.8	0.9/-5.2	0.7/-5.5	0.4/-5.8	-0.2/-
LFK	-0.04	-0.3/0.0	-0.4/-1.0	-0.5/-0.6	-0.3/-1.1	-0.2/-0.7	-0.1/-1.1	0.0/0.5	0.6/-4.9	0.8/-5.2	0.5/-5.5	0.6/-5.8	0.3/-6.1	-0.2/-6.4	-0.4/-6.7	-1.0/-
LGA	-0.06	0.3/0.0	0.5/1.6	0.8/1.1	1.0/1.3	0.7/0.2	0.4/0.5	0.2/0.5	0.4/-3.1	0.6/-3.4	-0.1/-3.7	-0.6/-4.1	-0.8/-4.4	-1.0/-4.7	-1.4/-5.0	-1.6/-
LGB	1.62	0.8/0.0	1.2/-0.7	1.2/-0.7	1.1/-0.7	1.6/-1.0	2.0/-0.9	2.0/-2.8	1.8/-2.9	2.2/-3.1	2.0/-3.3	1.7/-3.4	1.9/-3.5	2.0/-3.7	1.8/-	
LIT	0.57	-0.5/0.0	-0.4/0.1	-0.8/0.1	-0.3/0.1	-0.8/0.3	-0.4/0.3	0.4/0.9	0.9/-3.8	1.4/-4.2	1.6/-4.5	1.7/-4.8	1.8/-5.1	1.4/-5.4	1.4/-5.7	1.0/-
LNS	0.11	0.2/0.0	0.2/0.7	0.1/-0.1	-0.0/0.8	0.1/0.5	-0.3/0.5	-0.0/0.9	0.3/-9.0	0.7/-9.4	0.6/-9.7	0.5/-10.0	0.2/-10.4	-0.1/-10.7	-0.3/-11.1	-0.6/-
MAF	1.24	0.5/0.0	0.3/0.9	0.5/1.6	0.7/2.0	0.3/1.4	1.0/1.3	1.0/1.7	1.7/-3.8	1.6/-4.2	1.7/-4.5	1.9/-4.9	2.4/-5.2	2.2/-5.5	1.4/-5.9	1.6/-
MBA	1.44	0.5/0.0	1.1/0.4	1.4/-0.2	1.4/0.4	1.3/-0.4	1.0/-0.3	0.7/0.2	1.3/-3.4	1.6/-3.7	1.6/-4.1	2.4/-4.4	2.2/-4.7	2.1/-5.1	1.5/-5.4	1.3/-
MCI	0.60	0.4/0.0	0.1/-0.2	0.5/0.2	0.7/0.8	0.2/0.6	0.1/0.1	0.4/0.5	0.4/-3.3	0.8/-3.6	0.1/-3.9	0.3/-4.3	0.8/-4.6	1.1/-5.0	1.8/-5.3	0.9/-
MCN	-0.53	0.0/0.0	0.2/0.5	-0.3/-0.4	-0.4/-0.8	-1.0/-0.7	-0.8/-0.5	-0.4/-1.1	-0.7/-6.3	-0.8/-6.6	-0.4/-7.0	-0.6/-7.3	-0.5/-7.6	-0.5/-7.9	-0.8/-8.3	-1.1/-
MCO	-0.14	-0.0/0.0	0.1/0.9	0.1/0.7	0.1/0.9	0.1/0.9	0.0/1.1	0.2/0.5	0.6/-3.1	0.4/-3.4	0.0/-3.5	-0.1/-3.7	-0.3/-3.9	-0.8/-4.2	-1.0/-4.4	-1.5/-
MDT	0.47	0.3/0.0	0.4/0.4	0.5/-0.3	0.3/0.4	0.3/0.5	0.3/0.4	0.5/0.7	0.7/-3.8	1.0/-4.2	1.0/-4.5	0.8/-4.8	0.6/-5.1	0.4/-5.5	0.0/-5.8	-0.1/-
MEM	-0.40	-0.3/0.0	-0.4/-0.1	-0.5/-0.3	-1.0/-0.4	-1.1/-1.0	-1.1/-1.0	-0.7/-0.2	-0.3/-4.8	0.2/-5.1	0.5/-5.4	0.4/-5.7	0.1/-6.0	-0.4/-6.3	-0.4/-6.6	-1.1/-
MHT	0.56	0.1/0.0	0.6/-1.0	0.9/0.6	0.9/-0.4	0.6/-1.0	0.3/-1.1	-0.2/-0.8	0.5/-11.1	0.8/-11.5	0.6/-11.9	1.2/-12.2	1.0/-12.6	0.9/-13.0	0.4/-13.3	0.0/-
MIA	0.62	0.4/0.0	0.4/0.3	0.5/0.2	0.6/0.0	0.7/-0.2	0.7/0.1	0.8/-0.2	1.0/-2.5	1.1/-2.7	1.0/-2.8	0.5/-3.0	0.6/-3.2	0.6/-3.3	0.3/-3.5	0.2/-
MKE	0.96	0.2/0.0	0.2/-1.2	0.4/-1.3	0.8/-2.0	0.8/-2.5	1.1/-1.6	0.9/-0.7	0.7/-4.1	0.5/-4.4	1.8/-4.8	0.9/-5.1	1.5/-5.4	1.6/-5.8	1.5/-6.1	1.7/-
MOB	-0.12	-0.1/0.0	-0.0/-0.9	-0.1/-0.5	-0.2/-0.8	-0.2/-1.2	0.0/-1.3	0.2/-1.3	0.5/-5.9	0.4/-6.2	0.3/-6.5	0.2/-6.8	-0.1/-7.0	-0.7/-7.3	-0.9/-7.6	-1.1/-
MSP	0.47	0.2/0.0	0.4/0.1	0.5/-0.0	1.3/-0.5	0.5/-0.7	0.8/-0.6	0.3/0.2	-0.1/-4.1	0.2/-4.5	-0.2/-4.9	-0.3/-5.3	0.5/-5.7	0.3/-6.1	1.4/-6.5	1.0/-
MSY	-0.04	-0.9/0.0	-1.1/-1.0	-0.8/-1.2	-0.8/-1.7	-0.7/-0.6	-0.3/-1.0	0.2/-1.8	0.6/-6.0	1.0/-6.3	1.0/-6.5	0.8/-6.8	0.5/-7.1	0.3/-7.4	0.0/-7.6	-0.6/-
MWL	1.55	0.4/0.0	0.3/1.5	0.4/1.6	1.0/1.3	1.3/1.5	1.3/1.9	0.9/2.6	1.8/-0.2	2.3/-0.5	2.5/-0.7	2.4/-1.1	2.5/-1.4	2.6/-1.6	2.0/-1.9	1.7/-
NKX	-0.15	-0.1/0.0	0.5/0.6	0.6/-0.6	0.3/0.3	0.3/0.1	0.6/-1.1	0.7/-0.3	0.4/0.0	0.0/0.0	-0.6/0.0	-0.5/0.0	-1.2/0.0	-1.3/0.0	-0.8/0.0	-1.1/-
NTU	-1.20	-0.6/0.0	-1.0/0.5	-1.4/0.5	-1.6/0.3	-1.2/-0.2	-1.8/0.9	-1.6/-0.9	-1.1/-6.0	-0.7/-6.4	-0.4/-6.6	-0.8/-6.9	-1.2/-7.3	-1.3/-7.5	-1.3/-7.8	-1.8/-
OAK	3.72	1.3/0.0	1.8/0.6	2.1/0.7	2.6/1.2	3.0/0.5	3.5/0.7	4.1/0.0	4.1/1.0	4.1/0.9	3.6/0.8	5.1/0.7	4.9/0.6	4.9/0.5	5.4/0.5	5.4/-
OKC	1.34	0.2/0.0	-0.3/0.7	-0.3/2.2	0.3/2.3	0.6/2.5	1.3/1.4	1.3/3.1	1.6/-0.9	1.7/-1.2	1.9/-1.5	2.2/-1.8	2.6/-2.2	2.5/-2.5	2.5/-2.8	2.0/-
OMA	-0.34	0.3/0.0	-0.3/-0.1	0.2/0.9	0.2/0.8	-0.2/0.1	-0.4/0.6	-0.8/0.8	-0.6/-4.1	-0.1/-4.5	-0.9/-4.8	-1.1/-5.2	-0.6/-5.5	-0.5/-5.9	0.3/-6.3	-0.5/-
ORD	-0.45	-0.1/0.0	-0.1/-0.7	-0.2/-0.7	0.0/-0.2	-0.7/-0.6	-0.3/-0.5	-0.8/0.5	-1.0/-4.0	-1.4/-4.4	-1.0/-4.7	-0.5/-5.0	-0.2/-5.4	-0.3/-5.7	-0.2/-6.0	-0.1/-
ORH	1.61	0.2/0.0	0.4/0.8	1.0/1.5	1.2/0.4	1.2/-0.1	0.7/-0.4	1.2/0.3	1.1/-3.8	1.7/-4.2	2.1/-4.5	3.1/-4.9	2.8/-5.3	2.7/-5.6	2.3/-6.0	2.3/-
PDT	2.08	0.8/0.0	1.0/0.8	0.9/1.1	0.8/1.2	1.0/1.4	1.7/0.8	2.2/0.3	2.3/-0.9	2.3/-1.2	3.6/-1.4	3.1/-1.5	2.7/-1.8	2.8/-2.0	2.9/-2.2	3.1/-
PDX	-0.51	-2.8/0.0	-0.1/-0.9	-0.2/-0.2	-0.3/0.1	-0.4/0.6	0.0/0.5	0.3/0.4	-0.1/-2.9	-0.2/-3.1	-0.3/-3.3	-0.6/-3.5	-0.8/-3.7	-0.6/-3.9	-0.7/-4.1	-0.8/-
PHL	0.38	0.1/0.0	0.4/0.1	0.6/-0.3	0.5/0.0	0.7/0.1	0.6/-0.2	0.4/0.2	0.6/-3.5	0.9/-3.8	0.8/-4.2	0.6/-4.5	0.2/-4.9	-0.0/-5.2	-0.2/-5.6	-0.4/-
PHX	-1.30	0.0/0.0	0.1/0.3	0.1/-0.3	-0.5/-0.7	-0.6/-0.5	-0.6/-0.5	-0.4/-1.1	-0.6/-9.8	-1.0/-10.1	-1.9/-10.4	-2.1/-10.7	-2.7/-11.0	-2.9/-11.3	-2.9/-11.5	-3.4/-
PIR	2.44	0.2/0.0	0.3/3.5	0.6/2.4	0.9/3.2	1.3/2.6	1.6/2.7	1.5/4.0	1.5/1.0	2.4/0.6	3.1/0.2	3.7/0.2	4.1/-0.5	4.9/-0.9	5.4/-1.3	5.2/-
PIT	1.01	0.3/0.0	0.2/-0.5	0.4/-0.1	1.0/0.1	1.0/0.8	0.9/1.1	1.5/1.4	1.2/-3.2	1.3/-3.5	1.8/-3.9	1.6/-4.2	1.2/-4.5	1.4/-4.9	0.8/-5.2	0.6/-
PVD	0.48	-0.3/0.0	0.1/1.0	0.3/1.0	0.4/0.7	0.3/0.5	0.2/0.3	0.1/-0.0	0.6/-3.0	1.1/-3.4	0.9/-3.7	1.3/-4.0	0.9/-4.3	0.9/-4.6	0.3/-5.0	0.0/-
PWM	1.03	-0.2/0.0	0.2/0.4	0.7/-0.3	0.4/-0.6	0.4/-0.4	0.3/-0.4	0.3/-0.5	0.9/-3.2	1.3/-3.5	1.8/-3.8	2.3/-4.1	2.0/-4.4	2.0/-4.7	1.7/-5.0	1.4/-
RAL	2.54	1.5/0.0	1.6/3.6	1.9/3.5	2.0/2.6	2.2/2.7	2.6/2.4	3.1/1.7	3.0/0.7	2.9/0.5	3.6/0.3	3.3/0.2	2.8/0.0	2.6/-0.2	2.6/-0.3	2.4/-
RAP	2.32	0.2/0.0	0.5/4.4	0.8/4.8	1.3/4.9	1.4/4.1	1.7/4.0	1.8/3.8	2.4/0.7	2.8/0.4	2.8/0.1	2.7/-0.3	2.6/-0.6	3.0/-1.0	5.3/-1.3	5.5/-
RBL	-0.99	-0.2/0.0	-0.1/-2.7	0.1/-1.8	0.1/-2.5	-0.2/-1.3	-0.1/-1.5	-0.2/-2.6	-0.5/-5.7	-1.0/-6.0	-1.6/-6.2	-1.4/-6.5	-1.9/-6.7	-2.4/-7.0	-2.7/-7.2	-3.0/-
RDD	-1.79	-0.1/0.0	-0.3/-1.8	-0.5/-1.5	-0.7/-0.9	-0.8/-0.2	-0.4/-0.5	-1.0/-1.6	-1.3/-7.8	-1.8/-8.1	-2.5/-8.3	-2.4/-8.5	-3.1/-8.8	-3.6/-9.0	-3.8/-9.3	-4.4/-
RDU	0.05	-0.2/0.0	-0.4/-1.1	-0.4/-2.3	-0.3/-1.3	-0.4/-1.0	-1.4/-1.5	-0.8/-1.7	-0.0/-7.7	0.0/-8.0	0.0/-8.6	0.8/-8.9	0.0/-9.2	0.8/-9.5	0.0/-9.5	-0.1/-
RIC	0.07	-0.2/0.0	-0.1/-0.1	-0.2/-0.9	0.1/0.3	0.7/0.5	0.1/0.2	0.4/-0.1	0.5/-5.2	0.8/-5.5	0.6/-5.8	0.3/-6.1	-0.1/-6.4	-0.3/-6.7	-0.5/-7.1	-1.1/-
RNO	0.38	0.6/0.0	0.8/0.2	1.0/0.5	0.8/0.2	0.6/-2.0	0.8/-1.7	0.5/-2.6	0.6/-12.2	0.6/-12.4	0.4/-12.7	0.1/-12.9	-0.1/-13.2	-0.2/-13.4	-0.2/-13.6	-0.6/-

ROA	1.74	0.4/0.0	0.2/0.3	0.5/-0.2	1.1/0.3	1.5/0.4	1.1/1.3	1.8/1.1	2.0/-5.1	2.5/-5.4	2.8/-5.6	2.9/-5.9	2.5/-6.2	2.6/-6.5	2.2/-6.7	1.7/--
ROC	0.24	-0.5/0.0	-0.4/1.4	-0.4/1.3	0.0/0.5	-0.0/0.4	-0.5/0.4	-0.0/0.9	-0.5/-1.5	-0.3/-1.8	-0.1/-2.2	1.3/-2.5	1.4/-2.9	1.5/-3.3	1.0/-3.6	1.1/--
SAC	0.30	0.5/0.0	0.7/0.5	1.8/0.5	0.9/0.3	0.5/0.5	0.7/0.8	0.8/-0.7	0.5/-3.9	0.3/-4.1	-0.3/-4.3	0.3/-4.4	-0.2/-4.6	-0.5/-4.7	-0.6/-4.9	-0.9/--
SAN	1.83	1.1/0.0	1.4/0.6	1.5/1.2	1.5/0.3	1.8/0.0	2.2/-0.1	2.2/0.1	2.1/-1.2	2.1/-1.3	2.0/-1.5	2.1/-1.5	1.8/-1.6	1.7/-1.7	2.1/-1.8	1.9/--
SAT	0.39	0.0/0.0	0.2/-0.2	0.2/-0.0	0.4/-0.5	0.8/-0.3	0.8/-0.3	0.7/0.3	1.2/-4.8	1.1/-5.1	0.8/-5.4	0.5/-5.7	0.3/-6.0	-0.1/-6.3	-0.2/-6.5	-0.9/--
SAV	-0.34	-0.3/0.0	-0.1/-0.8	-0.2/-1.3	-0.2/-1.2	-0.7/-0.5	-0.9/-0.9	-0.1/-1.4	-0.1/-5.9	-0.3/-6.2	0.2/-6.5	-0.4/-6.8	-0.2/-7.1	-0.1/-7.4	-0.4/-7.7	-1.0/--
SDF	0.76	0.1/0.0	0.2/0.9	0.4/0.9	0.5/0.0	0.6/1.4	0.3/1.6	1.1/1.6	0.8/-3.9	1.4/-4.2	1.4/-4.5	1.1/-4.9	1.1/-5.2	1.1/-5.5	0.8/-5.9	0.4/--
SEA	1.12	0.6/0.0	0.8/-0.2	0.4/0.5	0.5/0.5	0.2/1.0	0.8/1.0	1.4/1.2	1.3/-0.8	1.1/-1.0	1.5/-1.1	1.9/-1.3	1.4/-1.5	1.8/-1.6	1.7/-1.8	1.5/--
SFO	0.81	0.3/0.0	0.3/0.7	0.4/1.1	0.4/1.3	0.4/0.6	0.6/0.5	0.9/0.1	1.2/-1.6	1.3/-1.7	1.0/-1.8	1.3/-1.9	1.1/-2.0	1.1/-2.1	0.9/-2.2	0.9/--
SJC	0.86	0.4/0.0	0.5/0.1	0.6/0.6	0.6/0.1	0.7/-0.7	0.8/-0.9	1.3/-1.0	1.4/-3.0	1.3/-3.2	0.7/-3.3	1.3/-3.4	0.8/-3.5	0.7/-3.6	0.9/-3.7	0.7/--
SJT	1.43	0.2/0.0	-0.2/2.1	-0.1/1.8	0.5/1.3	0.9/2.0	0.9/1.6	0.8/2.3	1.8/-3.0	2.0/-3.4	2.4/-3.7	2.6/-4.0	2.7/-4.3	2.9/-4.6	2.1/-5.0	2.0/--
SLC	0.99	0.1/0.0	0.3/2.0	0.6/2.3	0.5/2.8	0.7/2.8	0.6/1.2	0.6/1.6	0.9/-4.4	1.1/-4.7	0.9/-5.0	1.8/-5.3	1.7/-5.5	1.5/-5.8	1.8/-6.1	1.8/--
SSI	1.13	0.8/0.0	1.1/0.1	1.3/0.5	1.4/-0.4	1.6/0.2	1.8/0.5	2.1/-0.5	2.2/-4.2	2.1/-4.5	1.6/-4.8	0.7/-5.1	0.4/-5.3	0.4/-5.6	0.0/-5.9	-0.5/--
STL	0.22	0.1/0.0	-0.3/0.2	0.0/0.5	0.6/0.4	0.5/0.3	0.4/0.4	0.4/1.1	0.1/-3.3	-0.0/-3.6	-0.4/-4.0	0.0/-4.3	0.4/-4.6	0.5/-5.0	0.5/-5.3	0.4/--
SYR	0.67	-0.1/0.0	-0.1/1.2	0.1/1.1	0.4/1.3	0.3/0.7	-0.1/1.1	0.6/1.4	0.2/-2.3	0.7/-2.6	1.2/-3.0	1.3/-3.4	1.6/-3.7	1.6/-4.1	1.3/-4.4	1.2/--
TLH	-1.48	-0.4/0.0	-0.6/-0.3	-1.1/0.0	-1.3/0.7	-1.6/-1.0	-1.6/-1.2	-1.3/-0.9	-1.2/-5.2	-1.3/-5.5	-1.6/-5.9	-1.7/-6.2	-1.8/-6.5	-1.9/-6.9	-2.3/-7.2	-2.4/--
TPA	0.77	-0.0/0.0	0.1/0.3	0.1/0.5	0.2/0.0	0.4/0.0	0.6/0.3	1.0/0.5	1.4/-2.8	1.7/-3.0	1.5/-3.3	1.3/-3.5	1.2/-3.7	0.9/-4.0	0.7/-4.2	0.5/--
TRM	1.56	3.3/0.0	3.7/-0.4	3.3/-0.9	2.9/-0.5	2.4/-0.8	2.3/-2.2	2.6/-1.9	2.0/-5.8	1.6/-6.1	1.3/-6.3	0.5/-6.6	0.1/-6.8	-0.5/-7.1	-0.8/-7.3	-1.1/--
TUL	0.72	-0.0/0.0	-0.4/-0.5	-0.0/0.6	0.2/1.0	0.2/0.3	0.7/1.8	0.4/2.2	1.2/-1.2	0.8/-1.5	1.0/-1.9	1.3/-2.2	1.6/-2.5	1.3/-2.8	1.4/-3.1	1.0/--
TUS	0.11	0.0/0.0	-0.0/0.6	-0.5/0.6	-0.4/0.5	-0.3/-0.5	-0.1/0.1	0.3/-0.2	0.4/-8.8	0.7/-9.1	0.4/-9.4	0.8/-9.7	0.1/-10.0	0.2/-10.3	0.3/-10.5	-0.1/--
TYR	0.46	-0.3/0.0	-0.4/-0.5	-0.5/0.9	-0.2/0.6	0.1/2.4	0.3/1.5	0.3/2.0	1.1/-2.7	1.3/-3.0	1.1/-3.3	1.5/-3.5	1.2/-3.8	1.0/-4.1	0.6/-4.4	0.0/--
TYS	0.17	-0.2/0.0	-0.4/-0.2	-1.0/0.4	-1.0/0.5	-0.6/1.1	-0.4/0.6	0.1/1.1	0.4/-4.1	0.7/-4.4	1.4/-4.7	1.3/-5.0	1.0/-5.3	1.0/-5.6	0.6/-5.9	-0.4/--
VCT	0.61	-0.2/0.0	-0.2/-0.4	-0.3/0.1	0.1/-0.2	0.7/-0.3	0.7/0.3	1.1/0.3	1.4/-1.9	1.6/-2.2	1.5/-2.5	1.2/-2.7	1.0/-3.0	0.5/-3.3	0.5/-3.5	-0.2/--
WJF	-2.18	1.0/0.0	1.1/0.1	1.1/-0.5	0.1/-2.4	-0.5/-1.7	-0.5/-1.5	-0.5/-2.8	-1.4/-8.3	-1.9/-8.6	-4.1/-8.9	-4.3/-9.2	-5.1/-9.5	-5.8/-9.7	-5.9/-10.0	-6.1/--
YKM	0.68	0.4/0.0	0.3/0.3	-0.1/0.4	-0.4/0.7	-0.0/2.4	0.4/2.0	0.9/1.3	0.8/-3.3	1.1/-3.5	1.6/-3.8	1.6/-4.0	0.8/-4.2	1.0/-4.5	1.0/-4.7	0.9/--
YNG	1.89	0.7/0.0	1.4/0.5	1.6/0.5	1.6/0.7	2.2/0.6	1.7/0.7	2.4/2.0	2.2/-2.7	2.0/-3.0	2.5/-3.3	2.3/-3.6	2.1/-3.9	2.4/-4.2	1.7/-4.5	1.5/--

red: S < -0.3

orange: -0.3 < S < -0.1

grey: -0.1 < S < 0.1

green: 0.1 < S < 0.3

blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0

orange: 4.0 > B >= 2.0


black: 2.0 > B >= -2.0

green: -2.0 > B >= -4.0


blue: B < -4.0

avg_bias: average of ECMWF-value


CME18: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31



CME18: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31



CME18: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

CME18: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USNW: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USNW: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period


- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USNW: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USNW: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


USNC: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31



USNC: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31



USNC: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USNC: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09


Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


USNE: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31



USNE: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31



USNE: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USNE: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USSE: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USSE: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09


Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


USSE: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




USSE: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




USSC: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




USSC: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




USSC: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




USSC: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




USSW: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31



USSW: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31



USSW: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USSW: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

ATL: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

ATL: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09


Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


ATL: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




ATL: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




BOS: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31



BOS: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31



BOS: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15

BOS: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15

BWI: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/0702/0703/0704/0705/0706/0707/0708/0709/0710/0711/0712/0701/0802/0803/0804/0805/0806/0807/0808/0809/0810/0811/0812/0801/0902/0903/0904/0905/09

Validation period

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15

BWI: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/0702/0703/0704/0705/0706/0707/0708/0709/0710/0711/0712/0701/0802/0803/0804/0805/0806/0807/0808/0809/0810/0811/0812/0801/0902/0903/0904/0905/09

Validation period


- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15

BWI: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

BWI: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


CVG: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31



CVG: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31



CVG: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15

CVG: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15

DFW: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

DFW: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09


Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


DFW: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




DFW: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




DSM: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31



DSM: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31



DSM: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/0702/0703/0704/0705/0706/0707/0708/0709/0710/0711/0712/0701/0802/0803/0804/0805/0806/0807/0808/0809/0810/0811/0812/0801/0902/0903/0904/0905/09

Validation period

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15

DSM: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/0702/0703/0704/0705/0706/0707/0708/0709/0710/0711/0712/0701/0802/0803/0804/0805/0806/0807/0808/0809/0810/0811/0812/0801/0902/0903/0904/0905/09


Validation period

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15


DTW: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




DTW: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




DTW: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




DTW: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




IAH: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




IAH: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




IAH: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




IAH: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




LAS: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




LAS: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




LAS: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




LAS: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




LGA: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




LGA: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




LGA: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31



LGA: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31



MCI: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15

MCI: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09


Validation period

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15


MCI: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




MCI: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




MSP: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




MSP: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




MSP: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




MSP: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




ORD: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




ORD: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




ORD: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




ORD: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




PDX: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31



PDX: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




PDX: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31



01/0702/0703/0704/0705/0706/0707/0708/0709/0710/0711/0712/0701/0802/0803/0804/0805/0806/0807/0808/0809/0810/0811/0812/0801/0902/0903/0904/0905/09

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15


PDX: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/0702/0703/0704/0705/0706/0707/0708/0709/0710/0711/0712/0701/0802/0803/0804/0805/0806/0807/0808/0809/0810/0811/0812/0801/0902/0903/0904/0905/09

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15


PHL: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




PHL: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




PHL: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




PHL: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




SAC: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31



SAC: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31



SAC: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09

Validation period

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15

SAC: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




01/07 02/07 03/07 04/07 05/07 06/07 07/07 08/07 09/07 10/07 11/07 12/07 01/08 02/08 03/08 04/08 05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 05/09


Validation period

- day1 day2 day3 day4 day5 day6 day7 day8 day9 day10
- day11 day12 day13 day14 day15


SLC: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




SLC: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




SLC: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




SLC: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




TUS: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




TUS: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2009-05-31




TUS: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2009-05-31




TUS: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2009-05-31




CME18: Max Temperature (2009-05-01_2009-05-31)




CME18: Max Temperature (2009-05-01_2009-05-31)




CME18: Min Temperature (2009-05-01_2009-05-31)




CME18: Min Temperature (2009-05-01_2009-05-31)




USNW: Max Temperature (2009-05-01_2009-05-31)




USNW: Max Temperature (2009-05-01_2009-05-31)




USNW: Min Temperature (2009-05-01_2009-05-31)




USNW: Min Temperature (2009-05-01_2009-05-31)




USNC: Max Temperature (2009-05-01_2009-05-31)




USNC: Max Temperature (2009-05-01_2009-05-31)




USNC: Min Temperature (2009-05-01_2009-05-31)




USNC: Min Temperature (2009-05-01_2009-05-31)




USNE: Max Temperature (2009-05-01_2009-05-31)




USNE: Max Temperature (2009-05-01_2009-05-31)




USNE: Min Temperature (2009-05-01_2009-05-31)




USNE: Min Temperature (2009-05-01_2009-05-31)




USSE: Max Temperature (2009-05-01_2009-05-31)




USSE: Max Temperature (2009-05-01_2009-05-31)




USSE: Min Temperature (2009-05-01_2009-05-31)




USSE: Min Temperature (2009-05-01_2009-05-31)




USSC: Max Temperature (2009-05-01_2009-05-31)




USSC: Max Temperature (2009-05-01_2009-05-31)




USSC: Min Temperature (2009-05-01_2009-05-31)




USSC: Min Temperature (2009-05-01_2009-05-31)




USSW: Max Temperature (2009-05-01_2009-05-31)




USSW: Max Temperature (2009-05-01_2009-05-31)




USSW: Min Temperature (2009-05-01_2009-05-31)




USSW: Min Temperature (2009-05-01_2009-05-31)




ATL: Max Temperature (2009-05-01_2009-05-31)




ATL: Max Temperature (2009-05-01_2009-05-31)




ATL: Min Temperature (2009-05-01_2009-05-31)




ATL: Min Temperature (2009-05-01_2009-05-31)




BOS: Max Temperature (2009-05-01_2009-05-31)




BOS: Max Temperature (2009-05-01_2009-05-31)




BOS: Min Temperature (2009-05-01_2009-05-31)




BOS: Min Temperature (2009-05-01_2009-05-31)




BWI: Max Temperature (2009-05-01_2009-05-31)




BWI: Max Temperature (2009-05-01_2009-05-31)




BWI: Min Temperature (2009-05-01_2009-05-31)




BWI: Min Temperature (2009-05-01_2009-05-31)




CVG: Max Temperature (2009-05-01_2009-05-31)




CVG: Max Temperature (2009-05-01_2009-05-31)




CVG: Min Temperature (2009-05-01_2009-05-31)




CVG: Min Temperature (2009-05-01_2009-05-31)




DFW: Max Temperature (2009-05-01_2009-05-31)




DFW: Max Temperature (2009-05-01_2009-05-31)




DFW: Min Temperature (2009-05-01_2009-05-31)




DFW: Min Temperature (2009-05-01_2009-05-31)




DSM: Max Temperature (2009-05-01_2009-05-31)




DSM: Max Temperature (2009-05-01_2009-05-31)




DSM: Min Temperature (2009-05-01_2009-05-31)




DSM: Min Temperature (2009-05-01_2009-05-31)




DTW: Max Temperature (2009-05-01_2009-05-31)




DTW: Max Temperature (2009-05-01_2009-05-31)




DTW: Min Temperature (2009-05-01_2009-05-31)




DTW: Min Temperature (2009-05-01_2009-05-31)




IAH: Max Temperature (2009-05-01_2009-05-31)




IAH: Max Temperature (2009-05-01_2009-05-31)




IAH: Min Temperature (2009-05-01_2009-05-31)




IAH: Min Temperature (2009-05-01_2009-05-31)




LAS: Max Temperature (2009-05-01_2009-05-31)




LAS: Max Temperature (2009-05-01_2009-05-31)




LAS: Min Temperature (2009-05-01_2009-05-31)




LAS: Min Temperature (2009-05-01_2009-05-31)




LGA: Max Temperature (2009-05-01_2009-05-31)




LGA: Max Temperature (2009-05-01_2009-05-31)




LGA: Min Temperature (2009-05-01_2009-05-31)




LGA: Min Temperature (2009-05-01_2009-05-31)




MCI: Max Temperature (2009-05-01_2009-05-31)




MCI: Max Temperature (2009-05-01_2009-05-31)




MCI: Min Temperature (2009-05-01_2009-05-31)




MCI: Min Temperature (2009-05-01_2009-05-31)




MSP: Max Temperature (2009-05-01_2009-05-31)




MSP: Max Temperature (2009-05-01_2009-05-31)




MSP: Min Temperature (2009-05-01_2009-05-31)




MSP: Min Temperature (2009-05-01_2009-05-31)




ORD: Max Temperature (2009-05-01_2009-05-31)




ORD: Max Temperature (2009-05-01_2009-05-31)




ORD: Min Temperature (2009-05-01_2009-05-31)




ORD: Min Temperature (2009-05-01_2009-05-31)




PDX: Max Temperature (2009-05-01_2009-05-31)




PDX: Max Temperature (2009-05-01_2009-05-31)




PDX: Min Temperature (2009-05-01_2009-05-31)




PDX: Min Temperature (2009-05-01_2009-05-31)




PHL: Max Temperature (2009-05-01_2009-05-31)




PHL: Max Temperature (2009-05-01_2009-05-31)




PHL: Min Temperature (2009-05-01_2009-05-31)




PHL: Min Temperature (2009-05-01_2009-05-31)




SAC: Max Temperature (2009-05-01_2009-05-31)




SAC: Max Temperature (2009-05-01_2009-05-31)




SAC: Min Temperature (2009-05-01_2009-05-31)




SAC: Min Temperature (2009-05-01_2009-05-31)




SLC: Max Temperature (2009-05-01_2009-05-31)




SLC: Max Temperature (2009-05-01_2009-05-31)




SLC: Min Temperature (2009-05-01_2009-05-31)




SLC: Min Temperature (2009-05-01_2009-05-31)




TUS: Max Temperature (2009-05-01_2009-05-31)



TUS: Max Temperature (2009-05-01_2009-05-31)



TUS: Min Temperature (2009-05-01_2009-05-31)



TUS: Min Temperature (2009-05-01_2009-05-31)

