

eCast Monthly Summary Report for 2007-12-01 ~ 2007-12-31

January 15, 2008

Copyright (c) Atmospheric and Environmental Research (AER), Inc., 2008

AER Proprietary Information --

Release or disclosure only with the expressed written permission of AER

ECMWF/MEX MAX Temperature Regional Summary

MAE (2007-12-01~2007-12-31)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
USNW	-0.04	2.9/2.8	3.5/3.2	3.9/3.6	4.2/4.1	4.3/4.3	4.4/4.5	4.7/5.2	5.3/5.4	5.8/5.4	6.2/5.4	6.0/5.4	5.4/5.4	5.5/5.4	5.7/5.4	5.6/5.4
USSC	0.05	3.0/3.5	3.3/4.1	3.7/4.5	4.3/5.1	4.8/5.5	5.6/5.9	7.0/6.7	7.3/8.4	7.4/8.4	9.1/8.4	9.0/8.4	8.7/8.4	8.5/8.4	8.3/8.4	8.4/8.4
USSW	0.09	2.5/2.8	2.6/3.0	3.0/3.1	3.7/3.3	3.9/3.8	4.1/4.3	4.4/4.7	4.7/5.8	5.1/5.8	4.6/5.8	4.7/5.8	4.8/5.8	5.2/5.8	5.3/5.8	5.5/5.8
USSE	0.10	2.2/2.8	2.6/3.1	2.8/3.6	3.3/3.6	3.9/4.0	4.6/4.4	5.0/5.1	5.3/7.1	5.6/7.1	5.9/7.1	6.8/7.1	6.6/7.1	7.0/7.1	6.8/7.1	7.2/7.1
CME18	0.11	2.6/3.4	2.7/3.4	3.1/3.7	3.9/3.8	4.3/4.5	4.6/5.0	5.2/5.4	5.6/6.8	5.5/6.8	6.0/6.8	6.1/6.8	6.1/6.8	6.0/6.8	6.2/6.8	6.4/6.8
USNC	0.12	2.7/3.8	2.8/3.8	3.1/3.9	3.8/4.1	4.4/4.8	4.8/5.4	6.2/6.2	6.3/7.0	6.2/7.0	7.0/7.0	6.4/7.0	6.3/7.0	6.2/7.0	6.3/7.0	6.6/7.0
USNE	0.13	2.8/3.3	3.1/3.6	3.2/3.9	3.3/3.9	4.2/4.2	4.6/5.0	4.9/5.3	5.8/7.2	5.7/7.2	6.5/7.2	6.2/7.2	6.1/7.2	6.3/7.2	6.3/7.2	6.7/7.2

Bias (2007-12-01~2007-12-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
USSC	-1.97	0.2/0.7	0.4/1.6	0.3/2.2	-0.5/1.2	-1.7/0.7	-2.7/0.6	-2.9/0.1	-3.0/-2.8	-3.3/-2.8	-3.3/-2.8	-3.0/-2.8	-2.6/-2.8	-2.5/-2.8	-2.4/-2.8	-2.6/-2.8
USSE	-1.59	0.1/0.7	0.1/1.0	0.1/1.3	-0.4/1.1	-1.0/1.1	-2.3/0.4	-2.8/-0.9	-3.1/-4.1	-3.3/-4.1	-2.5/-4.1	-2.1/-4.1	-1.6/-4.1	-1.8/-4.1	-1.7/-4.1	-1.7/-4.1
USNW	-1.45	-0.3/-0.2	-1.2/-1.2	-1.3/-1.6	-1.5/-2.1	-1.8/-2.2	-1.5/-1.8	-1.5/-1.2	-1.4/0.1	-1.7/0.1	-2.0/0.1	-1.8/0.1	-1.4/0.1	-1.5/0.1	-1.6/0.1	-1.3/0.1
USNC	-0.41	0.4/1.1	0.3/0.8	0.1/0.5	-0.0/0.1	-0.4/0.4	-1.1/-0.2	-0.9/-0.2	-0.9/0.8	-0.9/0.8	-1.9/0.8	-1.1/0.8	-0.2/0.8	0.2/0.8	0.2/0.8	0.1/0.8
CME18	-0.34	0.5/0.9	0.4/1.0	0.3/1.0	-0.4/0.5	-0.7/0.7	-1.3/0.8	-1.4/0.5	-1.3/1.1	-1.3/1.1	-0.9/1.1	-0.5/1.1	0.0/1.1	0.3/1.1	0.7/1.1	0.5/1.1
USSW	0.55	0.5/1.2	0.4/1.3	0.3/1.4	-0.5/1.3	-0.3/1.8	-0.0/2.6	0.0/2.9	0.3/3.4	0.5/3.4	0.2/3.4	0.5/3.4	0.7/3.4	1.3/3.4	2.0/3.4	2.4/3.4
USNE	1.10	0.8/1.0	1.0/1.2	1.0/0.7	1.3/0.1	1.6/0.7	0.7/0.5	-0.3/-0.8	0.3/1.4	0.2/1.4	1.3/1.4	1.1/1.4	1.6/1.4	1.9/1.4	2.0/1.4	2.0/1.4

USNW: US North West USNC: US North Central USNE: US North East USSE: US South East USSC: US South Central USSW: US South West

red: $S < -0.3$ orange: $-0.3 < S < -0.1$ grey: $-0.1 < S < 0.1$ green: $0.1 < S < 0.3$ blue: $S > 0.3$

S_score: average of $(1 - \text{ECMWF-value} / \text{MEX-value})$

red: $B \geq 4.0$ orange: $4.0 > B \geq 2.0$ black: $2.0 > B \geq -2.0$ green: $2.0 > B \geq -2.0$ blue: $B \leq -4.0$

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature Regional Summary

MAE (2007-12-01~2007-12-31)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
USNW	-0.29	2.9/3.1	3.1/3.3	3.6/3.0	5.1/3.2	5.3/3.7	5.6/3.8	5.8/4.3	6.4/5.1	6.9/5.1	7.3/5.1	7.0/5.1	6.8/5.1	6.6/5.1	6.6/5.1	6.4/5.1
USSW	-0.03	2.8/3.0	2.9/3.1	3.0/3.1	4.2/3.1	4.4/3.2	4.7/3.8	4.5/4.1	4.6/4.8	4.7/4.8	4.5/4.8	4.5/4.8	4.5/4.8	4.5/4.8	4.6/4.8	4.8/4.8
USNC	0.06	3.2/4.0	3.3/4.2	3.5/4.3	4.3/4.5	4.9/4.9	5.7/5.3	6.1/5.6	6.3/6.9	6.3/6.9	6.1/6.9	7.1/6.9	6.7/6.9	6.6/6.9	6.6/6.9	6.8/6.9
CME18	0.07	2.4/3.4	2.5/3.6	2.9/3.6	4.0/3.8	4.3/4.1	4.8/4.4	5.2/5.1	5.3/6.1	5.2/6.1	5.4/6.1	6.0/6.1	5.8/6.1	5.9/6.1	5.8/6.1	6.1/6.1
USNE	0.11	2.7/3.0	2.9/3.3	3.1/3.6	3.9/3.5	3.8/3.8	4.4/4.2	5.3/4.6	5.7/7.1	5.5/7.1	5.6/7.1	5.6/7.1	5.6/7.1	5.6/7.1	5.7/7.1	5.9/7.1
USSE	0.14	2.5/3.3	2.6/3.3	2.7/3.5	3.3/4.0	3.6/4.3	4.3/4.5	4.9/4.5	5.7/8.3	6.3/8.3	6.5/8.3	6.8/8.3	8.0/8.3	7.7/8.3	7.9/8.3	8.0/8.3
USSC	0.17	3.1/5.1	3.1/5.5	3.5/6.1	3.9/6.8	4.3/6.8	5.1/6.7	6.3/7.5	6.6/7.7	6.4/7.7	7.4/7.7	7.7/7.7	8.0/7.7	8.2/7.7	8.3/7.7	8.5/7.7

Bias (2007-12-01~2007-12-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
USNW	-4.18	-0.8/-0.0	-1.1/-0.0	-2.4/-0.7	-4.2/-0.8	-4.5/-1.2	-4.7/-0.8	-4.5/-0.3	-4.6/-1.8	-4.9/-1.8	-5.4/-1.8	-5.3/-1.8	-5.4/-1.8	-5.5/-1.8	-5.0/-1.8	-4.3/-1.8
USNC	-2.68	-0.6/2.3	-0.7/2.1	-1.1/1.8	-2.1/1.5	-2.6/1.7	-3.6/1.4	-3.5/0.6	-3.6/-1.6	-3.7/-1.6	-3.7/-1.6	-3.7/-1.6	-3.2/-1.6	-3.0/-1.6	-2.9/-1.6	-2.3/-1.6
USNE	-2.10	-0.5/0.9	-0.6/1.1	-0.9/0.8	-1.9/0.1	-1.1/0.2	-2.2/0.6	-3.3/-0.9	-3.4/-1.8	-3.2/-1.8	-3.0/-1.8	-2.5/-1.8	-2.3/-1.8	-2.3/-1.8	-2.6/-1.8	-1.7/-1.8
USSE	-2.06	-0.2/0.7	-0.3/1.0	-0.6/0.6	-1.2/0.1	-1.5/1.1	-2.3/1.2	-2.9/0.0	-3.3/-4.9	-3.6/-4.9	-3.4/-4.9	-2.8/-4.9	-2.2/-4.9	-2.5/-4.9	-2.7/-4.9	-1.3/-4.9
CME18	-1.71	-0.1/1.9	-0.3/2.0	-0.9/1.7	-2.1/1.6	-2.0/1.5	-2.4/1.6	-2.5/1.3	-2.6/-1.0	-2.6/-1.0	-2.0/-1.0	-2.2/-1.0	-1.9/-1.0	-1.7/-1.0	-1.7/-1.0	-0.7/-1.0
USSW	-1.44	-0.3/0.6	-0.6/0.9	-1.0/0.9	-2.6/0.6	-2.8/0.5	-2.8/1.1	-2.6/1.6	-2.5/0.3	-2.5/0.3	-1.1/0.3	-1.0/0.3	-0.9/0.3	-0.5/0.3	-0.4/0.3	0.1/0.3
USSC	-1.10	0.3/3.7	0.1/4.0	-0.2/4.5	-0.7/5.2	-1.3/4.5	-1.7/3.8	-1.6/3.3	-1.7/-2.0	-1.6/-2.0	-1.4/-2.0	-1.5/-2.0	-1.4/-2.0	-1.5/-2.0	-1.5/-2.0	-0.6/-2.0

USNW: US North West USNC: US North Central USNE: US North East USSE: US South East USSC: US South Central USSW: US South West

red: $S < -0.3$ orange: $-0.3 < S < -0.1$ grey: $-0.1 < S < 0.1$ green: $0.1 < S < 0.3$ blue: $S > 0.3$

S_score: average of $(1 - \text{ECMWF-value} / \text{MEX-value})$

red: $B \geq 4.0$ orange: $4.0 > B \geq 2.0$ black: $2.0 > B \geq -2.0$ green: $2.0 > B \geq -2.0$ blue: $B \leq -4.0$

avg_bias: average of ECMWF-value

ECMWF/MEX MAX Temperature in CME18

MAE (2007-12-01~2007-12-31)

S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
DSM	-0.10	3.2/3.4	3.3/3.1	3.5/3.8	5.0/3.7	6.0/4.5	6.4/5.3	7.5/5.5	7.3/6.0	6.9/6.0	7.3/6.0	6.3/6.0	6.0/6.0	4.9/6.0	5.2/6.0	5.8/6.0
SAC	-0.07	2.0/2.5	2.1/2.1	2.4/2.2	3.0/2.1	2.9/2.5	2.8/2.4	2.9/2.4	2.5/2.6	2.6/2.6	2.8/2.6	2.6/2.6	2.9/2.6	2.8/2.6	2.7/2.6	2.7/2.6
MCI	-0.07	4.5/4.8	4.0/4.6	5.1/5.4	7.0/6.1	8.2/7.7	9.0/8.1	10.1/8.8	11.0/9.2	10.2/9.2	12.7/9.2	10.6/9.2	10.2/9.2	8.9/9.2	8.6/9.2	8.4/9.2
ATL	-0.05	3.0/3.5	3.7/3.7	4.0/4.8	4.4/4.2	4.8/4.8	5.6/4.9	5.5/6.8	6.4/7.7	6.4/7.7	7.7/7.7	11.2/7.7	9.6/7.7	9.7/7.7	9.6/7.7	9.8/7.7
PDX	-0.04	2.3/2.5	2.5/2.5	3.0/3.2	3.6/3.0	3.4/3.2	3.8/3.3	3.9/3.7	4.0/3.7	4.0/3.7	3.6/3.7	3.7/3.7	3.8/3.7	3.8/3.7	3.9/3.7	3.7/3.7
SLC	0.02	2.1/2.5	2.4/3.0	3.4/2.7	5.2/2.9	4.9/3.2	4.2/4.0	3.8/4.8	3.5/6.7	3.6/6.7	5.3/6.7	5.8/6.7	6.7/6.7	6.2/6.7	6.7/6.7	7.0/6.7
DFW	0.04	2.6/3.2	3.1/3.6	3.7/3.6	4.7/4.7	5.0/6.4	6.0/6.4	7.6/6.9	8.1/9.1	8.1/9.1	9.6/9.1	9.3/9.1	9.5/9.1	9.2/9.1	8.9/9.1	8.7/9.1
BWI	0.12	3.0/2.9	3.2/3.6	3.1/4.1	3.5/3.8	4.6/4.2	5.0/5.5	4.9/5.1	5.7/6.8	5.2/6.8	5.1/6.8	5.6/6.8	5.5/6.8	5.9/6.8	5.7/6.8	6.5/6.8
DTW	0.13	2.0/3.0	2.2/3.0	2.2/2.7	2.9/3.2	3.8/4.0	3.5/3.9	4.4/4.4	5.2/5.6	5.2/5.6	4.8/5.6	5.6/5.6	4.8/5.6	4.7/5.6	4.6/5.6	4.7/5.6
TUS	0.14	3.0/3.1	3.2/3.6	3.5/3.4	4.2/4.0	3.9/5.1	3.5/6.0	4.0/5.5	5.1/7.6	5.9/7.6	6.0/7.6	5.7/7.6	6.5/7.6	6.6/7.6	8.3/7.6	8.7/7.6
ORD	0.17	2.3/3.5	2.8/3.5	3.7/4.5	4.1/4.6	5.0/5.3	4.9/5.8	6.7/6.8	6.2/7.2	5.9/7.2	6.2/7.2	6.2/7.2	6.1/7.2	5.4/7.2	5.6/7.2	5.8/7.2
IAH	0.17	2.0/2.5	2.0/2.9	2.7/3.8	2.9/4.2	2.5/4.0	3.8/4.5	5.5/5.6	6.1/8.0	6.0/8.0	6.5/8.0	7.5/8.0	7.5/8.0	7.6/8.0	7.9/8.0	7.9/8.0
PHL	0.18	2.3/3.3	2.5/3.4	2.6/4.0	2.8/4.0	3.7/4.7	4.3/4.3	4.4/5.1	5.4/6.4	5.2/6.4	5.8/6.4	5.3/6.4	5.3/6.4	5.4/6.4	5.5/6.4	6.2/6.4
LGA	0.19	1.9/2.2	2.3/2.7	2.0/3.5	1.9/3.1	2.5/3.3	3.2/4.2	3.5/3.7	4.7/5.8	4.4/5.8	5.2/5.8	4.8/5.8	4.9/5.8	5.2/5.8	5.1/5.8	5.4/5.8
MSP	0.20	2.0/4.7	2.3/4.0	2.5/3.1	3.2/3.1	3.9/3.8	4.1/4.3	4.4/4.6	5.2/7.2	5.3/7.2	4.9/7.2	5.3/7.2	4.7/7.2	5.6/7.2	6.5/7.2	7.2/7.2
CVG	0.21	2.8/5.4	3.0/5.5	3.5/5.3	4.9/5.6	4.8/6.4	5.0/7.1	7.9/7.7	7.4/8.4	7.1/8.4	6.8/8.4	6.8/8.4	7.5/8.4	7.0/8.4	7.1/8.4	7.3/8.4
BOS	0.24	2.9/3.5	2.9/3.0	2.5/3.0	1.9/3.2	3.1/3.8	4.0/4.2	4.4/5.0	4.5/6.9	4.5/6.9	5.2/6.9	4.8/6.9	4.5/6.9	5.0/6.9	5.2/6.9	5.2/6.9
LAS	0.35	2.5/4.1	1.6/4.2	3.2/4.3	4.1/3.6	4.2/3.6	3.8/5.2	2.8/5.5	2.6/6.6	2.8/6.6	3.1/6.6	3.5/6.6	4.2/6.6	4.5/6.6	4.5/6.6	4.8/6.6

Bias (2007-12-01~2007-12-31)

avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
MCI	-4.03	0.7/0.5	-0.5/-1.0	-2.6/-0.6	-5.0/-0.2	-6.4/-0.1	-6.4/1.1	-5.6/1.2	-6.1/1.6	-5.9/1.6	-6.6/1.6	-4.1/1.6	-3.7/1.6	-2.8/1.6	-2.7/1.6	-2.8/1.6
ATL	-3.04	-0.1/-0.8	0.8/1.3	1.3/2.6	-0.1/1.2	-1.0/0.3	-2.6/0.1	-3.0/-0.7	-3.3/-4.3	-3.5/-4.3	-3.7/-4.3	-7.0/-4.3	-5.8/-4.3	-5.9/-4.3	-5.9/-4.3	-5.8/-4.3
DSM	-1.70	0.8/0.7	0.3/-0.2	-0.7/1.4	-2.6/0.8	-4.1/-0.4	-4.4/1.1	-3.4/2.3	-3.4/3.2	-3.3/3.2	-2.2/3.2	-1.1/3.2	-0.6/3.2	-0.1/3.2	-0.0/3.2	-0.6/3.2
IAH	-1.54	-0.1/0.2	0.2/0.9	-0.1/2.0	-1.1/0.5	-1.4/0.4	-2.6/0.2	-2.9/-0.6	-2.7/-3.7	-2.9/-3.7	-1.5/-3.7	-1.9/-3.7	-1.7/-3.7	-1.5/-3.7	-1.5/-3.7	-1.5/-3.7
CVG	-1.05	0.3/1.8	0.5/2.0	0.6/1.6	1.9/1.1	0.8/1.6	-1.2/-0.2	-1.8/-1.2	-2.0/0.1	-2.5/0.1	-2.3/0.1	-2.4/0.1	-1.7/0.1	-1.7/0.1	-2.1/0.1	-2.4/0.1
ORD	-0.80	-0.3/0.1	-0.6/-0.6	-1.0/-0.9	-1.2/0.1	-1.7/0.5	-2.7/-1.3	-2.1/-1.4	-2.1/0.1	-2.2/0.1	-1.2/0.1	0.1/0.1	0.5/0.1	0.8/0.1	1.2/0.1	0.6/0.1
DFW	-0.75	-0.8/-0.2	0.6/0.9	1.3/2.1	0.8/-0.3	-1.0/-0.0	-2.3/0.1	-2.5/-0.5	-2.3/-4.1	-2.7/-4.1	-1.5/-4.1	-0.7/-4.1	-0.3/-4.1	-0.1/-4.1	0.2/-4.1	0.0/-4.1
PDX	-0.70	-0.8/-0.3	-1.4/-1.6	-1.3/-2.1	-1.4/-1.9	-1.2/-1.9	-1.1/-1.4	-1.4/-0.8	-1.6/0.6	-1.7/0.6	-0.3/0.6	0.1/0.6	0.4/0.6	0.2/0.6	0.5/0.6	0.4/0.6
LAS	-0.29	1.4/3.6	0.2/3.6	0.9/3.7	-1.9/3.0	-1.4/3.4	-1.4/4.8	-1.0/5.3	-0.8/4.9	-0.8/4.9	-0.7/4.9	-0.7/4.9	0.1/4.9	0.3/4.9	0.4/4.9	0.9/4.9
SAC	-0.04	0.2/1.2	0.1/-0.5	0.3/0.4	0.1/-0.1	0.1/0.3	0.1/0.8	0.0/0.3	0.2/0.6	0.2/0.6	-1.2/0.6	-0.7/0.6	-0.5/0.6	-0.1/0.6	0.4/0.6	-0.1/0.6
LGA	0.18	0.1/0.4	-0.0/0.3	-0.2/0.6	-0.5/-0.9	-0.6/-0.3	-1.3/-0.2	-2.3/-1.7	-1.8/1.0	-1.8/1.0	1.0/1.0	1.6/1.0	2.0/1.0	2.2/1.0	2.5/1.0	1.9/1.0
BOS	0.37	0.8/-0.1	0.8/-0.0	0.8/-0.1	0.2/-0.9	0.4/-0.4	-0.5/-0.8	-1.6/-1.7	-0.6/3.3	-0.2/3.3	0.4/3.3	0.5/3.3	0.6/3.3	1.1/3.3	1.3/3.3	1.4/3.3
BWI	0.45	1.5/1.4	1.6/2.5	1.5/1.6	1.2/1.8	1.2/1.6	0.1/1.5	-1.1/0.3	-0.6/1.7	-1.3/1.7	0.1/1.7	0.4/1.7	0.5/1.7	0.6/1.7	0.6/1.7	0.5/1.7
SLC	1.01	0.7/-0.5	0.1/1.3	0.1/0.3	-1.2/-0.0	-1.3/0.6	-1.2/2.2	-1.3/3.3	-1.0/4.7	-0.8/4.7	0.9/4.7	3.3/4.7	3.3/4.7	4.1/4.7	4.6/4.7	4.7/4.7
PHL	1.11	0.8/2.3	1.0/2.7	0.8/1.5	0.8/1.2	1.1/1.3	0.4/1.4	-0.4/0.7	0.1/1.5	0.0/1.5	1.3/1.5	1.9/1.5	2.0/1.5	2.0/1.5	2.5/1.5	2.3/1.5
TUS	1.35	1.0/1.3	1.0/1.7	1.0/1.6	0.2/2.2	0.5/2.7	0.9/4.4	1.3/3.7	1.5/3.5	1.9/3.5	0.1/3.5	-0.0/3.5	0.5/3.5	0.7/3.5	4.6/3.5	4.9/3.5
DTW	1.55	1.1/1.9	0.9/1.7	1.1/1.2	1.9/0.5	2.9/1.3	1.9/0.3	1.9/-0.3	2.2/1.5	2.0/1.5	0.4/1.5	0.2/1.5	1.6/1.5	1.8/1.5	1.9/1.5	1.7/1.5
MSP	1.88	1.1/3.4	1.7/2.2	1.6/1.9	1.4/0.6	0.8/1.2	1.0/1.1	1.9/1.8	1.8/3.6	1.8/3.6	1.1/3.6	2.0/3.6	2.7/3.6	3.0/3.6	3.3/3.6	2.9/3.6

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: 2.0 > B >= -2.0 blue: B <= -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature in CME18

MAE (2007-12-01~2007-12-31)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
PDX	-0.55	3.0/2.7	3.3/2.6	3.9/2.5	5.4/2.6	5.4/3.1	5.8/2.6	6.2/3.4	6.8/4.0	7.1/4.0	5.4/4.0	5.5/4.0	5.4/4.0	5.3/4.0	5.4/4.0	5.1/4.0
DSM	-0.21	3.0/3.4	3.1/3.6	3.9/4.1	6.5/4.6	7.1/4.2	7.8/4.8	7.4/6.4	7.0/5.6	7.0/5.6	7.6/5.6	7.1/5.6	6.6/5.6	6.0/5.6	5.9/5.6	6.3/5.6
SAC	-0.15	2.6/2.8	2.4/2.4	2.4/2.4	4.2/2.3	4.2/3.0	4.5/3.4	4.3/2.8	3.9/4.5	3.9/4.5	4.9/4.5	4.9/4.5	4.7/4.5	4.8/4.5	4.9/4.5	5.0/4.5
MCI	-0.12	4.3/5.4	4.4/5.4	4.8/5.2	6.2/5.2	6.6/5.6	6.9/5.7	7.5/6.9	7.1/5.3	6.6/5.3	4.8/5.3	7.3/5.3	6.3/5.3	5.9/5.3	6.4/5.3	6.6/5.3
SLC	-0.09	2.9/4.0	3.2/4.1	4.2/3.5	6.9/3.8	7.0/3.6	6.9/4.6	5.6/4.7	4.5/5.9	4.3/5.9	5.8/5.9	5.8/5.9	5.4/5.9	5.5/5.9	5.4/5.9	5.5/5.9
DFW	0.02	2.7/4.7	2.4/5.2	2.9/6.4	2.8/6.0	3.4/6.2	4.3/5.3	5.7/6.9	5.2/5.3	4.6/5.3	6.8/5.3	7.2/5.3	7.6/5.3	8.0/5.3	7.7/5.3	7.9/5.3
LAS	0.05	1.8/2.4	2.0/2.8	1.9/1.9	3.0/2.2	3.0/2.3	3.1/3.3	2.9/3.6	2.5/3.9	2.4/3.9	3.4/3.9	3.7/3.9	3.9/3.9	4.1/3.9	4.1/3.9	4.5/3.9
PHL	0.06	1.6/2.0	2.0/2.1	2.3/2.2	2.9/2.0	3.5/2.6	3.6/2.9	3.8/3.8	4.5/5.0	4.1/5.0	3.7/5.0	3.5/5.0	3.8/5.0	4.0/5.0	3.8/5.0	4.1/5.0
DTW	0.06	2.0/3.1	2.4/3.3	3.1/3.4	3.4/4.0	3.3/3.2	4.4/4.2	4.7/4.1	4.8/5.0	4.6/5.0	4.4/5.0	5.4/5.0	5.0/5.0	5.1/5.0	4.7/5.0	4.3/5.0
BOS	0.09	2.1/2.5	2.1/2.8	2.8/3.3	4.8/2.8	4.2/3.3	4.4/4.0	5.3/4.2	5.2/7.0	4.9/7.0	4.7/7.0	5.1/7.0	5.1/7.0	5.0/7.0	5.0/7.0	5.4/7.0
ORD	0.11	2.3/3.5	2.3/4.1	2.9/4.0	3.7/4.3	4.2/5.0	6.1/4.7	6.3/5.6	5.9/6.0	5.6/6.0	5.3/6.0	5.8/6.0	5.8/6.0	5.0/6.0	5.0/6.0	5.4/6.0
BWI	0.11	2.0/3.4	2.2/2.9	2.7/3.2	3.3/2.9	3.7/3.5	4.1/3.8	5.5/4.8	5.9/6.7	5.7/6.7	5.5/6.7	5.6/6.7	5.1/6.7	5.9/6.7	5.6/6.7	5.7/6.7
ATL	0.14	2.0/2.8	2.3/3.1	2.4/3.4	2.9/3.4	3.2/3.9	4.0/4.3	4.8/5.0	6.1/8.8	6.7/8.8	6.3/8.8	9.4/8.8	9.2/8.8	8.8/8.8	8.7/8.8	8.3/8.8
CVG	0.14	1.7/3.1	1.8/3.6	1.7/3.4	3.4/3.8	4.0/4.4	4.9/4.8	5.3/4.4	5.7/7.1	6.0/7.1	5.9/7.1	7.1/7.1	6.9/7.1	6.7/7.1	6.7/7.1	6.6/7.1
LGA	0.15	1.5/1.6	1.9/1.8	2.1/2.1	2.6/2.5	3.4/3.0	3.6/3.7	3.8/4.5	3.3/6.0	4.4/6.0	4.2/6.0	4.0/6.0	4.0/6.0	4.2/6.0	4.2/6.0	4.7/6.0
TUS	0.24	1.8/2.5	2.1/3.4	1.8/2.7	2.7/2.4	2.7/3.8	2.9/4.0	3.2/4.2	3.4/5.8	3.4/5.8	4.4/5.8	4.4/5.8	4.6/5.8	5.0/5.8	5.0/5.8	5.2/5.8
MSP	0.25	3.4/5.0	3.1/4.8	3.0/4.4	4.0/5.2	5.4/5.0	5.4/5.5	6.0/7.2	6.1/8.9	5.8/8.9	4.9/8.9	6.5/8.9	5.8/8.9	6.5/8.9	6.5/8.9	8.3/8.9
IAH	0.27	2.1/5.9	2.3/5.9	2.7/6.3	2.6/7.9	3.2/7.5	3.6/7.7	5.3/8.6	6.4/8.9	6.4/8.9	8.5/8.9	9.0/8.9	9.2/8.9	9.7/8.9	10.2/8.9	11.2/8.9

Bias (2007-12-01~2007-12-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
DSM	-4.77	-1.1/2.2	-0.9/2.2	-2.6/1.5	-5.5/2.3	-6.4/1.7	-6.4/1.9	-5.7/2.1	-6.2/0.2	-6.1/0.2	-6.7/0.2	-6.0/0.2	-5.7/0.2	-4.9/0.2	-3.9/0.2	-3.6/0.2
PDX	-3.97	-1.2/-0.6	-1.9/0.1	-3.1/-1.0	-4.1/-1.0	-4.5/-1.3	-4.7/-0.2	-4.8/0.0	-5.2/-1.5	-5.7/-1.5	-3.4/-1.5	-4.1/-1.5	-4.7/-1.5	-4.9/-1.5	-4.2/-1.5	-3.2/-1.5
MCI	-3.36	0.3/3.8	-0.3/3.6	-1.7/3.7	-4.9/4.0	-5.7/2.2	-5.5/3.3	-5.1/4.2	-5.6/1.3	-4.7/1.3	-0.9/1.3	-4.0/1.3	-3.8/1.3	-3.2/1.3	-3.2/1.3	-2.3/1.3
ATL	-3.24	-0.3/1.2	-0.5/1.7	-0.8/1.4	-1.9/1.3	-2.6/2.0	-3.2/1.7	-3.7/1.1	-4.5/-5.4	-4.8/-5.4	-4.0/-5.4	-5.6/-5.4	-4.5/-5.4	-4.4/-5.4	-4.8/-5.4	-2.9/-5.4
SAC	-3.13	-0.1/0.6	-0.7/0.5	-1.2/0.9	-3.7/0.7	-3.8/0.3	-4.0/1.2	-3.8/1.4	-3.4/0.4	-3.2/0.4	-3.7/0.4	-4.1/0.4	-4.0/0.4	-3.9/0.4	-3.7/0.4	-3.5/0.4
CVG	-2.91	0.5/2.4	0.1/3.2	-0.4/2.4	-1.8/2.2	-1.9/3.0	-3.9/2.1	-4.0/-0.8	-4.1/-3.0	-4.1/-3.0	-3.7/-3.0	-4.1/-3.0	-3.9/-3.0	-4.1/-3.0	-4.5/-3.0	-3.7/-3.0
SLC	-2.48	-0.2/1.1	-0.7/0.3	-1.6/-0.4	-3.4/-0.8	-3.4/-0.1	-3.7/0.3	-3.1/2.2	-2.9/1.4	-2.8/1.4	-3.5/1.4	-3.6/1.4	-3.4/1.4	-1.8/1.4	-3.1/1.4	-0.3/1.4
ORD	-2.43	-1.0/2.5	-1.1/3.1	-1.3/2.2	-1.7/2.4	-2.0/2.7	-3.3/1.2	-3.1/0.2	-3.3/-1.1	-3.5/-1.1	-3.1/-1.1	-3.0/-1.1	-2.7/-1.1	-2.8/-1.1	-2.4/-1.1	-2.1/-1.1
BWI	-2.20	0.4/1.5	-0.1/0.9	-0.2/0.7	-1.1/0.5	-0.9/0.0	-1.9/0.5	-3.4/-0.8	-4.1/-3.5	-4.3/-3.5	-3.3/-3.5	-3.0/-3.5	-2.8/-3.5	-2.8/-3.5	-3.2/-3.5	-2.3/-3.5
DTW	-1.71	-0.4/1.7	-0.4/1.5	-0.9/1.8	-1.3/0.5	-1.1/1.5	-2.4/1.0	-2.5/0.1	-2.5/-0.9	-2.8/-0.9	-2.4/-0.9	-2.2/-0.9	-2.2/-0.9	-1.7/-0.9	-1.7/-0.9	-1.0/-0.9
MSP	-1.57	-0.3/3.3	0.3/3.2	-0.7/2.2	-2.5/2.5	-2.2/2.2	-1.8/2.4	-1.8/3.5	-1.7/-0.6	-1.6/-0.6	-3.4/-0.6	-2.2/-0.6	-2.3/-0.6	-1.6/-0.6	-1.4/-0.6	-0.3/-0.6
BOS	-1.57	-0.1/1.8	-0.2/2.0	-0.7/2.4	-3.3/1.2	-2.0/0.7	-2.0/1.2	-2.8/0.1	-2.6/1.8	-1.8/1.8	-1.7/1.8	-1.8/1.8	-0.8/1.8	-1.2/1.8	-1.6/1.8	-0.7/1.8
PHL	-1.35	-0.2/1.1	-0.5/0.6	-0.5/0.4	-0.9/-0.0	-0.2/-0.2	-1.1/0.3	-2.3/-1.2	-2.8/-1.5	-2.9/-1.5	-2.0/-1.5	-1.7/-1.5	-1.4/-1.5	-1.4/-1.5	-1.7/-1.5	-0.7/-1.5
TUS	-0.15	0.2/2.0	0.1/2.8	-0.7/1.8	-2.2/1.1	-2.3/1.6	-1.9/2.4	-1.5/2.5	-1.4/1.6	-1.3/1.6	0.7/1.6	0.2/1.6	1.2/1.6	1.5/1.6	2.1/1.6	2.8/1.6
LGA	0.38	-0.0/-0.2	0.1/-0.1	-0.2/-0.3	0.4/-0.5	1.7/-0.5	1.4/0.1	1.2/-1.7	1.5/-1.4	1.6/-1.4	-1.3/-1.4	-0.5/-1.4	-0.0/-1.4	-0.2/-1.4	-0.3/-1.4	0.3/-1.4
IAH	0.68	1.0/4.9	0.6/5.3	-0.7/5.5	-0.5/7.1	0.0/6.0	-0.4/5.4	-0.3/4.6	0.3/-3.0	0.4/-3.0	1.6/-3.0	1.2/-3.0	1.0/-3.0	0.7/-3.0	2.0/-3.0	3.3/-3.0
LAS	1.30	0.6/1.1	1.0/1.6	0.9/0.8	0.2/1.0	0.1/0.8	0.5/0.8	0.8/1.5	1.0/-0.5	1.1/-0.5	1.8/-0.5	2.1/-0.5	2.1/-0.5	2.3/-0.5	2.3/-0.5	2.5/-0.5
DFW	1.72	0.4/3.4	0.5/4.0	0.3/5.3	1.0/5.2	0.5/3.8	0.4/2.4	0.7/4.1	0.7/-1.6	0.6/-1.6	2.5/-1.6	3.3/-1.6	3.5/-1.6	3.6/-1.6	3.6/-1.6	4.2/-1.6

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: 2.0 > B >= -2.0 blue: B <= -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MAX Temperature in USNW

	S-score	MAE (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
EUG	-0.23	3.2/1.5	3.5/1.5	3.9/2.4	3.8/2.5	3.6/2.6	3.7/2.8	3.5/3.6	3.6/4.7	3.8/4.7	4.1/4.7	4.2/4.7	4.2/4.7	4.5/4.7	4.6/4.7	4.6/4.7
PDT	-0.11	4.3/4.2	5.4/4.9	5.8/5.5	6.2/6.2	6.5/6.5	7.1/7.1	7.9/8.4	8.7/7.2	9.6/7.2	10.4/7.2	9.1/7.2	7.7/7.2	7.8/7.2	8.1/7.2	8.2/7.2
GEG	-0.09	2.4/2.5	3.1/2.7	3.7/3.1	4.5/3.6	4.4/3.8	4.3/4.5	4.2/4.5	4.7/4.5	5.3/4.5	5.6/4.5	5.2/4.5	4.7/4.5	4.8/4.5	4.7/4.5	4.6/4.5
PDX	-0.04	2.3/2.5	2.5/2.5	3.0/3.2	3.6/3.0	3.4/3.2	3.8/3.3	3.9/3.7	4.0/3.7	4.0/3.7	3.6/3.7	3.7/3.7	3.8/3.7	3.8/3.7	3.9/3.7	3.7/3.7
YKM	-0.03	3.5/4.0	4.2/4.6	4.5/4.6	4.2/5.1	4.5/5.2	4.9/5.0	5.7/5.8	7.0/5.7	6.8/5.7	6.7/5.7	6.7/5.7	6.6/5.7	6.2/5.7	6.0/5.7	5.9/5.7
ALW	-0.01	3.6/3.4	5.0/4.7	5.1/5.1	5.7/6.6	5.8/7.2	5.2/7.0	5.7/7.6	6.4/6.9	7.5/6.9	8.6/6.9	8.6/6.9	6.6/6.9	7.0/6.9	8.7/6.9	7.7/6.9
BOI	-0.01	2.2/2.3	2.8/3.3	3.4/3.3	3.8/3.9	4.0/3.8	3.8/3.5	4.2/4.0	5.0/6.0	5.7/6.0	6.6/6.0	6.8/6.0	6.1/6.0	6.3/6.0	6.3/6.0	6.3/6.0
SEA	0.12	1.5/1.9	1.3/1.7	1.7/1.7	1.8/1.8	2.0/1.9	2.5/2.8	2.9/3.9	3.2/4.2	3.5/4.2	4.1/4.2	4.1/4.2	3.6/4.2	3.8/4.2	3.6/4.2	3.4/4.2

	avg-bias	Bias (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
PDT	-3.93	-1.4/-1.2	-3.0/-2.4	-3.0/-2.9	-3.6/-3.5	-4.3/-4.1	-4.1/-4.3	-4.1/-3.1	-3.8/-1.5	-4.4/-1.5	-6.2/-1.5	-4.9/-1.5	-4.2/-1.5	-4.3/-1.5	-3.9/-1.5	-3.6/-1.5
ALW	-2.99	-0.6/-0.5	-2.5/-1.8	-2.9/-2.3	-3.9/-4.0	-4.0/-5.4	-2.8/-5.0	-2.2/-4.3	-1.9/-1.2	-2.3/-1.2	-4.0/-1.2	-4.9/-1.2	-2.7/-1.2	-2.8/-1.2	-4.6/-1.2	-2.7/-1.2
GEG	-1.51	-0.7/-0.8	-1.6/-1.3	-1.7/-1.6	-2.1/-2.0	-2.5/-1.8	-2.2/-1.4	-2.3/0.4	-2.2/-0.2	-2.3/-0.2	-2.2/-0.2	-0.8/-0.2	-0.7/-0.2	-0.7/-0.2	-0.4/-0.2	-0.3/-0.2
BOI	-1.49	0.2/-0.9	-1.4/-3.0	-1.4/-2.7	-1.0/-3.0	-1.2/-2.4	-1.1/-0.8	-0.9/-1.2	-0.4/-0.4	-0.6/-0.4	-1.6/-0.4	-3.3/-0.4	-2.7/-0.4	-2.6/-0.4	-2.3/-0.4	-2.0/-0.4
SEA	-0.76	0.4/1.3	0.5/1.1	0.4/0.5	-0.2/1.0	-0.3/0.9	-0.5/1.4	-0.3/1.9	-0.4/2.7	-0.6/2.7	-2.7/2.7	-2.8/2.7	-2.0/2.7	-1.4/2.7	-1.1/2.7	-0.3/2.7
PDX	-0.70	-0.8/-0.3	-1.4/-1.6	-1.3/-2.1	-1.4/-1.9	-1.2/-1.9	-1.1/-1.4	-1.4/-0.8	-1.6/0.6	-1.7/0.6	-0.3/0.6	0.1/0.6	0.4/0.6	0.2/0.6	0.5/0.6	0.4/0.6
EUG	-0.61	0.3/-0.2	0.0/-0.7	-0.1/-0.9	-0.2/-1.9	-0.4/-0.8	-0.3/-1.3	-0.8/-1.0	-1.2/1.5	-1.3/1.5	0.2/1.5	-0.0/1.5	-1.0/1.5	-1.7/1.5	-1.6/1.5	-1.2/1.5
YKM	0.39	0.4/1.2	0.1/0.1	-0.2/-0.7	0.1/-1.1	-0.5/-1.9	-0.2/-1.3	0.1/-1.1	0.3/-0.3	-0.4/-0.3	0.6/-0.3	1.9/-0.3	1.7/-0.3	1.5/-0.3	0.8/-0.3	-0.4/-0.3

red: $S < -0.3$ orange: $-0.3 < S < -0.1$ grey: $-0.1 < S < 0.1$ green: $0.1 < S < 0.3$ blue: $S > 0.3$

S_score: average of (1 - ECMWF-value / MEX-value)

red: $B \geq 4.0$ orange: $4.0 > B \geq 2.0$ black: $2.0 > B \geq -2.0$ green: $2.0 > B \geq -2.0$ blue: $B \leq -4.0$

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature in USNW

	S-score	MAE (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
PDX	-0.55	3.0/2.7	3.3/2.6	3.9/2.5	5.4/2.6	5.4/3.1	5.8/2.6	6.2/3.4	6.8/4.0	7.1/4.0	5.4/4.0	5.5/4.0	5.4/4.0	5.3/4.0	5.4/4.0	5.1/4.0
GEG	-0.41	3.2/3.6	3.6/3.4	5.0/3.1	7.4/3.2	6.9/3.5	6.9/4.0	6.2/4.6	6.5/5.4	7.1/5.4	8.7/5.4	7.2/5.4	6.7/5.4	6.6/5.4	6.1/5.4	6.2/5.4
PDT	-0.41	3.7/4.0	3.8/4.1	4.4/3.9	6.5/4.6	7.6/4.8	8.4/4.9	8.8/5.9	9.7/6.5	10.0/6.5	10.6/6.5	10.7/6.5	9.9/6.5	9.5/6.5	9.5/6.5	8.9/6.5
SEA	-0.36	1.9/1.9	1.7/1.9	1.7/1.9	2.8/2.0	3.3/2.4	4.0/2.5	4.5/3.1	5.1/3.0	5.4/3.0	4.5/3.0	4.3/3.0	4.2/3.0	4.1/3.0	4.0/3.0	4.0/3.0
YKM	-0.32	3.7/3.7	4.1/4.0	4.0/3.1	5.8/3.4	5.6/3.7	5.1/3.6	5.4/3.9	5.7/4.6	5.6/4.6	6.0/4.6	5.7/4.6	6.4/4.6	6.3/4.6	6.2/4.6	5.8/4.6
BOI	-0.25	2.6/3.1	2.7/3.2	3.6/3.3	5.6/3.7	5.8/3.7	6.4/3.9	6.6/4.5	7.0/6.3	7.8/6.3	8.1/6.3	7.8/6.3	7.8/6.3	7.7/6.3	7.7/6.3	7.8/6.3
EUG	-0.14	2.5/3.4	2.7/3.7	3.4/3.3	4.0/3.0	4.0/3.2	4.4/4.1	5.1/4.6	5.7/5.2	6.1/5.2	6.9/5.2	6.6/5.2	6.3/5.2	6.3/5.2	6.4/5.2	6.7/5.2
ALW	-0.02	2.8/3.0	2.6/3.4	2.9/3.3	3.1/3.5	3.9/4.9	3.8/4.7	3.7/4.7	4.7/5.9	5.9/5.9	7.8/5.9	7.8/5.9	7.5/5.9	7.1/5.9	7.4/5.9	7.0/5.9

	avg-bias	Bias (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
PDT	-6.68	-1.0/0.4	-1.6/-0.0	-2.7/-0.2	-5.9/-0.4	-7.0/-1.3	-7.7/-1.0	-7.7/-0.8	-7.9/-1.4	-7.9/-1.4	-9.3/-1.4	-9.2/-1.4	-9.0/-1.4	-8.5/-1.4	-8.0/-1.4	-6.7/-1.4
BOI	-4.89	-0.6/0.1	-1.1/-0.5	-2.6/-2.0	-5.1/-2.0	-5.6/-1.3	-6.1/-0.5	-5.9/-0.7	-5.7/-2.2	-5.8/-2.2	-6.0/-2.2	-5.9/-2.2	-6.1/-2.2	-5.9/-2.2	-5.8/-2.2	-5.1/-2.2
GEG	-4.56	-1.0/0.4	-1.5/-0.1	-3.8/0.1	-6.1/-0.8	-5.6/-0.6	-5.4/-0.7	-4.9/0.0	-4.9/-1.8	-5.9/-1.8	-6.5/-1.8	-5.0/-1.8	-5.0/-1.8	-4.9/-1.8	-4.2/-1.8	-3.7/-1.8
PDX	-3.97	-1.2/-0.6	-1.9/0.1	-3.1/-1.0	-4.1/-1.0	-4.5/-1.3	-4.7/-0.2	-4.8/-0.0	-5.2/-1.5	-5.7/-1.5	-3.4/-1.5	-4.1/-1.5	-4.7/-1.5	-4.9/-1.5	-4.2/-1.5	-3.2/-1.5
YKM	-3.95	-0.5/-0.2	-0.8/0.2	-1.9/-0.5	-4.3/-0.2	-4.3/-1.1	-4.2/-1.0	-4.1/-0.0	-3.9/-3.4	-3.8/-3.4	-5.1/-3.4	-4.8/-3.4	-5.3/-3.4	-5.8/-3.4	-5.6/-3.4	-5.0/-3.4
ALW	-3.51	-0.1/-0.8	0.1/-0.7	-1.3/-1.9	-2.3/-1.8	-3.1/-3.4	-2.8/-3.3	-2.4/-2.0	-2.5/-3.1	-2.6/-3.1	-6.0/-3.1	-5.9/-3.1	-6.6/-3.1	-6.2/-3.1	-6.0/-3.1	-5.1/-3.1
EUG	-3.32	-1.9/0.6	-1.8/0.5	-2.7/-0.1	-3.3/-0.2	-3.3/-0.4	-3.0/-0.5	-3.0/0.3	-3.3/-0.9	-3.4/-0.9	-4.4/-0.9	-4.3/-0.9	-3.9/-0.9	-4.2/-0.9	-3.6/-0.9	-3.6/-0.9
SEA	-2.55	-0.3/-0.1	-0.4/0.2	-1.3/0.4	-2.5/-0.3	-2.9/-0.0	-3.3/0.4	-3.3/0.5	-3.6/0.1	-3.9/0.1	-2.8/0.1	-2.9/0.1	-3.0/0.1	-3.2/0.1	-2.8/0.1	-2.1/0.1

red: $S < -0.3$ orange: $-0.3 < S < -0.1$ grey: $-0.1 < S < 0.1$ green: $0.1 < S < 0.3$ blue: $S > 0.3$

S_score: average of $(1 - \text{ECMWF-value} / \text{MEX-value})$

red: $B \geq 4.0$ orange: $4.0 > B \geq 2.0$ black: $2.0 > B \geq -2.0$ green: $2.0 > B \geq -2.0$ blue: $B \leq -4.0$

avg_bias: average of ECMWF-value

ECMWF/MEX MAX Temperature in USNC

	S-score	MAE (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
OMA	-0.11	4.1/5.1	3.5/4.5	2.9/3.9	4.5/3.9	5.3/5.7	6.2/6.2	7.5/6.3	8.5/7.5	8.0/7.5	17.9/7.5	10.9/7.5	8.8/7.5	7.5/7.5	6.9/7.5	6.8/7.5
DSM	-0.10	3.2/3.4	3.3/3.1	3.5/3.8	5.0/3.7	6.0/4.5	6.4/5.3	7.5/5.5	7.3/6.0	6.9/6.0	7.3/6.0	6.3/6.0	6.0/6.0	4.9/6.0	5.2/6.0	5.8/6.0
PIR	-0.02	3.8/2.9	3.7/3.4	4.4/3.7	4.9/4.9	5.5/4.4	5.2/5.1	5.7/6.5	6.6/7.5	5.7/7.5	7.8/7.5	6.6/7.5	6.6/7.5	7.5/7.5	7.7/7.5	7.3/7.5
FSD	0.01	2.5/3.8	2.3/2.9	2.9/3.5	4.0/3.6	4.9/3.7	6.0/5.2	6.6/5.9	6.8/6.5	5.7/6.5	8.7/6.5	7.1/6.5	4.7/6.5	5.5/6.5	6.9/6.5	7.3/6.5
BIS	0.01	3.1/3.0	3.8/4.2	4.4/4.5	4.8/4.6	5.2/5.2	4.8/6.2	5.6/6.6	7.1/8.1	6.5/8.1	7.5/8.1	7.9/8.1	7.9/8.1	9.2/8.1	10.3/8.1	10.1/8.1
GTF	0.03	3.2/3.4	3.2/3.8	3.6/3.7	3.8/4.9	4.6/5.2	5.7/5.8	6.1/6.2	6.7/6.8	7.2/6.8	7.4/6.8	6.7/6.8	6.7/6.8	7.3/6.8	7.2/6.8	6.7/6.8
RAP	0.06	3.4/3.8	3.4/3.9	4.3/3.9	3.7/4.3	3.6/4.4	5.4/5.3	6.8/6.5	7.8/8.2	7.6/8.2	7.9/8.2	6.3/8.2	6.7/8.2	8.3/8.2	8.5/8.2	8.6/8.2
DBQ	0.06	1.8/2.5	2.4/2.4	3.1/3.4	3.6/3.4	4.1/4.3	4.1/4.7	5.2/6.0	5.3/6.1	4.9/6.1	5.5/6.1	8.6/6.1	6.2/6.1	5.1/6.1	4.9/6.1	6.4/6.1
DEC	0.09	3.3/3.8	2.6/3.6	3.6/4.1	4.5/4.8	6.1/5.7	5.9/6.5	7.6/7.5	7.3/6.8	6.7/6.8	6.9/6.8	5.6/6.8	6.2/6.8	5.6/6.8	5.6/6.8	6.0/6.8
SDF	0.11	2.7/4.0	2.8/4.4	3.1/4.9	4.0/4.7	4.2/5.3	5.0/6.1	7.2/6.7	6.9/7.8	6.9/7.8	6.4/7.8	9.2/7.8	9.0/7.8	7.6/7.8	7.4/7.8	7.9/7.8
MKE	0.11	2.4/3.4	2.7/3.5	3.1/3.0	3.7/3.3	4.5/4.3	4.4/4.7	5.5/5.6	5.7/6.1	5.8/6.1	5.2/6.1	4.9/6.1	4.9/6.1	4.2/6.1	4.3/6.1	5.4/6.1
FAR	0.12	2.4/3.7	2.5/3.3	2.5/3.3	3.9/3.7	4.1/3.6	4.4/5.5	4.9/6.7	5.5/7.6	5.4/7.6	6.5/7.6	6.8/7.6	6.1/7.6	7.9/7.6	8.2/7.6	8.7/7.6
DTW	0.13	2.0/3.0	2.2/3.0	2.2/2.7	2.9/3.2	3.8/4.0	3.5/3.9	4.4/4.4	5.2/5.6	4.8/5.6	5.6/5.6	4.8/5.6	4.8/5.6	4.7/5.6	4.6/5.6	4.7/5.6
CLE	0.13	2.5/3.5	2.3/3.1	2.4/3.0	3.3/2.9	4.4/4.4	4.9/5.0	5.7/5.2	5.6/6.5	5.6/6.5	5.1/6.5	4.5/6.5	5.3/6.5	5.1/6.5	5.3/6.5	5.4/6.5
LEX	0.14	2.9/5.7	2.7/5.7	3.3/5.8	4.2/5.6	4.5/5.8	5.3/6.5	7.8/7.1	7.0/7.5	7.8/7.5	7.8/7.5	7.8/7.5	7.8/7.5	7.1/7.5	7.1/7.5	7.5/7.5
EVV	0.14	2.4/3.5	2.5/4.0	3.0/4.4	3.9/4.5	4.3/5.4	5.2/6.4	7.5/7.2	7.3/7.2	6.6/7.2	6.3/7.2	7.3/7.2	7.2/7.2	6.1/7.2	6.2/7.2	6.4/7.2
FWA	0.15	1.9/4.3	2.5/4.6	2.6/4.3	3.5/3.6	4.6/4.7	4.3/5.1	5.8/6.1	5.6/6.3	5.8/6.3	5.7/6.3	5.4/6.3	6.3/6.3	6.0/6.3	5.9/6.3	6.0/6.3
ORD	0.17	2.3/3.5	2.8/3.5	3.7/4.5	4.1/4.6	5.0/5.3	4.9/5.8	6.7/6.8	6.2/7.2	6.2/7.2	6.2/7.2	6.2/7.2	6.1/7.2	5.4/7.2	5.6/7.2	5.8/7.2
IND	0.18	2.6/4.0	2.8/4.5	3.5/5.0	3.8/4.3	4.5/5.5	5.4/6.4	7.8/7.4	7.2/7.6	6.6/7.6	6.3/7.6	6.2/7.6	6.8/7.6	5.9/7.6	6.0/7.6	6.3/7.6
CMH	0.19	2.9/4.8	3.1/5.1	3.2/4.8	4.0/4.1	4.2/5.7	5.3/7.3	7.3/7.3	7.1/7.8	7.1/7.8	6.4/7.8	6.6/7.8	7.3/7.8	6.9/7.8	6.9/7.8	6.9/7.8
DLH	0.19	2.0/3.4	2.4/2.8	2.0/2.6	2.0/2.8	2.7/3.4	3.3/4.0	4.1/4.7	4.8/7.1	5.0/7.1	13.3/7.1	4.6/7.1	3.7/7.1	4.4/7.1	5.4/7.1	6.3/7.1
YNG	0.19	3.4/4.4	3.3/4.8	3.5/4.6	4.0/4.9	4.2/5.2	4.7/5.6	5.3/6.5	6.4/7.5	6.4/7.5	5.8/7.5	5.8/7.5	6.2/7.5	6.2/7.5	6.2/7.5	6.3/7.5
MSP	0.20	2.0/4.7	2.3/4.0	2.5/3.1	3.2/3.1	3.9/3.8	4.1/4.3	4.4/4.6	5.2/7.2	5.3/7.2	4.9/7.2	5.3/7.2	4.7/7.2	5.6/7.2	6.5/7.2	7.2/7.2
CVG	0.21	2.8/5.4	3.0/5.5	3.5/5.3	4.9/5.6	4.8/6.4	5.0/7.1	7.9/7.6	7.4/8.4	7.1/8.4	6.8/8.4	6.8/8.4	7.5/8.4	7.0/8.4	7.1/8.4	7.3/8.4
LAN	0.21	2.1/3.3	2.4/2.9	2.3/3.4	2.8/3.8	3.6/3.9	3.7/3.8	4.7/4.4	5.0/6.1	5.0/6.1	4.2/6.1	4.3/6.1	4.5/6.1	4.7/6.1	4.2/6.1	4.7/6.1
APN	0.21	2.0/2.6	2.4/2.6	2.3/2.2	2.6/3.3	2.2/3.0	2.7/3.0	3.5/3.8	3.6/5.5	3.5/5.5	4.1/5.5	4.1/5.5	4.1/5.5	3.8/5.5	4.5/5.5	4.8/5.5
DAY	0.24	2.0/5.1	2.0/4.3	2.3/4.9	3.6/4.6	4.2/5.9	5.0/6.4	7.3/7.1	6.7/7.8	6.7/7.8	6.6/7.8	6.3/7.8	6.3/7.8	6.6/7.8	6.5/7.8	6.8/7.8

	avg-bias	Bias (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
SDF	-2.91	0.4/-0.5	0.4/0.8	0.1/-0.9	0.4/-0.7	-1.0/0.2	-3.1/-2.3	-4.1/-3.2	-4.2/-3.7	-4.5/-3.7	-3.4/-3.7	-6.2/-3.7	-4.9/-3.7	-4.4/-3.7	-4.2/-3.7	-4.9/-3.7
LEX	-2.85	0.6/0.3	0.6/0.2	0.5/1.2	0.7/0.4	-0.8/1.0	-3.0/-1.7	-4.1/-3.4	-4.3/-2.7	-4.9/-2.7	-3.3/-2.7	-5.1/-2.7	-4.5/-2.7	-4.1/-2.7	-4.1/-2.7	-4.5/-2.7
GTF	-2.40	-1.3/-2.0	-1.8/-3.1	-2.1/-1.9	-2.8/-4.6	-3.0/-3.5	-2.8/-2.7	-2.7/-1.1	-2.5/-0.7	-2.9/-0.7	-3.7/-0.7	-3.1/-0.7	-2.3/-0.7	-1.9/-0.7	-1.6/-0.7	-1.5/-0.7
BIS	-2.26	-0.1/-0.2	-1.0/-1.2	-2.0/-1.3	-3.1/-2.9	-3.7/-2.5	-2.5/-3.0	-1.4/-0.4	-1.1/-0.3	0.0/-0.3	-3.6/-0.3	-5.1/-0.3	-3.5/-0.3	-2.0/-0.3	-3.0/-0.3	-1.8/-0.3
IND	-1.72	0.2/1.5	-0.2/2.2	-1.2/1.9	-1.4/0.7	-1.7/1.5	-3.6/-0.6	-3.2/-0.6	-3.5/-0.7	-3.9/-0.7	-1.8/-0.7	-1.8/-0.7	-1.0/-0.7	-0.9/-0.7	-0.9/-0.7	-1.3/-0.7
CMH	-1.70	-0.6/-0.9	-0.8/0.4	-0.4/-0.2	0.3/-1.1	-0.3/-0.0	-2.6/-1.6	-3.3/-2.3	-3.5/-0.9	-4.4/-0.9	-1.9/-0.9	-1.9/-0.9	-1.4/-0.9	-1.4/-0.9	-1.6/-0.9	-1.6/-0.9
DSM	-1.70	0.8/0.7	0.3/-0.2	-0.7/1.4	-2.6/0.8	-4.1/-0.4	-4.4/-1.1	-3.4/2.3	-3.4/3.2	-3.3/3.2	-2.2/3.2	-1.1/3.2	-0.6/3.2	-0.1/3.2	-0.6/3.2	-0.6/3.2
EVV	-1.57	-0.0/1.1	0.3/1.2	0.5/1.0	0.8/1.2	-0.3/1.5	-2.2/-0.5	-2.8/-1.1	-3.1/-1.8	-3.3/-1.8	-0.3/-1.8	-3.6/-1.8	-2.3/-1.8	-2.2/-1.8	-2.2/-1.8	-2.7/-1.8
OMA	-1.53	2.1/2.2	1.3/1.1	-0.3/0.5	-2.5/1.3	-3.4/1.7	-2.9/2.4	-2.3/2.9	-2.8/4.2	-2.3/4.2	-9.5/4.2	-2.6/4.2	-1.0/4.2	1.3/4.2	0.7/4.2	1.1/4.2
DEC	-1.49	-0.2/0.2	-0.8/0.7	-1.3/0.1	-2.0/0.8	-2.7/0.4	-4.1/-0.5	-3.4/-0.5	-3.6/0.6	-3.6/0.6	-1.2/0.6	-0.5/0.6	0.0/0.6	0.3/0.6	0.6/0.6	0.0/0.6
CVG	-1.05	0.3/1.8	0.5/2.0	0.6/1.6	1.9/1.1	0.8/1.6	-1.2/-0.2	-1.8/-1.2	-2.0/0.1	-2.5/0.1	-2.3/0.1	-2.4/0.1	-1.7/0.1	-1.7/0.1	-2.1/0.1	-2.4/0.1
ORD	-0.80	-0.3/0.1	-0.6/-0.6	-1.0/-0.9	-1.2/0.1	-1.7/0.5	-2.7/-1.3	-2.1/-1.4	-2.1/0.1	-2.2/0.1	-1.2/0.1	0.1/0.1	0.5/0.1	0.8/0.1	1.2/0.1	0.6/0.1
FSD	-0.75	0.6/2.2	-0.7/-0.4	-0.9/0.0	-1.9/-0.2	-2.0/0.1	-1.6/1.0	-1.0/1.9	-0.9/3.1	-0.5/3.1	-3.9/3.1	-1.7/3.1	0.4/3.1	1.2/3.1	1.1/3.1	0.7/3.1
DAY	-0.57	-0.1/2.4	0.1/2.2	0.2/1.8	1.2/1.5	1.2/2.0	-0.8/0.3	-1.4/-0.8	-1.4/-0.1	-2.2/-0.1	-1.6/-0.1	-1.4/-0.1	-0.5/-0.1	-0.4/-0.1	-0.6/-0.1	-0.9/-0.1
DLH	-0.51	0.1/1.3	0.5/0.3	0.6/-1.0	1.0/0.2	0.0/-0.5	0.2/0.2	0.4/1.0	-0.2/2.4	-0.1/2.4	-10.0/2.4	0.1/2.4	0.3/2.4	0.2/2.4	-0.2/2.4	0.3/2.4
CLE	-0.14	1.0/2.0	1.3/1.7	0.5/0.5	1.0/0.3	0.3/1.3	-1.8/0.1	-2.8/-1.7	-2.6/-0.3	-3.4/-0.3	0.6/-0.3	0.2/-0.3	0.7/-0.3	1.0/-0.3	1.0/-0.3	0.9/-0.3
YNG	0.07	0.4/0.9	0.1/0.8	0.1/0.5	1.2/-0.1	2.0/0.8	0.4/-0.4	-0.2/-2.4	0.5/-0.0	0.1/-0.0	-1.5/-0.0	-1.1/-0.0	-0.4/-0.0	-0.3/-0.0	-0.0/-0.0	-0.1/-0.0
PIR	0.25	0.3/0.3	0.1/0.1	-0.2/-0.4	-0.9/-2.3	-0.6/-1.6	0.2/-0.3	1.1/0.3	1.0/1.3	2.0/1.3	-2.0/1.3	-1.1/1.3	1.1/1.3	1.2/1.3	1.2/1.3	1.5/1.3
DBQ	0.86	1.1/1.9	1.3/1.8	0.5/2.0	0.3/1.7	-0.3/2.2	-0.8/1.0	-0.0/3.1	-0.1/3.2	0.4/3.2	2.6/3.2	0.1/3.2	1.4/3.2	1.9/3.2	2.4/3.2	2.1/3.2
LAN	0.87	0.9/2.4	0.8/1.9	0.5/1.7	0.9/0.8	2.0/1.2	1.4/0.4	1.7/0.0	2.0/1.8	1.9/1.8	-0.9/1.8	0.1/1.8	0.7/1.8	0.3/1.8	0.6/1.8	0.2/1.8
RAP	1.09	0.8/1.3	1.3/1.3	1.9/0.5	0.8/0.7	0.3/-0.2	0.9/3.3	1.7/1.9	2.2/2.9	3.3/2.9	-4.2/2.9	-1.5/2.9	0.3/2.9	2.6/2.9	2.5/2.9	3.5/2.9
APN	1.37	0.8/0.9	1.3/1.3	0.9/0.3	0.9/0.1	0.5/0.3	-0.2/-0.9	0.3/-0.4	0.9/1.1	0.9/1.1	0.6/1.1	1.7/1.1	2.3/1.1	2.9/1.1	3.5/1.1	3.2/1.1
FWA	1.47	0.5/2.6	1.4/2.9	1.3/2.5	1.9/1.1	2.6/1.9	0.8/0.7	0.7/0.4	0.7/1.0	0.4/1.0	0.3/1.0	1.7/1.0	2.4/1.0	2.6/1.0	2.6/1.0	2.2/1.0
DTW	1.55	1.1/1.9	0.9/1.7	1.1/1.2	1.9/0.5	2.9/1.3	1.9/0.3	1.9/-0.3	2.2/1.5	2.0/1.5	0.4/1.5	0.2/1.5	1.6/1.5	1.8/1.5	1.9/1.5	1.7/1.5
MKE	1.66	0.4/1.6	0.5/0.1	1.1/0.0	1.9/0.7	2.5/-0.8	2.7/-0.7	3.5/-0.2	3.9/1.3	3.8/1.3	0.2/1.3	1.0/1.3	1.1/1.3	1.4/1.3	0.4/1.3	0.4/1.3
FAR	1.86	-0.1/1.3	0.2/0.1	-0.0/-0.4	0.4/-0.2	0.1/-0.1	1.0/-1.0	2.0/0.9	2.1/2.5	3.1/2.5	2.9/2.5	2.4/2.5	3.4/2.5	3.9/2.5	3.7/2.5	3.1/2.5
MSP	1.88	1.1/3.4	1.7/2.2	1.6/1.9	1.4/0.6	0.8/1.2	1.0/1.1	1.9/1.8	1.8/3.6	1.8/3.6	1.1/3.6	2.0/3.6	2.7/3.6	3.0/3.6	3.3/3.6	2.9/3.6

red: S < -0.3
 orange: -0.3 < S < -0.1
 grey: -0.1 < S < 0.1
 green: 0.1 < S < 0.3
 blue: S > 0.3

red: B >= 4.0
 orange: 4.0 > B >= 2.0
 black: 2.0 > B >= -2.0
 green: 2.0 > B >= -2.0
 blue: B <= -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature in USNC

MAE (2007-12-01~2007-12-31)																
S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
DEC	-0.27	4.3/3.4	4.1/3.6	4.2/4.0	5.9/4.5	7.1/4.3	8.5/4.3	8.7/4.7	8.7/6.4	8.6/6.4	5.8/6.4	7.6/6.4	6.8/6.4	6.7/6.4	6.4/6.4	6.4/6.4
PIR	-0.22	4.4/4.2	3.8/4.1	3.7/4.2	4.7/3.9	5.3/4.2	5.2/4.4	5.6/5.6	5.9/4.8	5.6/4.8	6.2/4.8	6.1/4.8	6.4/4.8	6.4/4.8	7.1/4.8	7.6/4.8
DSM	-0.21	3.0/3.4	3.1/3.6	3.9/4.1	6.5/4.6	7.1/4.2	7.8/4.8	7.4/6.4	7.0/5.6	7.6/5.6	7.1/5.6	6.6/5.6	6.0/5.6	5.9/5.6	6.3/5.6	6.3/5.6
OMA	-0.16	4.2/4.7	4.0/5.4	4.2/5.5	5.0/5.8	5.2/5.2	6.0/6.5	6.5/6.1	6.6/4.4	6.3/4.4	6.8/4.4	6.8/4.4	6.0/4.4	5.0/4.4	5.4/4.4	6.1/4.4
MKE	-0.06	2.3/3.4	3.1/3.4	3.5/4.3	5.5/3.8	5.7/4.5	7.9/4.9	7.7/5.3	7.6/6.1	7.8/6.1	5.5/6.1	5.5/6.1	5.8/6.1	4.8/6.1	4.9/6.1	4.9/6.1
RAP	-0.05	5.6/4.0	4.5/4.6	4.1/4.0	4.2/4.0	4.2/3.9	3.9/3.5	4.5/4.7	5.2/5.6	5.2/5.6	5.9/5.6	5.9/5.6	5.9/5.6	5.7/5.6	5.8/5.6	6.1/5.6
FSD	-0.04	3.7/4.9	3.8/4.3	4.1/5.4	5.6/5.4	6.9/5.5	6.7/6.5	6.2/6.6	5.8/6.3	6.1/6.3	7.6/6.3	7.1/6.3	7.1/6.3	6.7/6.3	7.6/6.3	7.7/6.3
FWA	-0.03	2.8/3.8	3.2/3.8	3.9/4.1	4.4/4.2	4.7/4.6	6.2/5.1	6.3/6.3	6.1/6.6	6.6/6.6	6.7/6.6	7.9/6.6	7.9/6.6	7.5/6.6	7.3/6.6	7.0/6.6
IND	0.00	2.1/2.5	2.5/2.2	2.5/2.7	3.6/3.4	4.2/4.0	5.2/4.1	5.7/4.5	5.7/7.0	5.9/7.0	5.8/7.0	7.3/7.0	7.1/7.0	6.7/7.0	6.4/7.0	6.4/7.0
LAN	0.03	2.4/3.4	2.8/3.1	3.1/4.0	3.1/3.9	3.2/3.3	4.4/4.4	4.7/4.3	4.9/5.4	4.7/5.4	5.4/5.4	7.1/5.4	6.3/5.4	6.2/5.4	5.4/5.4	4.9/5.4
DBQ	0.03	3.2/4.4	3.7/4.5	4.9/5.0	5.0/5.1	5.6/5.1	6.5/5.5	6.6/6.2	6.3/6.0	5.9/6.0	5.0/6.0	5.3/6.0	6.7/6.0	5.8/6.0	5.4/6.0	5.5/6.0
APN	0.05	4.7/5.1	3.7/5.0	4.5/5.0	4.4/5.0	5.7/5.3	6.7/6.0	6.6/5.9	7.3/7.5	7.5/7.5	8.2/7.5	7.3/7.5	6.4/7.5	7.3/7.5	6.4/7.5	6.2/7.5
DTW	0.06	2.0/3.1	2.4/3.3	3.1/3.4	3.4/4.0	3.3/3.2	4.4/4.2	4.7/4.1	4.8/5.0	4.4/5.0	5.4/5.0	5.0/5.0	5.1/5.0	4.7/5.0	4.3/5.0	4.3/5.0
BIS	0.08	4.5/4.9	5.5/5.2	4.7/5.1	5.5/4.4	6.8/7.0	6.8/8.5	7.6/8.4	8.1/8.9	7.5/8.9	7.8/8.9	7.2/8.9	6.1/8.9	7.5/8.9	8.0/8.9	9.2/8.9
LEX	0.09	1.9/4.2	2.2/3.3	2.3/3.5	3.0/4.8	3.4/5.3	4.6/8.2	5.7/5.2	6.3/7.5	6.6/7.5	6.6/7.5	14.8/7.5	8.0/7.5	7.4/7.5	7.4/7.5	7.7/7.5
YNG	0.10	2.9/3.1	3.0/3.5	3.0/3.5	3.6/3.1	3.3/3.3	4.0/4.3	4.6/3.1	4.3/6.2	4.9/6.2	4.3/6.2	4.7/6.2	4.8/6.2	5.0/6.2	5.3/6.2	5.5/6.2
EVV	0.10	2.2/3.7	2.6/4.3	3.1/4.4	3.9/5.2	4.2/5.7	5.0/4.9	6.4/4.9	6.5/7.0	6.9/7.0	5.2/7.0	8.0/7.0	7.0/7.0	6.9/7.0	6.5/7.0	6.8/7.0
ORD	0.11	2.3/3.5	2.3/4.1	2.9/4.0	3.7/4.3	4.2/5.0	6.1/4.7	6.3/5.6	5.9/6.0	5.8/6.0	5.3/6.0	5.8/6.0	5.6/6.0	5.0/6.0	5.0/6.0	5.4/6.0
CMH	0.11	2.4/3.4	2.9/3.8	2.8/3.6	3.8/3.7	4.0/4.3	5.2/5.1	5.6/4.6	5.9/7.2	6.3/7.2	5.4/7.2	6.2/7.2	6.5/7.2	6.3/7.2	6.4/7.2	6.6/7.2
GTF	0.12	5.6/6.0	5.4/6.9	5.3/7.2	5.9/6.6	6.2/7.5	7.0/8.1	8.1/9.2	9.3/10.1	8.5/10.1	8.9/10.1	8.6/10.1	9.0/10.1	9.7/10.1	9.6/10.1	9.8/10.1
CLE	0.12	2.1/3.3	2.3/3.1	2.4/3.5	2.6/3.0	3.3/3.2	4.4/3.8	4.5/3.3	4.5/5.7	4.9/5.7	4.3/5.7	5.1/5.7	5.1/5.7	4.7/5.7	4.7/5.7	4.7/5.7
SDF	0.13	2.1/2.9	2.7/3.2	2.5/3.1	3.1/3.9	3.6/4.6	4.6/4.7	5.5/4.1	5.4/7.0	5.7/7.0	5.7/7.0	6.2/7.0	6.2/7.0	6.2/7.0	6.1/7.0	6.4/7.0
DAY	0.14	1.8/4.1	2.1/3.9	2.3/3.6	3.3/4.0	4.2/5.2	4.7/5.3	5.6/4.9	5.8/6.7	6.0/6.7	5.6/6.7	6.8/6.7	7.3/6.7	6.7/6.7	6.5/6.7	6.8/6.7
DLH	0.14	3.7/5.2	4.0/5.3	3.9/5.0	4.3/5.1	5.0/6.1	4.6/6.8	6.6/7.3	6.9/10.4	6.8/10.4	7.8/10.4	11.0/10.4	11.1/10.4	11.1/10.4	11.2/10.4	11.3/10.4
CVG	0.14	1.7/3.1	1.8/3.6	1.7/3.4	3.4/3.8	4.0/4.4	4.9/4.8	5.3/4.4	5.7/7.1	6.0/7.1	5.9/7.1	7.1/7.1	6.9/7.1	6.7/7.1	6.7/7.1	6.6/7.1
FAR	0.23	5.0/6.4	4.4/6.6	4.3/6.5	5.4/6.2	6.4/7.4	6.7/8.1	7.1/9.2	7.2/10.0	6.6/10.0	6.8/10.0	6.8/10.0	6.5/10.0	8.6/10.0	8.5/10.0	9.5/10.0
MSP	0.25	3.4/5.0	3.1/4.8	3.0/4.4	4.0/5.2	5.4/5.0	5.4/5.5	6.0/7.2	6.1/8.9	5.8/8.9	4.9/8.9	6.5/8.9	5.8/8.9	6.5/8.9	6.5/8.9	8.3/8.9

Bias (2007-12-01~2007-12-31)																
avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
DEC	-5.54	-0.9/1.4	-1.4/1.0	-1.8/0.5	-5.2/0.6	-6.9/1.1	-8.3/0.3	-8.3/-0.2	-8.5/-3.6	-8.4/-3.6	-5.2/-3.6	-5.9/-3.6	-5.2/-3.6	-5.9/-3.6	-5.5/-3.6	-5.7/-3.6
DSM	-4.77	-1.1/2.2	-0.9/2.2	-2.6/1.5	-5.5/2.3	-6.4/1.7	-6.4/1.9	-5.7/2.1	-6.2/0.2	-6.1/0.2	-6.7/0.2	-6.0/0.2	-5.7/0.2	-4.9/0.2	-3.9/0.2	-3.6/0.2
FSD	-4.24	-0.7/2.5	-1.5/1.5	-2.5/1.9	-4.9/1.6	-5.8/1.2	-5.0/2.0	-4.1/1.4	-4.1/-2.4	-3.9/-2.4	-6.2/-2.4	-5.4/-2.4	-5.8/-2.4	-4.7/-2.4	-4.8/-2.4	-4.1/-2.4
APN	-3.81	0.0/3.4	-0.3/3.3	-0.6/2.6	-1.7/1.1	-3.3/1.1	-4.9/0.7	-5.2/-0.3	-5.2/-0.6	-5.9/-0.6	-6.6/-0.6	-4.9/-0.6	-4.2/-0.6	-5.4/-0.6	-4.5/-0.6	-4.5/-0.6
EVV	-3.76	-0.5/2.7	-1.4/2.9	-1.0/2.4	-1.3/2.8	-2.3/3.6	-4.2/1.3	-5.1/0.0	-6.1/-4.4	-6.1/-4.4	-3.0/-4.4	-5.6/-4.4	-4.9/-4.4	-5.4/-4.4	-5.2/-4.4	-4.8/-4.4
PIR	-3.76	-1.0/1.9	-1.3/1.5	-2.1/1.3	-4.0/0.3	-4.6/0.5	-3.9/1.1	-3.6/-0.0	-3.5/-0.6	-3.4/-0.6	-5.9/-0.6	-5.2/-0.6	-5.2/-0.6	-4.2/-0.6	-4.4/-0.6	-3.9/-0.6
MKE	-3.53	-0.0/2.8	-0.7/2.2	-1.7/2.4	-4.2/1.7	-5.4/2.7	-7.2/1.9	-6.8/0.7	-6.3/-0.5	-6.8/-0.5	-2.8/-0.5	-2.3/-0.5	-2.4/-0.5	-2.5/-0.5	-2.2/-0.5	-1.6/-0.5
LEX	-3.53	-0.0/3.6	-0.6/2.3	-0.1/2.4	0.0/2.9	-1.1/4.0	-3.0/2.2	-3.7/0.7	-4.3/-3.5	-5.0/-3.5	-4.5/-3.5	-11.9/-3.5	-4.4/-3.5	-4.6/-3.5	-5.2/-3.5	-4.5/-3.5
SDF	-3.31	-1.1/1.8	-1.2/1.6	-1.0/1.7	-0.7/1.8	-1.7/2.6	-3.6/0.7	-3.9/-0.9	-4.5/-4.6	-4.9/-4.6	-4.9/-4.6	-4.7/-4.6	-4.0/-4.6	-4.4/-4.6	-4.8/-4.6	-4.3/-4.6
OMA	-3.24	-0.2/4.0	0.6/4.2	-0.8/4.5	-3.4/4.5	-4.4/3.6	-4.3/4.1	-3.9/3.6	-4.2/1.7	-3.5/1.7	-5.1/1.7	-4.5/1.7	-4.8/1.7	-3.6/1.7	-3.4/1.7	-2.9/1.7
IND	-3.14	-0.4/1.1	-0.7/0.9	-0.7/0.3	-1.0/0.2	-2.0/1.3	-4.0/-0.1	-4.2/-0.9	-4.2/-4.5	-4.4/-4.5	-4.1/-4.5	-4.5/-4.5	-4.1/-4.5	-4.4/-4.5	-4.4/-4.5	-3.9/-4.5
DBQ	-3.03	-1.2/3.4	-1.5/2.5	-2.4/1.9	-2.7/2.2	-3.8/2.1	-4.5/1.9	-4.0/1.0	-4.0/0.3	-3.6/0.3	-2.1/0.3	-2.4/0.3	-4.5/0.3	-3.5/0.3	-2.8/0.3	-2.6/0.3
CVG	-2.91	0.5/2.4	0.1/3.2	-0.4/2.4	-1.8/2.2	-1.9/3.0	-3.9/2.1	-4.0/-0.8	-4.1/-3.0	-4.1/-3.0	-3.7/-3.0	-4.1/-3.0	-3.9/-3.0	-4.1/-3.0	-4.5/-3.0	-3.7/-3.0
LAN	-2.83	-0.4/2.2	-0.4/2.5	-0.8/2.5	-1.2/0.9	-1.8/0.9	-2.8/0.1	-3.0/-0.5	-3.0/-1.6	-3.3/-1.6	-4.3/-1.6	-5.1/-1.6	-4.3/-1.6	-4.2/-1.6	-4.3/-1.6	-3.5/-1.6
GTF	-2.78	-2.5/-1.5	-1.3/-3.2	-1.5/-4.2	-2.3/-3.8	-2.6/-3.9	-2.6/-4.3	-2.6/-2.6	-3.3/-3.7	-3.1/-3.7	-4.6/-3.7	-4.2/-3.7	-3.4/-3.7	-3.8/-3.7	-2.4/-3.7	-1.7/-3.7
FWA	-2.46	0.6/1.9	0.4/1.9	-0.3/2.3	-1.1/1.4	-1.3/1.6	-3.0/1.2	-3.3/-1.1	-3.3/-1.5	-3.4/-1.5	-4.0/-1.5	-4.1/-1.5	-3.7/-1.5	-3.7/-1.5	-3.7/-1.5	-3.1/-1.5
ORD	-2.43	-1.0/2.5	-1.1/3.1	-1.3/2.2	-1.7/2.4	-2.0/2.7	-3.3/1.2	-3.1/0.2	-3.3/-1.1	-3.5/-1.1	-3.1/-1.1	-3.0/-1.1	-2.7/-1.1	-2.8/-1.1	-2.4/-1.1	-2.1/-1.1
CMH	-2.20	0.2/1.5	0.0/1.5	-0.4/1.4	-1.6/0.6	-1.6/1.5	-3.4/1.3	-3.5/0.2	-3.7/3.0	-4.1/3.0	-2.1/3.0	-2.4/3.0	-2.5/3.0	-2.4/3.0	-3.2/3.0	-2.4/3.0
YNG	-2.18	-0.7/1.9	-1.1/2.1	-1.3/1.8	-2.0/0.9	-0.8/1.5	-2.5/1.9	-3.2/0.8	-3.5/-2.0	-4.3/-2.0	-2.7/-2.0	-2.6/-2.0	-2.1/-2.0	-2.1/-2.0	-2.1/-2.0	-1.6/-2.0
CLE	-2.01	0.1/1.4	-0.1/1.4	-0.2/1.3	-1.1/0.8	-1.1/1.1	-3.2/1.5	-3.5/-0.7	-3.7/-2.4	-4.2/-2.4	-2.2/-2.4	-2.5/-2.4	-2.3/-2.4	-2.0/-2.4	-2.4/-2.4	-1.9/-2.4
DAY	-1.91	0.7/2.9	0.3/2.7	0.6/2.1	-0.1/2.1	-0.6/2.7	-2.8/1.6	-2.9/0.6	-3.1/-1.9	-3.2/-1.9	-2.6/-1.9	-3.1/-1.9	-2.8/-1.9	-3.0/-1.9	-3.4/-1.9	-2.6/-1.9
BIS	-1.89	-1.7/2.3	-2.1/2.6	-1.6/2.1	-3.7/1.7	-3.6/2.4	-3.2/3.7	-2.3/3.0	-1.9/0.1	-1.6/0.1	-3.1/0.1	-2.1/0.1	-1.4/0.1	-0.2/0.1	-0.2/0.1	0.3/0.1
DTW	-1.71	-0.4/1.7	-0.4/1.5	-0.9/1.8	-1.3/0.5	-1.1/1.5	-2.4/1.0	-2.5/-0.9	-2.8/-0.9	-2.4/-0.9	-2.2/-0.9	-2.2/-0.9	-2.2/-0.9	-1.7/-0.9	-1.7/-0.9	-1.0/-0.9
MSP	-1.57	-0.3/3.3	0.3/3.2	-0.7/2.2	-2.5/2.5	-2.2/2.2	-1.8/2.4	-1.8/3.5	-1.7/-0.6	-1.6/-0.6	-3.4/-0.6	-2.2/-0.6	-2.3/-0.6	-1.6/-0.6	-1.4/-0.6	-0.3/-0.6
RAP	-0.15	-1.7/3.1	-1.3/3.5	-1.2/3.0	-0.5/2.4	-0.7/1.6	-0.1/1.5	1.0/2.3	1.1/2.3	1.6/2.3	-3.3/2.3	0.0/2.3	0.0/2.3	1.4/2.3	1.4/2.3	1.7/2.3
DLH	-0.03	-1.7/2.6	-1.0/2.1	-1.1/2.0	-0.8/1.4	-1.5/1.2	-1.7/1.5	-1.3/0.4	-1.3/-1.4	-1.2/-1.4	0.4/-1.4	1.8/-1.4	1.8/-1.4	2.2/-1.4	2.4/-1.4	2.7/-1.4
FAR	0.31	-0.1/3.6	-0.6/2.3	-0.6/2.4	-0.9/1.9	-0.8/1.8	-0.4/4.0	0.1/3.6	0.7/1.1	1.3/1.1	-0.6/1.1	0.5/1.1	0.3/1.1	1.5/1.1	1.5/1.1	2.6/1.1

red: S < -0.3
 orange: -0.3 < S < -0.1
 grey: -0.1 < S < 0.1
 green: 0.1 < S < 0.3
 blue: S > 0.3

red: B >= 4.0
 orange: 4.0 > B >= 2.0
 black: 2.0 > B >= -2.0
 green: 2.0 > B >= -2.0
 blue: B <= -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MAX Temperature in USNE

		MAE (2007-12-01~2007-12-31)														
S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
BDL	-0.03	3.0/3.4	3.4/3.8	3.9/4.2	4.3/4.0	4.9/3.6	5.4/5.4	4.8/4.6	6.1/7.3	6.6/7.3	10.6/7.3	6.8/7.3	7.1/7.3	7.3/7.3	7.9/7.3	8.1/7.3
ROC	-0.01	2.3/3.2	2.6/3.1	2.7/3.3	3.6/3.0	4.8/3.1	4.7/3.2	5.2/4.7	6.3/6.2	6.6/6.2	5.6/6.2	5.4/6.2	5.5/6.2	5.5/6.2	5.3/6.2	5.5/6.2
NTU	0.00	2.6/3.5	2.7/3.5	3.2/3.6	3.7/3.4	5.0/3.9	5.1/4.4	5.7/6.0	7.2/7.6	7.0/7.6	7.6/7.6	7.5/7.6	7.3/7.6	7.7/7.6	8.1/7.6	8.6/7.6
SYR	0.03	2.9/3.1	3.4/3.8	3.7/4.2	3.4/4.1	4.6/4.5	5.9/5.7	6.8/6.2	7.7/7.9	7.4/7.9	6.9/7.9	7.8/7.9	7.0/7.9	8.0/7.9	8.2/7.9	8.5/7.9
ILG	0.05	3.0/3.2	2.8/3.4	3.1/4.0	4.1/4.1	4.6/4.4	5.0/4.9	4.9/5.0	5.8/6.4	5.3/6.4	5.9/6.4	5.3/6.4	5.7/6.4	7.1/6.4	7.0/6.4	7.4/6.4
RIC	0.05	3.0/3.3	3.7/3.9	4.3/4.3	4.2/4.5	4.6/5.5	4.7/5.4	5.2/6.0	5.7/7.5	5.7/7.5	6.3/7.5	7.4/7.5	7.4/7.5	7.7/7.5	7.3/7.5	7.9/7.5
BUF	0.06	3.6/3.8	3.7/4.2	3.5/3.6	4.5/4.5	5.3/4.8	4.9/4.1	5.2/5.7	6.5/7.2	6.3/7.2	6.9/7.2	6.3/7.2	6.2/7.2	6.2/7.2	6.0/7.2	5.9/7.2
ROA	0.07	3.0/3.0	3.4/3.7	3.1/4.1	3.8/4.2	4.2/3.7	4.3/4.9	5.3/6.7	6.8/7.9	6.4/7.9	6.6/7.9	7.4/7.9	7.8/7.9	8.8/7.9	8.1/7.9	8.6/7.9
MDT	0.07	3.3/3.3	3.7/3.9	4.1/4.3	4.2/4.2	4.9/4.1	4.9/5.2	4.8/4.9	5.3/6.3	4.8/6.3	5.7/6.3	5.2/6.3	5.4/6.3	5.5/6.3	5.4/6.3	6.1/6.3
AVP	0.08	2.3/3.0	2.7/3.5	2.8/3.2	2.8/3.6	3.7/3.0	3.8/4.3	4.2/4.2	5.2/7.0	5.1/7.0	15.2/7.0	4.8/7.0	5.4/7.0	5.3/7.0	5.4/7.0	6.0/7.0
CON	0.10	3.8/4.6	3.9/4.3	3.7/3.8	3.9/3.5	5.1/4.7	5.5/6.7	5.0/5.2	5.5/8.0	6.0/8.0	6.5/8.0	6.5/8.0	7.1/8.0	7.2/8.0	7.3/8.0	7.8/8.0
DCA	0.11	2.7/2.9	3.0/3.3	3.5/4.1	4.0/4.2	4.7/5.2	5.1/4.9	5.3/5.6	5.7/6.6	4.9/6.6	4.9/6.6	5.4/6.6	5.4/6.6	6.2/6.6	5.9/6.6	6.5/6.6
ACY	0.11	2.7/2.6	3.0/3.1	3.3/4.4	2.8/4.3	3.5/4.0	4.2/5.0	4.7/4.8	5.3/6.0	4.8/6.0	5.2/6.0	5.5/6.0	4.9/6.0	5.4/6.0	5.9/6.0	6.5/6.0
BWI	0.12	3.0/2.9	3.2/3.6	3.1/4.1	3.5/3.8	4.6/4.2	5.0/5.5	4.9/5.1	5.7/6.8	5.2/6.8	5.1/6.8	5.6/6.8	5.5/6.8	5.9/6.8	5.7/6.8	6.5/6.8
ALB	0.13	2.5/2.9	2.9/3.2	2.9/3.3	2.3/3.2	3.5/2.4	3.9/4.3	4.5/4.8	5.2/6.9	5.3/6.9	5.9/6.9	5.4/6.9	5.7/6.9	5.4/6.9	5.4/6.9	5.8/6.9
AOO	0.13	2.7/3.9	3.1/4.7	3.7/5.4	4.4/4.4	4.7/4.6	4.5/5.0	5.1/6.2	5.8/7.2	5.8/7.2	5.8/7.2	6.7/7.2	7.3/7.2	7.2/7.2	6.7/7.2	7.4/7.2
PVD	0.13	2.6/3.3	3.1/3.3	3.1/3.4	3.1/3.9	3.8/4.4	4.9/5.1	4.9/4.8	5.4/7.6	5.2/7.6	6.4/7.6	6.3/7.6	7.2/7.6	6.6/7.6	7.0/7.6	7.1/7.6
MHT	0.13	3.6/4.4	3.8/4.5	3.9/4.4	3.7/3.9	4.6/5.0	5.2/5.4	5.3/5.3	6.3/8.8	6.7/8.8	7.7/8.8	7.0/8.8	7.3/8.8	7.3/8.8	7.7/8.8	8.2/8.8
ORH	0.13	3.6/4.1	3.6/4.0	3.6/4.0	3.2/4.3	4.4/4.2	5.2/5.4	5.2/5.6	6.3/7.9	6.3/7.9	7.1/7.9	6.2/7.9	6.0/7.9	6.3/7.9	6.9/7.9	7.1/7.9
IPT	0.14	2.5/2.9	2.8/3.2	2.9/3.7	3.2/4.2	4.2/3.6	4.4/4.7	4.0/4.8	4.8/5.9	4.4/5.9	4.5/5.9	4.6/5.9	5.3/5.9	5.1/5.9	5.0/5.9	5.4/5.9
JFK	0.14	2.1/2.4	2.6/2.7	2.5/3.7	3.0/3.9	3.3/3.7	3.6/4.3	4.1/4.2	5.1/5.7	4.9/5.7	5.2/5.7	4.9/5.7	4.6/5.7	4.5/5.7	4.5/5.7	4.9/5.7
ABE	0.15	2.2/2.9	2.7/3.8	2.7/3.6	3.0/3.9	3.8/4.7	4.0/4.3	4.2/4.7	5.3/6.5	5.2/6.5	5.5/6.5	7.8/6.5	5.5/6.5	5.3/6.5	5.2/6.5	6.0/6.5
ERI	0.15	2.5/3.1	2.5/3.3	2.6/3.8	3.2/3.2	4.0/4.4	4.0/4.3	4.3/5.3	5.3/6.2	5.1/6.2	5.1/6.2	5.7/6.2	5.1/6.2	5.5/6.2	5.2/6.2	5.3/6.2
BTU	0.15	3.6/4.0	3.8/4.0	3.7/4.4	3.6/3.8	4.6/4.8	5.2/5.9	6.4/6.6	7.0/8.5	6.6/8.5	6.9/8.5	6.5/8.5	6.7/8.5	6.3/8.5	6.3/8.5	6.7/8.5
PWM	0.16	1.7/2.2	2.8/2.8	2.6/3.1	2.7/2.6	3.7/3.3	4.3/4.5	4.3/4.5	4.9/7.5	5.5/7.5	5.9/7.5	5.7/7.5	6.0/7.5	5.5/7.5	5.8/7.5	5.8/7.5
CRW	0.17	3.1/4.5	3.2/4.4	3.6/4.9	4.2/5.6	4.3/5.0	4.6/6.3	6.2/7.5	7.1/8.6	7.4/8.6	6.9/8.6	7.8/8.6	8.1/8.6	8.1/8.6	8.0/8.6	8.3/8.6
MBA	0.18	3.3/4.0	3.4/4.4	3.2/3.9	2.7/4.2	4.1/4.2	5.2/5.9	5.1/5.1	5.4/7.7	5.4/7.7	6.8/7.7	6.1/7.7	6.5/7.7	6.2/7.7	6.6/7.7	7.0/7.7
PHL	0.18	2.3/3.3	2.5/3.4	2.6/4.0	2.8/4.0	3.7/4.7	4.3/4.3	4.4/5.1	5.4/6.4	5.2/6.4	5.8/6.4	5.3/6.4	5.3/6.4	5.4/6.4	5.5/6.4	6.2/6.4
BGM	0.18	2.0/2.9	2.2/3.1	2.6/3.9	2.5/3.6	3.3/3.8	3.4/4.1	4.2/5.0	5.2/6.5	5.2/6.5	6.0/6.5	5.4/6.5	5.5/6.5	5.8/6.5	6.0/6.5	6.0/6.5
LGA	0.19	1.9/2.2	2.3/2.7	2.0/3.5	1.9/3.1	2.5/3.3	3.2/4.2	3.5/3.7	4.7/5.8	4.4/5.8	5.2/5.8	4.8/5.8	4.9/5.8	5.2/5.8	5.1/5.8	5.4/5.8
EWR	0.19	2.0/3.0	2.3/2.8	2.6/3.7	2.2/3.8	3.1/3.7	3.5/5.6	4.1/4.6	5.2/6.4	4.9/6.4	6.0/6.4	5.6/6.4	5.6/6.4	5.7/6.4	5.7/6.4	6.1/6.4
PIT	0.19	3.2/5.0	3.4/5.5	3.6/4.8	4.4/5.7	4.5/5.8	5.2/6.6	6.2/7.9	7.5/8.2	7.3/8.2	6.8/8.2	6.8/8.2	7.1/8.2	7.3/8.2	7.2/8.2	7.5/8.2
AUG	0.19	2.4/2.9	3.0/3.4	2.8/4.0	2.6/3.1	4.0/4.0	4.4/5.8	4.4/5.0	5.4/9.1	6.2/9.1	7.1/9.1	7.0/9.1	7.6/9.1	7.5/9.1	7.7/9.1	7.8/9.1
BOS	0.24	2.9/3.5	2.9/3.0	2.5/3.0	1.9/3.2	3.1/3.8	4.0/4.2	4.4/5.0	4.5/6.9	4.5/6.9	5.2/6.9	4.8/6.9	4.5/6.9	4.4/6.9	5.0/6.9	5.2/6.9
LNS	0.25	2.5/3.2	2.9/3.6	3.0/4.1	3.2/3.9	3.8/4.6	4.2/5.1	4.4/5.2	5.3/7.9	5.0/7.9	5.4/7.9	5.4/7.9	5.6/7.9	5.6/7.9	5.7/7.9	6.4/7.9

		Bias (2007-12-01~2007-12-31)														
avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
NTU	-2.44	-0.2/-1.1	-1.2/0.3	-1.6/-1.4	-2.3/-1.9	-2.3/-0.4	-3.9/-0.1	-5.2/-2.5	-4.9/-2.1	-5.3/-2.1	-2.0/-2.1	-1.5/-2.1	-0.7/-2.1	-1.5/-2.1	-1.6/-2.1	-2.6/-2.1
CRW	-1.69	1.2/-0.8	0.7/-0.2	0.5/1.1	0.9/-0.1	0.3/1.1	-1.7/-1.0	-3.0/-2.3	-3.5/-2.5	-4.2/-2.5	-2.4/-2.5	-3.2/-2.5	-3.2/-2.5	-2.8/-2.5	-2.4/-2.5	-2.5/-2.5
ERI	-1.05	0.3/0.6	0.9/-0.1	0.5/-0.3	1.4/-0.7	2.3/-0.2	-0.0/-1.3	-0.5/-2.5	-0.4/0.9	-0.8/0.9	-2.9/0.9	-4.1/0.9	-3.6/0.9	-3.2/0.9	-2.9/0.9	-2.8/0.9
ROA	-0.88	0.8/0.2	0.6/0.9	0.8/0.2	0.1/0.7	0.0/1.3	-1.4/-1.1	-2.7/-0.5	-2.4/-1.8	-3.4/-1.8	-1.2/-1.8	-0.9/-1.8	-0.6/-1.8	-1.3/-1.8	-0.9/-1.8	-1.7/-1.8
PIT	-0.67	0.3/-0.5	0.1/0.0	0.1/-1.3	1.2/-1.7	0.8/-0.7	-1.0/-2.2	-2.1/-3.8	-2.0/-1.5	-3.0/-1.5	-1.1/-1.5	-0.7/-1.5	-0.5/-1.5	-0.6/-1.5	-0.4/-1.5	-0.4/-1.5
ACY	-0.11	0.3/0.2	0.6/0.5	0.1/0.1	0.0/-0.6	-0.2/0.2	-1.1/0.4	-2.1/-1.0	-1.7/0.6	-2.1/0.6	0.6/0.6	1.0/0.6	0.3/0.6	0.4/0.6	1.7/0.6	0.5/0.6
DCA	-0.10	0.9/1.0	1.0/1.1	1.0/0.8	0.6/1.4	0.6/1.3	-0.8/1.0	-2.0/-0.4	-1.6/0.3	-2.5/0.3	-0.4/0.3	0.3/0.3	0.3/0.3	0.2/0.3	0.6/0.3	0.5/0.3
RIC	0.01	1.2/1.1	1.2/1.8	1.3/1.2	0.8/0.8	1.5/2.1	0.1/1.7	-0.9/0.4	-0.1/-1.8	-0.4/-1.8	-0.6/-1.8	-0.3/-1.8	-1.0/-1.8	-0.7/-1.8	-0.7/-1.8	-1.4/-1.8
LGA	0.18	0.1/0.4	-0.0/0.3	-0.2/0.6	-0.5/-0.9	-0.6/-0.3	-1.3/-0.2	-2.3/-1.7	-1.8/1.0	-1.8/1.0	1.0/1.0	1.6/1.0	2.0/1.0	2.2/1.0	2.5/1.0	1.9/1.0
BOS	0.37	0.8/-0.1	0.8/-0.0	0.8/-0.1	0.2/-0.9	0.4/-0.4	-0.5/-0.8	-1.6/-1.7	-0.6/3.3	-0.2/3.3	0.4/3.3	0.5/3.3	0.6/3.3	1.1/3.3	1.3/3.3	1.4/3.3
BWI	0.45	1.5/1.4	1.6/2.5	1.5/1.6	1.2/1.8	1.2/1.6	0.1/1.5	-1.1/0.3	-0.6/1.7	-1.3/1.7	0.1/1.7	0.4/1.7	0.5/1.7	0.5/1.7	0.6/1.7	0.5/1.7
JFK	0.66	0.5/0.1	0.7/0.0	0.7/0.1	0.8/-0.9	1.0/-0.2	0.1/-0.0	-0.5/-1.4	-0.3/1.9	-0.2/1.9	0.6/1.9	1.1/1.9	1.3/1.9	1.5/1.9	1.8/1.9	0.9/1.9
AOO	0.68	1.1/0.4	0.8/1.2	1.6/0.8	1.7/0.1	2.1/0.4	0.8/-0.4	0.0/-1.2	0.2/2.1	-0.4/2.1	-0.3/2.1	-0.3/2.1	0.4/2.1	0.8/2.1	1.0/2.1	1.0/2.1
EWR	0.79	0.5/1.4	0.7/1.7	0.8/1.0	-0.1/0.8	0.0/1.0	-0.7/1.5	-1.6/-0.2	-1.0/1.5	-1.0/1.5	0.7/1.5	1.9/1.5	2.8/1.5	2.9/1.5	3.1/1.5	2.7/1.5
PVD	0.94	0.8/0.9	1.0/1.1	0.8/0.5	0.2/-0.5	-0.1/-0.1	-0.9/0.1	-2.1/-1.6	-1.4/2.7	-1.2/2.7	1.7/2.7	2.8/2.7	2.5/2.7	3.1/2.7	3.0/2.7	3.0/2.7
ABE	1.03	1.0/1.7	1.6/2.8	1.4/1.8	1.6/0.9	2.2/0.9	1.5/1.7	0.7/0.3	1.2/1.2	1.0/1.2	0.9/1.2	-3.9/1.2	1.3/1.2	1.4/1.2	1.7/1.2	1.7/1.2
LNS	1.10	1.1/2.4	0.8/2.8	1.0/2.6	0.8/2.1	1.2/2.0	0.6/2.1	-0.3/0.6	0.3/-4.9	0.1/-4.9	1.7/-4.9	2.5/-4.9	1.8/-4.9	1.6/-4.9	1.7/-4.9	1.7/-4.9
PHL	1.11	0.8/2.3	1.0/2.7	0.8/1.5	0.8/1.2	1.1/1.3	0.4/1.4	-0.4/0.7	0.1/1.5	0.0/1.5	1.3/1.5	1.9/1.5	2.0/1.5	2.0/1.5	2.5/1.5	2.3/1.5
IPT	1.14	0.7/2.0	1.2/1.6	1.0/1.3	1.4/0.8	2.0/1.0	0.9/0.6	0.2/-0.3	0.6/0.8	0.4/0.8	0.8/0.8	1.2/0.8	1.8/0.8	1.6/0.8	1.3/0.8	1.9/0.8
ILG	1.35	1.4/0.8	1.3/1.4	1.2/1.3	1.8/-0.0	1.7/0.4	0.4/0.4	-0.9/-0.0	-0.8/0.4	-1.3/0.4	2.0/0.4	1.4/0.4	0.9/0.4	3.7/0.4	4.2/0.4	3.1/0.4
PWM	1.42	-0.1/0.1	1.3/0.4	1.3/0.1	1.6/0.4	1.6/-0.6	1.0/0.3	-0.0/-0.5	0.9/3.1	1.5/3.1	0.6/3.1	1.4/3.1	1.8/3.1	2.8/3.1	2.9/3.1	2.7/3.1
BGM	1.50	0.4/0.6	0.6/0.1	0.5/-0.4	1.6/-0.8	2.3/-0.4	1.5/0.3	0.5/-1.8	0.9/1.4	1.0/1.4	2.4/1.4	2.6/1.4	1.5/1.4	1.8/1.4	2.5/1.4	2.4/1.4
MDT	1.62	1.2/2.6	1.3/3.2	1.6/2.6	2.0/2.4	2.2/1.8	1.3/1.8	0.7/1.0	1.1/2.3	0.6/2.3	2.7/2.3	1.4/2.3	1.6/2.3	2.0/2.3	2.2/2.3	2.4/2.3
MBA	1.68	1.3/1.1	1.3/1.6	1.6/1.2	1.0/0.2	0.8/0.8	0.0/0.7	-1.2/0.0	-0.2/3.9	0.4/3.9	2.8/3.9	1.7/3.9	3.6/3.9	3.4/3.9	4.2/3.9	4.4/3.9

ECMWF/MEX MIN Temperature in USNE

MAE (2007-12-01~2007-12-31)																
S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
AVP	-0.09	3.5/2.2	4.0/2.4	4.1/3.2	4.1/3.7	3.9/3.8	4.4/3.7	6.1/5.0	6.4/7.0	6.1/7.0	5.9/7.0	5.8/7.0	7.1/7.0	6.4/7.0	6.5/7.0	6.5/7.0
IPT	-0.07	2.9/3.2	3.1/2.9	3.7/3.1	4.9/3.3	4.2/3.4	4.5/3.9	5.5/4.2	6.2/6.5	6.0/6.5	6.3/6.5	6.3/6.5	6.2/6.5	6.0/6.5	6.5/6.5	6.3/6.5
AOO	-0.02	3.0/2.7	3.9/3.1	4.4/3.3	3.9/3.3	3.8/3.4	4.3/4.3	4.9/3.9	5.2/6.4	5.0/6.4	5.0/6.4	5.4/6.4	6.6/6.4	5.9/6.4	6.2/6.4	6.1/6.4
AUG	0.03	3.5/3.3	4.1/4.1	4.3/4.7	7.5/3.8	6.5/4.3	6.1/5.8	7.9/5.9	7.9/9.0	6.5/9.0	6.4/9.0	6.4/9.0	6.1/9.0	5.8/9.0	5.7/9.0	6.0/9.0
JFK	0.03	2.4/2.3	2.8/2.4	3.3/2.8	3.5/2.9	3.6/3.2	4.1/3.6	4.8/4.2	5.0/5.5	5.0/5.5	4.4/5.5	4.0/5.5	4.0/5.5	4.4/5.5	4.1/5.5	4.7/5.5
NTU	0.05	3.1/3.7	3.5/4.2	3.6/4.1	5.1/5.0	5.4/5.3	5.6/4.1	6.8/5.1	7.0/8.6	7.2/8.6	6.4/8.6	7.2/8.6	7.3/8.6	8.0/8.6	8.4/8.6	8.3/8.6
ACY	0.05	3.3/3.3	3.3/2.7	3.4/3.9	4.2/3.7	4.5/3.9	4.6/4.3	5.4/5.5	5.5/6.4	5.0/6.4	5.2/6.4	5.2/6.4	5.6/6.4	5.9/6.4	5.6/6.4	5.7/6.4
PHL	0.06	1.6/2.0	2.0/2.1	2.3/2.2	2.9/2.0	3.5/2.6	3.6/2.9	3.8/3.8	4.5/5.0	4.1/5.0	3.7/5.0	3.5/5.0	3.8/5.0	4.0/5.0	3.8/5.0	4.1/5.0
RIC	0.06	2.2/2.6	2.5/3.0	2.8/3.0	4.3/3.7	4.4/4.1	4.9/3.2	5.5/4.9	5.6/8.1	5.9/8.1	6.3/8.1	6.7/8.1	6.8/8.1	7.6/8.1	7.6/8.1	7.5/8.1
MDT	0.07	2.3/2.8	2.7/3.1	2.8/3.3	3.5/2.8	3.6/2.9	3.6/3.9	3.9/3.8	4.5/4.8	4.1/4.8	3.7/4.8	4.7/4.8	4.1/4.8	4.0/4.8	4.0/4.8	4.5/4.8
PIT	0.08	2.8/3.1	3.2/3.5	3.5/3.5	4.2/3.2	3.7/3.2	4.8/4.5	5.4/4.0	5.0/6.5	5.0/6.5	4.4/6.5	5.2/6.5	5.0/6.5	5.0/6.5	5.5/6.5	5.4/6.5
ERI	0.08	3.5/3.4	4.0/3.5	3.7/4.1	3.3/3.1	2.7/3.1	3.4/3.5	3.4/3.0	3.4/5.2	3.9/5.2	4.7/5.2	5.1/5.2	4.7/5.2	4.2/5.2	4.5/5.2	4.6/5.2
CRW	0.08	2.7/3.9	2.8/3.7	2.8/3.9	3.2/4.4	3.5/4.3	4.7/4.7	5.7/5.0	6.0/7.4	6.4/7.4	7.1/7.4	8.4/7.4	7.8/7.4	7.9/7.4	7.6/7.4	7.8/7.4
ORH	0.09	2.2/2.3	2.0/3.2	2.3/3.3	4.0/2.9	3.8/3.3	4.3/4.0	6.3/4.6	6.3/7.3	5.9/7.3	5.6/7.3	5.9/7.3	5.8/7.3	5.6/7.3	5.6/7.3	6.2/7.3
DCA	0.09	1.8/2.7	2.3/2.7	2.5/3.0	3.2/3.1	4.0/3.4	4.6/3.6	5.4/3.8	6.4/6.3	6.4/6.3	4.1/6.3	4.3/6.3	4.6/6.3	5.0/6.3	4.9/6.3	5.0/6.3
ABE	0.09	3.0/3.3	3.1/3.7	3.2/3.5	3.7/3.8	3.5/3.7	3.8/3.7	4.4/4.2	5.4/5.8	5.1/5.8	5.1/5.8	4.9/5.8	5.2/5.8	4.7/5.8	4.8/5.8	5.0/5.8
ROA	0.09	2.5/2.6	3.0/2.9	3.1/3.1	3.4/3.2	3.5/3.2	3.9/3.0	4.6/4.3	5.3/7.6	5.5/7.6	5.0/7.6	5.6/7.6	6.1/7.6	6.2/7.6	6.7/7.6	6.3/7.6
BOS	0.09	2.1/2.5	2.1/2.8	2.8/3.3	4.8/2.8	4.2/3.3	4.4/4.0	5.3/4.2	5.2/7.0	4.9/7.0	4.7/7.0	5.1/7.0	5.1/7.0	5.0/7.0	5.0/7.0	5.4/7.0
ILG	0.10	1.9/2.4	2.4/2.6	2.6/2.6	3.5/2.8	4.0/3.3	4.2/3.7	4.6/4.5	5.1/6.0	4.5/6.0	4.7/6.0	3.4/6.0	4.0/6.0	5.2/6.0	5.1/6.0	4.9/6.0
BWI	0.11	2.0/3.4	2.2/2.9	2.7/3.2	3.2/2.9	3.7/3.5	4.1/3.8	5.5/4.8	5.9/6.7	5.7/6.7	5.5/6.7	5.6/6.7	5.1/6.7	5.9/6.7	5.6/6.7	5.7/6.7
MBA	0.12	3.3/3.5	3.3/4.4	3.2/4.8	4.5/4.7	4.5/4.5	5.4/4.7	6.1/4.5	7.1/8.3	6.5/8.3	6.5/8.3	6.6/8.3	6.5/8.3	6.6/8.3	7.0/8.3	6.9/8.3
BDL	0.12	2.5/3.3	2.9/3.2	2.7/3.4	3.8/3.5	3.3/3.9	4.1/3.5	5.8/4.3	6.4/6.5	5.7/6.5	4.6/6.5	4.6/6.5	4.5/6.5	4.8/6.5	4.8/6.5	5.4/6.5
PVD	0.12	1.9/2.6	2.2/3.3	2.3/3.1	3.2/2.8	2.8/2.8	3.4/3.1	4.3/3.3	4.8/6.1	4.5/6.1	5.4/6.1	4.6/6.1	5.5/6.1	5.0/6.1	4.6/6.1	5.0/6.1
SYR	0.15	4.0/3.5	4.0/3.7	4.4/4.6	4.2/4.3	3.8/4.6	4.3/5.5	4.8/5.6	5.6/8.4	5.9/8.4	10.6/8.4	5.8/8.4	5.6/8.4	5.7/8.4	6.1/8.4	6.7/8.4
CON	0.15	4.1/4.0	4.1/4.6	4.0/4.3	4.7/5.2	4.9/5.0	5.5/5.7	6.6/5.9	7.1/9.3	7.2/9.3	6.6/9.3	7.0/9.3	7.2/9.3	6.7/9.3	6.8/9.3	7.2/9.3
LGA	0.15	1.5/1.6	1.9/1.8	2.1/2.1	2.6/2.5	3.4/3.0	3.6/3.7	3.8/4.5	4.3/6.0	4.4/6.0	4.0/6.0	4.0/6.0	4.0/6.0	4.2/6.0	4.2/6.0	4.7/6.0
EWR	0.17	1.7/2.0	2.1/2.3	2.2/2.5	3.0/2.5	2.5/2.8	3.0/3.3	3.9/4.0	4.2/5.7	4.0/5.7	4.5/5.7	4.1/5.7	4.0/5.7	4.3/5.7	4.3/5.7	4.7/5.7
PWM	0.17	3.2/4.0	3.3/4.4	3.4/4.9	4.2/4.1	4.3/4.6	5.7/5.2	6.8/5.5	6.8/8.4	5.9/8.4	6.3/8.4	6.5/8.4	6.2/8.4	6.0/8.4	5.9/8.4	6.3/8.4
ROC	0.17	3.0/3.5	3.0/3.5	3.3/4.4	4.0/4.2	3.8/4.1	4.4/4.4	4.4/4.6	4.7/7.0	5.1/7.0	5.5/7.0	5.7/7.0	5.6/7.0	5.3/7.0	5.6/7.0	6.0/7.0
LNS	0.17	2.8/2.6	3.3/3.4	3.5/3.4	4.6/3.0	4.0/3.4	4.4/3.8	5.2/4.3	5.7/9.7	5.3/9.7	5.2/9.7	4.9/9.7	4.9/9.7	5.2/9.7	5.2/9.7	5.1/9.7
BTW	0.18	2.3/3.8	2.8/4.3	3.5/4.8	3.9/4.5	4.3/6.0	6.0/7.1	7.3/7.8	8.2/10.2	8.3/10.2	9.6/10.2	9.6/10.2	9.1/10.2	8.4/10.2	8.6/10.2	8.4/10.2
ALB	0.21	2.9/4.4	2.6/4.3	3.4/4.2	3.8/4.8	3.5/5.3	4.8/5.4	6.3/5.3	6.5/8.7	7.0/8.7	6.4/8.7	6.9/8.7	7.0/8.7	6.6/8.7	7.0/8.7	7.4/8.7
MHT	0.21	3.2/3.5	3.2/4.5	3.8/4.5	2.8/4.5	3.7/4.1	4.0/4.3	4.8/5.4	5.6/5.0	5.8/8.3	5.7/8.3	5.9/8.3	6.0/8.3	6.0/8.3	5.8/8.3	6.3/8.3
BGM	0.23	2.3/2.6	2.1/2.7	2.5/3.4	2.6/3.7	2.6/4.0	3.7/4.4	5.0/4.8	5.6/7.2	5.3/7.2	5.5/7.2	5.1/7.2	4.8/7.2	4.9/7.2	5.1/7.2	5.9/7.2
BUF	0.27	2.0/2.9	2.1/2.8	2.5/3.2	2.8/3.1	2.8/3.5	3.3/4.0	3.3/4.3	4.1/6.2	3.9/6.2	4.4/6.2	4.5/6.2	4.2/6.2	4.0/6.2	4.4/6.2	4.7/6.2

Bias (2007-12-01~2007-12-31)																
avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
RIC	-3.64	-0.6/0.2	-1.0/0.5	-1.3/0.6	-2.7/-0.1	-2.3/0.5	-3.5/0.8	-4.2/-1.1	-4.4/-4.9	-4.4/-4.9	-5.2/-4.9	-5.0/-4.9	-4.9/-4.9	-4.9/-4.9	-5.7/-4.9	-4.5/-4.9
IPT	-3.52	-1.3/0.3	-1.1/0.1	-1.7/0.1	-2.6/-0.9	-1.6/-0.7	-3.0/-0.6	-4.3/-1.8	-4.7/-2.9	-5.1/-2.9	-5.0/-2.9	-4.8/-2.9	-4.5/-2.9	-4.6/-2.9	-4.7/-2.9	-3.9/-2.9
AVP	-3.44	-2.3/-0.1	-2.3/0.2	-2.6/0.2	-2.6/-0.8	-1.6/-0.8	-3.0/-0.3	-3.3/-1.9	-4.4/-1.6	-4.3/-1.6	-3.6/-1.6	-3.4/-1.6	-5.1/-1.6	-4.1/-1.6	-4.4/-1.6	-3.6/-1.6
CRW	-3.25	-1.2/2.7	-1.1/2.6	-0.6/2.3	-0.5/1.9	-0.9/3.1	-2.6/3.2	-4.3/1.2	-4.1/-3.5	-4.6/-3.5	-5.2/-3.5	-5.0/-3.5	-4.7/-3.5	-4.7/-3.5	-5.6/-3.5	-4.4/-3.5
ROA	-3.25	-0.2/-0.2	-0.8/0.0	-1.2/0.1	-2.0/1.0	-1.5/0.8	-2.8/-0.0	-3.9/-1.1	-4.9/-6.1	-5.1/-6.1	-4.3/-6.1	-4.5/-6.1	-4.3/-6.1	-4.4/-6.1	-5.0/-6.1	-3.8/-6.1
MBA	-3.03	-1.0/0.7	-0.5/1.9	-1.0/1.1	-3.4/1.3	-2.4/0.2	-3.5/1.3	-4.5/0.0	-4.5/1.7	-3.6/1.7	-4.1/1.7	-4.9/1.7	-3.7/1.7	-3.9/1.7	-4.5/1.7	-3.9/1.7
DCA	-2.95	-0.4/-0.1	-0.4/-0.3	-1.0/-1.1	-1.8/-1.7	-2.1/-1.0	-3.3/-1.4	-5.0/-2.1	-5.9/-4.1	-6.2/-4.1	-3.5/-4.1	-3.0/-4.1	-2.9/-4.1	-2.8/-4.1	-3.3/-4.1	-2.4/-4.1
AOO	-2.90	-1.1/0.7	-1.3/0.8	-1.6/0.4	-1.4/-0.1	-0.9/-0.2	-2.3/0.4	-3.0/-0.8	-3.5/-1.5	-3.7/-1.5	-3.4/-1.5	-3.3/-1.5	-3.3/-1.5	-4.2/-1.5	-3.8/-1.5	-3.8/-1.5
AUG	-2.79	-1.4/1.7	-1.4/2.6	-2.5/2.4	-6.7/1.5	-5.4/1.5	-5.3/1.2	-7.0/0.3	-6.9/1.2	-5.5/1.2	-1.2/1.2	-0.8/1.2	0.4/1.2	0.4/1.2	0.2/1.2	1.2/1.2
NTU	-2.74	-0.1/1.4	-0.6/1.6	-0.8/1.8	-2.7/0.8	-2.5/0.9	-3.6/1.0	-4.8/-0.3	-5.4/-3.0	-5.6/-3.0	-3.4/-3.0	-2.8/-3.0	-2.5/-3.0	-2.3/-3.0	-2.7/3.0	-1.3/3.0
ALB	-2.62	-0.6/0.4	-0.7/0.6	-1.5/0.0	-2.4/-1.6	-1.5/-1.8	-3.1/-1.0	-4.9/-2.6	-4.5/-1.5	-4.1/-1.5	-3.2/-1.5	-2.8/-1.5	-2.5/-1.5	-2.7/-1.5	-2.8/1.5	-2.0/1.5
BTW	-2.61	0.4/0.3	0.6/0.6	-0.3/-0.2	-1.3/+0.5	-0.7/-1.3	-2.4/-0.7	-4.2/-2.4	-3.7/-1.3	-3.1/-1.3	-4.9/-1.3	-5.5/-1.3	-4.7/-1.3	-3.6/-1.3	-3.4/-1.3	-2.4/-1.3
ABE	-2.55	-0.4/0.7	-0.4/0.6	-1.2/0.7	-1.8/+0.7	-0.7/+0.4	-2.0/-0.4	-3.3/-1.9	-3.7/-2.8	-3.6/-2.8	-3.7/-2.8	-3.5/-2.8	-3.5/-2.8	-3.5/-2.8	-3.8/-2.8	-3.2/-2.8
LNS	-2.46	-1.0/0.6	-1.1/0.4	-1.3/0.5	-2.3/-0.7	-1.3/-0.6	-2.2/-0.4	-3.2/-1.4	-3.5/-8.2	-3.5/-8.2	-3.5/-8.2	-3.2/-8.2	-2.7/-8.2	-2.9/-8.2	-3.1/-8.2	-2.0/-8.2
PIT	-2.38	-0.3/1.1	-0.7/2.1	-1.3/1.8	-2.5/0.6	-1.5/1.2	-3.1/1.7	-3.4/-0.2	-3.4/-2.3	-3.9/-2.3	-2.5/-2.3	-2.8/-2.3	-2.5/-2.3	-3.1/-2.3	-2.2/-2.3	-2.2/-2.3
ORH	-2.29	-0.4/1.3	-0.2/2.4	-0.7/2.0	-3.2/0.9	-2.3/0.7	-2.9/1.2	-4.7/-0.2	-4.8/0.2	-4.0/0.2	-2.1/0.2	-2.4/0.2	-1.5/0.2	-2.0/0.2	-2.1/0.2	-1.3/0.2
BDL	-2.24	-0.5/0.8	-0.8/0.6	-1.3/0.8	-2.8/+0.3	-1.4/-0.9	-2.9/0.0	-4.4/-1.4	-4.6/-0.7	-4.3/-0.7	-2.2/-0.7	-2.1/-0.7	-1.0/-0.7	-1.8/-0.7	-2.1/-0.7	-1.3/-0.7
BWI	-2.20	0.4/1.5	-0.1/0.9	-0.2/0.7	-1.1/0.5	-0.9/0.0	-1.9/0.5	-3.4/-0.8	-4.1/-3.5	-4.3/-3.5	-3.3/-3.5	-3.0/-3.5	-2.8/-3.5	-2.8/-3.5	-3.2/-3.5	-2.3/-3.5
ERI	-2.19	-0.8/1.8	-1.3/1.7	-1.2/1.1	-1.3/0.9	-0.1/1.2	-1.9/1.2	-2.6/0.2	-2.7/-0.3	-3.0/-0.3	-3.1/-0.3	-3.4/-0.3	-3.2/-0.3	-3.2/-0.3	-3.2/+0.3	-1.9/+0.3
ACY	-2.04	-0.7/0.6	-0.5/0.8	-0.3/-0.1	-1.3/-1.2	-0.1/-0.8	-1.6/0.7	-3.2/-1.7	-3.3/-3.5	-3.4/-3.5	-3.4/-3.5	-2.8/-3.5	-2.4/-3.5	-2.7/-3.5	-2.9/-3.5	-2.0/-3.5
JFK	-1.90	-0.9/0.4	-1.3/0.7	-1.5/0.4	-1.7/-0.5	-1.3/-0.6	-2.3/0.4	-3.0/-1.7	-3.0/-1.0	-3.0/-1.0	-3.0/-1.0	-2.5/-1.0	-1.8/-1.0	-1.7/-1.0	-1.8/1.0	-1.3/1.0
BGM	-1.85	-0.7/0.2	-1.4/0.2	-1.0/0.2	-1.1/+0.9	-0.8/-0.2	-2.3/0.2	-3.8/-1.4	-3.6/-1.3	-3.5/-1.3	-2.8/-1.3	-1.8/-1.3	-1.5/-1.3	-1.3/-1.3	-1.6/-1.3	-0.6/-1.3
ILG	-1.77	-0.2/0.1	-0.2/+0.3	-0.5/+0.6	-0.8/+0.4	-0.4/+0.6	-1.3/+0.4	-2.6/-1.8	-2.8/-3.0	-3.1/-3.0	-3.2/-3.0	-2.1/-3.0	-2.5/-3.0	-2.6/-3.0	-2.9/-3.0	-1.5/-3.0
PWM	-1.72	-0.2/1.7	0.1/1.8	-0.8/2.9	-3.0/1.2	-2.3/1.2	-3.0/1.6	-4.3/-0.4	-4.1/1.2	-3.1/1.2	-1.7/1.2	-1.0/1.2	-0.3/1.2	-0.5/1.2	-0.9/1.2	-0.3/1.2
SYR</																

ECMWF/MEX MAX Temperature in USSE

	S-score	MAE (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ATL	-0.05	3.0/3.5	3.7/3.7	4.0/4.8	4.4/4.2	4.8/4.8	5.6/4.9	5.5/6.8	6.4/7.7	6.4/7.7	7.7/7.7	11.2/7.7	9.6/7.7	9.7/7.7	9.6/7.7	9.8/7.7
CLT	-0.04	2.8/3.0	3.1/3.1	3.4/3.6	4.8/4.2	5.2/3.7	5.8/4.8	6.6/6.2	7.1/8.1	7.1/8.1	7.3/8.1	7.7/8.1	8.5/8.1	9.2/8.1	8.3/8.1	9.3/8.1
MCN	0.03	2.2/3.3	2.9/3.6	3.4/4.4	4.1/4.7	4.6/4.8	5.4/4.7	5.7/6.5	6.8/7.8	6.8/7.8	7.4/7.8	10.5/7.8	8.4/7.8	8.6/7.8	8.2/7.8	8.8/7.8
CAE	0.04	1.7/2.5	2.4/2.5	2.5/3.5	3.2/4.0	4.3/3.8	4.9/3.9	5.2/5.5	6.2/7.8	6.9/7.8	7.0/7.8	7.9/7.8	8.2/7.8	8.4/7.8	7.9/7.8	9.0/7.8
RDU	0.08	2.5/3.7	3.5/4.3	4.2/5.0	4.7/5.2	4.9/4.8	5.5/5.0	6.5/7.1	7.7/9.5	7.6/9.5	7.6/9.5	8.9/9.5	9.5/9.5	9.9/9.5	9.6/9.5	10.3/9.5
SSI	0.10	4.0/4.5	4.3/5.2	4.0/4.6	4.1/5.0	4.6/5.4	5.1/5.8	5.5/5.7	4.6/6.0	5.2/6.0	5.3/6.0	6.2/6.0	5.8/6.0	5.8/6.0	5.7/6.0	5.8/6.0
TLH	0.10	2.5/3.6	2.9/4.4	3.4/4.2	3.7/4.2	4.4/4.7	5.4/5.1	5.4/5.7	5.9/7.9	6.6/7.9	7.9/7.9	7.7/7.9	7.6/7.9	7.9/7.9	7.8/7.9	8.0/7.9
SAV	0.11	2.1/2.8	2.4/3.4	2.5/4.2	3.2/3.8	4.0/4.9	5.6/5.5	6.2/5.6	6.3/7.9	6.9/7.9	6.7/7.9	7.7/7.9	7.6/7.9	7.8/7.9	7.8/7.9	8.4/7.9
MIA	0.14	1.0/1.2	1.0/0.9	1.2/1.2	1.4/1.6	1.8/1.6	2.2/2.0	2.5/2.1	2.4/3.8	2.6/3.8	2.4/3.8	2.5/3.8	2.5/3.8	2.8/3.8	2.9/3.8	2.7/3.8
JAX	0.16	2.3/3.2	2.8/3.5	2.7/3.6	3.3/3.5	3.8/4.5	4.4/5.3	5.0/4.9	5.3/7.6	5.6/7.6	6.4/7.6	6.5/7.6	5.9/7.6	6.9/7.6	7.0/7.6	7.3/7.6
ABY	0.18	2.1/3.1	2.6/3.9	2.8/4.7	3.9/3.9	4.5/4.9	5.6/5.8	5.7/5.4	5.6/8.9	6.3/8.9	6.6/8.9	7.2/8.9	7.5/8.9	8.1/8.9	7.9/8.9	8.2/8.9
MCO	0.19	1.5/1.7	1.6/1.9	1.8/2.0	1.9/2.5	2.4/2.5	3.0/3.3	3.2/3.5	3.3/5.6	3.8/5.6	4.4/5.6	4.2/5.6	3.8/5.6	4.5/5.6	4.7/5.6	5.0/5.6
TPA	0.21	1.8/1.9	1.8/2.1	2.2/2.6	2.4/2.6	2.8/2.7	3.3/3.5	3.6/3.7	3.7/6.4	4.1/6.4	3.6/6.4	4.0/6.4	4.1/6.4	4.8/6.4	4.9/6.4	5.1/6.4
FMY	0.22	1.2/1.5	1.2/1.6	1.3/1.6	1.6/1.7	2.2/2.2	2.7/2.5	3.0/2.7	3.0/4.8	3.0/4.8	3.1/4.8	3.0/4.8	3.0/4.8	3.3/4.8	3.4/4.8	3.4/4.8

	avg-bias	Bias (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ATL	-3.04	-0.1/-0.8	0.8/1.3	1.3/2.6	-0.1/1.2	-1.0/0.3	-2.6/0.1	-3.0/-0.7	-3.3/-4.3	-3.5/-4.3	-3.7/-4.3	-7.0/-4.3	-5.8/-4.3	-5.9/-4.3	-5.9/-4.3	-5.8/-4.3
MCN	-2.77	0.1/1.0	0.5/1.3	0.7/2.6	-0.8/2.0	-1.8/1.8	-3.5/1.3	-4.2/-0.4	-4.7/-5.2	-5.0/-5.2	-3.1/-5.2	-5.1/-5.2	-3.9/-5.2	-3.9/-5.2	-3.3/-5.2	-3.8/-5.2
CLT	-2.74	-0.1/0.2	-1.1/0.1	-0.7/-0.2	-1.2/0.7	-1.7/0.0	-3.6/-0.6	-4.9/-1.5	-5.1/-4.5	-5.7/-4.5	-3.1/-4.5	-2.7/-4.5	-2.8/-4.5	-3.0/-4.5	-2.7/-4.5	-2.8/-4.5
CAE	-2.43	0.2/1.1	-0.0/0.8	-0.1/0.8	-0.5/1.6	-1.5/0.9	-3.5/-0.1	-4.6/-0.4	-5.1/-5.3	-5.4/-5.3	-3.9/-5.3	-2.4/-5.3	-2.2/-5.3	-2.7/-5.3	-2.4/-5.3	-2.4/-5.3
SAV	-2.42	0.3/1.2	0.1/1.0	-0.2/2.0	-1.0/1.8	-2.0/1.5	-4.0/0.5	-4.8/-0.9	-5.4/-4.4	-5.5/-4.4	-3.5/-4.4	-2.2/-4.4	-1.6/-4.4	-1.8/-4.4	-2.2/-4.4	-2.5/-4.4
TLH	-1.60	0.2/1.2	0.4/1.6	0.3/1.8	0.2/2.0	-0.2/2.0	-1.3/1.0	-1.6/-0.6	-2.4/-3.4	-3.2/-3.4	-3.6/-3.4	-3.3/-3.4	-2.5/-3.4	-2.5/-3.4	-2.3/-3.4	-2.2/-3.4
JAX	-1.57	0.6/1.3	0.4/1.7	0.1/1.9	-0.3/1.8	-1.0/2.3	-2.3/0.8	-2.7/-0.7	-2.9/-4.6	-2.9/-4.6	-3.0/-4.6	-2.2/-4.6	-1.7/-4.6	-1.9/-4.6	-2.0/-4.6	-1.8/-4.6
RDU	-1.53	0.2/0.0	-0.5/0.6	-0.4/0.3	-0.8/0.3	-1.1/1.0	-2.8/0.6	-4.1/-0.6	-4.3/-4.5	-5.0/-4.5	-1.6/-4.5	-0.8/-4.5	-0.4/-4.5	-0.4/-4.5	-0.4/-4.5	-0.5/-4.5
ABY	-1.48	-0.4/-0.3	0.2/0.8	0.6/2.3	-0.5/1.9	-1.7/1.2	-3.0/1.1	-3.2/-0.7	-3.9/-4.5	-4.0/-4.5	-2.7/-4.5	-1.0/-4.5	-0.2/-4.5	-0.4/-4.5	-0.8/-4.5	-1.1/-4.5
MIA	-1.06	0.3/0.2	0.1/0.0	-0.2/-0.2	-0.3/-0.8	-0.5/-0.5	-1.3/-1.0	-1.7/-1.8	-1.5/-3.1	-1.6/-3.1	-1.6/-3.1	-1.5/-3.1	-1.6/-3.1	-1.6/-3.1	-1.6/-3.1	-1.4/-3.1
MCO	-0.73	0.2/0.7	0.2/0.6	-0.3/0.5	-0.3/0.4	-0.5/0.8	-1.3/0.1	-1.5/-1.7	-1.4/-3.3	-1.4/-3.3	-2.3/-3.3	-1.2/-3.3	-0.3/-3.3	-0.8/-3.3	-0.5/-3.3	0.3/-3.3
TPA	-0.67	-0.3/0.1	-0.4/0.1	-0.5/0.2	-0.4/-0.2	-0.7/0.7	-1.2/-0.2	-1.3/-1.3	-1.5/-4.4	-1.6/-4.4	-0.6/-4.4	-0.3/-4.4	-0.2/-4.4	-0.6/-4.4	-0.2/-4.4	-0.3/-4.4
FMY	-0.52	0.2/0.2	-0.1/0.2	-0.3/-0.2	-0.3/-0.4	-0.6/-0.2	-1.0/-1.0	-1.2/-1.8	-1.0/-3.4	-1.0/-3.4	-1.3/-3.4	-0.7/-3.4	-0.5/-3.4	-0.3/-3.4	0.1/-3.4	0.3/-3.4
SSI	0.27	0.6/3.4	0.9/3.7	0.9/3.8	0.9/3.3	0.5/3.3	-0.7/2.6	-0.4/1.0	-0.6/-2.2	-0.6/-2.2	-0.8/-2.2	0.5/-2.2	1.0/-2.2	0.8/-2.2	0.5/-2.2	0.5/-2.2

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: 2.0 > B >= -2.0 blue: B <= -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature in USSE

MAE (2007-12-01~2007-12-31)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
CLT	-0.01	2.6/3.1	3.0/3.7	3.1/3.7	4.6/4.5	4.5/4.9	5.0/4.1	6.3/4.9	6.9/8.2	7.4/8.2	8.0/8.2	8.6/8.2	9.2/8.2	9.2/8.2	9.1/8.2	9.0/8.2
SAV	0.02	3.3/3.6	3.5/3.7	3.5/3.1	4.3/4.4	4.6/4.4	6.0/5.7	6.8/4.8	7.4/8.8	8.8/8.8	7.4/8.8	6.8/8.8	7.8/8.8	8.2/8.8	8.8/8.8	8.8/8.8
MCN	0.03	3.5/4.5	3.5/4.7	3.4/5.1	3.8/5.4	4.0/5.3	5.0/4.8	5.4/5.0	6.1/8.8	7.2/8.8	7.7/8.8	8.2/8.8	19.2/8.8	9.7/8.8	9.9/8.8	9.0/8.8
RDU	0.05	2.7/3.1	2.7/2.9	2.6/3.3	4.6/4.4	5.0/5.1	5.5/4.6	6.5/5.9	7.2/8.9	7.4/8.9	7.3/8.9	7.7/8.9	8.7/8.9	9.0/8.9	8.4/8.9	8.8/8.9
CAE	0.13	3.1/4.1	3.3/4.4	3.7/4.3	3.9/4.7	3.6/5.5	4.0/4.7	5.0/4.9	6.2/8.4	6.8/8.4	7.3/8.4	7.6/8.4	8.4/8.4	8.5/8.4	8.3/8.4	8.3/8.4
MCO	0.14	2.1/2.6	2.3/2.1	2.2/2.2	2.2/2.5	2.7/2.5	3.0/2.8	3.3/3.0	3.9/3.3	5.1/7.6	5.1/7.6	5.5/7.6	4.9/7.6	4.8/7.6	5.2/7.6	6.1/7.6
ATL	0.14	2.0/2.8	2.3/3.1	2.4/3.4	2.9/3.4	3.2/3.9	4.0/4.3	4.8/5.0	6.1/8.8	6.7/8.8	6.3/8.8	9.4/8.8	9.2/8.8	8.8/8.8	8.7/8.8	8.3/8.8
TLH	0.16	3.5/3.9	3.0/3.8	3.1/4.6	3.6/4.9	4.0/5.5	4.7/5.7	5.4/4.6	6.3/9.0	6.7/9.0	6.9/9.0	6.8/9.0	8.1/9.0	9.0/9.0	9.0/9.0	9.1/9.0
TPA	0.18	1.6/2.8	2.0/2.5	2.7/2.7	2.7/3.1	3.1/3.1	3.8/3.3	3.7/3.5	4.9/8.0	5.2/8.0	5.5/8.0	5.8/8.0	5.6/8.0	6.5/8.0	6.7/8.0	6.8/8.0
JAX	0.20	2.5/3.0	2.4/3.5	2.7/3.5	3.0/4.1	3.0/3.7	3.6/4.8	4.2/4.7	5.0/8.4	5.5/8.4	6.4/8.4	6.5/8.4	6.9/8.4	7.9/8.4	8.0/8.4	8.6/8.4
MIA	0.20	1.9/2.1	2.1/2.2	2.5/2.5	2.3/3.1	3.0/3.2	3.7/3.6	3.9/4.1	4.3/7.5	4.9/7.5	5.1/7.5	5.3/7.5	5.1/7.5	5.3/7.5	5.9/7.5	6.0/7.5
SSI	0.23	2.4/3.8	2.4/3.9	2.3/3.8	2.7/3.8	2.9/4.4	3.6/5.3	4.1/4.2	4.9/7.5	5.0/7.5	5.9/7.5	5.7/7.5	6.3/7.5	6.8/7.5	7.5/7.5	8.1/7.5
ABY	0.25	2.6/4.0	2.2/4.1	2.4/4.4	3.0/4.5	3.5/5.3	4.3/5.3	4.6/4.9	5.8/9.6	6.5/9.6	7.4/9.6	6.8/9.6	8.4/9.6	8.9/9.6	9.4/9.6	8.9/9.6
FMY	0.25	1.7/2.6	1.5/2.0	1.6/2.6	1.9/2.7	2.5/3.2	3.5/3.5	3.8/3.4	4.1/7.1	4.8/7.1	5.0/7.1	5.0/7.1	4.8/7.1	5.0/7.1	5.5/7.1	5.5/7.1

Bias (2007-12-01~2007-12-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
CLT	-4.26	-0.7/0.0	-1.3/1.0	-1.6/-0.3	-3.1/-0.7	-3.1/0.7	-4.1/0.3	-4.8/-0.4	-5.4/-3.9	-5.9/-3.9	-5.8/-3.9	-6.0/-3.9	-5.8/-3.9	-5.6/-3.9	-6.1/-3.9	-4.6/-3.9
RDU	-3.60	-0.1/0.7	-0.4/0.7	-0.7/0.9	-3.0/0.9	-3.1/2.3	-4.2/1.2	-4.9/-0.3	-5.5/-5.5	-5.8/-5.5	-4.6/-5.5	-4.7/-5.5	-4.4/-5.5	-4.5/-5.5	-4.8/-5.5	-3.2/-5.5
MCN	-3.35	-0.4/2.3	-1.2/1.6	-1.4/0.9	-2.2/+0.4	-2.5/1.3	-3.1/2.0	-3.5/0.3	-4.4/-4.9	-4.7/-4.9	-5.2/-4.9	-5.0/-4.9	-4.9/-4.9	-4.5/-4.9	-4.7/-4.9	-2.7/-4.9
SAV	-3.26	-0.2/0.5	-0.2/0.6	-0.4/-0.1	-1.9/-0.6	-3.0/0.5	-4.6/0.6	-5.8/-0.1	-6.3/-6.0	-7.3/-6.0	-4.5/-6.0	-3.4/-6.0	-2.7/-6.0	-3.3/-6.0	-3.7/-6.0	-1.7/-6.0
ATL	-3.24	-0.3/1.2	-0.5/1.7	-0.8/1.4	-1.9/1.3	-2.6/2.0	-3.2/1.7	-3.7/1.1	-4.5/-5.4	-4.8/-5.4	-4.0/-5.4	-5.6/-5.4	-4.5/-5.4	-4.4/-5.4	-4.8/-5.4	-2.9/-5.4
CAE	-2.93	0.1/1.8	-0.2/2.1	-0.6/1.6	-2.3/-0.0	-2.3/1.9	-3.0/1.3	-3.5/0.7	-4.3/-4.4	-4.6/-4.4	-4.4/-4.4	-4.5/-4.4	-4.0/-4.4	-3.8/-4.4	-4.1/-4.4	-2.5/-4.4
TLH	-1.99	-1.1/0.0	-1.2/0.3	-1.2/0.7	-0.9/-0.2	-1.6/0.9	-2.5/2.9	-2.7/0.5	-3.4/-4.7	-3.6/-4.7	-3.1/-4.7	-2.4/-4.7	-1.3/-4.7	-2.1/-4.7	-2.4/-4.7	-0.5/-4.7
ABY	-1.49	0.2/1.9	-0.2/1.0	-0.5/0.7	-1.2/0.4	-1.2/1.7	-1.9/2.6	-1.7/0.6	-2.2/-6.8	-2.6/-6.8	-3.8/-6.8	-1.6/-6.8	-0.9/-6.8	-2.2/-6.8	-2.5/-6.8	-0.2/-6.8
MCO	-1.21	-0.7/-0.9	-0.6/0.0	-0.5/-0.6	-0.5/-0.9	-0.9/-0.4	-1.7/-0.6	-2.8/-1.7	-2.6/-4.8	-2.8/-4.8	-2.2/-4.8	-1.2/-4.8	-0.5/-4.8	-0.6/-4.8	-0.1/-4.8	-0.1/-4.8
TPA	-1.03	0.0/-0.4	-0.2/0.0	-0.5/-0.5	-0.7/-0.5	-1.1/0.5	-1.5/0.8	-2.4/-0.5	-2.3/-5.0	-2.1/-5.0	-1.7/-5.0	-0.9/-5.0	-0.3/-5.0	-0.9/-5.0	-0.7/-5.0	-0.1/-5.0
FMY	-0.80	-0.3/-1.0	-0.1/0.4	-0.3/-0.9	-0.3/-0.7	-0.3/-0.3	-1.1/-0.5	-2.0/-1.4	-1.9/-4.8	-2.0/-4.8	-1.7/-4.8	-1.0/-4.8	-0.5/-4.8	-0.2/-4.8	-0.5/-4.8	0.1/-4.8
SSI	-0.61	0.3/2.1	0.0/2.5	-0.1/2.3	-0.1/1.6	-0.4/3.0	-1.0/3.1	-1.3/1.6	-1.4/-3.4	-1.6/-3.4	-2.4/-3.4	-0.5/-3.4	0.2/-3.4	-0.7/-3.4	-0.7/-3.4	0.6/-3.4
MIA	-0.61	0.6/0.7	0.8/0.4	0.7/0.2	0.8/-1.0	0.4/-0.7	-0.5/-0.6	-1.5/-2.3	-1.6/-5.8	-1.9/-5.8	-1.4/-5.8	-0.9/-5.8	-1.1/-5.8	-1.0/-5.8	-1.3/-5.8	-1.0/-5.8
JAX	-0.43	0.3/1.2	0.2/2.2	-0.0/1.6	0.2/1.6	0.5/2.6	-0.2/2.5	-0.6/2.1	-0.4/-3.6	-0.9/-3.6	-2.7/-3.6	-1.3/-3.6	-0.1/-3.6	-0.8/-3.6	-1.0/-3.6	0.5/-3.6

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: 2.0 > B >= -2.0 blue: B <= -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MAX Temperature in USSC

	S-score	MAE (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ICT	-0.07	3.7/3.1	4.2/4.4	4.5/4.6	6.9/5.5	8.3/7.2	8.2/9.0	9.5/9.7	9.9/9.1	10.0/9.1	16.0/9.1	10.1/9.1	8.9/9.1	7.4/9.1	7.9/9.1	8.3/9.1
MCI	-0.07	4.5/4.8	4.0/4.6	5.1/5.4	7.0/6.1	8.2/7.7	9.0/8.1	10.1/8.8	11.0/9.2	10.2/9.2	12.7/9.2	10.6/9.2	10.2/9.2	8.9/9.2	8.6/9.2	8.4/9.2
TUL	-0.05	4.4/5.2	5.1/5.5	6.1/6.5	6.3/8.1	7.2/8.4	7.3/9.5	9.0/9.5	9.3/9.4	9.7/9.4	19.4/9.4	13.0/9.4	11.2/9.4	10.2/9.4	9.0/9.4	9.0/9.4
OKC	-0.04	4.0/4.3	5.1/5.1	5.9/5.9	5.9/6.3	7.4/8.5	7.7/8.5	8.6/8.0	9.6/9.3	10.2/9.3	15.0/9.3	11.4/9.3	10.3/9.3	9.7/9.3	8.8/9.3	8.4/9.3
LIT	-0.04	4.1/4.5	4.2/4.7	4.9/5.4	5.3/6.9	5.4/7.5	5.8/6.3	8.0/6.1	7.9/8.0	8.2/8.0	10.9/8.0	10.1/8.0	9.3/8.0	8.5/8.0	9.2/8.0	8.6/8.0
MWL	-0.03	5.1/3.8	5.7/4.9	6.3/5.6	6.3/6.5	6.3/7.0	6.6/6.9	8.0/7.2	8.3/9.2	8.5/9.2	9.9/9.2	9.7/9.2	9.3/9.2	8.2/9.2	8.4/9.2	8.4/9.2
AUS	-0.02	2.4/3.0	3.3/4.1	3.1/3.8	4.0/4.8	4.5/4.1	4.8/4.5	6.4/5.3	6.7/8.2	6.3/8.2	7.0/8.2	13.0/8.2	10.7/8.2	9.3/8.2	9.1/8.2	8.7/8.2
SJT	-0.00	3.5/3.8	4.0/3.2	4.4/3.8	4.9/5.0	4.8/4.4	5.8/6.2	7.7/6.8	7.9/9.0	7.8/9.0	9.2/9.0	9.2/9.0	9.0/9.0	8.7/9.0	8.2/9.0	8.1/9.0
ABI	0.00	4.1/3.8	4.7/4.8	5.1/5.1	5.6/5.2	6.2/6.4	6.9/6.9	8.1/7.1	8.3/9.3	8.5/9.3	9.6/9.3	9.7/9.3	9.7/9.3	9.7/9.3	8.6/9.3	8.6/9.3
MEM	0.02	3.2/3.7	2.8/4.0	2.8/4.0	3.7/4.7	4.8/6.0	6.7/6.1	8.8/6.5	8.7/8.5	9.2/8.5	8.6/8.5	9.0/8.5	9.5/8.5	8.7/8.5	8.9/8.5	9.2/8.5
SAT	0.03	2.5/2.4	2.7/3.4	3.6/3.8	4.2/4.4	4.7/4.3	4.9/4.6	6.2/5.6	6.9/8.1	6.4/8.1	7.5/8.1	8.7/8.1	8.5/8.1	7.9/8.1	8.1/8.1	7.4/8.1
MAF	0.04	3.0/3.3	3.5/3.9	3.8/4.1	4.8/6.4	5.4/5.2	6.3/6.8	7.3/7.0	7.9/8.9	8.1/8.9	9.0/8.9	9.2/8.9	9.2/8.9	9.1/8.9	8.8/8.9	8.7/8.9
DFW	0.04	2.6/3.2	3.1/3.6	3.7/3.6	4.7/4.7	5.0/6.4	6.0/6.4	7.6/6.9	8.1/9.1	8.1/9.1	9.6/9.1	9.3/9.1	9.5/9.1	9.5/9.1	8.9/9.1	8.7/9.1
BNA	0.05	2.1/3.3	2.5/3.7	2.5/3.6	2.7/4.1	3.9/4.9	5.4/5.8	7.8/6.3	7.3/7.9	7.4/7.9	9.0/7.9	8.5/7.9	9.4/7.9	8.6/7.9	8.8/7.9	9.3/7.9
JAN	0.05	2.3/2.5	2.6/3.2	2.9/3.5	3.6/4.0	3.4/5.3	4.8/5.6	6.2/6.7	6.0/9.3	7.3/9.3	8.7/9.3	12.2/9.3	11.4/9.3	10.4/9.3	11.0/9.3	10.4/9.3
MOB	0.06	3.2/3.1	3.2/3.4	3.5/4.5	3.8/4.6	4.1/5.0	5.2/4.9	5.7/6.9	6.1/7.6	6.5/7.6	7.3/7.6	7.8/7.6	7.9/7.6	8.2/7.6	7.7/7.6	8.5/7.6
GAD	0.06	2.7/3.3	3.1/4.7	3.5/4.4	3.8/3.9	3.9/4.4	4.0/5.1	4.4/3.6	4.9/7.0	4.4/7.0	6.5/7.0	7.1/7.0	8.2/7.0	9.4/7.0	8.5/7.0	10.5/7.0
TYR	0.06	2.5/3.8	3.0/4.2	3.2/4.5	3.6/4.9	3.7/5.6	5.3/5.6	7.2/6.1	7.5/8.3	7.6/8.3	9.0/8.3	9.5/8.3	9.5/8.3	9.3/8.3	9.3/8.3	9.0/8.3
COU	0.06	2.8/4.2	3.2/4.5	3.7/5.3	5.4/6.4	6.9/7.3	6.0/7.3	8.8/7.9	9.0/8.5	8.8/8.5	14.5/8.5	8.8/8.5	8.0/8.5	7.1/8.5	7.4/8.5	7.2/8.5
BHM	0.06	2.0/3.4	2.7/3.8	3.3/4.2	3.4/4.7	3.9/5.0	5.2/4.8	6.0/6.5	5.7/7.8	5.8/7.8	7.3/7.8	7.8/7.8	9.7/7.8	10.2/7.8	9.4/7.8	10.2/7.8
MSY	0.07	3.3/3.1	3.3/3.4	3.9/4.2	4.4/4.9	4.4/5.8	5.1/5.8	6.0/7.4	6.2/9.0	7.4/9.0	8.8/9.0	8.9/9.0	9.3/9.0	9.7/9.0	9.6/9.0	9.6/9.0
ACT	0.07	3.3/3.6	3.6/4.8	3.9/4.9	4.7/5.6	4.4/5.4	5.1/5.8	6.7/6.2	7.4/8.7	7.5/8.7	9.1/8.7	9.5/8.7	9.2/8.7	9.0/8.7	8.9/8.7	8.3/8.7
HSV	0.07	2.4/4.2	2.7/4.6	3.2/4.5	2.8/4.2	3.5/4.1	5.3/5.3	6.7/7.1	6.3/7.8	6.8/7.8	8.9/7.8	8.6/7.8	9.0/7.8	9.1/7.8	8.5/7.8	9.3/7.8
ELP	0.08	1.8/1.9	2.6/3.6	2.8/5.0	4.5/4.8	4.9/4.6	5.2/4.6	5.6/4.9	6.0/6.8	6.1/6.8	6.0/6.8	7.7/6.8	5.7/6.8	6.0/6.8	6.7/6.8	6.2/6.8
CHA	0.09	2.5/3.7	2.6/4.3	3.0/4.2	3.3/4.4	3.8/4.3	4.9/4.5	5.8/6.0	5.6/7.5	5.8/7.5	7.1/7.5	7.7/7.5	8.1/7.5	8.4/7.5	7.9/7.5	8.0/7.5
STL	0.10	3.4/4.2	3.6/4.6	4.7/5.6	5.7/6.7	6.5/7.5	6.9/8.3	9.2/8.4	9.5/8.5	8.9/8.5	8.2/8.5	7.3/8.5	8.0/8.5	7.1/8.5	7.2/8.5	7.0/8.5
TYS	0.11	4.6/5.4	4.6/5.8	4.4/5.7	4.6/5.3	4.7/5.3	5.0/5.3	6.0/6.6	5.9/7.6	6.0/7.6	5.8/7.6	8.6/7.6	6.6/7.6	8.1/7.6	7.1/7.6	7.9/7.6
LFK	0.11	2.5/3.1	2.6/4.2	2.6/3.8	2.7/4.4	3.4/5.4	5.0/4.6	6.2/5.5	6.5/8.4	7.3/8.4	7.9/8.4	8.9/8.4	8.7/8.4	8.6/8.4	8.7/8.4	8.6/8.4
CRP	0.12	2.3/2.5	2.6/2.9	2.6/3.1	3.0/3.5	3.6/3.7	4.5/4.1	5.8/5.7	6.5/8.5	6.3/8.5	6.5/8.5	7.4/8.5	6.8/8.5	7.2/8.5	7.4/8.5	7.6/8.5
VCT	0.16	2.8/3.8	3.0/3.6	3.4/4.6	4.1/4.6	4.2/3.9	4.9/4.3	6.3/5.7	6.6/8.3	6.5/8.3	5.8/8.3	6.2/8.3	5.8/8.3	6.1/8.3	6.2/8.3	6.9/8.3
IAH	0.17	2.0/2.5	2.0/2.9	2.7/3.8	2.9/4.2	2.5/4.0	3.8/4.5	5.5/5.6	6.1/8.0	6.0/8.0	6.5/8.0	7.5/8.0	7.5/8.0	7.6/8.0	7.9/8.0	7.9/8.0
HOU	0.18	1.6/2.0	1.7/2.5	2.0/2.8	2.3/3.7	2.4/4.4	4.0/4.3	5.5/5.7	6.0/8.1	6.7/8.1	6.5/8.1	7.6/8.1	7.3/8.1	7.6/8.1	7.6/8.1	8.1/8.1
BRO	0.30	1.7/2.7	2.2/3.5	1.9/3.9	2.0/3.9	2.9/3.3	3.5/3.6	4.0/4.9	4.6/7.9	4.9/7.9	5.2/7.9	6.1/7.9	5.6/7.9	6.0/7.9	6.0/7.9	6.0/7.9

	avg-bias	Bias (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
MCI	-4.03	0.7/0.5	-0.5/-1.0	-2.6/-0.6	-5.0/-0.2	-6.4/-0.1	-6.4/1.1	-5.6/1.2	-6.1/1.6	-5.9/1.6	-6.6/1.6	-4.1/1.6	-3.7/1.6	-2.8/1.6	-2.7/1.6	-2.8/1.6
BNA	-3.97	0.2/-0.4	0.4/0.2	0.4/1.0	-0.6/0.6	-2.4/-0.4	-4.2/-2.1	-4.8/-3.1	-5.1/-5.3	-5.6/-5.3	-6.7/-5.3	-6.7/-5.3	-5.9/-5.3	-6.0/-5.3	-6.0/-5.3	-6.5/-5.3
HSV	-3.76	-0.6/-1.1	-0.1/-0.0	0.4/0.9	-0.3/0.8	-1.6/-0.2	-3.3/-1.6	-4.2/-2.9	-4.4/-5.9	-4.8/-5.9	-7.0/-5.9	-6.5/-5.9	-6.1/-5.9	-5.8/-5.9	-6.2/-5.9	-6.2/-5.9
MEM	-3.69	-1.0/0.4	0.3/1.3	0.2/2.1	-0.8/1.4	-2.9/0.4	-5.1/-1.1	-5.9/-0.9	-6.3/-4.6	-6.8/-4.6	-4.8/-4.6	-4.7/-4.6	-4.3/-4.6	-4.4/-4.6	-4.7/-4.6	-4.7/-4.6
ICT	-3.67	0.6/0.4	0.4/1.1	-1.5/1.5	-5.5/3.3	-6.5/2.4	-5.8/4.4	-4.9/5.3	-5.3/3.3	-4.8/3.3	-10.3/3.3	-4.5/3.3	-3.2/3.3	-1.7/3.3	-1.1/3.3	-1.0/3.3
TYR	-3.43	-0.6/1.0	-0.3/2.4	-0.3/0.7	-0.3/0.7	-1.6/-0.7	-3.4/0.4	-3.8/0.2	-4.0/-3.1	-4.3/-3.1	-5.5/-3.1	-5.4/-3.1	-5.4/-3.1	-5.4/-3.1	-5.4/-3.1	-5.7/-3.1
LFK	-2.80	-0.9/0.9	-1.0/3.1	-1.3/2.7	-1.3/1.8	-2.0/-1.2	-3.3/0.4	-3.3/-0.4	-3.3/-3.8	-4.0/-3.8	-3.8/-3.8	-3.8/-3.8	-3.9/-3.8	-3.1/-3.8	-3.4/-3.8	-3.6/-3.8
BHM	-2.76	-0.1/-0.1	0.3/0.8	1.1/2.4	0.1/1.8	-1.0/0.0	-2.5/-0.4	-2.9/-0.6	-3.3/-4.4	-3.6/-4.4	-3.9/-4.4	-3.9/-4.4	-5.6/-4.4	-5.2/-4.4	-5.7/-4.4	-5.2/-4.4
MAF	-2.71	-1.0/-1.6	-1.2/1.4	-1.9/-0.2	-1.8/-2.4	-3.0/-0.3	-2.9/-1.0	-2.7/-0.6	-2.8/-1.9	-2.9/-1.9	-2.4/-1.9	-3.3/-1.9	-3.1/-1.9	-3.3/-1.9	-3.8/-1.9	-3.8/-1.9
JAN	-2.68	0.3/0.1	0.4/0.6	0.8/1.3	0.3/1.3	-0.6/-0.3	-1.9/-0.3	-2.1/-1.0	-2.7/-6.3	-3.0/-6.3	-3.8/-6.3	-6.4/-6.3	-5.1/-6.3	-5.2/-6.3	-5.3/-6.3	-5.7/-6.3
SAT	-2.45	-0.4/0.2	-0.0/1.5	-0.8/2.3	-1.5/-0.5	-2.6/-0.7	-3.6/0.1	-4.0/-0.7	-4.1/-4.7	-4.4/-4.7	-2.2/-4.7	-2.1/-4.7	-2.0/-4.7	-3.3/-4.7	-3.0/-4.7	-2.7/-4.7
CHA	-2.29	0.7/0.1	0.9/0.3	1.2/1.4	0.3/0.7	-1.1/0.1	-2.6/-1.4	-3.3/-1.9	-3.5/-5.5	-4.0/-5.5	-4.0/-5.5	-3.4/-5.5	-3.9/-5.5	-3.7/-5.5	-3.9/-5.5	-3.9/-5.5
AUS	-2.16	0.5/1.4	1.4/2.9	1.2/3.0	-0.9/0.2	-1.4/-0.7	-2.5/0.3	-3.0/0.3	-2.9/-3.5	-3.0/-3.5	-0.9/-3.5	-6.2/-3.5	-4.2/-3.5	-3.4/-3.5	-3.1/-3.5	-3.9/-3.5
SJT	-2.00	0.7/-0.6	0.6/1.6	0.2/1.4	0.5/0.5	-1.8/0.0	-2.6/-0.3	-2.8/-0.5	-2.5/-3.5	-2.5/-3.5	-3.9/-3.5	-3.5/-3.5	-3.5/-3.5	-3.2/-3.5	-2.7/-3.5	-2.8/-3.5
HOU	-1.96	-0.5/-0.8	-0.3/0.2	-0.0/1.2	-1.0/-0.2	-1.9/-0.3	-2.9/-0.5	-3.4/-1.6	-3.6/-4.4	-4.1/-4.4	-1.4/-4.4	-2.0/-4.4	-1.7/-4.4	-2.1/-4.4	-2.1/-4.4	-2.4/-4.4
ELP	-1.94	-0.1/1.0	-0.1/2.7	-0.6/4.2	-4.2/3.1	-4.5/2.2	-4.6/2.6	-4.4/2.3	-4.7/0.5	-4.5/0.5	-1.8/0.5	1.0/0.5	-0.4/0.5	-0.5/0.5	-0.1/0.5	0.2/0.5
VCT	-1.93	-0.4/0.7	-0.5/2.0	-0.9/2.4	-1.8/0.8	-2.3/0.6	-3.3/0.6	-4.0/-0.6	-3.7/-5.2	-3.9/-5.2	-1.3/-5.2	-1.4/-5.2	-1.4/-5.2	-1.3/-5.2	-1.0/-5.2	-1.6/-5.2
STL	-1.84	0.1/2.3	-0.5/2.1	-1.3/2.2	-1.8/1.5	-2.2/1.7	-3.3/0.5	-2.6/1.0	-2.9/-0.3	-3.1/-0.3	-1.3/-0.3	-1.5/-0.3	-2.0/-0.3	-1.8/-0.3	-1.7/-0.3	-1.9/-0.3
ABI	-1.70	0.7/2.1	1.0/3.3	0.5/4.2	0.8/0.6	-2.0/1.7	-2.2/1.5	-2.5/1.9	-2.1/-1.7	-2.0/-1.7	-3.2/-1.7	-3.7/-1.7	-3.0/-1.7	-2.5/-1.7	-2.5/-1.7	-2.6/-1.7
ACT	-1.69	0.4/1.8	0.8/3.5	0.4/3.9	0.6/1.7	-1.9/0.2	-2.7/0.9	-2.7/0.7	-2.6/-3.3	-3.0/-3.3	-2.4/-3.3	-2.6/-3.3	-2.5/-3.3	-2.5/-3.3	-2.1/-3.3	-2.6/-3.3
IAH	-1.54	-0.1/0.2	0.2/0.9	-0.1/2.0	-1.1/0.5	-1.4/0.4	-2.6/0.2	-2.9/-0.6	-2.7/-3.7	-2.9/-3.7	-1.5/-3.7	-1.9/-3.7	-1.7/-3.7	-1.5/-3.7	-1.5/-3.7	-1.5/-3.7
MSY	-1.50	-0.1/0.3	0.6/1.3	1.1/2.4	0.4/2.5	-0.6/1.6	-1.9/1.6	-2.3/-0.3	-2.8/-3.5	-3.4/-3.5	-1.7/-3.5	-1.7/-3.5	-2.5/-3.5	-2.7/-3.5	-2.3/-3.5	-2.6/-3.5
LIT	-1.38	2.3/2.5	3.0/3.1	2.6/4.0	1.9/3.1	0.4/2.0	-1.4/1.0	-2.0/0.5	-2.2/1.5	-2.4/1.5	-4.8/-1.5	-4.6/-1.5	-3.0/-1.5	-3.6/-1.5	-3.5/-1.5	-3.5/-1.5
TYS	-1.30	2.2/0.7	1.5/0.7	1.5/1.1	0.9/0.3	-0.3/0.3	-2.2/-0.8	-2.8/-2.1	-3.1/-4.4	-3.7/-4.4	-1.3/-4.4	-4.2/-4.4	-2.8/-4.4	-1.7/-4.4	-1.6/-4.4	-1.9/-4.4
TUL	-1.19	0.6/2.9	0.9/2.7	1.0/3.5	-0.4/3.0	-1.7/3.6	-2.7/3.9	-2.6/3.6	-2.7/2.2	-2.9/2.2	-6.7/2.2	-1.3/2.2	-0.2/2.2	0.0/2.2	0.4/2.2	0.4/2.2
MWL	-1.02	0.8/3.1	1.2/4.5	0.8/4.7	1.5/3.5	-1.3/3.3	-2.7/3.4	-2.2/2.5	-1.9/1.6	-1.6/1.6	-2.3/1.6	-2.4/1.6	-1.8/1.6	-1.7/1.6	-1.1/1.6	-1.5/1.6

ECMWF/MEX MIN Temperature in USSC

	S-score	MAE (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ICT	-0.21	3.6/4.6	4.0/5.6	5.2/5.4	6.3/5.9	7.0/5.9	7.2/6.4	7.3/7.1	6.6/5.4	6.0/5.4	11.9/5.4	7.4/5.4	7.2/5.4	6.7/5.4	7.4/5.4	7.2/5.4
MCI	-0.12	4.3/5.4	4.4/5.4	4.8/5.2	6.2/5.2	6.6/5.6	6.9/5.7	7.5/6.9	7.1/5.3	6.6/5.3	4.8/5.3	7.3/5.3	6.3/5.3	5.9/5.3	6.4/5.3	6.6/5.3
OKC	-0.01	3.4/4.7	3.0/5.2	3.5/5.5	3.8/5.4	4.9/5.8	6.3/5.7	7.1/6.7	6.4/4.7	5.6/4.7	6.8/4.7	5.6/4.7	5.3/4.7	5.2/4.7	4.6/4.7	5.7/4.7
TUL	0.02	3.4/5.8	3.1/5.9	3.9/6.6	3.8/7.0	4.1/5.6	4.7/6.4	6.2/7.8	5.1/4.1	3.9/4.1	5.3/4.1	5.5/4.1	5.2/4.1	5.1/4.1	5.3/4.1	6.2/4.1
DFW	0.02	2.7/4.7	2.4/5.2	2.9/6.4	2.8/6.0	3.4/6.2	4.3/5.3	5.7/6.9	5.2/5.3	4.6/5.3	6.8/5.3	7.2/5.3	7.6/5.3	8.0/5.3	7.7/5.3	7.9/5.3
COU	0.05	2.7/4.3	2.8/4.1	3.4/4.2	3.5/4.8	4.1/5.5	4.7/5.1	6.0/6.4	6.1/5.6	5.7/5.6	5.9/5.6	5.4/5.6	6.9/5.6	6.6/5.6	6.4/5.6	6.8/5.6
GAD	0.05	4.0/5.5	3.9/5.9	4.2/5.6	4.8/6.1	5.4/6.3	6.4/6.7	6.9/5.3	8.4/9.8	8.3/9.8	9.7/9.8	9.7/9.8	10.9/9.8	11.3/9.8	11.4/9.8	10.8/9.8
HOU	0.05	4.9/5.1	5.3/5.0	5.3/5.9	6.7/7.0	5.8/7.0	5.3/6.3	6.9/8.2	7.5/8.9	8.0/8.9	7.9/8.9	8.5/8.9	8.7/8.9	9.3/8.9	9.5/8.9	10.4/8.9
ELP	0.07	2.7/3.4	3.0/4.3	3.4/3.7	4.0/4.0	4.0/5.1	4.3/3.8	4.7/4.8	5.2/6.5	5.4/6.5	6.6/6.5	6.3/6.5	6.3/6.5	6.7/6.5	6.7/6.5	6.8/6.5
LIT	0.11	2.5/5.1	2.4/5.2	2.9/5.7	3.5/6.4	3.2/6.2	4.1/4.7	4.8/4.9	4.4/5.2	4.9/5.2	4.8/5.2	7.6/5.2	6.5/5.2	6.2/5.2	5.9/5.2	6.6/5.2
TYS	0.13	2.3/3.5	2.6/3.7	2.4/3.7	3.2/4.5	3.2/4.3	3.9/4.9	4.6/4.0	4.8/6.9	5.1/6.9	5.3/6.9	6.9/6.9	7.4/6.9	8.1/6.9	7.7/6.9	8.0/6.9
SJT	0.13	4.4/7.8	4.3/9.6	5.2/10.0	4.9/9.5	5.2/9.1	5.7/8.9	5.9/9.3	6.3/6.2	6.2/6.2	8.3/6.2	7.0/6.2	6.8/6.2	7.0/6.2	7.4/6.2	7.4/6.2
STL	0.14	2.3/4.1	2.4/4.0	2.3/4.2	3.4/5.6	3.6/5.4	4.1/4.1	5.3/4.8	5.2/4.9	4.8/4.9	4.6/4.9	5.3/4.9	5.1/4.9	4.6/4.9	4.4/4.9	4.5/4.9
SAT	0.14	4.0/5.7	3.6/6.3	3.9/8.0	4.1/8.8	4.5/8.0	5.5/7.4	7.4/8.9	8.0/8.4	7.3/8.4	8.5/8.4	8.5/8.4	8.9/8.4	9.5/8.4	10.1/8.4	10.6/8.4
BHM	0.15	2.3/3.3	2.6/3.7	3.3/4.3	3.7/5.1	4.0/4.9	5.5/6.8	7.3/7.3	8.1/10.9	8.2/10.9	10.1/10.9	10.2/10.9	10.4/10.9	10.5/10.9	10.7/10.9	10.3/10.9
HSV	0.17	2.7/3.5	2.1/3.3	2.5/3.8	3.0/5.0	3.2/4.8	5.0/6.3	6.6/6.5	7.1/9.7	7.4/9.7	8.4/9.7	9.4/9.7	9.9/9.7	10.0/9.7	9.9/9.7	9.7/9.7
MOB	0.17	2.8/3.7	3.0/3.7	3.3/4.2	3.3/5.2	3.7/6.5	5.4/6.4	7.7/7.4	8.2/10.8	8.7/10.8	7.6/10.8	9.4/10.8	10.0/10.8	10.6/10.8	11.3/10.8	10.3/10.8
TYR	0.18	2.9/6.3	3.2/5.8	3.6/7.2	3.9/8.1	4.7/8.0	5.3/7.7	6.7/9.1	6.2/6.6	5.4/6.6	6.2/6.6	6.8/6.6	6.8/6.6	7.5/6.6	7.8/6.6	8.6/6.6
MSY	0.18	2.6/3.2	2.8/3.4	2.5/4.0	3.4/5.1	3.8/5.2	4.3/4.8	5.9/6.6	6.6/8.6	6.3/8.6	5.7/8.6	7.1/8.6	8.1/8.6	8.1/8.6	8.6/8.6	8.6/8.6
JAN	0.18	3.0/3.6	2.9/4.0	3.1/4.7	3.8/5.9	4.4/6.5	5.3/7.8	7.9/8.6	7.4/10.7	7.6/10.7	8.2/10.7	10.3/10.7	11.0/10.7	11.0/10.7	11.1/10.7	10.9/10.7
CHA	0.19	2.3/3.9	2.3/4.3	2.5/4.5	3.3/4.8	3.8/5.0	5.0/5.5	6.1/5.7	6.5/9.1	6.9/9.1	7.2/9.1	8.3/9.1	8.8/9.1	9.2/9.1	9.1/9.1	8.6/9.1
AUS	0.19	5.4/7.8	5.3/8.5	5.4/9.0	6.0/11.1	5.8/10.2	6.9/9.5	8.9/11.1	9.6/10.3	9.1/10.3	9.2/10.3	9.2/10.3	9.3/10.3	10.1/10.3	10.4/10.3	10.8/10.3
BNA	0.20	2.1/3.5	2.0/3.5	2.1/4.2	2.7/5.1	3.3/4.5	4.9/5.8	6.3/5.5	6.7/8.9	6.4/8.9	7.7/8.9	8.1/8.9	8.6/8.9	8.6/8.9	8.5/8.9	8.8/8.9
LFK	0.21	3.1/5.1	3.2/5.5	3.1/5.9	3.9/7.3	4.7/7.5	5.9/8.4	7.0/9.8	7.4/10.1	7.6/10.1	8.9/10.1	9.5/10.1	9.9/10.1	10.5/10.1	11.0/10.1	11.8/10.1
ACT	0.21	2.7/8.3	3.6/9.5	3.3/10.6	3.6/10.9	4.4/10.5	5.7/9.6	7.0/11.5	7.3/7.4	7.4/7.4	8.0/7.4	8.1/7.4	8.4/7.4	8.7/7.4	8.6/7.4	9.0/7.4
CRP	0.22	3.5/6.2	3.4/6.8	3.7/7.8	3.6/8.9	4.2/9.0	5.3/8.2	7.5/9.3	8.3/10.2	8.4/10.2	9.9/10.2	10.0/10.2	9.9/10.2	10.7/10.2	10.8/10.2	11.2/10.2
MEM	0.23	3.6/5.5	3.5/5.5	3.8/6.0	3.9/6.9	4.0/6.1	3.7/6.2	4.9/6.3	4.2/6.7	4.0/6.7	5.1/6.7	6.3/6.7	6.9/6.7	6.9/6.7	6.9/6.7	7.2/6.7
MAF	0.23	2.6/6.1	2.4/7.0	3.0/7.0	2.7/6.0	3.7/6.3	4.4/6.5	5.0/6.7	4.8/5.5	5.0/5.5	5.5/5.5	5.6/5.5	5.9/5.5	5.7/5.5	5.7/5.5	5.7/5.5
ABI	0.23	2.7/6.0	2.9/7.2	3.5/8.1	3.3/7.4	4.4/8.2	5.3/7.5	5.9/8.9	5.7/6.2	5.5/6.2	6.2/6.2	6.2/6.2	6.5/6.2	6.4/6.2	6.3/6.2	6.4/6.2
BRO	0.24	2.4/4.8	3.3/5.4	3.4/6.7	3.1/8.4	3.1/7.8	3.1/6.7	5.1/7.8	6.4/8.0	6.5/8.0	8.1/8.0	8.2/8.0	8.3/8.0	8.7/8.0	8.9/8.0	8.7/8.0
IAH	0.27	2.1/5.9	2.3/5.9	2.7/6.9	2.6/7.9	3.2/7.5	3.6/7.7	5.3/8.6	6.4/8.9	6.4/8.9	8.5/8.9	9.0/8.9	9.2/8.9	9.7/8.9	10.2/8.9	11.2/8.9
VCT	0.29	2.7/6.8	2.8/7.0	3.4/8.8	3.6/9.7	4.1/9.6	4.7/10.1	6.8/10.3	7.8/9.7	7.5/9.7	9.1/9.7	9.4/9.7	9.2/9.7	9.8/9.7	10.4/9.7	10.9/9.7
MWL	0.31	2.5/5.3	2.1/6.7	2.6/8.1	2.8/8.9	3.6/8.6	4.4/7.4	5.1/9.5	5.6/7.2	5.7/7.2	6.8/7.2	6.5/7.2	7.2/7.2	7.2/7.2	6.9/7.2	7.2/7.2

	avg-bias	Bias (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
GAD	-5.29	-0.2/1.8	-2.0/1.8	-2.5/0.2	-3.6/1.2	-4.0/1.4	-5.2/0.7	-6.3/-2.2	-7.1/-6.1	-6.7/-6.1	-7.1/-6.1	-6.5/-6.1	-6.6/-6.1	-7.4/-6.1	-7.8/-6.1	-6.3/-6.1
ICT	-4.34	0.5/3.3	-0.9/3.4	-3.4/3.6	-5.1/4.4	-5.7/3.2	-5.1/3.7	-4.4/4.2	-4.7/1.7	-4.1/1.7	-7.3/1.7	-5.8/1.7	-5.8/1.7	-4.7/1.7	-4.9/1.7	-3.6/1.7
HSV	-4.17	0.1/1.2	-0.4/1.0	-0.7/0.6	-1.8/1.5	-2.5/1.6	-3.9/0.4	-4.2/-0.1	-5.0/-5.9	-5.3/-5.9	-6.5/-5.9	-6.4/-5.9	-6.4/-5.9	-6.7/-5.9	-6.9/-5.9	-5.8/-5.9
CHA	-3.94	-0.5/-0.5	-0.7/-0.3	-1.3/-1.6	-2.0/0.3	-2.8/0.6	-4.0/-0.2	-4.5/-1.5	-5.4/-7.0	-5.8/-7.0	-5.2/-7.0	-5.4/-7.0	-5.4/-7.0	-5.7/-7.0	-6.1/-7.0	-4.7/-7.0
BNA	-3.85	0.5/1.9	0.0/1.5	-0.3/1.7	-0.9/3.1	-1.9/2.4	-4.4/0.8	-4.8/-0.6	-5.5/-5.9	-5.5/-5.9	-6.0/-5.9	-6.0/-5.9	-5.5/-5.9	-5.8/-5.9	-6.2/-5.9	-5.4/-5.9
BHM	-3.73	-0.4/1.3	-1.0/0.8	-1.4/1.5	-2.1/1.8	-2.8/1.7	-4.5/1.3	-5.0/0.6	-5.6/-6.9	-5.7/-6.9	-4.0/-6.9	-5.6/-6.9	-5.5/-6.9	-5.4/-6.9	-5.4/-6.9	-3.8/-6.9
MCI	-3.36	0.3/3.8	-0.3/3.6	-1.7/3.7	-4.9/4.0	-5.7/2.2	-5.5/3.3	-5.1/4.2	-5.6/1.3	-4.7/1.3	-0.9/1.3	-4.0/1.3	-3.8/1.3	-3.2/1.3	-3.2/1.3	-2.3/1.3
MOB	-3.26	-1.0/1.6	-1.0/1.0	-1.5/1.7	-1.4/3.4	-2.3/4.7	-3.4/3.2	-3.7/1.7	-4.4/-5.4	-4.7/-5.4	-4.2/-5.4	-4.3/-5.4	-4.0/-5.4	-4.9/-5.4	-5.2/-5.4	-3.1/-5.4
COU	-3.18	-1.9/2.0	-1.9/1.3	-2.1/1.1	-2.5/1.3	-2.6/1.4	-3.3/1.0	-3.5/0.4	-3.7/-3.5	-3.8/-3.5	-3.7/-3.5	-3.2/-3.5	-4.4/-3.5	-4.2/-3.5	-3.8/-3.5	-3.2/-3.5
JAN	-2.46	0.2/1.3	-0.4/1.7	-0.3/2.9	-1.1/3.0	-1.2/3.9	-1.6/2.8	-1.4/0.6	-2.0/-5.3	-1.8/-5.3	-4.5/-5.3	-4.7/-5.3	-4.3/-5.3	-5.2/-5.3	-4.9/-5.3	-3.5/-5.3
STL	-2.16	-0.4/3.7	-0.9/3.1	-0.4/3.2	-1.7/4.3	-2.4/3.8	-3.2/2.5	-3.1/2.1	-3.4/-2.1	-3.7/-2.1	-2.8/-2.1	-2.7/-2.1	-2.2/-2.1	-2.2/-2.1	-1.9/-2.1	-1.5/-2.1
MSY	-1.83	0.3/1.3	-0.8/1.4	0.0/1.9	-1.4/3.9	-2.2/3.2	-3.1/1.2	-3.2/0.2	-3.8/6.5	-3.6/6.5	-1.5/6.5	-1.7/6.5	-1.8/6.5	-2.1/6.5	-2.3/6.5	-0.2/6.5
LIT	-1.78	1.5/4.2	1.4/4.1	1.2/4.6	-0.2/5.5	-1.7/5.0	-3.0/2.7	-2.9/1.6	-3.5/-2.0	-4.0/-2.0	-1.7/-2.0	-3.7/-2.0	-2.2/-2.0	-2.8/-2.0	-3.0/-2.0	-2.0/-2.0
LFK	-1.75	-0.6/2.9	-1.4/3.9	-1.6/3.9	-1.8/5.7	-2.7/5.8	-2.7/5.2	-2.6/3.8	-2.1/-2.9	-1.9/-2.9	-1.7/-2.9	-2.1/-2.9	-1.7/-2.9	-1.7/-2.9	-1.4/-2.9	-0.3/-2.9
OKC	-1.37	0.4/3.7	0.3/4.4	-0.2/4.2	-1.9/4.0	-3.2/3.2	-3.3/3.6	-3.3/3.9	-3.4/0.0	-3.7/0.0	-2.4/0.0	0.3/0.0	0.0/0.0	0.2/0.0	-0.2/0.0	-1.0/0.0
TYS	-1.00	1.0/2.6	1.4/2.5	1.2/2.0	0.8/1.7	0.3/2.5	-1.0/3.0	-1.5/0.9	-2.3/-3.6	-2.7/-3.6	-2.2/-3.6	-2.1/-3.6	-2.0/-3.6	-2.1/-3.6	-2.7/-3.6	-1.2/-3.6
TYR	-0.85	-0.6/5.8	0.1/4.3	-0.4/6.7	-0.5/8.0	-1.6/7.1	-1.5/5.8	-1.2/5.9	-1.1/0.9	-1.0/0.9	-1.2/0.9	-0.6/0.9	-0.6/0.9	-0.9/0.9	-0.3/0.9	-0.3/0.9
TUL	-0.72	-0.9/5.0	-0.6/5.0	-0.4/6.1	-0.1/6.1	-0.6/4.0	-0.8/4.2	-0.4/5.4	-0.9/0.4	-1.0/0.4	3.5/0.4	-2.7/0.4	-1.8/0.4	-1.8/0.4	-1.4/0.4	-1.0/0.4
MEM	-0.53	1.0/4.8	1.3/4.6	2.4/5.0	2.1/6.2	2.0/4.9	0.0/3.5	-0.4/2.2	-1.0/-3.8	-1.3/-3.8	-2.8/-3.8	-2.4/-3.8	-2.0/-3.8	-2.5/-3.8	-2.5/-3.8	-1.8/-3.8
CRP	-0.50	-0.5/5.1	-0.7/6.0	-0.9/7.1	-0.6/8.0	-0.7/7.0	-1.1/5.8	-1.2/4.6	-0.4/-2.0	-0.2/-2.0	-0.8/-2.0	-0.2/-2.0	-0.1/-2.0	-0.4/-2.0	-0.2/-2.0	0.6/-2.0
VCT	-0.45	-0.5/5.2	-0.4/6.0	-0.7/7.9	-0.4/8.9	-1.1/8.0	-1.2/7.7	-1.5/6.0	-1.0/0.3	-0.8/0.3	-0.4/0.3	-0.3/0.3	-0.1/0.3	-0.2/0.3	0.5/0.3	1.5/0.3
ELP	-0.25	1.2/2.1	1.1/3.8	1.0/2.6	-0.2/2.5	-1.5/2.7	-1.1/1.2	-0.3/0.8	0.0/-1.0	-0.2/-1.0	-0.9/-1.0	-0.8/-1.0	-0.3/-1.0	0.0/-1.0	0.3/-1.0	0.6/-1.0
MAF	-0.13	-0.6/5.3	-0.7/6.4	-0.6/6.8	-0.8/4.9	-1.2/4.3	-1.0/4.8	-0.3/4.9	-0.1/-0.1	-0.1/-0.1	0.6/-0.1	0.5/-0.1	0.9/-0.1	0.7/-0.1	0.3/-0.1	0.5/-0.1
ABI	0.54	0.1/5.3	0.5/7.1	0.1/7.9	0.6/7.1	0.1/6.0	0.0/6.6	0.5/6.7	0.7/0.6	1.0/0.6	0.5/0.6	0.2/0.6	0.9/0.6	1.0/0.6	0.7/0.6	1.0/0.6
IAH	0.68	1.0/4.9	0.6/5.3	-0.7/5.5	-0.5/7.1	0.0/6.0	-0.4/5.4	-0.3/4.6	0.3/-3.0	0.4/-3.0	1.6/-3.0	1.2/-3.0	1.0/-3.0	0.7/-3.0	2.0/-3.0	3.3/-3.0
ACT	0.99	0.3/7.8	1.1/9.3	0.2/10.5	0.6/10.6	-0.1/8.6	-0.2/8.2	0.4/8.0	0.8/1.1	1.2/1.1						

ECMWF/MEX MAX Temperature in USSW

	S-score	MAE (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
SJC	-0.35	1.7/1.6	1.8/1.5	2.1/1.8	3.2/2.0	4.3/2.3	5.1/2.4	6.1/3.4	7.2/3.6	7.6/3.6	3.0/3.6	2.9/3.6	2.8/3.6	3.2/3.6	3.9/3.6	3.6/3.6
BFL	-0.16	3.5/2.7	3.9/3.4	3.9/3.6	4.6/3.1	5.0/3.8	5.1/4.6	5.4/4.6	5.6/4.5	5.4/4.5	4.6/4.5	5.2/4.5	4.8/4.5	5.2/4.5	4.8/4.5	4.7/4.5
SAC	-0.07	2.0/2.5	2.1/2.1	2.4/2.2	3.0/2.1	2.9/2.5	2.8/2.4	2.9/2.4	2.5/2.6	2.6/2.6	2.8/2.6	2.5/2.6	2.6/2.6	2.9/2.6	2.8/2.6	2.7/2.6
FAT	-0.06	2.3/2.6	2.3/2.7	2.3/2.6	2.8/2.7	2.8/3.5	2.6/3.3	3.3/3.5	3.6/3.2	3.9/3.2	3.6/3.2	4.0/3.2	4.0/3.2	4.3/3.2	4.5/3.2	3.8/3.2
ABQ	-0.03	2.6/3.4	3.2/3.8	2.9/4.6	4.6/4.1	5.0/3.9	5.2/5.4	5.1/5.3	4.9/7.0	5.0/7.0	8.5/7.0	8.9/7.0	8.8/7.0	9.1/7.0	8.7/7.0	8.8/7.0
LGB	0.00	2.5/2.8	2.6/2.8	3.0/2.9	4.6/3.4	5.7/3.4	6.0/3.4	6.6/4.0	6.5/6.8	6.8/6.8	4.1/6.8	4.0/6.8	3.9/6.8	4.5/6.8	4.4/6.8	4.6/6.8
RNO	0.01	4.2/4.1	4.8/4.4	5.1/4.8	5.5/4.8	4.9/4.5	5.1/6.0	6.5/6.7	6.9/8.5	8.0/8.5	7.5/8.5	7.8/8.5	8.1/8.5	8.5/8.5	9.0/8.5	8.5/8.5
RDD	0.02	2.8/3.0	3.0/2.8	3.3/2.9	3.3/3.0	3.9/3.6	3.8/3.5	3.8/3.5	3.9/4.7	3.8/4.7	4.0/4.7	3.7/4.7	4.2/4.7	5.0/4.7	4.9/4.7	4.6/4.7
SLC	0.02	2.1/2.5	2.4/3.0	3.4/2.7	5.2/2.9	4.9/3.2	4.2/4.0	3.8/4.8	3.5/6.7	3.6/6.7	5.3/6.7	5.8/6.7	6.7/6.7	6.2/6.7	6.7/6.7	7.0/6.7
LAX	0.04	3.4/2.5	3.0/2.6	3.2/2.8	3.2/3.0	4.1/3.0	4.5/3.4	4.7/3.5	5.2/6.2	5.6/6.2	4.1/6.2	4.2/6.2	4.4/6.2	4.5/6.2	3.9/6.2	3.7/6.2
COS	0.05	3.2/3.8	3.1/3.7	3.5/4.1	5.4/4.7	6.9/6.5	8.2/7.6	8.4/8.1	8.8/10.6	10.1/10.6	9.8/10.6	9.3/10.6	9.2/10.6	10.0/10.6	10.0/10.6	11.0/10.6
FLG	0.06	3.0/2.5	2.8/2.5	3.2/3.2	3.6/3.5	3.8/4.2	4.1/4.6	4.2/6.0	4.8/9.0	5.8/9.0	8.2/9.0	7.8/9.0	8.4/9.0	10.1/9.0	10.3/9.0	10.1/9.0
WJF	0.08	2.2/2.2	2.9/3.7	3.0/3.3	3.9/3.5	3.6/3.4	3.6/3.7	3.7/4.5	3.9/5.3	4.8/5.3	4.2/5.3	4.6/5.3	4.3/5.3	5.2/5.3	6.0/5.3	6.0/5.3
NKX	0.10	2.9/2.8	2.7/3.0	2.9/3.4	3.6/4.1	3.6/3.8	4.0/4.9	4.5/5.1	5.3/0.0	6.1/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0
RBL	0.11	2.1/3.1	2.3/2.8	2.7/3.1	2.9/3.1	3.0/3.7	3.2/3.4	3.2/3.3	3.8/4.3	3.8/4.3	4.2/4.3	3.8/4.3	3.5/4.3	3.8/4.3	4.2/4.3	4.1/4.3
BUR	0.12	2.7/2.6	3.2/3.2	3.3/3.3	4.4/3.5	4.8/4.2	5.1/4.0	5.5/4.8	5.5/8.2	5.7/8.2	5.3/8.2	5.2/8.2	5.2/8.2	5.7/8.2	5.5/8.2	5.8/8.2
DEN	0.12	2.7/2.8	2.9/2.8	3.2/3.4	4.2/4.4	5.0/5.5	5.0/6.5	6.4/6.9	8.1/10.9	8.8/10.9	9.0/10.9	8.7/10.9	9.2/10.9	9.7/10.9	9.6/10.9	9.9/10.9
TUS	0.14	3.0/3.1	3.2/3.6	3.5/3.4	4.2/4.0	3.9/5.1	3.5/6.0	4.0/5.5	5.1/7.6	5.9/7.6	6.0/7.6	6.5/7.6	6.5/7.6	8.3/7.6	8.7/7.6	8.7/7.6
SFO	0.14	1.6/1.7	1.9/1.8	2.0/1.9	2.0/2.1	2.1/2.7	2.2/2.5	2.3/3.6	2.2/2.7	2.2/2.7	2.1/2.7	2.0/2.7	2.1/2.7	2.2/2.7	2.5/2.7	2.6/2.7
TRM	0.16	2.3/2.9	2.5/2.5	2.6/2.8	3.3/3.7	3.3/3.1	3.1/4.3	3.8/4.9	3.1/5.2	3.2/5.2	3.2/5.2	6.0/5.2	3.4/5.2	4.6/5.2	4.7/5.2	6.2/5.2
OAK	0.24	2.0/2.6	1.8/2.2	1.8/2.1	1.9/2.8	2.1/3.1	2.4/2.8	2.7/3.5	3.2/3.5	3.3/3.5	2.4/3.5	2.3/3.5	2.3/3.5	2.3/3.5	2.6/3.5	2.7/3.5
PHX	0.25	1.3/2.0	1.4/2.2	1.9/2.9	2.5/3.3	2.7/3.9	3.3/4.3	3.4/4.8	3.6/5.3	3.6/5.3	3.6/5.3	3.8/5.3	4.4/5.3	4.7/5.3	5.5/5.3	5.5/5.3
LAS	0.35	2.5/4.1	1.6/4.2	3.2/4.3	4.1/3.6	4.2/3.6	3.8/5.2	2.8/5.5	2.6/6.6	2.8/6.6	3.1/6.6	3.5/6.6	4.2/6.6	4.5/6.6	4.5/6.6	4.8/6.6
SAN	0.46	2.1/2.3	2.4/3.7	2.4/2.8	1.9/2.7	1.8/4.4	2.0/3.6	2.3/4.2	2.7/6.0	3.3/6.0	2.1/6.0	2.2/6.0	2.3/6.0	2.6/6.0	2.7/6.0	2.5/6.0

	avg-bias	Bias (2007-12-01~2007-12-31)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
LGB	-2.77	-0.7/0.2	-0.2/0.1	-1.3/0.9	-4.2/0.1	-5.2/1.7	-5.7/1.9	-6.3/2.2	-6.2/4.9	-6.0/4.9	-2.1/4.9	-1.8/4.9	-1.6/4.9	-1.1/4.9	-0.2/4.9	0.9/4.9
BUR	-2.40	-0.7/0.9	-1.7/0.9	-1.9/1.4	-3.8/1.1	-3.8/2.4	-3.9/2.2	-4.4/3.3	-4.1/5.1	-3.7/5.1	-2.5/5.1	-2.2/5.1	-1.8/5.1	-1.3/5.1	-0.5/5.1	0.2/5.1
BFL	-2.09	-0.4/0.9	-1.2/2.4	-1.5/2.0	-3.2/0.7	-3.7/1.8	-3.9/2.4	-4.3/1.8	-4.2/0.8	-4.1/0.8	-0.9/0.8	-1.2/0.8	-1.3/0.8	-0.7/0.8	-0.5/0.8	-0.3/0.8
COS	-0.47	-0.1/0.5	-0.2/1.1	-1.2/1.2	-3.2/0.1	-3.7/2.0	-3.8/3.8	-2.8/3.7	-3.3/4.6	-3.0/4.6	-1.2/4.6	-0.4/4.6	1.3/4.6	3.8/4.6	4.9/4.6	6.0/4.6
LAS	-0.29	1.4/3.6	0.2/3.6	0.9/3.7	-1.9/3.0	-1.4/3.4	-1.4/4.8	-1.0/5.3	-0.8/4.9	-0.8/4.9	-0.7/4.9	-0.7/4.9	0.1/4.9	0.3/4.9	0.4/4.9	0.9/4.9
FLG	-0.05	-1.4/1.1	-1.3/1.4	-1.6/1.8	-1.5/1.4	-1.4/2.5	-1.2/2.5	-1.3/3.8	-0.5/5.2	-1.0/5.2	-0.7/5.2	-0.5/5.2	0.1/5.2	3.6/5.2	4.0/5.2	4.2/5.2
SAC	-0.04	0.2/1.2	0.1/-0.5	0.3/0.4	0.1/-0.1	0.1/0.3	0.1/0.8	0.0/0.3	0.2/0.6	0.2/0.6	-1.2/0.6	-0.7/0.6	-0.5/0.6	-0.1/0.6	0.4/0.6	-0.1/0.6
FAT	0.33	0.3/0.4	-0.1/-0.5	0.1/0.0	0.1/0.0	-0.2/0.9	0.2/1.6	-0.1/1.4	-0.0/-0.2	0.3/-0.2	0.9/-0.2	0.8/-0.2	0.4/-0.2	0.9/-0.2	0.8/-0.2	0.8/-0.2
RBL	0.37	0.6/1.1	0.6/-0.6	0.6/-0.5	0.4/-0.7	0.8/-1.7	0.8/-0.7	0.1/-0.9	-0.2/2.2	-0.4/2.2	1.0/2.2	0.0/2.2	-0.2/2.2	-0.1/2.2	0.6/2.2	0.9/2.2
ABQ	0.38	0.5/2.5	0.2/2.6	-0.7/3.8	-3.7/2.2	-3.9/2.3	-4.0/4.2	-3.6/3.2	-3.4/2.7	-3.5/2.7	6.6/2.7	3.9/2.7	4.3/2.7	4.3/2.7	4.4/2.7	4.4/2.7
SAN	0.49	1.5/1.7	1.8/3.3	1.7/2.3	0.5/2.2	0.4/3.8	0.7/3.1	1.1/3.9	1.6/5.6	2.4/5.6	-0.8/5.6	-0.7/5.6	-1.1/5.6	-1.1/5.6	-0.6/5.6	0.1/5.6
RNO	0.53	0.3/0.6	-0.3/-0.2	0.2/-0.2	0.2/-0.2	0.8/0.4	1.5/2.6	1.4/0.9	1.7/3.9	1.7/3.9	-1.0/3.9	-0.8/3.9	-0.4/3.9	0.2/3.9	0.9/3.9	1.5/3.9
LAX	0.62	2.3/1.5	1.5/1.5	1.5/1.5	1.1/1.2	2.7/2.2	3.2/1.7	3.4/2.7	4.0/4.5	4.4/4.5	-3.1/4.5	-3.1/4.5	-3.4/4.5	-3.0/4.5	-1.4/4.5	-0.7/4.5
SFO	0.74	0.8/0.7	0.7/1.2	1.0/1.4	0.7/1.9	0.6/2.4	0.5/2.2	0.4/2.8	0.3/2.0	0.1/2.0	0.7/2.0	0.5/2.0	0.6/2.0	0.9/2.0	1.6/2.0	1.8/2.0
PHX	0.92	0.1/1.9	0.2/2.0	-0.0/2.9	0.1/2.8	0.4/3.5	0.8/4.2	0.6/4.6	0.5/3.1	0.4/3.1	-0.2/3.1	1.3/3.1	1.5/3.1	2.2/3.1	2.5/3.1	3.5/3.1
SLC	1.01	0.7/-0.5	1.0/1.3	1.0/1.3	-1.2/-0.0	-1.3/0.6	-1.2/2.2	-1.3/3.3	-1.0/4.7	-0.8/4.7	0.9/4.7	3.3/4.7	3.3/4.7	4.1/4.7	4.6/4.7	4.7/4.7
TUS	1.35	1.0/1.3	1.0/1.7	1.0/1.6	0.2/2.2	0.5/2.7	0.9/4.4	1.3/3.7	1.5/3.5	1.9/3.5	0.1/3.5	-0.0/3.5	0.5/3.5	0.7/3.5	4.6/3.5	4.9/3.5
OAK	1.48	1.0/2.0	1.0/2.1	1.1/1.8	1.1/2.7	1.4/2.7	1.7/2.8	1.9/3.0	2.4/3.1	2.7/3.1	1.2/3.1	1.0/3.1	1.0/3.1	1.2/3.1	1.7/3.1	1.8/3.1
WJF	1.60	0.6/0.9	1.1/2.8	0.7/2.5	0.5/2.4	1.4/1.9	2.0/2.6	2.1/3.2	2.5/2.8	2.8/2.8	0.3/2.8	1.0/2.8	1.3/2.8	1.7/2.8	2.7/2.8	3.4/2.8
RDD	2.18	0.9/1.3	1.3/0.0	1.6/0.1	1.0/-0.4	1.9/-0.9	2.1/-0.6	2.0/0.4	2.2/3.2	2.1/3.2	2.0/3.2	1.7/3.2	2.9/3.2	4.1/3.2	3.7/3.2	3.3/3.2
NKX	2.22	1.5/1.5	1.0/1.4	1.3/2.2	1.4/3.7	1.7/2.8	2.3/3.9	2.6/5.1	3.5/0.0	4.6/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0
TRM	2.23	1.3/2.2	1.8/2.2	1.7/2.3	1.0/3.1	1.3/2.8	1.5/4.3	1.5/4.9	1.7/4.4	1.8/4.4	-1.4/4.4	5.5/4.4	1.9/4.4	3.8/4.4	4.1/4.4	5.9/4.4
DEN	2.53	0.6/0.2	0.7/0.7	0.3/0.8	-0.3/0.3	0.0/1.2	1.4/3.8	1.7/4.0	1.3/6.7	1.4/6.7	4.8/6.7	4.4/6.7	5.1/6.7	5.4/6.7	5.1/6.7	5.9/6.7
SJC	3.33	0.8/0.7	1.2/0.6	1.8/0.4	2.9/1.2	4.3/1.5	5.1/2.0	5.9/2.7	7.0/2.6	7.5/2.6	1.8/2.6	1.6/2.6	1.5/2.6	2.0/2.6	3.3/2.6	3.1/2.6

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: 2.0 > B >= -2.0 blue: B <= -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature in USSW

MAE (2007-12-01~2007-12-31)

S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
LAX	-0.64	2.2/2.2	2.2/2.1	2.8/2.0	5.4/2.0	4.8/1.9	5.4/2.1	6.1/2.6	7.0/2.9	7.6/2.9	2.6/2.9	3.0/2.9	3.0/2.9	2.8/2.9	2.9/2.9	3.1/2.9
LGB	-0.46	2.3/2.6	2.6/2.7	2.7/2.5	4.5/2.4	5.3/2.4	6.1/2.8	6.5/2.8	6.8/3.0	6.8/3.0	2.7/3.0	2.9/3.0	2.8/3.0	3.0/3.0	3.0/3.0	3.3/3.0
BUR	-0.26	1.8/2.2	2.3/3.2	1.8/3.3	3.8/2.6	4.9/2.5	5.8/3.5	6.5/3.8	7.0/3.4	7.2/3.4	2.9/3.4	2.9/3.4	3.1/3.4	3.4/3.4	3.4/3.4	3.9/3.4
NKX	-0.22	1.7/2.2	2.0/2.3	1.7/2.0	2.9/2.1	3.6/1.9	4.0/3.1	3.6/2.5	3.6/0.0	3.4/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0
RNO	-0.16	2.5/3.6	2.3/3.1	3.7/3.4	5.7/3.4	5.7/3.5	5.5/4.1	4.7/3.9	4.8/6.1	5.1/6.1	8.1/6.1	8.2/6.1	7.3/6.1	6.4/6.1	8.0/6.1	7.1/6.1
COS	-0.15	4.2/3.9	4.1/4.5	4.7/4.2	5.6/3.7	5.6/3.5	6.4/4.3	5.8/5.4	5.8/5.4	5.5/5.4	5.9/5.4	6.0/5.4	6.0/5.4	5.6/5.4	5.3/5.4	5.3/5.4
SAC	-0.15	2.6/2.8	2.4/2.4	2.4/2.4	4.2/2.3	4.2/3.0	4.5/3.4	4.3/2.8	3.9/4.5	3.9/4.5	4.9/4.5	4.9/4.5	4.7/4.5	4.8/4.5	4.9/4.5	5.0/4.5
SJC	-0.11	1.9/2.0	1.9/2.4	1.9/2.4	3.0/2.2	3.7/2.7	4.2/2.9	3.9/3.0	4.3/4.0	3.8/4.0	4.8/4.0	4.5/4.0	4.4/4.0	3.9/4.0	4.0/4.0	4.4/4.0
SLC	-0.09	2.9/4.0	3.2/4.1	4.2/3.5	6.9/3.8	7.0/3.6	6.9/4.6	5.6/4.7	4.5/5.9	4.3/5.9	5.8/5.9	5.8/5.9	5.4/5.9	5.5/5.9	5.4/5.9	5.5/5.9
OAK	-0.07	2.6/2.5	2.6/2.4	2.7/2.8	4.0/2.5	4.8/3.1	5.3/3.3	4.8/3.7	4.6/5.2	4.8/5.2	4.6/5.2	4.4/5.2	4.3/5.2	4.1/5.2	4.3/5.2	4.7/5.2
RDD	-0.05	4.7/3.9	5.0/4.2	5.5/4.4	5.6/4.1	5.5/4.8	5.1/4.6	4.7/4.7	4.5/5.3	5.0/5.3	4.9/5.3	4.8/5.3	5.0/5.3	5.1/5.3	5.3/5.3	5.3/5.3
ABQ	-0.05	3.2/3.4	2.9/3.1	2.9/2.9	4.5/2.8	4.9/3.3	5.2/3.5	5.0/4.4	5.4/6.0	5.7/6.0	5.4/6.0	5.0/6.0	5.1/6.0	5.2/6.0	5.4/6.0	5.5/6.0
DEN	-0.05	4.7/4.0	4.2/4.3	4.1/4.2	5.6/4.5	5.7/4.7	6.5/5.5	6.2/4.4	6.8/7.4	6.8/7.4	7.8/7.4	8.2/7.4	7.4/7.4	7.5/7.4	7.7/7.4	7.7/7.4
WJF	-0.03	3.6/3.4	3.8/4.0	4.4/4.1	5.5/3.8	5.5/3.7	5.7/4.6	6.1/5.7	6.3/7.0	6.2/7.0	6.0/7.0	5.9/7.0	6.1/7.0	6.4/7.0	6.5/7.0	6.9/7.0
RBL	-0.01	3.3/3.3	4.1/3.2	4.2/3.7	4.2/4.0	4.1/3.8	4.0/3.9	4.1/4.3	4.3/5.1	4.5/5.1	4.9/5.1	4.9/5.1	5.0/5.1	4.7/5.1	5.0/5.1	5.1/5.1
SFO	0.01	1.8/2.1	1.7/1.6	1.6/1.8	1.7/2.1	2.3/2.0	2.6/2.3	2.5/3.1	2.6/3.1	2.8/3.1	3.7/3.1	3.5/3.1	3.2/3.1	2.9/3.1	3.1/3.1	3.4/3.1
LAS	0.05	1.8/2.4	2.0/2.8	1.9/1.9	3.0/2.2	3.0/2.3	3.1/3.3	2.9/3.6	2.5/3.9	2.4/3.9	3.4/3.9	3.7/3.9	3.9/3.9	4.1/3.9	4.1/3.9	4.5/3.9
FAT	0.07	2.1/2.3	2.3/2.3	2.4/2.5	3.0/2.6	3.3/2.8	3.2/3.8	2.8/4.2	3.0/4.3	3.2/4.3	4.0/4.3	4.2/4.3	4.2/4.3	4.4/4.3	4.4/4.3	4.8/4.3
PHX	0.07	1.9/1.9	2.0/2.2	1.8/2.0	2.1/1.6	2.6/2.0	2.9/2.8	2.8/2.3	2.3/3.7	2.2/3.7	3.0/3.7	3.0/3.7	3.0/3.7	3.3/3.7	3.1/3.7	3.7/3.7
BFL	0.10	2.5/2.6	2.4/2.7	2.4/2.9	3.2/2.7	3.2/3.2	3.0/3.5	2.5/4.2	2.6/4.0	2.8/4.0	3.8/4.0	3.2/4.0	3.6/4.0	4.0/4.0	3.9/4.0	4.7/4.0
FLG	0.12	6.2/6.0	5.7/6.4	5.6/7.5	5.5/7.2	5.7/6.8	6.3/8.0	6.8/8.3	7.3/8.6	7.8/8.6	7.6/8.6	7.8/8.6	8.6/8.6	8.7/8.6	7.7/8.6	8.0/8.6
SAN	0.15	1.8/2.4	1.7/2.7	1.5/2.8	3.1/3.0	3.5/2.9	3.9/3.6	3.6/4.0	3.8/4.1	3.6/4.1	3.2/4.1	3.4/4.1	3.4/4.1	3.4/4.1	3.3/4.1	3.6/4.1
TRM	0.15	2.9/3.0	3.1/2.8	3.2/2.4	4.1/3.1	4.2/3.1	4.0/3.4	4.4/4.5	4.1/6.9	3.8/6.9	3.6/6.9	3.3/6.9	3.3/6.9	3.2/6.9	4.4/6.9	5.5/6.9
TUS	0.24	1.8/2.5	2.1/3.4	1.8/2.7	2.7/2.4	2.7/3.8	2.9/4.0	3.2/4.2	3.4/5.8	3.4/5.8	4.4/5.8	4.4/5.8	4.6/5.8	5.0/5.8	5.0/5.8	5.2/5.8

Bias (2007-12-01~2007-12-31)

avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
RNO	-4.09	-1.6/-1.2	-1.2/0.0	-2.7/-0.7	-4.9/-1.7	-4.8/-1.9	-4.4/-0.9	-4.5/-4.6	-4.5/-4.6	-4.4/-4.6	-4.3/-4.6	-3.4/-4.6	-2.8/-4.6	-7.6/-4.6	-5.7/-4.6	
LAX	-3.33	-0.9/-0.7	-1.6/-1.2	-2.5/-0.3	-5.1/-0.2	-4.4/-0.4	-5.3/0.0	-6.1/-0.1	-7.0/-0.1	-7.6/-0.1	-1.7/-0.1	-1.9/-0.1	-1.8/-0.1	-1.5/-0.1	-1.2/-0.1	
SAC	-3.13	-0.1/0.6	-0.7/0.5	-1.2/0.9	-3.7/0.7	-3.8/0.3	-4.0/1.2	-3.8/1.4	-3.4/0.4	-3.2/0.4	-3.7/0.4	-4.1/0.4	-4.0/0.4	-3.9/0.4	-3.7/0.4	-3.5/0.4
LGB	-2.77	-0.5/-0.4	-1.6/-1.2	-2.2/-0.7	-3.8/-0.9	-5.0/-0.1	-6.0/0.9	-6.4/0.2	-6.8/-0.4	-6.8/-0.4	-0.6/-0.4	-0.6/-0.4	-0.6/-0.4	-0.1/-0.4	0.1/-0.4	0.1/-0.4
COS	-2.71	-2.1/0.3	-2.4/1.2	-3.2/1.6	-4.5/0.6	-4.8/0.1	-4.3/1.0	-3.3/2.8	-3.3/-0.6	-3.1/-0.6	-2.4/-0.6	-2.8/-0.6	-2.8/-0.6	-1.6/-0.6	0.6/-0.6	0.2/-0.6
SLC	-2.48	-0.2/1.1	-0.7/0.3	-1.6/-0.4	-3.4/-0.8	-3.4/-0.1	-3.7/0.3	-3.1/2.2	-2.9/1.4	-2.8/1.4	-3.5/1.4	-3.6/1.4	-3.4/1.4	-1.8/1.4	-3.1/1.4	-0.3/1.4
BUR	-2.48	0.0/0.5	-0.4/0.5	-0.9/1.4	-3.7/1.0	-4.8/1.2	-5.8/2.1	-6.5/1.6	-7.0/-0.6	-7.2/-0.6	-0.7/-0.6	-0.6/-0.6	-0.4/-0.6	-0.1/-0.6	0.3/-0.6	0.5/-0.6
ABQ	-2.29	0.4/2.6	0.3/2.4	-1.3/2.3	-4.0/2.1	-4.4/1.3	-4.6/1.4	-4.5/1.8	-4.6/-3.0	-4.6/-3.0	0.1/-3.0	-1.9/-3.0	-1.3/-3.0	-1.5/-3.0	-1.6/-3.0	-0.7/-3.0
OAK	-2.14	-0.7/-0.2	-0.8/-0.4	-1.1/-0.4	-3.0/0.0	-3.8/0.3	-4.1/0.4	-3.9/1.3	-3.8/3.8	-3.7/3.8	-1.8/3.8	-1.3/3.8	-1.1/3.8	-1.0/3.8	-1.0/3.8	-1.1/3.8
SJC	-1.98	-0.2/-0.1	-0.1/0.8	-0.8/-0.3	-2.4/-0.2	-3.4/0.2	-3.8/0.7	-3.6/0.9	-3.3/-0.2	-3.1/+0.2	-2.2/-0.2	-1.5/-0.2	-1.2/-0.2	-1.2/-0.2	-1.2/-0.2	-1.6/-0.2
NKX	-1.95	0.6/0.9	0.3/1.1	-0.7/0.7	-2.3/1.3	-2.8/1.0	-3.2/2.1	-2.9/1.1	-3.2/0.0	-3.2/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0
DEN	-1.91	-1.9/1.2	-2.0/1.5	-2.4/1.2	-4.1/0.7	-3.7/1.2	-3.0/2.5	-2.5/2.3	-2.2/0.6	-1.9/0.6	-2.8/0.6	-1.4/0.6	-1.1/0.6	-1.0/0.6	-0.4/0.6	1.8/0.6
RBL	-1.45	-0.7/-1.5	-0.9/-1.0	-1.2/-1.4	-1.6/-1.4	-1.9/-1.7	-1.6/-1.5	-1.6/-0.4	-1.7/-0.2	-2.1/-0.2	-2.0/-0.2	-1.7/-0.2	-1.8/-0.2	-0.7/-0.2	-0.3/-0.2	-0.3/-0.2
WJF	-1.40	-0.3/0.1	-0.9/1.4	-0.7/1.3	-2.0/0.1	-1.4/-0.4	-0.7/0.2	-0.4/1.1	0.0/-0.6	0.2/-0.6	-3.4/-0.6	-3.7/-0.6	-3.2/-0.6	-1.9/-0.6	-1.6/-0.6	-1.1/-0.6
RDD	-1.32	-0.5/-0.7	-1.9/-0.4	-2.4/-1.0	-3.2/-2.1	-2.6/-2.8	-2.1/-1.7	-1.0/-0.5	-1.2/-2.4	-1.7/-2.4	-1.1/-2.4	-0.9/-2.4	-0.9/-2.4	-0.4/-2.4	-0.2/-2.4	-0.2/-2.4
FAT	-1.12	-0.1/0.5	0.1/1.1	-0.4/1.1	-1.8/1.3	-2.1/1.7	-1.7/2.5	-1.4/3.4	-1.3/0.5	-1.1/0.5	-2.2/0.5	-1.6/0.5	-1.3/0.5	-1.1/0.5	-0.9/0.5	-0.1/0.5
TRM	-0.83	-0.7/-0.8	-1.4/-1.1	-0.5/-0.9	-2.3/-0.1	-2.6/-1.7	-2.5/-1.8	-2.5/-0.5	-2.7/5.3	-2.6/5.3	-1.4/5.3	-0.8/5.3	0.3/5.3	0.7/5.3	2.5/5.3	4.0/5.3
SFO	-0.73	0.6/1.4	0.5/0.4	0.5/1.2	-0.4/1.0	-1.0/1.5	-1.2/1.6	-1.0/2.4	-0.7/-0.4	-0.6/-0.4	-1.7/-0.4	-1.4/-0.4	-1.2/-0.4	-1.0/-0.4	-1.1/-0.4	-1.3/-0.4
SAN	-0.50	1.1/1.7	0.6/1.9	0.0/2.7	-2.4/2.6	-2.6/2.6	-3.2/3.0	-2.9/3.2	-3.2/2.4	-3.2/2.4	1.0/2.4	1.1/2.4	1.3/2.4	1.5/2.4	1.6/2.4	1.7/2.4
TUS	-0.15	0.2/2.0	0.1/2.8	-0.7/1.8	-2.2/1.1	-2.3/1.6	-1.9/2.4	-1.5/2.5	-1.4/1.6	-1.3/1.6	0.7/1.6	0.2/1.6	1.2/1.6	1.5/1.6	2.1/1.6	2.8/1.6
BFL	0.23	0.0/0.3	0.3/1.8	0.2/1.9	-2.4/1.9	-1.4/1.6	-0.9/2.2	-0.3/3.4	-0.1/1.5	0.2/1.5	-0.5/1.5	0.4/1.5	0.9/1.5	1.7/1.5	2.0/1.5	2.3/1.5
PHX	0.82	0.3/1.1	0.2/1.6	0.1/1.2	-0.8/1.1	-0.4/1.0	-0.2/2.1	-0.0/1.6	0.0/0.2	-0.0/0.2	1.4/0.2	1.5/0.2	1.9/0.2	2.3/0.2	2.6/0.2	3.3/0.2
FLG	1.09	-1.1/4.6	-0.4/5.3	0.2/6.6	0.1/5.9	0.5/5.0	1.2/6.6	1.6/7.0	2.1/3.9	2.6/3.9	3.8/3.9	3.9/3.9	0.2/3.9	0.1/3.9	0.4/3.9	1.0/3.9
LAS	1.30	0.6/1.1	1.0/1.6	0.9/0.8	0.2/1.0	0.1/0.8	0.5/0.8	0.8/1.5	1.0/-0.5	1.1/-0.5	1.8/-0.5	2.1/-0.5	2.1/-0.5	2.3/-0.5	2.3/-0.5	2.5/-0.5

red: S < -0.3 orange: -0.3 < S < -0.1 grey: -0.1 < S < 0.1 green: 0.1 < S < 0.3 blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0 orange: 4.0 > B >= 2.0 black: 2.0 > B >= -2.0 green: 2.0 > B >= -2.0 blue: B <= -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MAX Temperature in ALL

MAE (2007-12-01~2007-12-31)																
S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
ABE	0.15	2.2/2.9	2.7/3.8	2.7/3.6	3.0/3.9	3.8/4.7	4.0/4.3	4.2/4.7	5.3/6.5	5.2/6.5	5.5/6.5	7.8/6.5	5.5/6.5	5.3/6.5	5.2/6.5	6.0/6.5
ABI	0.00	4.1/3.8	4.7/4.8	5.1/5.1	5.6/5.2	6.2/6.4	6.9/6.9	8.1/7.7	8.3/9.3	8.5/9.3	9.6/9.3	9.7/9.3	9.7/9.3	9.2/9.3	8.6/9.3	8.6/9.3
ABQ	-0.03	2.6/3.4	3.2/3.8	2.9/4.6	4.6/4.1	5.0/3.9	5.2/5.4	5.1/5.3	4.9/7.0	5.0/7.0	8.5/7.0	8.9/7.0	8.8/7.0	9.1/7.0	8.7/7.0	8.8/7.0
ABY	0.18	2.1/3.1	2.6/3.9	2.8/4.7	3.9/3.9	4.5/4.9	5.6/5.8	5.7/5.4	5.6/8.9	6.3/8.9	6.6/8.9	7.2/8.9	7.5/8.9	8.1/8.9	7.9/8.9	8.2/8.9
ACT	0.07	3.3/3.6	3.6/4.8	3.9/4.9	4.7/5.6	4.4/5.4	5.1/5.8	6.7/6.2	7.4/8.7	7.5/8.7	9.1/8.7	9.5/8.7	9.2/8.7	9.0/8.7	8.9/8.7	8.3/8.7
ACY	0.11	2.7/2.6	3.0/3.1	3.3/4.4	2.8/4.3	3.5/4.0	4.2/5.0	4.7/4.8	5.3/6.0	4.8/6.0	5.2/6.0	5.5/6.0	4.9/6.0	5.4/6.0	5.9/6.0	6.5/6.0
ALB	0.13	2.5/2.9	2.9/3.2	2.9/3.3	2.3/3.2	3.5/2.4	3.9/4.3	4.5/4.8	5.2/6.9	5.3/6.9	5.9/6.9	5.4/6.9	5.7/6.9	5.4/6.9	5.4/6.9	5.8/6.9
ALW	-0.01	3.6/3.4	5.0/4.7	5.1/5.1	5.7/6.6	5.8/7.2	5.2/7.0	5.7/7.6	6.4/6.9	7.5/6.9	8.6/6.9	8.6/6.9	6.6/6.9	7.0/6.9	8.7/6.9	7.7/6.9
AOO	0.13	2.7/3.9	3.1/4.7	3.7/5.4	4.4/4.4	4.7/4.6	4.5/5.0	5.1/6.2	5.8/7.2	5.8/7.2	5.8/7.2	6.7/7.2	7.3/7.2	7.2/7.2	6.7/7.2	7.4/7.2
APN	0.21	2.0/2.6	2.4/2.6	2.3/2.2	2.3/3.3	2.2/3.0	2.7/3.0	3.5/3.8	3.6/5.5	3.5/5.5	4.1/5.5	3.7/5.5	4.1/5.5	3.8/5.5	4.5/5.5	4.8/5.5
ATL	-0.05	3.0/3.5	3.7/3.7	4.0/4.8	4.4/4.2	4.8/4.8	5.6/4.9	5.5/6.8	6.4/7.7	6.4/7.7	7.7/7.7	11.2/7.7	9.6/7.7	9.7/7.7	9.6/7.7	9.8/7.7
AUG	0.19	2.4/2.9	3.0/3.4	2.8/4.0	2.6/3.1	4.0/4.0	4.4/5.8	4.4/5.0	5.4/9.1	6.2/9.1	7.1/9.1	7.0/9.1	7.6/9.1	7.5/9.1	7.7/9.1	7.8/9.1
AUS	-0.02	2.4/3.0	3.3/4.1	3.1/3.8	4.0/4.8	4.5/4.1	4.8/4.5	6.4/5.3	6.7/8.2	6.3/8.2	7.0/8.2	13.0/8.2	10.7/8.2	9.3/8.2	9.1/8.2	8.7/8.2
AVP	0.08	2.3/3.0	2.7/3.5	2.8/3.2	2.8/3/6	3.7/3.0	3.8/4.3	4.2/4.2	5.2/7.0	5.1/7.0	15.2/7.0	4.8/7.0	5.4/7.0	5.3/7.0	5.4/7.0	6.0/7.0
BDL	-0.03	3.0/3.4	3.4/3.8	3.9/4.2	4.3/4.0	4.9/3.6	5.4/5.4	4.8/4.6	6.1/7.3	6.6/7.3	10.6/7.3	6.8/7.3	7.1/7.3	7.3/7.3	7.9/7.3	8.1/7.3
BFL	-0.16	3.5/2.7	3.9/3.4	3.9/3.6	4.6/3.1	5.0/3.8	5.1/4.6	5.4/4.6	5.6/4.5	5.4/4.5	4.6/4.5	4.8/4.5	5.2/4.5	4.7/4.5	4.8/4.5	4.7/4.5
BGM	0.18	2.0/2.9	2.2/3.1	2.6/3.9	2.5/3.6	3.3/3.8	3.4/4.1	4.2/5.0	5.2/6.5	5.2/6.5	6.0/6.5	5.4/6.5	5.5/6.5	5.7/6.5	5.8/6.5	6.0/6.5
BHM	0.06	2.0/3.4	2.7/3.8	3.3/4.2	3.4/4.7	3.9/5.0	5.2/4.8	6.0/6.5	5.7/7.8	5.8/7.8	7.3/7.8	7.8/7.8	9.7/7.8	10.2/7.8	9.7/7.8	10.2/7.8
BIS	0.01	3.1/3.0	3.8/4.2	4.4/4.5	4.8/4.6	5.2/5.2	4.8/6.2	5.6/6.6	7.1/8.1	6.5/8.1	7.5/8.1	7.9/8.1	7.9/8.1	9.2/8.1	10.3/8.1	10.1/8.1
BNA	0.05	2.1/3.3	2.5/3.7	2.5/3.6	2.7/4.1	3.9/4.9	5.4/5.8	7.8/6.3	7.3/7.9	7.4/7.9	9.0/7.9	8.5/7.9	9.4/7.9	8.6/7.9	8.3/7.9	9.3/7.9
BOI	-0.01	2.2/2.3	2.8/3.3	3.4/3.3	3.8/3.9	4.0/3.8	3.8/3.5	4.2/4.0	5.0/6.0	5.7/6.0	6.6/6.0	6.8/6.0	6.1/6.0	6.3/6.0	6.3/6.0	6.3/6.0
BOS	0.24	2.9/3.5	2.9/3.0	2.5/3.0	1.9/3.2	3.1/3.8	4.0/4.2	4.4/5.0	4.5/6.9	4.5/6.9	5.2/6.9	4.8/6.9	4.5/6.9	4.6/6.9	5.0/6.9	5.2/6.9
BRO	0.30	1.7/2.7	2.2/3.5	1.9/3.9	2.0/3.9	2.9/3.3	3.5/3.6	4.0/4.9	4.6/7.9	4.9/7.9	5.2/7.9	6.1/7.9	5.6/7.9	5.9/7.9	6.0/7.9	6.0/7.9
BTV	0.15	3.6/4.0	3.8/4.0	3.7/4.4	3.6/3.8	4.6/4.8	5.2/5.9	6.4/6.6	7.0/8.5	6.6/8.5	6.9/8.5	6.5/8.5	6.7/8.5	6.3/8.5	6.3/8.5	6.7/8.5
BUF	0.06	3.6/3.8	3.7/4.2	3.5/3.6	4.5/4.5	5.3/4.8	4.9/4.1	5.2/5.7	6.5/7.2	6.3/7.2	6.9/7.2	6.3/7.2	6.2/7.2	6.2/7.2	6.0/7.2	5.9/7.2
BUR	0.12	2.7/2.6	3.2/3.2	3.3/3.3	4.4/3.5	4.8/4.2	5.1/4.0	5.5/4.8	5.5/8.2	5.7/8.2	5.3/8.2	5.2/8.2	5.2/8.2	5.7/8.2	5.5/8.2	5.8/8.2
BWI	0.12	3.0/2.9	3.2/3.6	3.1/4.1	3.5/3.8	4.6/4.2	5.0/5.5	4.9/5.1	5.7/6.8	5.2/6.8	5.1/6.8	5.6/6.8	5.5/6.8	5.9/6.8	5.7/6.8	6.5/6.8
CAE	0.04	1.7/2.5	2.4/2.5	2.5/3.5	3.2/4.0	4.3/3.8	4.9/3.9	5.2/5.5	6.2/7.8	6.9/7.8	7.0/7.8	7.9/7.8	8.2/7.8	8.4/7.8	7.9/7.8	9.0/7.8
CHA	0.09	2.5/3.7	2.6/4.3	3.0/4.2	3.3/4.4	3.8/4.3	4.9/4.5	5.8/6.0	5.6/7.5	5.8/7.5	7.1/7.5	7.1/7.5	8.1/7.5	8.4/7.5	7.9/7.5	8.5/7.5
CLE	0.13	2.5/3.5	2.3/3.1	2.4/3.0	3.3/2.9	4.4/4.4	4.9/5.0	5.7/5.2	5.6/6.5	5.6/6.5	5.1/6.5	4.5/6.5	5.3/6.5	5.1/6.5	5.3/6.5	5.4/6.5
CLT	-0.04	2.8/3.0	3.1/3.1	3.4/3.6	4.8/4.2	5.2/3.7	5.8/4.8	6.6/6.2	7.1/8.1	7.1/8.1	7.3/8.1	7.7/8.1	8.5/8.1	9.2/8.1	8.3/8.1	9.3/8.1
CMH	0.19	2.9/4.8	3.1/5.1	3.2/4.8	4.0/5.1	4.2/5.7	5.3/7.3	7.3/7.3	7.1/7.8	7.3/7.8	6.4/7.8	6.6/7.8	7.3/7.8	6.9/7.8	6.9/7.8	6.9/7.8
CON	0.10	3.8/4.6	3.9/4.3	3.7/3.8	3.9/3.5	5.1/4.7	5.5/6.7	5.0/5.2	5.5/8.0	6.0/8.0	6.5/8.0	6.5/8.0	7.1/8.0	7.2/8.0	7.3/8.0	7.8/8.0
COS	0.05	3.2/3.8	3.1/3.7	3.5/4.1	5.4/4.7	6.9/6.5	8.2/7.6	8.4/8.1	8.8/10.6	10.1/10.6	9.8/10.6	9.3/10.6	9.2/10.6	10.0/10.6	10.0/10.6	11.0/10.6
COU	0.06	2.8/4.2	3.2/4.5	3.7/5.3	5.4/6.4	6.9/7.3	6.0/7.3	8.8/7.9	9.0/8.5	8.8/8.5	14.5/8.5	8.8/8.5	8.0/8.5	7.1/8.5	7.4/8.5	7.2/8.5
CRP	0.12	2.3/2.5	2.6/2.9	2.6/3.1	3.0/3.5	3.6/3.7	4.5/4.1	5.8/5.7	6.5/8.5	6.3/8.5	6.5/8.5	7.4/8.5	6.8/8.5	7.2/8.5	7.4/8.5	7.6/8.5
CRW	0.17	3.1/4.5	3.2/4.4	3.6/4.9	4.2/5.6	4.3/5.0	4.6/6.3	6.2/7.5	7.1/8.6	7.4/8.6	6.9/8.6	7.8/8.6	8.1/8.6	8.1/8.6	8.0/8.6	8.3/8.6
CVG	0.21	2.8/5.4	3.0/5.5	3.5/5.3	4.9/5.6	4.8/6.4	5.0/7.1	7.9/7.6	7.8/8.4	7.1/8.4	6.8/8.4	6.8/8.4	7.5/8.4	7.0/8.4	7.1/8.4	7.3/8.4
DAY	0.24	2.0/5.1	2.0/4.3	2.3/4.9	3.6/4.6	4.2/5.9	5.0/6.4	7.3/7.1	6.7/7.8	6.6/7.8	6.6/7.8	6.3/7.8	7.3/7.8	6.6/7.8	6.5/7.8	6.8/7.8
DBQ	0.06	1.8/2.5	2.4/2.4	3.1/3.4	3.6/3.4	4.1/4.3	4.1/4.7	5.2/6.0	5.3/6.1	4.9/6.1	5.5/6.1	8.6/6.1	6.2/6.1	5.1/6.1	4.9/6.1	6.4/6.1
DCA	0.11	2.7/2.9	3.0/3.3	3.5/4.1	4.0/4.2	4.7/5.2	5.1/4.9	5.3/5.6	5.7/6.6	4.9/6.6	4.9/6.6	5.4/6.6	5.4/6.6	6.2/6.6	5.9/6.6	6.5/6.6
DEC	0.09	3.3/3.8	2.6/3.6	3.6/4.1	4.5/4.8	6.1/5.7	5.9/6.5	7.6/7.5	7.3/6.8	6.7/6.8	6.9/6.8	5.6/6.8	6.2/6.8	5.6/6.8	6.0/6.8	6.0/6.8
DEN	0.12	2.7/2.8	2.9/2.8	3.2/3.4	4.2/4.4	5.0/5.5	5.0/6.5	6.4/6.9	8.1/10.9	8.8/10.9	9.0/10.9	8.7/10.9	9.2/10.9	9.7/10.9	9.6/10.9	9.9/10.9
DFW	0.04	2.6/3.2	3.1/3.6	3.7/3.6	4.7/4.7	5.0/6.4	6.0/6.4	7.6/6.9	8.1/9.1	8.1/9.1	9.6/9.1	9.3/9.1	9.5/9.1	8.9/9.1	8.7/9.1	8.7/9.1
DLH	0.19	2.0/3.4	2.4/2.8	2.0/2.6	2.0/2.8	2.7/3.4	3.3/4.0	4.1/4.7	4.8/7.1	5.0/7.1	13.3/7.1	4.6/7.1	3.7/7.1	4.4/7.1	5.4/7.1	6.3/7.1
DSM	-0.10	3.2/3.4	3.3/3.1	3.5/3.8	5.0/3.7	6.0/4.5	6.4/5.3	7.5/5.5	7.3/6.0	6.9/6.0	7.3/6.0	6.3/6.0	6.0/6.0	4.9/6.0	5.2/6.0	5.8/6.0
DTW	0.13	2.0/3.0	2.2/3.0	2.2/2.7	2.9/3.2	3.8/4.0	3.5/3.9	4.4/4.4	5.2/5.6	5.2/5.6	4.8/5.6	5.6/5.6	4.8/5.6	4.7/5.6	4.6/5.6	4.7/5.6
ELP	0.08	1.8/1.9	2.6/3.6	2.8/5.0	4.5/4.8	4.9/4.6	5.2/4.9	5.6/4.9	6.0/6.8	6.1/6.8	6.0/6.8	7.7/6.8	5.7/6.8	6.0/6.8	6.7/6.8	6.2/6.8
ERI	0.15	2.5/3.1	2.5/3.3	2.6/3.8	3.2/3.2	4.0/4.4	4.0/4.3	4.3/5.3	5.3/6.2	5.1/6.2	5.1/6.2	5.7/6.2	5.1/6.2	5.5/6.2	5.2/6.2	5.3/6.2
EUG	-0.23	3.2/1.5	3.5/1.5	3.9/2.4	3.8/2.5	3.6/2.6	3.7/2.8	3.5/3.6	3.6/4.7	3.8/4.7	4.1/4.7	4.2/4.7	4.2/4.7	4.5/4.7	4.6/4.7	4.6/4.7
EVV	0.14	2.4/3.5	2.5/4.0	3.0/4.4	3.9/4.5	4.3/5.4	5.2/6.4	7.5/7.2	7.3/7.2	6.6/7.2	6.3/7.2	7.3/7.2	7.2/7.2	6.1/7.2	6.2/7.2	6.4/7.2
EWR	0.19	2.0/3.0	2.3/2.8	2.6/3.7	2.2/3.8	3.1/3.7	3.5/5.6	4.1/4.6	5.2/6.4	4.9/6.4	6.0/6.4	5.6/6.4	5.6/6.4	5.7/6.4	5.7/6.4	6.1/6.4
FAR	0.12	2.4/3.7	2.5/3.3	2.5/3.3	3.9/3.7	4.1/3.6	4.4/5.5	4.9/7.6	5.5/7.6	5.4/7.6	6.5/7.6	6.8/7.6	6.1/7.6	7.9/7.6	8.2/7.6	8.7/7.6
FAT	-0.06	2.3/2.6	2.3/2.7	2.3/2.6	2.8/2.7	2.8/3.5	2.6/3.3	3.3/3.5	3.6/3.2	3.9/3.2	3.6/3.2	3.7/3.2	4.0/3.2	4.3/3.2	4.5/3.2	3.8/3.2
FLG	0.06	3.0/2.5	2.8/2.5	3.2/3.2	3.8/3.5	3.8/4.2	4.1/4.6	4.2/6.0	4.8/9.0	5.8/9.0	8.2/9.0	7.8/9.0	8.4/9.0	10.1/9.0	10.3/9.0	10.1/9.0
FMY	0.22	1.2/1.5	1.2/1.6	1.3/1.6	1.6/1.7	2.2/2.2	2.7/2.5	3.0/2.7	3.0/4.8	3.0/4.8	3.1/4.8	3.0/4.8	3.0/4.8	3.3/4.8	3.4/4.8	3.4/4.8
FSD	0.01	2.5/3.8	2.3/2.9	2.9/3.5	4.0/3.6	4.9/3.7	6.0/5.2	6.6/5.9	5.8/6.5	5.7/6.5	8.7/6.5	7.1/6.5	4.7/6.5	5.6/6.5	7.3/6.5	7.3/6.5
FWA	0.15	1.9/4.3	2.5/4.6	2.6/4.3	3.5/3.6	4.6/4.7	4.3/5.1	5.8/6.1	5.6/6.3	5.8/6.3	5.7/6.3	5.4/6.3	6.3/6.3	6.0/6.3	5.9/6.3	6.0/6.3
GAD	0.06	2.7/3.3	3.1/4.7	3.5/4.4	3.8/3.9	3.9/4.4	4.0/5.1	4.4/6.3	4.9/7.0	4.4/7.0	6.5/7.0	7.1/7.0	8.2/7.0	9.4/7.0	8.5/7.0	10.5/7.0

GEG	-0.09	2.4/2.5	3.1/2.7	3.7/3.1	4.5/3.6	4.4/3.8	4.3/4.5	4.2/4.5	4.7/4.5	5.3/4.5	5.6/4.5	5.2/4.5	4.7/4.5	4.8/4.5	4.7/4.5	4.6/4.5
GTF	0.03	3.2/3.4	3.2/3.8	3.6/3.7	3.8/4.9	4.6/5.2	5.7/5.8	6.7/6.8	6.7/6.8	7.2/6.8	7.4/6.8	6.7/6.8	6.7/6.8	7.3/6.8	7.2/6.8	6.7/6.8
HOU	0.18	1.6/2.0	1.7/2.5	2.0/2.8	2.3/3.7	2.4/4.4	4.0/4.3	5.5/5.7	6.0/8.1	6.7/8.1	6.5/8.1	6.7/8.1	7.6/8.1	7.3/8.1	7.6/8.1	8.1/8.1
HSV	0.07	2.4/4.2	2.7/4.6	3.2/4.5	2.8/4.2	3.5/4.1	5.3/5.3	6.7/7.1	6.3/7.8	6.8/7.8	8.9/7.8	8.6/7.8	9.0/7.8	9.1/7.8	8.5/7.8	9.3/7.8
IAH	0.17	2.0/2.5	2.0/2.9	2.7/3.8	2.9/4.2	2.5/4.0	3.8/4.5	5.5/5.6	6.1/8.0	6.0/8.0	6.5/8.0	7.5/8.0	7.5/8.0	7.6/8.0	7.6/8.0	7.9/8.0
ICT	-0.07	3.7/3.1	4.2/4.4	4.5/4.6	6.9/5.5	8.3/7.2	8.2/9.0	9.5/9.7	9.9/9.1	10.0/9.1	16.0/9.1	10.1/9.1	7.4/9.1	7.4/9.1	7.9/9.1	8.3/9.1
ILG	0.05	3.0/3.2	2.8/3.4	3.1/4.0	4.1/4.1	4.6/4.4	5.0/4.9	5.8/6.4	5.3/6.4	5.9/6.4	5.3/6.4	5.7/6.4	7.1/6.4	7.0/6.4	7.4/6.4	7.4/6.4
IND	0.18	2.6/4.0	2.8/4.5	3.5/5.0	3.8/4.3	4.5/5.5	5.4/6.4	7.8/7.4	7.2/7.6	6.6/7.6	6.3/7.6	6.2/7.6	6.8/7.6	5.9/7.6	6.0/7.6	6.3/7.6
IPT	0.14	2.5/2.9	2.8/3.2	2.9/3.7	3.2/4.2	4.2/3.6	4.4/4.7	4.0/4.8	4.8/5.9	4.4/5.9	4.5/5.9	4.6/5.9	5.3/5.9	5.1/5.9	5.0/5.9	5.4/5.9
JAN	0.05	2.3/2.5	2.6/3.2	2.9/3.5	3.6/4.0	3.4/5.3	4.8/5.6	6.2/6.7	6.0/9.3	7.3/9.3	8.7/9.3	12.2/9.3	11.4/9.3	10.4/9.3	11.0/9.3	10.4/9.3
JAX	0.16	2.3/3.2	2.8/3.5	2.7/3.6	3.3/3.5	3.8/4.5	4.4/5.3	5.0/4.9	5.3/7.6	5.6/7.6	6.4/7.6	6.5/7.6	5.9/7.6	6.9/7.6	7.0/7.6	7.3/7.6
JFK	0.14	2.1/2.4	2.6/2.7	2.5/3.7	3.0/3.9	3.3/3.7	3.6/4.3	4.1/4.2	5.1/5.7	4.9/5.7	5.2/5.7	4.9/5.7	4.6/5.7	4.5/5.7	4.9/5.7	4.9/5.7
LAN	0.21	2.1/3.3	2.4/2.9	2.3/3.4	2.8/3.8	3.6/3.9	3.7/3.8	4.7/4.4	5.0/6.1	5.0/6.1	4.2/6.1	4.3/6.1	4.5/6.1	4.7/6.1	4.2/6.1	4.7/6.1
LAS	0.35	2.5/4.1	1.6/4.2	3.2/4.3	4.1/3.6	4.2/3.6	3.8/5.2	2.8/5.5	2.6/6.6	2.8/6.6	3.1/6.6	3.5/6.6	4.2/6.6	4.5/6.6	4.5/6.6	4.8/6.6
LAX	0.04	3.4/2.5	3.0/2.6	3.2/2.8	3.2/3.0	4.1/3.0	4.5/3.4	4.7/3.5	5.2/6.2	5.6/6.2	4.1/6.2	4.2/6.2	4.4/6.2	4.5/6.2	3.9/6.2	3.7/6.2
LEX	0.14	2.9/5.7	2.7/5.7	3.3/5.8	4.2/5.6	4.5/5.8	5.3/6.5	7.8/7.1	7.0/7.5	7.3/7.5	7.8/7.5	7.8/7.5	7.9/7.5	7.6/7.5	7.1/7.5	7.5/7.5
LFK	0.11	2.5/3.1	2.6/4.2	2.6/3.8	2.7/4.4	3.4/5.4	5.0/4.6	6.2/5.5	6.5/8.4	7.3/8.4	7.9/8.4	8.9/8.4	8.7/8.4	8.6/8.4	8.7/8.4	8.6/8.4
LGA	0.19	1.9/2.2	2.3/2.7	2.0/3.5	1.9/3.1	2.5/3.3	3.2/4.2	3.5/3.7	4.7/5.8	4.4/5.8	5.2/5.8	4.8/5.8	4.9/5.8	5.2/5.8	5.1/5.8	5.4/5.8
LGB	0.00	2.5/2.8	2.6/2.8	3.0/2.9	4.6/3.4	5.7/3.4	6.0/3.4	6.6/4.0	6.5/6.8	6.8/6.8	4.1/6.8	4.0/6.8	3.9/6.8	4.5/6.8	4.4/6.8	4.6/6.8
LIT	-0.04	4.1/4.5	4.2/4.7	4.9/5.4	5.3/6.9	5.4/7.5	5.8/6.3	8.0/6.1	7.9/8.0	8.2/8.0	10.9/8.0	10.1/8.0	9.3/8.0	8.5/8.0	9.2/8.0	8.6/8.0
LNS	0.25	2.5/3.2	2.9/3.6	3.0/4.1	3.2/3.9	3.8/4.6	4.5/5.1	4.4/5.2	5.3/7.9	5.0/7.9	5.4/7.9	5.4/7.9	5.6/7.9	5.6/7.9	5.7/7.9	6.4/7.9
MAF	0.04	3.0/3.3	3.5/3.9	3.8/4.1	4.8/6.4	5.4/5.2	6.3/6.8	7.3/7.0	7.9/8.9	8.1/8.9	9.0/8.9	9.2/8.9	9.2/8.9	9.1/8.9	8.8/8.9	8.7/8.9
MBA	0.18	3.3/4.0	3.4/4.4	3.2/3.9	2.7/4.2	4.1/4.2	5.2/5.9	5.1/5.1	5.4/7.7	5.4/7.7	6.8/7.7	6.1/7.7	6.5/7.7	6.6/7.7	7.0/7.7	7.0/7.7
MCI	-0.07	4.5/4.8	4.0/4.6	5.1/5.4	7.0/6.1	8.2/7.7	9.0/8.1	10.1/8.8	11.0/9.2	10.2/9.2	12.7/9.2	10.6/9.2	10.2/9.2	8.9/9.2	8.6/9.2	8.4/9.2
MCN	0.03	2.2/3.3	2.9/3.6	3.4/4.4	4.1/4.7	4.6/4.8	5.4/4.7	6.8/7.8	6.8/7.8	6.8/7.8	7.4/7.8	10.5/7.8	8.4/7.8	8.6/7.8	8.2/7.8	8.8/7.8
MCO	0.19	1.5/1.7	1.6/1.9	1.8/2.0	1.9/2.5	2.4/2.5	3.0/3.3	3.2/3.5	3.3/5.6	3.8/5.6	4.4/5.6	4.2/5.6	3.8/5.6	4.5/5.6	4.7/5.6	5.0/5.6
MDT	0.07	3.3/3.3	3.7/3.9	4.1/4.3	4.2/4.2	4.9/4.1	4.9/5.2	4.8/4.9	5.3/6.3	4.8/6.3	5.7/6.3	5.2/6.3	5.4/6.3	5.5/6.3	5.4/6.3	6.1/6.3
MEM	0.02	3.2/3.7	2.8/4.0	2.8/4.0	3.7/4.7	4.8/6.0	6.7/6.1	8.8/6.5	8.7/8.5	9.2/8.5	8.6/8.5	9.0/8.5	9.5/8.5	8.7/8.5	8.9/8.5	9.2/8.5
MHT	0.13	3.6/4.4	3.8/4.5	3.9/4.4	3.7/3.9	4.6/5.0	5.2/5.4	5.3/5.3	6.3/8.8	6.7/8.8	7.7/8.8	7.0/8.8	7.3/8.8	7.3/8.8	7.7/8.8	8.2/8.8
MIA	0.14	1.0/1.2	1.0/0.9	1.2/1.2	1.4/1.6	1.8/1.6	2.2/2.0	2.5/2.1	2.4/3.8	2.6/3.8	2.4/3.8	2.5/3.8	2.5/3.8	2.8/3.8	2.9/3.8	2.7/3.8
MKE	0.11	2.4/3.4	2.7/3.5	3.1/3.0	3.7/3.3	4.5/4.3	4.4/4.7	5.5/5.6	5.7/6.1	5.8/6.1	5.2/6.1	5.1/6.1	4.9/6.1	4.2/6.1	4.3/6.1	5.4/6.1
MOB	0.06	3.2/3.1	3.2/3.4	3.5/4.5	3.8/4.6	4.1/5.0	5.2/4.9	5.7/6.9	6.1/7.6	6.5/7.6	7.3/7.6	7.8/7.6	7.9/7.6	8.2/7.6	7.7/7.6	8.5/7.6
MSP	0.20	2.0/4.7	2.3/4.0	2.5/3.1	3.2/3.1	3.9/3.8	4.1/4.3	4.4/4.6	5.2/7.2	5.3/7.2	4.9/7.2	5.3/7.2	4.7/7.2	5.6/7.2	6.5/7.2	7.2/7.2
MSY	0.07	3.3/3.1	3.3/3.4	3.9/4.2	4.4/4.9	4.4/5.8	5.1/5.8	6.0/7.4	6.2/9.0	7.4/9.0	8.8/9.0	8.9/9.0	9.3/9.0	9.3/9.0	9.6/9.0	9.6/9.0
MWL	-0.03	5.1/3.8	5.7/4.9	6.3/5.6	6.3/6.5	6.3/7.0	6.6/6.9	8.0/7.2	8.3/9.2	8.5/9.2	9.9/9.2	9.9/9.2	9.8/9.2	9.3/9.2	8.2/9.2	8.4/9.2
NKX	0.10	2.9/2.8	2.7/3.0	2.9/3.4	3.6/4.1	3.6/3.8	4.0/4.9	4.5/5.1	5.3/0.0	6.1/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0
NTU	0.03	2.9/3.1	3.4/3.8	3.7/4.2	3.4/4.1	4.6/4.5	5.9/5.7	6.8/6.2	7.7/7.9	7.4/7.9	6.9/7.9	7.8/7.9	7.0/7.9	8.0/7.9	8.2/7.9	8.5/7.9
OAK	0.24	2.0/2.6	1.8/2.2	1.8/2.1	1.9/2.8	2.1/3.1	2.4/2.8	2.7/3.5	3.2/3.5	3.3/3.5	2.4/3.5	2.3/3.5	2.3/3.5	2.3/3.5	2.6/3.5	2.7/3.5
OKC	-0.04	4.0/4.3	5.1/5.1	5.9/5.9	5.9/6.3	7.4/8.5	7.7/8.5	8.6/8.0	9.6/9.3	10.2/9.3	15.0/9.3	11.4/9.3	10.3/9.3	9.7/9.3	8.8/9.3	8.4/9.3
OMA	-0.11	4.1/5.1	3.5/4.5	2.9/3.9	4.5/3.9	5.3/5.7	6.2/6.2	7.5/6.3	8.5/7.5	8.0/7.5	17.9/7.5	10.9/7.5	8.8/7.5	7.5/7.5	6.8/7.5	6.7/7.5
ORD	0.17	2.3/3.5	2.8/3.5	3.7/4.5	4.1/4.6	5.0/5.3	4.9/5.8	6.7/6.8	6.2/7.2	5.9/7.2	6.2/7.2	6.2/7.2	6.1/7.2	5.4/7.2	5.6/7.2	5.8/7.2
ORH	0.13	3.6/4.1	3.6/4.0	3.6/4.0	3.2/4.3	4.4/4.2	5.2/5.4	5.2/5.6	6.3/7.9	6.3/7.9	7.1/7.9	6.2/7.9	6.0/7.9	6.3/7.9	6.9/7.9	7.1/7.9
PDT	-0.11	4.3/4.2	5.4/4.9	5.8/5.5	6.2/6.2	6.5/6.5	7.1/7.1	7.9/8.4	8.7/7.2	9.6/7.2	10.4/7.2	9.1/7.2	7.7/7.2	7.8/7.2	8.1/7.2	8.2/7.2
PDX	-0.04	2.3/2.5	2.5/2.5	3.0/3.2	3.6/3.0	3.4/3.2	3.8/3.3	3.9/3.7	4.0/3.7	4.0/3.7	3.6/3.7	3.7/3.7	3.8/3.7	3.8/3.7	3.9/3.7	3.7/3.7
PHL	0.18	2.3/3.3	2.5/3.4	2.6/4.0	2.8/4.0	3.7/4.7	4.3/4.3	4.4/5.1	5.4/6.4	5.2/6.4	5.8/6.4	5.3/6.4	5.4/6.4	5.5/6.4	6.2/6.4	6.2/6.4
PHX	0.25	1.3/2.0	1.4/2.2	1.9/2.9	2.5/3.3	2.7/3.9	3.3/4.3	3.4/4.8	3.6/5.3	3.6/5.3	3.6/5.3	3.8/5.3	4.4/5.3	4.7/5.3	4.7/5.3	5.5/5.3
PIR	-0.02	3.8/2.9	3.7/3.4	4.4/3.7	4.9/4.9	5.5/4.4	5.2/5.1	5.7/6.5	6.6/7.5	5.7/7.5	7.8/7.5	6.6/7.5	6.6/7.5	7.5/7.5	7.7/7.5	7.3/7.5
PIT	0.19	3.2/5.0	3.4/5.5	3.6/4.8	4.4/5.7	4.5/5.8	5.2/6.6	6.2/7.9	7.5/8.2	7.3/8.2	6.8/8.2	6.8/8.2	7.1/8.2	7.3/8.2	7.2/8.2	7.5/8.2
PVD	0.13	2.6/3.3	3.1/3.3	3.1/3.4	3.1/3.9	3.8/4.4	4.9/5.1	4.9/4.8	5.4/7.6	5.2/7.6	6.4/7.6	6.3/7.6	7.2/7.6	6.6/7.6	7.0/7.6	7.1/7.6
PWM	0.16	1.7/2.2	2.8/2.8	2.6/3.1	2.7/2.6	3.7/3.3	4.3/4.5	4.3/4.5	4.9/7.5	5.5/7.5	5.9/7.5	6.0/7.5	6.0/7.5	5.5/7.5	5.8/7.5	5.8/7.5
RAP	0.06	3.4/3.8	3.4/3.9	4.3/3.9	3.7/4.3	3.6/4.4	5.4/5.3	6.8/6.5	7.8/8.2	7.6/8.2	7.9/8.2	6.3/8.2	6.7/8.2	8.3/8.2	8.5/8.2	8.6/8.2
RBL	0.11	2.1/3.1	2.3/2.8	2.7/3.1	2.9/3.1	3.0/3.7	3.2/3.4	3.2/3.3	3.8/4.3	3.8/4.3	4.2/4.3	3.8/4.3	3.5/4.3	3.8/4.3	4.2/4.3	4.1/4.3
RDD	0.02	2.8/3.0	3.0/2.8	3.3/2.9	3.3/3.0	3.9/3.6	3.8/3.5	3.8/3.5	3.9/4.7	3.8/4.7	4.0/4.7	3.7/4.7	4.2/4.7	5.0/4.7	4.9/4.7	4.6/4.7
RDU	0.08	2.5/3.7	3.5/4.3	4.2/5.0	4.7/5.2	4.9/4.8	5.5/5.0	6.5/7.1	7.7/9.5	7.6/9.5	7.6/9.5	8.9/9.5	9.5/9.5	9.9/9.5	9.6/9.5	10.3/9.5
RIC	0.05	3.0/3.3	3.7/3.9	4.3/4.3	4.2/4.5	4.6/5.5	4.7/5.4	5.2/6.0	5.7/7.5	5.7/7.5	6.3/7.5	10.6/7.5	7.4/7.5	7.7/7.5	7.3/7.5	7.9/7.5
RNO	0.01	4.2/4.1	4.8/4.4	5.1/4.8	5.5/4.8	4.9/4.5	5.1/6.0	6.5/6.7	6.9/8.5	8.0/8.5	7.5/8.5	8.1/8.5	8.5/8.5	9.0/8.5	8.5/8.5	8.5/8.5
ROA	0.07	3.0/3.0	3.4/3.7	3.1/4.1	3.8/4.2	4.2/3.7	4.3/4.9	5.3/6.7	6.8/7.9	6.4/7.9	6.6/7.9	7.4/7.9	7.8/7.9	8.8/7.9	8.1/7.9	8.6/7.9
ROC	-0.01	2.3/3.2	2.6/3.1	2.7/3.3	3.6/3.0	4.8/3.1	4.7/3.2	5.2/4.7	6.3/6.2	6.6/6.2	5.6/6.2	5.4/6.2	5.5/6.2	5.5/6.2	5.3/6.2	5.5/6.2

SAC	-0.07	2.0/2.5	2.1/2.1	2.4/2.2	3.0/2.1	2.9/2.5	2.8/2.4	2.9/2.4	2.5/2.6	2.6/2.6	2.8/2.6	2.5/2.6	2.6/2.6	2.9/2.6	2.8/2.6	2.7/2.6
SAN	0.46	2.1/2.3	2.4/3.7	2.4/2.8	1.9/2.7	1.8/4.4	2.0/3.6	2.3/4.2	2.7/6.0	3.3/6.0	2.1/6.0	2.2/6.0	2.3/6.0	2.6/6.0	2.7/6.0	2.5/6.0
SAT	0.03	2.5/2.4	2.7/3.4	3.6/3.8	4.2/4.4	4.7/4.3	4.9/4.6	6.2/5.6	6.9/8.1	6.4/8.1	7.5/8.1	8.7/8.1	8.5/8.1	7.9/8.1	8.1/8.1	7.4/8.1
SAV	0.11	2.1/2.8	2.4/3.4	2.5/4.2	3.2/3.8	4.0/4.9	5.6/5.5	6.2/5.6	6.3/7.9	6.9/7.9	6.7/7.9	7.7/7.9	7.6/7.9	7.8/7.9	7.8/7.9	8.4/7.9
SDF	0.11	2.7/4.0	2.8/4.4	3.1/4.9	4.0/4.7	4.2/5.3	5.0/6.1	7.2/6.7	6.9/7.8	6.9/7.8	6.4/7.8	9.2/7.8	9.0/7.8	7.6/7.8	7.4/7.8	7.9/7.8
SEA	0.12	1.5/1.9	1.3/1.7	1.7/1.7	1.8/1.8	2.0/1.9	2.5/2.8	2.9/3.9	3.2/4.2	3.5/4.2	4.1/4.2	4.1/4.2	3.6/4.2	3.8/4.2	3.6/4.2	3.4/4.2
SFO	0.14	1.6/1.7	1.9/1.8	2.0/1.9	2.0/2.1	2.1/2.7	2.2/2.5	2.3/3.6	2.2/2.7	2.2/2.7	2.1/2.7	2.0/2.7	2.1/2.7	2.2/2.7	2.5/2.7	2.6/2.7
SJC	-0.35	1.7/1.6	1.8/1.5	2.1/1.8	3.2/2.0	4.3/2.3	5.1/2.4	6.1/3.4	7.2/3.6	7.6/3.6	3.0/3.6	2.9/3.6	2.8/3.6	3.2/3.6	3.9/3.6	3.6/3.6
SJT	-0.00	3.5/3.8	4.0/3.2	4.4/3.8	4.9/5.0	4.8/4.4	5.8/6.2	7.7/6.8	7.9/9.0	7.8/9.0	9.2/9.0	9.2/9.0	9.0/9.0	8.7/9.0	8.2/9.0	8.1/9.0
SLC	0.02	2.1/2.5	2.4/3.0	3.4/2.7	5.2/2.9	4.9/3.2	4.2/4.0	3.8/4.8	3.5/6.7	3.6/6.7	5.3/6.7	5.8/6.7	6.7/6.7	6.2/6.7	6.7/6.7	7.0/6.7
SSI	0.10	4.0/4.5	4.3/5.2	4.0/4.6	4.1/5.0	4.6/5.4	5.1/5.8	5.5/5.7	4.6/6.0	5.2/6.0	5.3/6.0	6.2/6.0	5.8/6.0	5.8/6.0	5.7/6.0	5.8/6.0
STL	0.10	3.4/4.2	3.6/4.6	4.7/5.6	5.7/6.7	6.5/7.5	6.9/8.3	9.2/8.4	9.5/8.5	8.9/8.5	8.2/8.5	7.3/8.5	8.0/8.5	7.1/8.5	7.2/8.5	7.0/8.5
SYR	0.00	2.6/3.5	2.7/3.5	3.2/3.6	3.7/3.4	5.0/3.9	5.1/4.4	5.7/6.0	7.2/7.6	7.0/7.6	7.6/7.6	7.5/7.6	7.3/7.6	7.7/7.6	8.1/7.6	8.6/7.6
TLH	0.10	2.5/3.6	2.9/4.4	3.4/4.2	3.7/4.2	4.4/4.7	5.4/5.1	5.4/5.7	5.9/7.9	6.6/7.9	7.9/7.9	7.7/7.9	7.6/7.9	7.9/7.9	7.8/7.9	8.0/7.9
TPA	0.21	1.8/1.9	1.8/2.1	2.2/2.6	2.4/2.6	2.8/2.7	3.3/3.5	3.6/3.7	3.7/6.4	4.1/6.4	3.6/6.4	4.0/6.4	4.1/6.4	4.8/6.4	4.9/6.4	5.1/6.4
TRM	0.16	2.3/2.9	2.5/2.5	2.6/2.8	3.3/3.7	3.3/3.1	3.1/4.3	2.8/4.9	3.1/5.2	3.2/5.2	3.2/5.2	6.0/5.2	3.4/5.2	4.6/5.2	4.7/5.2	6.2/5.2
TUL	-0.05	4.4/5.2	5.1/5.5	6.1/6.5	6.3/8.1	7.2/8.4	7.3/9.5	9.0/9.5	9.3/9.4	9.7/9.4	19.4/9.4	13.0/9.4	11.2/9.4	10.2/9.4	9.0/9.4	9.0/9.4
TUS	0.14	3.0/3.1	3.2/3.6	3.5/3.4	4.2/4.0	3.9/5.1	3.5/6.0	4.0/5.5	5.1/7.6	5.9/7.6	6.0/7.6	5.7/7.6	6.5/7.6	6.6/7.6	8.3/7.6	8.7/7.6
TYR	0.06	2.5/3.8	3.0/4.2	3.2/4.5	3.6/4.9	3.7/5.6	5.3/5.6	7.2/6.1	7.5/8.3	7.6/8.3	9.0/8.3	9.5/8.3	9.5/8.3	9.3/8.3	9.0/8.3	9.0/8.3
TYS	0.11	4.6/5.4	4.6/5.8	4.4/5.7	4.6/5.3	4.7/5.3	5.0/5.3	6.0/6.6	5.9/7.6	6.0/7.6	5.8/7.6	8.6/7.6	6.6/7.6	8.1/7.6	7.1/7.6	7.9/7.6
VCT	0.16	2.8/3.8	3.0/3.6	3.4/4.6	4.1/4.6	4.2/3.9	4.9/4.3	6.3/5.7	6.6/8.3	6.5/8.3	5.5/8.3	6.2/8.3	5.8/8.3	6.1/8.3	6.2/8.3	6.9/8.3
WJF	0.08	2.2/2.2	2.9/3.7	3.0/3.3	3.9/3.5	3.6/3.4	3.6/3.7	3.7/4.5	3.9/5.3	4.8/5.3	4.2/5.3	4.6/5.3	4.3/5.3	4.5/5.3	5.2/5.3	6.0/5.3
YKM	-0.03	3.5/4.0	4.2/4.6	4.5/4.6	4.2/5.1	4.5/5.2	4.9/5.0	5.7/5.8	7.0/5.7	6.8/5.7	6.7/5.7	6.7/5.7	6.6/5.7	6.2/5.7	6.0/5.7	5.9/5.7
YNG	0.19	3.4/4.4	3.3/4.8	3.5/4.6	4.0/4.9	4.2/5.2	4.7/5.6	5.3/6.5	6.4/7.5	6.4/7.5	5.8/7.5	5.8/7.5	6.2/7.5	6.2/7.5	6.2/7.5	6.3/7.5

Bias (2007-12-01~2007-12-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ABE	1.03	1.0/1.7	1.6/2.8	1.4/1.8	1.6/0.9	2.2/0.9	1.5/1.7	0.7/0.3	1.2/1.2	1.0/1.2	0.9/1.2	-3.9/1.2	1.3/1.2	1.4/1.2	1.7/1.2	1.7/1.2
ABI	-1.70	0.7/2.1	1.0/3.3	0.5/4.2	0.8/0.6	-2.0/1.7	-2.2/1.5	-2.5/1.9	-2.1/-1.7	-2.0/-1.7	-3.2/-1.7	-3.7/-1.7	-3.0/-1.7	-2.6/-1.7	-2.5/-1.7	-2.6/-1.7
ABQ	0.38	0.5/2.5	0.2/2.6	-0.7/3.8	-3.7/2.2	-3.9/2.3	-4.0/4.2	-3.6/3.2	-3.4/2.7	-3.5/2.7	6.6/2.7	3.9/2.7	4.3/2.7	4.3/2.7	4.4/2.7	4.4/2.7
ABY	-1.48	-0.4/-0.3	0.2/0.8	0.6/2.3	-0.5/1.9	-1.7/1.2	-3.0/1.1	-3.2/0.7	-3.9/-4.5	-4.0/-4.5	-2.7/-4.5	-1.0/-4.5	-0.2/-4.5	-0.4/-4.5	-0.8/-4.5	-1.1/-4.5
ACT	-1.69	0.4/1.8	0.8/3.5	0.4/3.9	0.6/1.7	-1.9/0.2	-2.7/0.9	-2.7/0.7	-2.6/-3.3	-3.0/+3.3	-2.4/-3.3	-2.6/-3.3	-2.5/-3.3	-2.5/-3.3	-2.1/+3.3	-2.6/-3.3
ACY	-0.11	0.3/0.2	0.6/0.5	-0.1/0.1	0.0/-0.6	-0.2/0.2	-1.1/0.4	-2.1/-1.0	-1.7/0.6	-2.1/0.6	0.6/0.6	1.0/0.6	0.3/0.6	0.4/0.6	1.7/0.6	0.5/0.6
ALB	2.26	0.9/0.9	1.6/1.4	1.3/0.0	2.0/-1.0	2.7/0.0	2.0/0.5	0.9/-1.4	1.4/2.7	1.6/2.7	2.4/2.7	2.8/2.7	3.4/2.7	3.3/2.7	3.7/2.7	3.7/2.7
ALW	-2.99	-0.6/-0.5	-2.5/-1.8	-2.9/-2.3	-3.9/-4.0	-4.0/-5.4	-2.8/-5.0	-2.2/-4.3	-1.9/-1.2	-2.3/-1.2	-4.0/-1.2	-4.9/-1.2	-2.7/-1.2	-2.8/-1.2	-4.6/-1.2	-2.7/-1.2
AOO	0.68	1.1/0.4	0.8/1.2	1.6/0.8	1.7/0.1	2.1/0.4	0.8/-0.4	0.0/-1.2	0.2/2.1	-0.4/2.1	-0.3/2.1	-0.3/2.1	0.4/2.1	0.8/2.1	0.7/2.1	1.0/2.1
APN	1.37	0.8/0.9	1.3/1.3	0.9/0.3	0.9/0.1	0.5/0.3	-0.2/-0.9	0.3/-0.4	0.9/1.1	0.9/1.1	0.6/1.1	1.7/1.1	2.3/1.1	2.9/1.1	3.5/1.1	3.2/1.1
ATL	-3.04	-0.1/-0.8	0.8/1.3	1.3/2.6	-0.1/1.2	-1.0/0.3	-2.6/0.1	-3.0/0.7	-3.3/-4.3	-3.5/-4.3	-3.7/-4.3	-7.0/-4.3	-5.8/-4.3	-5.9/-4.3	-5.9/-4.3	-5.8/-4.3
AUG	2.00	0.8/0.6	1.2/1.1	1.1/1.1	0.9/-0.5	1.4/0.4	1.1/1.0	-0.3/-0.3	0.7/4.7	1.5/4.7	1.3/4.7	2.5/4.7	3.3/4.7	4.6/4.7	5.1/4.7	5.1/4.7
AUS	-2.16	0.5/1.4	1.4/2.9	1.2/3.0	-0.9/0.2	-1.4/-0.7	-2.5/0.3	-3.0/0.3	-2.9/-3.5	-3.0/-3.5	-0.9/-3.5	-6.2/-3.5	-4.2/-3.5	-3.4/-3.5	-3.1/-3.5	-3.9/-3.5
AVP	2.23	0.6/2.3	0.9/2.6	1.2/1.4	1.6/0.7	2.3/1.0	1.2/1.6	0.9/-0.5	1.2/3.4	1.2/3.4	10.2/3.4	2.1/3.4	2.4/3.4	2.4/3.4	2.6/3.4	2.8/3.4
BDL	3.53	1.0/1.4	1.9/1.4	2.6/0.6	3.8/+0.6	3.9/0.8	3.6/0.6	2.9/+0.7	3.8/2.5	4.2/2.5	4.7/2.5	5.0/2.5	5.0/2.5	5.0/2.5	5.6/2.5	5.7/2.5
BFL	-2.09	-0.4/0.9	-1.2/2.4	-1.5/2.0	-3.2/0.7	-3.7/1.8	-3.9/2.4	-4.3/1.8	-4.2/0.8	-4.1/0.8	-0.9/0.8	-1.2/0.8	-1.3/0.8	-0.7/0.8	-0.5/0.8	-0.3/0.8
BGM	1.50	0.4/0.6	0.6/0.1	0.5/-0.4	1.6/-0.8	2.3/+0.4	1.5/0.3	0.5/-1.8	0.9/1.4	1.0/1.4	2.4/1.4	2.6/1.4	1.5/1.4	1.8/1.4	2.5/1.4	2.4/1.4
BHM	-2.76	-0.1/-0.1	0.3/0.8	1.1/2.4	0.1/1.8	-1.0/0.0	-2.5/+0.4	-2.9/-0.6	-3.3/-4.4	-3.6/-4.4	-3.9/-4.4	-3.9/-4.4	-5.6/-4.4	-5.2/-4.4	-5.7/-4.4	-5.2/-4.4
BIS	-2.26	-0.1/-0.2	-1.0/-1.2	-2.0/-1.3	-3.1/-2.9	-3.7/-2.5	-2.5/-3.0	-1.4/-0.4	-1.1/-0.3	0.0/-0.3	-3.6/-0.3	-5.1/-0.3	-3.5/-0.3	-2.0/-0.3	-3.0/-0.3	-1.8/-0.3
BNA	-3.97	0.2/-0.4	0.4/0.2	0.4/1.0	-0.6/0.6	-2.4/-0.4	-4.2/-3.1	-4.8/-3.1	-5.1/-5.3	-5.6/-5.3	-6.7/-5.3	-6.7/-5.3	-5.9/-5.3	-6.0/-5.3	-6.0/-5.3	-6.5/-5.3
BOI	-1.49	0.2/-0.9	-1.4/-3.0	-1.4/-2.7	-1.0/-3.0	-1.2/-2.4	-1.1/-0.8	-0.9/-1.2	-0.4/-0.4	-0.6/-0.4	-1.6/-0.4	-3.3/-0.4	-2.7/-0.4	-2.6/-0.4	-2.3/-0.4	-2.0/-0.4
BOS	0.37	0.8/-0.1	0.8/-0.0	0.8/-0.1	0.2/-0.9	0.4/-0.4	-0.5/-0.8	-1.6/-1.7	-0.6/3.3	-0.2/3.3	0.4/3.3	0.5/3.3	1.1/3.3	1.3/3.3	1.4/3.3	1.4/3.3
BRO	0.61	-0.1/1.4	0.3/2.0	0.5/3.1	0.1/3.1	0.2/1.9	0.7/1.7	0.5/-0.1	1.0/-5.1	0.8/-5.1	0.9/-5.1	0.7/-5.1	1.4/-5.1	1.0/-5.1	0.6/-5.1	0.5/-5.1
BTV	1.93	0.2/0.2	0.4/-0.2	0.5/-1.1	1.6/-2.4	2.4/-1.5	1.7/1.4	0.6/-2.3	1.5/2.1	1.7/2.1	2.5/2.1	3.2/2.1	3.2/2.1	3.6/2.1	3.6/2.1	3.6/2.1
BUF	2.85	1.2/1.8	1.7/1.6	1.3/0.4	2.9/0.9	4.4/1.8	3.0/0.5	2.9/+0.4	3.3/2.6	3.3/2.6	4.0/2.6	1.4/2.6	2.2/2.6	3.8/2.6	3.6/2.6	3.7/2.6
BUR	-2.40	-0.7/0.9	-1.7/0.9	-1.9/1.4	-3.8/1.1	-3.8/2.4	-3.9/2.2	-4.4/3.3	-4.1/5.1	-3.7/5.1	-2.5/5.1	1.2/5.1	-1.8/5.1	-1.3/5.1	-0.5/5.1	0.2/5.1
BWI	0.45	1.5/1.4	1.6/2.5	1.5/1.6	1.2/1.8	1.2/1.6	0.1/1.5	-1.1/0.3	-0.6/1.7	-1.3/1.7	0.1/1.7	0.4/1.7	0.5/1.7	0.5/1.7	0.6/1.7	0.5/1.7
CAE	-2.43	0.2/1.1	-0.0/0.8	-0.1/0.8	-0.5/1.6	-1.5/0.9	-3.5/-0.1	-4.6/-0.4	-5.1/-5.3	-5.4/-5.3	-3.9/-5.3	-2.4/-5.3	-2.2/-5.3	-2.7/-5.3	-2.4/-5.3	-2.4/-5.3
CHA	-2.29	0.7/0.1	0.9/0.3	1.2/1.4	0.3/0.7	-1.1/0.1	-2.6/-1.4	-3.3/-1.9	-3.5/-5.5	-4.0/-5.5	-4.0/-5.5	-4.0/-5.5	-3.4/-5.5	-3.9/-5.5	-3.7/-5.5	-3.9/-5.5
CLE	-0.14	1.0/2.0	1.3/1.7	0.5/0.5	1.0/0.3	0.3/1.3	-1.8/0.1	-2.8/-1.7	-2.6/-0.3	-3.4/-0.3	0.6/-0.3	0.2/0.3	0.7/-0.3	1.0/-0.3	1.0/-0.3	0.9/-0.3
CLT	-2.74	-0.1/0.2	-1.1/0.1	-0.7/-0.2	-1.2/0.7	-1.7/0.0	-3.6/-0.6	-4.9/-1.5	-5.1/-4.5	-5.7/-4.5	-3.1/-4.5	-2.8/-4.5	-2.8/-4.5	1.0/-4.5	-2.7/-4.5	-2.8/-4.5
CMH	-1.70	-0.6/-0.9	-0.8/0.4	-0.4/-0.2	0.3/-1.1	-0.3/-0.0	-2.6/-1.6	-3.3/-2.3	-3.5/-0.9	-4.4/-0.9	-1.9/-0.9	-1.9/-0.9	-1.4/-0.9	-1.4/-0.9	-1.6/-0.9	-1.6/-0.9
CON	3.05	1.4/1.8	2.0/1.6	2.3/0.8	3.4/0.5	3.6/2.4	3.3/3.5	1.9/0.9	2.9/4.0	3.3/4.0	3.6/4.0	1.8/4.0	4.6/4.0	5.4/4.0	2.9/4.0	3.4/4.0
COS	-0.47	-0.1/0.5	-0.2/1.1	-1.2/1.2	-3.2/0.1	-3.7/2.0	-3.8/3.8	-2.8/3.7	-3.3/4.6	-3.0/4.6	-1.2/4.6	-0.4/4.6	1.3/4.6	3.8/4.6	4.9/4.6	6.0/4.6
COU	-0.70	0.1/1.5	0.2/0.6	0.0/0.6	0.2/1.6	0.4/1.1	-1.2/0.3	-0.6/1.4	-0.3/1.3	-0.3/1.3	-5.1/1.3	-1.9/1.3	-1.1/1.3	-0.6/1.3	0.3/1.3	-0.7/1.3
CRP	-0.89	0.2/0.1	-0.0/1.4	-0.1/1.9	-0.5/0.6	-1.3/0.2	-1.7/0.7	-2.6/-1.4	-2.5/-5.0	-2.6/+5.0	-0.4/-5.0	-0.4/-5.0	0.1/-5.0	-0.2/-5.0	-0.3/-5.0	-1.0/-5.0
CRW	-1.69	1.2/-0.8	0.7/-0.2	0.5/1.1	0.9/-0.1	0.3/1.1	-1.7/-1.0	-3.0/-2.3	-3.5/-2.5	-4.2/-2.5	-2.4/-2.5	-3.2/-2.5	-2.8/-2.5	-2.4/-2.5	-2.5/-2.5	-2.5/-2.5
CVG	-1.05	0.3/1.8	0.5/2.0	0.6/1.6	1.9/1.1	0.8/1.6	-1.2/-0.2	-1.8/-1.2	-2.0/0.1	-2.5/0.1	-2.3/0.1	-2.4/0.1	-1.7/0.1	-1.7/0.1	-2.1/0.1	-2.4/0.1
DAY	-0.57	-0.1/2.4	0.1/2.2	0.2/1.8	1.2/1.5	1.2/2.0	-0.8/0.3	-1.4/-0.8	-1.4/-0.1	-2.2/-0.1	-1.6/-0.1	-1.4/-0.1	-0.5/-0.1	-0.4/-0.1	-0.6/-0.1	-0.9/-0.1
DBQ	0.86	1.1/1.9	1.3/1.8	0.5/2.0	0.3/1.7	-0.3/2.2	-0.8/1.0	-0.0/3.1	-0.1/3.2	0.4/3.2	2.6/3.2	0.1/3.2	1.4/3.2	1.9/3.2	2.4/3.2	2.1/3.2
DCA	-0.10	0.9/1.0	1.0/1.1	1.0/0.8	0.6/1.4	0.6/1.3	-0.8/1.0	-2.0/-0.4	-1.6/0.3	-2.5/0.3	-0.4/0.3	0.3/0.3	0.2/0.3	0.6/0.3	0.5/0.3	0.5/0.3
DEC	-1.49	-0.2/0.2	-0.8/0.7	-1.3/0.1	-2.0/0.8	-2.7/0.4	-4.1/-0.5	-3.4/+0.5	-3.6/0.6	-3.6/0.6	-1.2/0.6	-0.5/0.6	0.0/0.6	0.3/0.6	0.6/0.6	0.0/0.6
DEN	2.53	0.6/0.2	0.7/0.7	0.3/0.8	-0.3/0.3	0.0/1.2	1.4/3.8	1.7/4.0	1.3/6.7	1.4/6.7	4.8/6.7	4.4/6.7	5.1/6.7	5.4/6.7	5.1/6.7	5.9/6.7
DFW	-0.75	-0.8/-0.2	0.6/0.9	1.3/2.1	0.8/-0.3	-1.0/-0.0	-2.3/0.1	-2.5/+0.5	-2.3/-4.1	-2.7/-4.1	-1.5/-4.1	-0.7/-4.1	-0.3/-4.1	-0.1/-4.1	0.0/-4.1	0.0/-4.1
DLH	-0.51	0.1/1.3	0.5/0.3	0.6/-1.0	0.1/0.2	0.0/-0.5	0.2/0.2	0.4/1.0	-0.2/2.4	-0.1/2.4	-10.0/2.4	0.1/2.4	0.3/2.4	0.2/2.4	-0.2/2.4	0.3/2.4
DSM	-1.70	0.8/0.7	0.3/-0.2	-0.7/1.4	-2.6/0.8	-4.1/-0.4	-4.4/1.1	-3.4/2.3	-3.4/3.2	-3.3/3.2	-2.2/3.2	-1.1/3.2	-0.6/3.2	-0.0/3.2	-0.0/3.2	-0.6/3.2
DTW	1.55	1.1/1.9	0.9/1.7	1.1/1.2	1.9/0.5	2.9/1.3	1.9/0.3	1.9/-0.3	2.2/1.5	2.0/1.5	0.4/1.5	0.2/1.5	1.6/1.5	1.8/1.5	1.9/1.5	1.7/1.5
ELP	-1.94	-0.1/1.0	-0.1/2.7	-0.6/4.2	-4.2/3.1	-4.5/2.2	-4.6/2.6	-4.4/2.3	-4.7/0.5	-4.5/0.5	-1.8/0.5	-0.4/0.5	-0.4/0.5	-0.5/0.5	-0.1/0.5	0.2/0.5
ERI	-1.05	0.3/0.6	0.9/-0.1	0.5/-0.3	1.4/-0.7	2.3/+0.2	-0.0/-1.3	-0.5/-2.5	-0.4/0.9	-0.8/0.9	-2.9/0.9	-4.1/0.9	-3.6/0.9	-3.2/0.9	-2.9/0.9	-2.8/0.9
EUG	-0.61	0.3/-0.2	0.0/-0.7	-0.1/-0.9	0.2/-1.9	-0.4/-0.8	-0.3/-1.3	-0.8/-1.0	-1.2/1.5	-1.3/1.5	0.2/1.5	-0.0/1.5	-1.0/1.5	-1.6/1.5	-1.2/1.5	-1.2/1.5
EVV	-1.57	-0.0/1.1	0.3/1.2	0.5/1.0	0.8/1.2	-0.3/1.5	-2.2/+0.5	-2.8/-1.1	-3.1/-1.8	-3.3/-1.8	-0.3/-1.8	-3.6/-1.8	-2.3/-1.8	-2.2/-1.8	-2.2/-1.8	-2.7/-1.8
EWR	0.79	0.5/1.4	0.7/1.7	0.8/1.0	-0.1/0.8	0.0/1.0	-0.7/1.5	-1.6/-0.2	-1.0/1.5	-1.0/1.5	0.7/1.5	1.9/1.5	2.8/1.5	2.9/1.5	3.1/1.5	2.7/1.5
FAR	1.86	-0.1/1.3	0.2/0.1	-0.0/-0.4	0.4/-0.2	0.1/-0.1	1.0/-1.0	2.0/0.9	2.1/2.5	3.1/2.5	2.9/2.5	2.4/2.5	3.4/2.5	3.9/2.5	3.7/2.5	3.1/2.5
FAT	0.33	0.3/0.4	-0.1/-0.5	0.1/0.0	0.1/0.0	-0.2/0.9	0.2/1.6	-0.1/1.4	-0.0/-0.2	0.3/-0.2	0.9/-0.2	0.8/-0.2	0.4/-0.2	0.4/-0.2	0.9/-0.2	0.8/-0.2
FLG	-0															

GEG	-1.51	-0.7/-0.8	-1.6/-1.3	-1.7/-1.6	-2.1/-2.0	-2.5/-1.8	-2.2/-1.4	-2.3/0.4	-2.2/-0.2	-2.3/-0.2	-2.2/-0.2	-0.8/-0.2	-0.7/-0.2	-0.7/-0.2	-0.4/-0.2	-0.3/-0.2
GTF	-2.40	-1.3/-2.0	-1.8/-3.1	-2.1/-1.9	-2.8/+4.6	-3.0/-3.5	-2.8/-2.7	-2.7/-1.1	-2.5/-0.7	-2.9/-0.7	-3.7/-0.7	-3.1/-0.7	-2.3/-0.7	-1.9/-0.7	-1.6/-0.7	-1.5/-0.7
HOU	-1.96	-0.5/-0.8	-0.3/0.2	-0.0/1.2	-1.0/+0.2	-1.9/-0.3	-2.9/-0.5	-3.4/-1.6	-3.6/-4.4	-4.1/-4.4	-1.4/-4.4	-2.0/-4.4	-2.1/-4.4	-1.7/-4.4	-2.1/-4.4	-2.4/-4.4
HSV	-3.76	-0.6/-1.1	-0.1/+0.0	0.4/0.9	-0.3/0.8	-1.6/-0.2	-3.3/-1.6	-4.2/-2.9	-4.4/-5.9	-4.8/-5.9	-7.0/-5.9	-6.5/-5.9	-5.6/-5.9	-6.1/-5.9	-5.8/-5.9	-6.2/-5.9
IAH	-1.54	-0.1/0.2	0.2/0.9	-0.1/2.0	-1.1/0.5	-1.4/0.4	-2.6/0.2	-2.9/-0.6	-2.7/-3.7	-2.9/-3.7	-1.5/-3.7	-1.9/-3.7	-1.7/-3.7	-1.5/-3.7	-1.5/-3.7	-1.5/-3.7
ICT	-3.67	0.6/0.4	0.4/1.1	-1.5/1.5	-5.3/3.3	-6.5/2.4	-5.8/4.4	-4.9/5.3	-5.3/3.3	-4.8/3.3	-10.3/3.3	-4.5/3.3	-3.2/3.3	-1.7/3.3	-1.1/3.3	-1.0/3.3
ILG	1.35	1.4/0.8	1.3/1.4	1.2/1.3	1.8/0.0	1.7/0.4	0.4/0.4	-0.9/0.0	-0.8/0.4	-1.3/0.4	2.0/0.4	1.4/0.4	0.9/0.4	3.7/0.4	4.2/0.4	3.1/0.4
IND	-1.72	0.2/1.5	-0.2/2.2	-1.2/1.9	-1.4/0.7	-1.7/1.5	-3.6/-0.6	-3.2/-0.6	-3.5/-0.7	-3.9/-0.7	-1.8/-0.7	-1.8/-0.7	-1.0/-0.7	-0.7/-0.7	-0.9/-0.7	-1.3/-0.7
IPT	1.14	0.7/2.0	1.2/1.6	1.0/1.3	1.4/0.8	2.0/1.0	0.9/0.6	0.2/-0.3	0.6/0.8	0.4/0.8	0.8/0.8	1.2/0.8	1.8/0.8	1.6/0.8	1.3/0.8	1.9/0.8
JAN	-2.68	0.3/0.1	0.4/0.6	0.8/1.3	0.3/1.3	-0.6/-0.3	-1.9/-0.3	-2.1/-1.0	-2.7/-6.3	-3.0/-6.3	-3.8/-6.3	-6.4/-6.3	-5.1/-6.3	-5.2/-6.3	-5.3/-6.3	-5.7/-6.3
JAX	-1.57	0.6/1.3	0.4/1.7	0.1/1.9	-0.3/1.8	-1.0/2.3	-2.3/0.8	-2.7/-0.7	-2.9/-4.6	-2.9/-4.6	-3.0/-4.6	-2.2/-4.6	-1.7/-4.6	-1.9/-4.6	-2.0/-4.6	-1.8/-4.6
JFK	0.66	0.5/0.1	0.7/0.0	0.7/0.1	0.8/-0.9	1.0/-0.2	0.1/-0.0	-0.5/-1.4	-0.3/1.9	-0.2/1.9	0.6/1.9	1.1/1.9	1.3/1.9	1.5/1.9	1.8/1.9	0.9/1.9
LAN	0.87	0.9/2.4	0.8/1.9	0.5/1.7	0.9/0.8	2.0/1.2	1.4/0.4	1.7/0.0	2.0/1.8	1.9/1.8	-0.9/1.8	0.1/1.8	0.7/1.8	0.3/1.8	0.6/1.8	0.2/1.8
LAS	-0.29	1.4/3.6	0.2/3.6	0.9/3.7	-1.9/3.0	-1.4/3.4	-1.4/4.8	-1.0/5.3	-0.8/4.9	-0.8/4.9	-0.7/4.9	-0.7/4.9	0.1/4.9	0.3/4.9	0.4/4.9	0.9/4.9
LAX	0.62	2.3/1.5	1.5/1.5	1.5/1.5	1.1/1.2	2.7/2.2	3.2/1.7	3.4/2.7	4.0/4.5	4.4/4.5	-3.1/4.5	-3.1/4.5	-3.4/4.5	-3.0/4.5	-1.4/4.5	-0.7/4.5
LEX	-2.85	0.6/0.3	0.6/0.2	0.5/1.2	0.7/0.4	-0.8/1.0	-3.0/-1.5	-4.1/-3.4	-4.3/-2.7	-4.9/-2.7	-5.3/-2.7	-5.1/-2.7	-4.5/-2.7	-4.4/-2.7	-4.1/-2.7	-4.5/-2.7
LFK	-2.80	-0.9/0.9	-1.0/3.1	-1.3/2.7	-1.3/1.8	-2.0/-1.2	-3.3/0.4	-3.3/-0.4	-3.3/-3.8	-4.0/-3.8	-3.8/-3.8	-3.8/-3.8	-3.9/-3.8	-3.1/-3.8	-3.4/-3.8	-3.6/-3.8
LGA	0.18	0.1/0.4	-0.0/0.3	-0.2/0.6	-0.5/-0.9	-0.6/-0.3	-1.3/-0.2	-2.3/-1.7	-1.8/1.0	-1.8/1.0	1.0/1.0	1.6/1.0	2.0/1.0	2.2/1.0	2.5/1.0	1.9/1.0
LGB	-2.77	-0.7/0.2	-0.2/0.1	-1.3/0.9	-4.2/0.1	-5.7/1.9	-6.3/2.2	-6.2/4.9	-6.0/4.9	-6.0/4.9	-2.1/4.9	-1.8/4.9	-1.6/4.9	-1.1/4.9	-2.0/4.9	0.9/4.9
LIT	-1.38	2.3/2.5	3.0/3.1	2.6/4.0	1.9/3.1	0.4/2.0	-1.4/1.0	-2.0/0.5	-2.2/-1.5	-2.4/-1.5	-4.8/-1.5	-4.6/-1.5	-3.0/-1.5	-3.5/-1.5	-3.6/-1.5	-3.5/-1.5
LNS	1.10	1.1/2.4	0.8/2.8	1.0/2.6	0.8/2.1	1.2/2.0	0.6/2.1	-0.3/0.6	0.3/-4.9	0.1/-4.9	1.7/-4.9	2.5/-4.9	1.8/-4.9	1.6/-4.9	1.7/-4.9	1.7/-4.9
MAF	-2.71	-1.0/-1.6	-1.2/1.4	-1.9/-0.2	-1.8/-2.4	-3.0/-0.3	-2.9/-1.0	-2.7/-0.6	-2.8/-1.9	-2.9/-1.9	-2.8/-1.9	-3.3/-1.9	-3.1/-1.9	-3.3/-1.9	-4.3/-1.9	-3.8/-1.9
MBA	1.68	1.3/1.1	1.3/1.6	1.6/1.2	1.0/0.2	0.8/0.8	0.0/0.7	-1.2/0.0	-0.2/3.9	0.4/3.9	2.8/3.9	1.7/3.9	3.6/3.9	3.4/3.9	4.2/3.9	4.4/3.9
MCI	-4.03	0.7/0.5	-0.5/-1.0	-2.6/-0.6	-5.0/-0.2	-6.4/-0.1	-6.4/1.1	-5.6/1.2	-6.1/1.6	-5.9/1.6	-6.6/1.6	-4.1/1.6	-3.7/1.6	-2.8/1.6	-2.7/1.6	-2.8/1.6
MCN	-2.77	0.1/1.0	0.5/1.3	0.7/2.6	-0.8/2.0	-1.8/1.8	-3.5/1.3	-4.2/-0.4	-4.7/-5.2	-5.0/-5.2	-3.1/-5.2	-3.9/-5.2	-3.9/-5.2	-3.3/-5.2	-3.8/-5.2	-3.8/-5.2
MCO	-0.73	0.2/0.7	0.2/0.6	-0.3/0.5	-0.3/0.4	-0.5/0.8	-1.3/0.1	-1.5/-1.7	-1.4/-3.3	-1.4/-3.3	-2.3/-3.3	-1.2/-3.3	-0.3/-3.3	-0.8/-3.3	-0.5/-3.3	0.3/-3.3
MDT	1.62	1.2/2.6	1.3/3.2	1.6/2.6	2.0/2.4	2.2/1.8	1.3/1.8	0.7/1.0	1.1/2.3	0.6/2.3	2.7/2.3	1.4/2.3	1.6/2.3	2.0/2.3	2.2/2.3	2.4/2.3
MEM	-3.69	-1.0/0.4	0.3/1.3	0.2/2.1	-0.8/1.4	-2.9/0.4	-5.1/-1.1	-5.9/-0.9	-6.3/-4.6	-6.6/-4.6	-4.8/-4.6	-4.7/-4.6	-4.3/-4.6	-4.4/-4.6	-4.7/-4.6	-4.7/-4.6
MHT	2.59	1.2/1.6	1.7/1.9	2.1/1.7	2.7/0.7	3.0/2.7	2.9/1.8	1.7/1.2	2.6/4.0	3.2/4.0	3.3/4.0	2.9/4.0	3.2/4.0	2.4/4.0	3.2/4.0	3.2/4.0
MIA	-1.06	0.3/0.2	0.1/0.0	-0.2/-0.2	-0.3/-0.8	-0.5/-0.5	-1.3/-1.0	-1.7/-1.8	-1.5/-3.1	-1.6/-3.1	-1.6/-3.1	-1.5/-3.1	-1.6/-3.1	-1.6/-3.1	-1.6/-3.1	-1.4/-3.1
MKE	1.66	0.4/1.6	0.5/0.1	1.1/0.0	1.9/0.7	2.5/-0.8	2.7/-0.7	3.5/-0.2	3.9/1.3	3.8/1.3	0.2/1.3	1.0/1.3	1.1/1.3	1.4/1.3	0.4/1.3	0.4/1.3
MOB	-0.86	1.7/1.3	1.4/1.8	1.2/2.9	1.5/2.6	0.7/2.1	0.2/2.1	-0.4/0.6	-1.4/-3.2	-2.3/-3.2	-3.1/-3.2	-3.1/-3.2	-2.6/-3.2	-2.6/-3.2	-2.0/-3.2	-2.0/-3.2
MSP	1.88	1.1/3.4	1.7/2.2	1.6/1.9	1.4/0.6	0.8/1.2	1.0/1.1	1.9/1.8	1.8/3.6	1.8/3.6	1.1/3.6	2.0/3.6	2.7/3.6	3.0/3.6	3.3/3.6	2.9/3.6
MSY	-1.50	-0.1/-0.3	0.6/1.3	1.1/2.4	0.4/2.5	-0.6/1.6	-1.9/1.6	-2.3/-0.3	-2.8/-3.5	-3.4/-3.5	-1.7/-3.5	-1.7/-3.5	-2.5/-3.5	-2.7/-3.5	-2.3/-3.5	-2.6/-3.5
MWL	-1.02	0.8/3.1	1.2/4.5	0.8/4.7	1.5/3.5	-1.3/3.3	-2.0/3.4	-2.2/2.5	-1.9/1.6	-1.6/1.6	-2.3/1.6	-2.4/1.6	-1.8/1.6	-1.7/1.6	-1.1/1.6	-1.5/1.6
NKX	2.22	1.5/1.5	1.0/1.4	1.3/2.2	1.4/3.7	1.7/2.8	2.3/3.9	2.6/5.1	3.5/0.0	4.6/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0
NTU	-2.44	-0.2/-1.1	-1.2/0.3	-1.6/-1.4	-2.3/-1.9	-2.3/-0.4	-3.9/-0.1	-5.2/-2.5	-4.9/-2.1	-5.3/-2.1	-2.0/-2.1	-1.5/-2.1	-0.7/-2.1	-1.5/-2.1	-1.6/-2.1	-2.6/-2.1
OAK	1.48	1.0/2.0	1.0/2.1	1.1/1.8	1.1/2.7	1.4/2.7	1.7/2.8	1.9/3.0	2.4/3.1	2.7/3.1	1.2/3.1	1.0/3.1	1.2/3.1	1.7/3.1	1.8/3.1	1.8/3.1
OKC	-0.17	-0.1/-0.0	1.4/2.0	1.3/2.8	0.2/1.0	-1.1/2.8	-2.1/3.5	-1.8/2.6	-2.1/1.4	-2.5/1.4	-2.4/1.4	0.9/1.4	1.7/1.4	1.8/1.4	2.1/1.4	0.2/1.4
OMA	-1.53	2.1/2.2	1.3/1.1	-0.3/0.5	-2.5/1.3	-3.4/1.7	-2.9/2.4	-2.3/2.9	-2.8/4.2	-2.3/4.2	-9.5/4.2	-2.6/4.2	-1.0/4.2	1.3/4.2	0.7/4.2	1.1/4.2
ORD	-0.80	-0.3/0.1	-0.6/-0.6	-1.0/-0.9	-1.2/0.1	-1.7/0.5	-2.7/-1.3	-2.1/-1.4	-2.1/0.1	-2.2/0.1	-1.2/0.1	0.5/0.1	0.8/0.1	1.2/0.1	0.6/0.1	0.6/0.1
ORH	2.19	0.9/1.1	1.1/1.3	1.2/0.9	1.8/0.4	2.2/0.6	2.1/0.1	1.0/-1.4	1.9/3.5	2.5/3.5	2.7/3.5	2.9/3.5	3.1/3.5	3.4/3.5	2.9/3.5	3.2/3.5
PDT	-3.93	-1.4/-1.2	-3.0/-2.4	-3.0/-2.9	-3.6/-3.5	-4.3/-4.1	-4.1/-4.3	-4.1/-3.1	-3.8/-1.5	-4.4/-1.5	-6.2/-1.5	-4.9/-1.5	-4.2/-1.5	-4.3/-1.5	-3.9/-1.5	-3.6/-1.5
PDX	-0.70	-0.8/-0.3	-1.4/-1.6	-1.3/-2.1	-1.4/-1.9	-1.2/-1.9	-1.1/-1.4	-1.4/-0.8	-1.6/0.6	-1.7/0.6	-0.3/0.6	0.1/0.6	0.4/0.6	0.2/0.6	0.5/0.6	0.4/0.6
PHL	1.11	0.8/2.3	1.0/2.7	0.8/1.5	0.8/1.2	1.1/1.3	0.4/1.4	-0.4/0.7	0.1/1.5	0.0/1.5	1.3/1.5	1.9/1.5	2.0/1.5	2.0/1.5	2.5/1.5	2.3/1.5
PHX	0.92	0.1/1.9	0.2/2.0	-0.0/2.9	0.1/2.8	0.4/3.5	0.8/4.2	0.6/4.6	0.5/3.1	0.4/3.1	-0.2/3.1	1.3/3.1	1.5/3.1	2.2/3.1	2.5/3.1	3.5/3.1
PIR	0.25	0.3/0.3	0.1/0.1	-0.2/-0.4	-0.9/-2.3	-0.6/-1.6	0.2/-0.3	1.1/0.3	1.0/1.3	2.0/1.3	-2.0/1.3	-1.1/1.3	0.1/1.3	1.2/1.3	1.2/1.3	1.5/1.3
PIT	-0.67	0.3/-0.5	0.1/0.0	0.1/-1.3	1.2/-1.7	0.8/-0.7	-1.0/-2.2	-2.1/-3.8	-2.0/-1.5	-3.0/-1.5	-1.1/-1.5	-1.1/-1.5	-0.7/-1.5	-0.5/-1.5	-0.6/-1.5	-0.4/-1.5
PVD	0.94	0.8/0.9	1.0/1.1	0.8/0.5	0.2/-0.5	-0.1/-0.1	-0.9/0.1	-2.1/-1.6	-1.4/2.7	-1.2/2.7	1.7/2.7	2.8/2.7	2.5/2.7	3.8/2.7	3.1/2.7	3.0/2.7
PWM	1.42	-0.1/0.1	1.3/0.4	1.3/0.1	1.6/0.4	1.6/-0.6	1.0/0.3	-0.0/-0.5	0.9/3.1	1.5/3.1	0.6/3.1	1.4/3.1	1.8/3.1	2.8/3.1	2.9/3.1	2.7/3.1
RAP	1.09	0.8/1.3	1.3/1.3	1.9/0.5	0.8/0.7	0.3/-0.2	0.9/3.3	1.7/1.9	2.2/2.9	3.3/2.9	-4.2/2.9	-1.5/2.9	0.3/2.9	2.6/2.9	2.5/2.9	3.5/2.9
RBL	0.37	0.6/1.1	0.6/-0.6	0.6/-0.5	0.4/-0.7	0.8/-1.7	0.8/-0.7	0.1/-0.9	0.2/2.2	0.4/2.2	1.0/2.2	0.0/2.2	-0.2/2.2	0.6/2.2	0.9/2.2	0.9/2.2
RDD	2.18	0.9/1.3	1.3/0.0	1.6/0.1	1.0/-0.4	1.9/-0.9	2.1/-0.6	2.0/0.4	2.2/3.2	2.1/3.2	2.0/3.2	1.7/3.2	2.9/3.2	4.1/3.2	3.7/3.2	3.3/3.2
RDU	-1.53	0.2/0.0	-0.5/0.6	-0.4/0.3	-0.8/0.3	-1.1/1.0	-2.8/0.6	-4.1/-0.6	-4.3/-4.5	-5.0/-4.5	-1.6/-4.5	-0.8/-4.5	-0.4/-4.5	-0.4/-4.5	-0.4/-4.5	-0.5/-4.5
RIC	0.01	1.2/1.1	1.2/1.8	1.3/1.2	0.8/0.8	1.5/2.1	0.1/1.7	-0.9/0.4	-1.1/-1.8	-0.4/-1.8	-0.6/-1.8	-0.3/-1.8	-1.0/-1.8	-0.7/-1.8	-0.7/-1.8	-1.4/-1.8
RNO	0.53	0.3/0.6	-0.3/-0.2	0.2/-0.2	0.2/-0.2	0.8/0.4	1.5/2.6	1.4/0.9	1.7/3.9	1.7/3.9	-1.0/3.9	-0.4/3.9	-0.4/3.9	0.2/3.9	0.9/3.9	1.5/3.9
ROA	-0.88	0.8/0.2	0.6/0.9	0.8/0.2	0.1/0.7	0.0/1.3	-1.4/0.1	-2.7/-0.5	-2.4/-1.8	-3.4/-1.8	-1.2/-1.8	-0.9/-1.8	-0.6/-1.8	-1.3/-1.8	-0.9/-1.8	-0.7/-1.8
ROC	2.33	0.5/0.8	1.1/1.1	1.3/0.6	2.7/-0.2	4.4/0.6	4.0/0.1	3.9/0.9	4.4/1.5	4.7/1.5	0.8/1.5	0.3/1.5	1.3/1.5	1.5/1.5	2.0/1.5	2.2/1.5

SAC	-0.04	0.2/1.2	0.1/-0.5	0.3/0.4	0.1/-0.1	0.1/0.3	0.1/0.8	0.0/0.3	0.2/0.6	0.2/0.6	-1.2/0.6	-0.7/0.6	-0.5/0.6	-0.1/0.6	0.4/0.6	-0.1/0.6
SAN	0.49	1.5/1.7	1.8/3.3	1.7/2.3	0.5/2.2	0.4/3.8	0.7/3.1	1.1/3.9	1.6/5.6	2.4/5.6	-0.8/5.6	-0.7/5.6	-1.1/5.6	-1.1/5.6	-0.6/5.6	0.1/5.6
SAT	-2.45	-0.4/0.2	-0.0/1.5	-0.8/2.3	-1.5/+0.5	-2.6/-0.7	-3.6/0.1	-4.0/-0.7	-4.1/-4.7	-4.4/-4.7	-2.2/-4.7	-2.1/-4.7	-2.0/-4.7	-3.3/-4.7	-3.0/-4.7	-2.7/-4.7
SAV	-2.42	0.3/1.2	0.1/1.0	-0.2/2.0	-1.0/1.8	-2.0/1.5	-4.0/0.5	-4.8/-0.9	-5.4/-4.4	-5.5/-4.4	-3.5/-4.4	-2.2/-4.4	-1.6/-4.4	-1.8/-4.4	-2.2/-4.4	-2.5/-4.4
SDF	-2.91	0.4/-0.5	0.4/0.8	0.1/-0.9	0.4/-0.7	-1.0/0.2	-3.1/-2.3	-4.1/-3.2	-4.2/-3.7	-4.5/-3.7	-3.4/-3.7	-6.2/-3.7	-4.9/-3.7	-4.4/-3.7	-4.2/-3.7	-4.9/-3.7
SEA	-0.76	0.4/1.3	0.5/1.1	0.4/0.5	-0.2/1.0	-0.3/0.9	-0.5/1.4	-0.3/1.9	-0.4/2.7	-0.6/2.7	-2.7/2.7	-2.8/2.7	-2.0/2.7	-1.4/2.7	-1.1/2.7	-0.3/2.7
SFO	0.74	0.8/0.7	0.7/1.2	1.0/1.4	0.7/1.9	0.6/2.4	0.5/2.2	0.4/2.8	0.3/2.0	0.1/2.0	0.7/2.0	0.5/2.0	0.6/2.0	0.9/2.0	1.6/2.0	1.8/2.0
SJC	3.33	0.8/0.7	1.2/0.6	1.8/0.4	2.9/1.2	4.3/1.5	5.1/2.0	5.9/2.7	7.0/2.6	7.5/2.6	1.8/2.6	1.6/2.6	1.5/2.6	2.0/2.6	3.3/2.6	3.1/2.6
SJT	-2.00	0.7/-0.6	0.6/1.6	0.2/1.4	0.5/0.5	-1.8/0.0	-2.6/-0.3	-2.8/-0.5	-2.5/-3.5	-2.5/-3.5	-3.9/-3.5	-3.5/-3.5	-3.5/-3.5	-3.2/-3.5	-2.7/-3.5	-2.8/-3.5
SLC	1.01	0.7/-0.5	0.1/1.3	0.1/0.3	-1.2/-0.0	-1.3/0.6	-1.2/2.2	-1.3/3.3	-1.0/4.7	-0.8/4.7	0.9/4.7	3.3/4.7	3.3/4.7	4.1/4.7	4.6/4.7	4.7/4.7
SSI	0.27	0.6/3.4	0.9/3.7	0.9/3.8	0.9/3.3	0.5/3.3	-0.7/2.6	-0.4/1.0	-0.6/-2.2	-0.6/-2.2	-0.8/-2.2	0.5/-2.2	1.0/-2.2	0.8/-2.2	0.5/-2.2	0.5/-2.2
STL	-1.84	0.1/2.3	-0.5/2.1	-1.3/2.2	-1.8/1.5	-2.2/1.7	-3.3/0.5	-2.6/1.0	-2.9/-0.3	-3.1/-0.3	-1.3/-0.3	-1.5/-0.3	-2.0/-0.3	-1.8/-0.3	-1.7/-0.3	-1.9/-0.3
SYR	4.48	1.8/2.4	2.0/2.3	2.8/1.3	3.5/1.2	4.1/1.9	3.3/1.2	2.7/-0.2	3.4/3.4	3.8/3.4	5.0/3.4	6.3/3.4	6.8/3.4	6.8/3.4	7.2/3.4	7.6/3.4
TLH	-1.60	0.2/1.2	0.4/1.6	0.3/1.8	0.2/2.0	-0.2/2.0	-1.3/1.0	-1.6/-0.6	-2.4/-3.4	-3.2/-3.4	-3.6/-3.4	-3.3/-3.4	-2.5/-3.4	-2.5/-3.4	-2.3/-3.4	-2.2/-3.4
TPA	-0.67	-0.3/0.1	-0.4/0.1	-0.5/0.2	-0.4/-0.2	-0.7/0.7	-1.2/-0.2	-1.3/-1.3	-1.5/-4.4	-1.6/-4.4	-0.6/-4.4	-0.3/-4.4	-0.2/-4.4	-0.6/-4.4	-0.2/-4.4	-0.3/-4.4
TRM	2.23	1.3/2.2	1.8/2.2	1.7/2.3	1.0/3.1	1.3/2.8	1.5/4.3	1.5/4.9	1.7/4.4	1.8/4.4	-1.4/4.4	5.5/4.4	1.9/4.4	3.8/4.4	4.1/4.4	5.9/4.4
TUL	-1.19	0.6/2.9	0.9/2.7	1.0/3.5	-0.4/3.0	-1.7/3.6	-2.7/3.9	-2.6/3.6	-2.7/2.2	-2.9/2.2	-6.7/2.2	-1.3/2.2	-0.2/2.2	0.4/2.2	0.4/2.2	0.4/2.2
TUS	1.35	1.0/1.3	1.0/1.7	1.0/1.6	0.2/2.2	0.5/2.7	0.9/4.4	1.3/3.7	1.5/3.5	1.9/3.5	0.1/3.5	-0.0/3.5	0.5/3.5	0.7/3.5	4.6/3.5	4.9/3.5
TYR	-3.43	-0.6/1.0	-0.3/2.4	-0.3/3.7	-0.3/0.7	-1.6/-0.7	-3.4/0.4	-3.8/0.2	-4.0/-3.1	-4.3/-3.1	-5.5/-3.1	-5.5/-3.1	-5.4/-3.1	-5.5/-3.1	-5.4/-3.1	-5.7/-3.1
TYS	-1.30	2.2/0.7	1.5/0.7	1.5/1.1	0.9/0.3	-0.3/0.3	-2.2/-0.8	-2.8/-2.1	-3.1/-4.4	-3.7/-4.4	-1.3/-4.4	-4.2/-4.4	-2.8/-4.4	-1.7/-4.4	-1.6/-4.4	-1.9/-4.4
VCT	-1.93	-0.4/0.7	-0.5/2.0	-0.9/2.4	-1.8/0.8	-2.3/0.6	-3.3/0.8	-4.0/-0.6	-3.7/-5.2	-3.9/-5.2	-1.3/-5.2	-1.4/-5.2	-1.3/-5.2	-1.0/-5.2	-1.6/-5.2	-1.6/-5.2
WJF	1.60	0.6/0.9	1.1/2.8	0.7/2.5	0.5/2.4	1.4/1.9	2.0/2.6	2.1/3.2	2.5/2.8	2.8/2.8	0.3/2.8	1.0/2.8	1.3/2.8	1.7/2.8	2.7/2.8	3.4/2.8
YKM	0.39	0.4/1.2	0.1/0.1	-0.2/-0.7	0.1/-1.1	-0.5/-1.9	-0.2/-1.3	0.1/-1.1	0.3/-0.3	-0.4/-0.3	0.6/-0.3	1.9/-0.3	1.7/-0.3	1.5/-0.3	0.8/-0.3	-0.4/-0.3
YNG	0.07	0.4/0.9	0.1/0.8	0.1/0.5	1.2/-0.1	2.0/0.8	0.4/-0.4	-0.2/-2.4	0.5/-0.0	0.1/-0.0	-1.5/-0.0	-1.1/-0.0	-0.4/-0.0	-0.3/-0.0	-0.0/-0.0	-0.1/-0.0

red: S < -0.3

orange: -0.3 < S < -0.1

grey: -0.1 < S < 0.1

green: 0.1 < S < 0.3

blue: S > 0.3

S_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0

orange: 4.0 > B >= 2.0

black: 2.0 > B >= -2.0

green: 2.0 > B >= -2.0

blue: B <= -4.0

avg_bias: average of ECMWF-value

ECMWF/MEX MIN Temperature in ALL

		MAE (2007-12-01~2007-12-31)														
S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
ABE	0.09	3.0/3.3	3.1/3.7	3.2/3.5	3.7/3.8	3.5/3.7	3.8/3.7	4.4/4.2	5.4/5.8	5.1/5.8	5.1/5.8	4.9/5.8	5.2/5.8	4.7/5.8	4.8/5.8	5.0/5.8
ABI	0.23	2.7/6.0	2.9/7.2	3.5/8.1	3.3/7.4	4.4/8.2	5.3/7.5	5.9/8.9	5.7/6.2	5.5/6.2	6.2/6.2	6.2/6.2	6.2/6.2	6.4/6.2	6.3/6.2	6.4/6.2
ABQ	-0.05	3.2/3.4	2.9/3.1	2.9/2.9	4.5/2.8	4.9/3.3	5.2/3.5	5.0/4.4	5.4/6.0	5.4/6.0	5.4/6.0	5.0/6.0	5.1/6.0	5.2/6.0	5.4/6.0	5.5/6.0
ABY	0.25	2.6/4.0	2.2/4.1	2.4/4.4	3.0/4.5	3.5/5.3	4.3/5.3	4.6/4.9	5.8/9.6	6.5/9.6	7.4/9.6	6.8/9.6	8.4/9.6	8.9/9.6	9.4/9.6	8.9/9.6
ACT	0.21	2.7/8.3	3.6/9.5	3.3/10.6	3.6/10.9	4.4/10.5	5.7/9.6	7.0/11.5	7.3/7.4	7.4/7.4	8.0/7.4	8.1/7.4	8.4/7.4	8.7/7.4	8.6/7.4	9.0/7.4
ACY	0.05	3.3/3.3	3.3/2.7	3.4/3.9	4.2/3.7	4.5/3.9	4.6/4.3	5.4/5.5	5.5/6.4	5.0/6.4	5.2/6.4	5.3/6.4	5.6/6.4	5.9/6.4	5.6/6.4	5.7/6.4
ALB	0.21	2.9/4.4	2.6/4.3	3.4/4.2	3.8/4.8	3.5/5.3	4.8/5.4	6.3/5.3	6.5/8.7	7.0/8.7	6.4/8.7	6.9/8.7	7.0/8.7	6.6/8.7	7.0/8.7	7.4/8.7
ALW	-0.02	2.8/3.0	2.6/3.4	2.9/3.3	3.1/3.5	3.9/4.9	3.8/4.7	3.7/4.7	4.7/5.9	5.9/5.9	7.8/5.9	7.8/5.9	7.5/5.9	7.1/5.9	7.4/5.9	7.0/5.9
AOO	-0.02	3.0/2.7	3.9/3.1	4.4/3.3	3.9/3.3	3.8/3.4	4.3/4.3	4.9/3.9	5.2/6.4	5.0/6.4	5.0/6.4	5.4/6.4	6.6/6.4	5.9/6.4	6.2/6.4	6.1/6.4
APN	0.05	4.7/5.1	3.7/5.0	4.5/5.0	4.4/5.0	5.7/5.3	6.7/6.0	6.6/5.9	7.3/7.5	7.5/7.5	8.2/7.5	7.3/7.5	6.4/7.5	7.3/7.5	6.4/7.5	6.2/7.5
ATL	0.14	2.0/2.8	2.3/3.1	2.4/3.4	2.9/3.4	3.2/3.9	4.0/4.3	4.8/5.0	6.1/8.8	6.7/8.8	6.3/8.8	9.4/8.8	9.2/8.8	8.8/8.8	8.7/8.8	8.3/8.8
AUG	0.03	3.5/3.3	4.1/4.1	4.3/4.7	7.5/3.8	6.5/4.3	6.1/5.8	7.9/5.9	7.9/9.0	6.5/9.0	6.4/9.0	6.4/9.0	6.1/9.0	5.8/9.0	5.7/9.0	6.0/9.0
AUS	0.19	5.4/7.8	5.3/8.5	5.4/9.0	6.0/11.1	5.8/10.2	6.9/9.5	8.9/11.1	9.6/10.3	9.1/10.3	9.2/10.3	9.2/10.3	9.3/10.3	10.1/10.3	10.4/10.3	10.8/10.3
AVP	-0.09	3.5/2.2	4.0/2.4	4.1/3.2	4.1/3.7	3.9/3.8	4.4/3.7	6.1/5.0	6.4/7.0	6.1/7.0	5.9/7.0	5.8/7.0	7.1/7.0	6.4/7.0	6.5/7.0	6.5/7.0
BDL	0.12	2.5/3.3	2.9/3.2	2.7/3.4	3.8/3.5	3.3/3.9	4.1/3.5	5.8/4.3	6.4/6.5	5.7/6.5	4.5/6.5	4.6/6.5	4.5/6.5	4.8/6.5	4.6/6.5	5.4/6.5
BFL	0.10	2.5/2.6	2.4/2.7	2.4/2.9	3.2/2.7	3.2/3.2	3.0/3.5	2.5/4.2	2.6/4.0	2.8/4.0	3.8/4.0	3.2/4.0	3.6/4.0	4.0/4.0	3.9/4.0	4.7/4.0
BGM	0.23	2.3/2.6	2.1/2.7	2.5/3.4	2.6/3.7	2.6/4.0	3.7/4.4	5.0/4.8	5.6/7.2	5.3/7.2	5.5/7.2	5.1/7.2	4.8/7.2	4.9/7.2	5.1/7.2	5.9/7.2
BHM	0.15	2.3/3.3	2.6/3.7	3.3/4.3	3.7/5.1	4.0/4.9	5.5/6.8	7.3/7.3	8.1/10.9	8.2/10.9	10.1/10.9	10.2/10.9	10.4/10.9	10.5/10.9	10.7/10.9	10.3/10.9
BIS	0.08	4.5/4.9	5.5/5.2	4.7/5.1	5.5/4.4	6.8/7.0	6.8/8.5	8.1/8.9	7.5/8.9	7.8/8.9	7.2/8.9	6.1/8.9	7.5/8.9	8.0/8.9	9.2/8.9	9.2/8.9
BNA	0.20	2.1/3.5	2.0/3.5	2.1/4.2	2.7/5.1	3.3/4.5	4.9/5.8	6.3/5.5	6.8/8.9	7.7/8.9	8.1/8.9	8.6/8.9	8.6/8.9	8.5/8.9	8.8/8.9	8.8/8.9
BOI	-0.25	2.6/3.1	2.7/3.2	3.6/3.3	5.6/3.7	5.8/3.7	6.4/3.9	6.6/4.5	7.0/6.3	7.8/6.3	8.1/6.3	7.8/6.3	7.8/6.3	7.7/6.3	7.7/6.3	7.8/6.3
BOS	0.09	2.1/2.5	2.1/2.8	2.8/3.3	4.8/2.8	4.2/3.3	4.4/4.0	5.3/4.2	5.2/7.0	4.9/7.0	4.7/7.0	5.1/7.0	5.1/7.0	5.0/7.0	5.0/7.0	5.4/7.0
BRO	0.24	2.4/4.8	3.3/5.4	3.4/6.7	3.1/8.4	3.1/7.8	3.1/6.7	5.1/7.8	6.4/8.0	6.5/8.0	8.1/8.0	8.2/8.0	8.3/8.0	8.7/8.0	8.9/8.0	8.7/8.0
BTV	0.18	2.3/3.8	2.8/4.3	3.5/4.8	3.9/4.5	4.3/6.0	6.0/7.1	7.3/7.8	8.2/10.2	8.3/10.2	9.6/10.2	9.6/10.2	9.1/10.2	8.4/10.2	8.6/10.2	8.4/10.2
BUF	0.27	2.0/2.9	2.1/2.8	2.5/3.2	2.8/3.1	2.8/3.5	3.3/4.0	3.3/4.3	4.1/6.2	3.9/6.2	4.4/6.2	4.5/6.2	4.2/6.2	4.0/6.2	4.4/6.2	4.7/6.2
BUR	-0.26	1.8/2.2	2.3/3.2	1.8/3.3	3.8/2.6	4.9/2.5	5.8/3.5	6.5/3.8	7.0/3.4	7.2/3.4	2.9/3.4	2.9/3.4	3.1/3.4	3.4/3.4	3.4/3.4	3.9/3.4
BWI	0.11	2.0/3.4	2.2/2.9	2.7/3.2	3.3/2.9	3.7/3.5	4.1/3.8	5.5/4.8	5.9/6.7	5.7/6.7	5.5/6.7	5.6/6.7	5.1/6.7	5.9/6.7	5.6/6.7	5.7/6.7
CAE	0.13	3.1/4.1	3.3/4.4	3.7/4.3	3.9/4.7	3.6/5.5	4.0/4.7	5.0/4.9	6.2/8.4	6.8/8.4	7.3/8.4	7.6/8.4	8.4/8.4	8.5/8.4	8.3/8.4	8.3/8.4
CHA	0.19	2.3/3.9	2.3/4.3	2.5/4.5	3.3/4.8	3.8/5.0	5.0/5.5	6.1/5.7	6.5/9.1	6.9/9.1	7.2/9.1	8.3/9.1	8.8/9.1	9.2/9.1	9.1/9.1	8.6/9.1
CLE	0.12	2.1/3.3	2.3/3.1	2.4/3.5	2.6/3.0	3.3/3.2	4.4/3.8	4.5/3.3	4.5/5.7	4.9/5.7	4.3/5.7	5.1/5.7	4.7/5.7	4.7/5.7	4.7/5.7	4.7/5.7
CLT	-0.01	2.6/3.1	3.0/3.7	3.1/3.7	4.6/4.5	4.5/4.9	5.0/4.1	6.3/4.9	6.9/8.2	7.4/8.2	8.0/8.2	8.6/8.2	9.2/8.2	9.1/8.2	9.1/8.2	9.0/8.2
CMH	0.11	2.4/3.4	2.9/3.8	2.8/3.6	3.8/3.7	4.0/4.3	5.2/5.1	5.6/4.6	5.9/7.2	6.3/7.2	5.4/7.2	6.2/7.2	6.5/7.2	6.3/7.2	6.4/7.2	6.6/7.2
CON	0.15	4.1/4.0	4.1/4.6	4.0/4.3	4.7/5.2	4.9/5.0	5.5/5.7	6.6/5.9	7.1/9.3	7.2/9.3	6.6/9.3	7.0/9.3	7.2/9.3	6.7/9.3	6.8/9.3	7.2/9.3
COS	-0.15	4.2/3.9	4.1/4.5	4.7/4.2	5.6/3.7	5.6/3.5	6.4/4.3	5.8/5.4	5.8/5.4	5.5/5.4	5.9/5.4	6.0/5.4	6.0/5.4	5.6/5.4	5.3/5.4	5.3/5.4
COU	0.05	2.7/4.3	2.8/4.1	3.4/4.2	3.5/4.8	4.1/5.5	4.7/5.1	6.0/6.4	6.1/5.6	5.7/5.6	5.9/5.6	5.4/5.6	6.9/5.6	6.6/5.6	6.4/5.6	6.8/5.6
CRP	0.22	3.5/6.2	3.4/6.8	3.7/7.8	3.6/8.9	4.2/9.0	5.3/8.2	7.5/9.3	8.3/10.2	8.4/10.2	9.9/10.2	10.0/10.2	9.9/10.2	10.7/10.2	10.8/10.2	11.2/10.2
CRW	0.08	2.7/3.9	2.8/3.7	2.8/3.9	3.2/4.4	3.5/4.3	4.7/4.7	5.7/5.0	6.0/7.4	6.4/7.4	7.1/7.4	7.8/7.4	7.9/7.4	7.6/7.4	7.6/7.4	7.8/7.4
CVG	0.14	1.7/3.1	1.8/3.6	1.7/3.4	3.4/3.8	4.0/4.4	4.9/4.8	5.3/4.4	5.7/7.1	6.0/7.1	5.9/7.1	7.1/7.1	6.9/7.1	6.7/7.1	6.7/7.1	6.6/7.1
DAY	0.14	1.8/4.1	2.1/3.9	2.3/3.6	3.3/4.0	4.2/5.2	4.7/5.3	5.6/4.9	5.8/6.7	6.0/6.7	5.6/6.7	6.8/6.7	7.3/6.7	6.7/6.7	6.5/6.7	6.8/6.7
DBQ	0.03	3.2/4.4	3.7/4.5	4.9/5.0	5.0/5.1	5.6/5.1	6.5/5.5	6.6/6.2	6.3/6.0	5.9/6.0	5.0/6.0	5.3/6.0	6.7/6.0	5.8/6.0	5.4/6.0	5.5/6.0
DCA	0.09	1.8/2.7	2.3/2.7	2.5/3.0	3.2/3.1	4.0/3.4	4.6/3.6	5.4/3.8	6.4/6.3	6.4/6.3	4.1/6.3	4.3/6.3	4.6/6.3	5.0/6.3	4.9/6.3	5.0/6.3
DEC	-0.27	4.3/3.4	4.1/3.6	4.2/4.0	5.9/4.5	7.1/4.3	8.5/4.3	8.7/4.7	8.7/6.4	8.6/6.4	5.8/6.4	7.6/6.4	6.8/6.4	6.7/6.4	6.4/6.4	6.4/6.4
DEN	-0.05	4.7/4.0	4.2/4.3	4.1/4.2	5.6/4.5	5.7/4.7	6.5/5.5	6.0/5.8	6.2/7.4	6.8/7.4	7.8/7.4	8.2/7.4	7.4/7.4	7.5/7.4	7.0/7.4	7.7/7.4
DFW	0.02	2.7/4.7	2.4/5.2	2.9/6.4	2.8/6.0	3.4/6.2	4.3/5.3	5.7/6.9	5.2/5.3	4.6/5.3	6.8/5.3	7.2/5.3	7.6/5.3	8.0/5.3	7.7/5.3	7.9/5.3
DLH	0.14	3.7/5.2	4.0/5.3	3.9/5.0	4.3/5.1	5.0/6.1	4.6/6.8	6.6/7.3	6.9/10.4	6.8/10.4	7.8/10.4	11.0/10.4	11.1/10.4	11.1/10.4	11.2/10.4	11.3/10.4
DSM	-0.21	3.0/3.4	3.1/3.6	3.9/4.1	6.5/4.6	7.1/4.2	7.8/4.8	7.4/6.4	7.0/5.6	7.0/5.6	7.6/5.6	7.1/5.6	6.6/5.6	6.0/5.6	5.9/5.6	6.3/5.6
DTW	0.06	2.0/3.1	2.4/3.3	3.1/3.4	3.4/4.0	3.3/3.2	4.4/4.2	4.7/4.1	4.8/5.0	4.6/5.0	4.4/5.0	5.4/5.0	5.0/5.0	5.1/5.0	4.7/5.0	4.3/5.0
ELP	0.07	2.7/3.4	3.0/4.3	3.4/3.7	4.0/4.0	4.0/5.1	4.3/3.8	4.7/4.8	5.2/6.5	5.4/6.5	6.6/6.5	6.3/6.5	6.3/6.5	6.7/6.5	6.7/6.5	6.8/6.5
ERI	0.08	3.5/3.4	4.0/3.5	3.7/4.1	3.3/3.1	2.7/3.1	3.4/3.5	3.4/3.0	3.4/5.2	3.9/5.2	4.7/5.2	4.7/5.2	4.2/5.2	4.5/5.2	4.6/5.2	4.6/5.2
EUG	-0.14	2.5/3.4	2.7/3.7	3.4/3.3	4.0/3.0	4.0/3.2	4.4/4.1	5.1/4.6	5.7/5.2	6.1/5.2	6.9/5.2	6.6/5.2	6.3/5.2	6.3/5.2	6.4/5.2	6.7/5.2
EVV	0.10	2.2/3.7	2.6/4.3	3.1/4.4	3.9/5.2	4.2/5.7	5.0/4.9	6.4/4.9	6.5/7.0	6.9/7.0	5.2/7.0	8.0/7.0	7.0/7.0	6.9/7.0	6.5/7.0	6.8/7.0
EWR	0.17	1.7/2.0	2.1/2.3	2.2/2.5	3.0/2.5	2.5/2.8	3.0/3.3	3.9/4.0	4.2/5.7	4.0/5.7	4.5/5.7	4.1/5.7	4.0/5.7	4.3/5.7	4.3/5.7	4.7/5.7
FAR	0.23	5.0/6.4	4.4/6.6	4.3/6.5	5.4/6.2	6.4/7.4	6.7/8.1	7.1/9.2	7.2/10.0	6.6/10.0	6.8/10.0	6.8/10.0	6.5/10.0	8.6/10.0	8.5/10.0	9.5/10.0
FAT	0.07	2.1/2.3	2.3/2.3	2.4/2.5	3.0/2.6	3.3/2.8	3.2/3.8	2.8/4.2	3.0/4.3	3.2/4.3	4.0/4.3	4.2/4.3	4.2/4.3	4.0/4.3	4.4/4.3	4.8/4.3
FLG	0.12	6.2/6.0	5.7/6.4	5.6/7.5	5.5/7.2	5.7/6.8	6.3/8.0	6.8/8.3	7.3/8.6	7.8/8.6	7.6/8.6	7.8/8.6	8.6/8.6	8.7/8.6	7.7/8.6	8.0/8.6
FMY	0.25	1.7/2.6	1.5/2.0	1.6/2.6	1.9/2.7	2.5/3.2	3.5/3.5	3.8/3.4	4.1/7.1	4.8/7.1	5.0/7.1	4.8/7.1	5.0/7.1	5.0/7.1	5.5/7.1	5.5/7.1
FSD	-0.04	3.7/4.9	3.8/4.3	4.1/5.4	5.6/5.4	6.9/5.5	6.7/6.5	6.2/6.6	5.8/6.3	6.1/6.3	7.6/6.3	7.1/6.3	7.1/6.3	6.7/6.3	7.6/6.3	7.7/6.3
FWA	-0.03	2.8/3.8	3.2/3.8	3.9/4.1	4.4/4.2	4.7/4.6	6.2/5.1	6.3/6.3	6.1/6.6	6.6/6.6	6.7/6.6	7.9/6.6	7.9/6.6	7.5/6.6	7.3/6.6	7.0/6.6
GAD	0.05	4.0/5.5	3.9/5.9	4.2/5.6	4.8/6.1	5.4/6.3	6.4/6.7	6.9/5.3	8.4/9.8	8.3/9.8	9.7/9.8	9.7/9.8	10.9/9.8	11.3/9.8	11.4/9.8	10.8/9.8

GEG	-0.41	3.2/3.6	3.6/3.4	5.0/3.1	7.4/3.2	6.9/3.5	6.9/4.0	6.2/4.6	6.5/5.4	7.1/5.4	8.7/5.4	7.2/5.4	6.7/5.4	6.6/5.4	6.1/5.4	6.2/5.4
GTF	0.12	5.6/6.0	5.4/6.9	5.3/7.2	5.9/6.6	6.2/7.5	7.0/8.1	8.1/9.2	9.3/10.1	8.5/10.1	8.9/10.1	8.6/10.1	9.0/10.1	9.7/10.1	9.6/10.1	9.8/10.1
HOU	0.05	4.9/5.1	5.3/5.0	5.3/5.9	6.7/7.0	5.8/7.0	5.3/6.3	6.9/8.2	7.5/8.9	8.0/8.9	7.9/8.9	8.7/8.9	8.5/8.9	9.3/8.9	9.5/8.9	10.4/8.9
HSV	0.17	2.7/3.5	2.1/3.3	2.5/3.8	3.0/5.0	3.2/4.8	5.0/6.3	6.6/6.5	7.1/9.7	7.4/9.7	8.4/9.7	9.4/9.7	9.9/9.7	10.0/9.7	9.9/9.7	9.7/9.7
IAH	0.27	2.1/5.9	2.3/5.9	2.7/6.3	2.6/7.9	3.2/7.5	3.6/7.7	5.3/8.6	6.4/8.9	6.4/8.9	8.5/8.9	9.0/8.9	9.2/8.9	9.7/8.9	10.2/8.9	11.2/8.9
ICT	-0.21	3.6/4.6	4.0/5.6	5.2/5.4	6.3/5.9	7.0/5.9	7.2/6.4	7.3/7.1	6.6/5.4	6.0/5.4	11.9/5.4	7.4/5.4	7.2/5.4	6.7/5.4	7.4/5.4	7.2/5.4
ILG	0.10	1.9/2.4	2.4/2.6	2.6/2.6	3.5/2.8	4.0/3.3	4.2/3.7	4.6/4.5	5.1/6.0	4.5/6.0	4.7/6.0	3.4/6.0	4.0/6.0	5.2/6.0	5.1/6.0	4.9/6.0
IND	0.00	2.1/2.5	2.5/2.2	2.5/2.7	3.6/3.4	4.2/4.0	5.2/4.1	5.7/4.5	5.7/7.0	5.9/7.0	5.8/7.0	7.3/7.0	7.1/7.0	6.7/7.0	6.5/7.0	6.4/7.0
IPT	-0.07	2.9/3.2	3.1/2.9	3.7/3.1	4.9/3.3	4.2/3.4	4.5/3.9	5.5/4.2	6.2/6.5	6.0/6.5	6.3/6.5	6.3/6.5	6.2/6.5	6.0/6.5	6.5/6.5	6.3/6.5
JAN	0.18	3.0/3.6	2.9/4.0	3.1/4.7	3.8/5.9	4.4/6.5	5.3/7.8	7.3/8.6	7.4/10.7	7.6/10.7	8.2/10.7	10.3/10.7	11.0/10.7	11.0/10.7	11.1/10.7	10.9/10.7
JAX	0.20	2.5/3.0	2.4/3.5	2.7/3.5	3.0/4.1	3.0/3.7	3.6/4.8	4.2/4.7	5.0/8.4	5.5/8.4	6.4/8.4	6.5/8.4	6.9/8.4	7.9/8.4	8.0/8.4	8.6/8.4
JFK	0.03	2.4/2.3	2.8/2.4	3.3/2.8	3.5/2.9	3.6/3.2	4.1/3.6	4.8/4.2	5.0/5.5	5.0/5.5	4.4/5.5	4.0/5.5	4.0/5.5	4.4/5.5	4.1/5.5	4.7/5.5
LAN	0.03	2.4/3.4	2.8/3.1	3.1/4.0	3.1/3.9	3.2/3.3	4.4/4.4	4.7/4.3	4.9/5.4	4.7/5.4	5.4/5.4	7.1/5.4	6.3/5.4	6.2/5.4	5.4/5.4	4.9/5.4
LAS	0.05	1.8/2.4	2.0/2.8	1.9/1.9	3.0/2.2	3.0/2.3	3.1/3.3	2.9/3.6	2.5/3.9	2.4/3.9	3.4/3.9	3.7/3.9	3.9/3.9	4.1/3.9	4.1/3.9	4.5/3.9
LAX	-0.64	2.2/2.2	2.2/2.1	2.8/2.0	5.4/2.0	4.8/1.9	5.4/2.1	6.1/2.6	7.0/2.9	7.6/2.9	2.6/2.9	3.0/2.9	3.0/2.9	2.8/2.9	2.9/2.9	3.1/2.9
LEX	0.09	1.9/4.2	2.2/3.3	2.3/3.5	3.0/4.8	3.4/5.3	4.6/5.2	5.7/5.2	6.3/7.5	6.6/7.5	6.6/7.5	14.8/7.5	8.0/7.5	7.4/7.5	7.4/7.5	7.7/7.5
LFK	0.21	3.1/5.1	3.2/5.5	3.1/5.9	3.9/7.3	4.7/7.5	5.9/8.4	7.0/9.8	7.4/10.1	7.6/10.1	8.9/10.1	9.5/10.1	9.9/10.1	10.5/10.1	11.0/10.1	11.8/10.1
LGA	0.15	1.5/1.6	1.9/1.8	2.1/2.1	2.6/2.5	3.4/3.0	3.6/3.7	3.8/4.5	4.3/6.0	4.4/6.0	4.2/6.0	4.0/6.0	4.0/6.0	4.2/6.0	4.2/6.0	4.7/6.0
LGB	-0.46	2.3/2.6	2.6/2.7	2.7/2.5	4.5/2.4	5.3/2.4	6.1/2.8	6.5/2.8	6.8/3.0	6.8/3.0	2.7/3.0	2.9/3.0	2.8/3.0	3.0/3.0	3.0/3.0	3.3/3.0
LIT	0.11	2.5/5.1	2.4/5.2	2.9/5.7	3.5/6.4	3.2/6.2	4.1/4.7	4.8/4.9	4.4/5.2	4.9/5.2	4.8/5.2	7.6/5.2	6.5/5.2	6.2/5.2	5.9/5.2	6.6/5.2
LNS	0.17	2.8/2.6	3.3/3.4	3.5/3.4	4.6/3.0	4.0/3.4	4.4/3.8	5.2/3.3	5.7/9.7	5.3/9.7	5.2/9.7	4.9/9.7	4.9/9.7	5.2/9.7	5.2/9.7	5.1/9.7
MAF	0.23	2.6/6.1	2.4/7.0	3.0/7.0	2.7/6.0	3.7/6.3	4.4/6.5	5.0/6.7	4.8/5.5	5.0/5.5	5.5/5.5	5.6/5.5	5.9/5.5	5.7/5.5	5.7/5.5	5.7/5.5
MBA	0.12	3.3/3.5	3.3/4.4	3.2/4.8	4.5/4.7	4.5/4.5	5.4/4.7	6.1/4.5	7.1/8.3	6.5/8.3	6.5/8.3	6.6/8.3	6.5/8.3	6.6/8.3	7.0/8.3	6.9/8.3
MCI	-0.12	4.3/5.4	4.4/5.4	4.8/5.2	6.2/5.2	6.6/5.6	6.9/5.7	7.5/6.9	7.1/5.3	6.6/5.3	4.8/5.3	7.3/5.3	6.3/5.3	5.9/5.3	6.4/5.3	6.6/5.3
MCN	0.03	3.5/4.5	3.5/4.7	3.4/5.1	3.8/5.4	4.0/5.6	5.0/4.8	5.4/5.0	6.1/8.8	7.2/8.8	7.7/8.8	19.2/8.8	9.7/8.8	9.9/8.8	9.0/8.8	9.0/8.8
MCO	0.14	2.1/2.6	2.3/2.1	2.2/2.2	2.7/2.5	3.0/2.8	3.3/3.0	3.9/3.3	5.1/7.6	5.1/7.6	5.5/7.6	4.9/7.6	4.8/7.6	5.2/7.6	5.2/7.6	6.1/7.6
MDT	0.07	3.2/2.8	2.7/3.1	2.8/3.3	3.5/2.8	3.6/2.9	3.6/3.9	3.9/3.8	4.5/4.8	4.1/4.8	3.7/4.8	4.7/4.8	4.1/4.8	4.0/4.8	4.5/4.8	4.5/4.8
MEM	0.23	3.6/5.5	3.5/5.5	3.8/6.0	3.9/6.9	4.0/6.1	3.7/6.2	4.9/6.3	4.2/6.7	4.0/6.7	5.1/6.7	6.3/6.7	6.9/6.7	6.9/6.7	7.2/6.7	7.2/6.7
MHT	0.21	3.2/3.5	3.2/4.5	2.8/4.5	3.7/4.1	4.0/4.3	4.8/5.4	5.6/5.0	5.8/8.3	5.7/8.3	5.9/8.3	6.0/8.3	6.0/8.3	6.0/8.3	5.8/8.3	6.3/8.3
MIA	0.20	1.9/2.1	2.1/2.2	2.5/2.5	2.3/3.1	3.0/3.2	3.7/3.6	3.9/4.1	4.3/7.5	4.3/7.5	5.1/7.5	5.3/7.5	5.1/7.5	5.3/7.5	5.9/7.5	6.0/7.5
MKE	-0.06	2.3/3.4	3.1/3.4	3.5/4.3	5.5/3.8	5.7/4.5	7.9/4.9	7.7/5.3	7.6/6.1	7.8/6.1	5.5/6.1	5.5/6.1	4.8/6.1	4.9/6.1	4.9/6.1	4.9/6.1
MOB	0.17	2.8/3.7	3.0/3.7	3.3/4.2	3.3/5.2	3.7/6.5	5.4/6.4	7.7/7.4	8.2/10.8	8.7/10.8	7.6/10.8	9.4/10.8	10.0/10.8	10.6/10.8	11.3/10.8	10.3/10.8
MSP	0.25	3.4/5.0	3.1/4.8	3.0/4.4	4.0/5.2	5.4/5.0	5.4/5.5	6.0/7.2	6.1/8.9	5.8/8.9	4.9/8.9	6.5/8.9	5.8/8.9	6.5/8.9	6.5/8.9	8.3/8.9
MSY	0.18	2.6/3.2	2.8/3.4	2.5/4.0	3.4/5.1	3.8/5.2	4.3/4.8	5.9/6.6	6.6/8.6	6.3/8.6	5.7/8.6	7.1/8.6	8.1/8.6	8.6/8.6	8.6/8.6	8.6/8.6
MWL	0.31	2.5/5.3	2.1/6.7	2.6/8.1	2.8/8.9	3.6/8.6	4.4/7.4	5.1/9.5	5.6/7.2	5.7/7.2	6.8/7.2	6.5/7.2	7.2/7.2	7.2/7.2	6.9/7.2	7.2/7.2
NKX	-0.22	1.7/2.2	2.0/2.3	1.7/2.0	2.9/2.1	3.6/1.9	4.0/3.1	3.6/2.5	3.6/0.0	3.4/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0
NTU	0.05	3.1/3.7	3.5/4.2	3.6/4.1	5.1/5.0	5.4/5.3	5.6/4.1	6.8/5.1	7.0/8.6	7.2/8.6	6.4/8.6	7.2/8.6	7.3/8.6	8.0/8.6	8.4/8.6	8.3/8.6
OAK	-0.07	2.6/2.5	2.6/2.4	2.7/2.8	4.0/2.5	4.8/3.1	5.3/3.3	4.8/3.7	4.6/5.2	4.8/5.2	4.6/5.2	4.4/5.2	4.3/5.2	4.1/5.2	4.3/5.2	4.7/5.2
OKC	-0.01	3.4/4.7	3.0/5.2	3.5/5.5	3.8/5.4	4.9/5.8	6.3/5.7	7.1/6.7	6.4/4.7	5.6/4.7	6.8/4.7	5.6/4.7	5.3/4.7	5.2/4.7	4.6/4.7	5.7/4.7
OMA	-0.16	4.2/4.7	4.0/5.4	4.2/5.5	5.0/5.8	5.2/5.2	6.0/6.5	6.5/6.1	6.6/4.4	6.3/4.4	6.8/4.4	6.8/4.4	6.0/4.4	5.0/4.4	5.4/4.4	6.1/4.4
ORD	0.11	2.3/3.5	2.3/4.1	2.9/4.0	3.7/4.3	4.2/5.0	6.1/4.7	6.3/5.6	5.9/6.0	5.6/6.0	5.3/6.0	5.8/6.0	5.8/6.0	5.0/6.0	5.4/6.0	5.4/6.0
ORH	0.09	2.2/3.2	2.0/3.2	2.3/3.3	4.0/2.9	3.8/3.3	4.3/4.0	6.3/4.6	6.3/7.3	5.9/7.3	5.6/7.3	5.9/7.3	5.8/7.3	5.6/7.3	6.2/7.3	6.2/7.3
PDT	-0.41	3.7/4.0	3.8/4.1	4.4/3.9	6.5/4.6	7.6/4.8	8.4/4.9	8.8/5.9	9.7/6.5	10.0/6.5	10.6/6.5	10.7/6.5	9.9/6.5	9.5/6.5	9.5/6.5	8.9/6.5
PDX	-0.55	3.0/2.7	3.3/2.6	3.9/2.5	5.4/2.6	5.4/3.1	5.8/2.6	6.2/3.4	6.8/4.0	7.1/4.0	5.4/4.0	5.5/4.0	5.4/4.0	5.3/4.0	5.4/4.0	5.1/4.0
PHL	0.06	1.6/2.0	2.0/2.1	2.3/2.2	2.9/2.0	3.5/2.6	3.6/2.9	3.8/3.8	4.5/5.0	4.1/5.0	3.7/5.0	3.5/5.0	3.8/5.0	4.0/5.0	3.8/5.0	4.1/5.0
PHX	0.07	1.9/1.9	2.0/2.2	1.8/2.0	2.1/1.6	2.6/2.0	2.9/2.8	2.8/2.3	2.3/3.7	2.2/3.7	3.0/3.7	3.0/3.7	3.0/3.7	3.3/3.7	3.1/3.7	3.7/3.7
PIR	-0.22	4.4/4.2	3.8/4.1	3.7/4.2	4.7/3.9	5.3/4.2	5.2/4.4	5.6/5.6	5.9/4.8	5.6/4.8	6.2/4.8	6.7/4.8	6.1/4.8	6.4/4.8	7.1/4.8	7.6/4.8
PIT	0.08	2.8/3.1	3.2/3.5	3.5/3.5	4.2/3.2	3.7/3.2	4.8/4.5	5.4/4.0	5.0/6.5	5.0/6.5	4.4/6.5	5.2/6.5	5.0/6.5	5.0/6.5	5.5/6.5	5.4/6.5
PVD	0.12	1.9/2.6	2.2/3.3	2.3/3.1	3.2/2.8	2.8/2.8	3.4/3.1	4.3/3.3	4.8/6.1	4.5/6.1	5.4/6.1	4.6/6.1	5.5/6.1	5.0/6.1	4.6/6.1	5.0/6.1
PWM	0.17	3.2/4.0	3.3/4.4	3.4/4.9	4.2/4.1	4.3/4.6	5.7/5.2	6.8/5.5	6.8/8.4	5.9/8.4	6.3/8.4	6.5/8.4	6.2/8.4	6.0/8.4	5.9/8.4	6.3/8.4
RAP	-0.05	5.6/4.0	4.5/4.6	4.1/4.0	4.2/4.0	4.2/3.9	3.9/3.5	4.5/4.7	5.2/5.6	5.2/5.6	4.9/5.6	5.9/5.6	5.9/5.6	5.7/5.6	5.8/5.6	6.1/5.6
RBL	-0.01	3.3/3.3	4.1/3.2	4.2/3.7	4.1/3.8	4.0/3.9	4.1/4.3	4.3/3.5	4.5/5.1	4.5/5.1	4.9/5.1	4.9/5.1	5.0/5.1	5.0/5.1	5.1/5.1	5.1/5.1
RDD	-0.05	4.7/3.9	5.0/4.2	5.5/4.4	5.6/4.1	5.5/4.8	5.1/4.6	4.7/4.7	4.5/5.3	5.0/5.3	4.9/5.3	4.8/5.3	5.0/5.3	5.1/5.3	5.3/5.3	5.3/5.3
RDU	0.05	2.7/3.1	2.7/2.9	2.6/3.3	4.6/4.4	5.0/5.1	5.5/4.6	6.5/5.9	7.2/8.9	7.4/8.9	7.3/8.9	7.7/8.9	8.7/8.9	9.0/8.9	8.4/8.9	8.8/8.9
RIC	0.06	2.2/2.6	2.5/3.0	2.8/3.0	4.3/3.7	4.4/4.1	4.9/3.2	5.5/4.9	5.6/8.1	5.9/8.1	6.3/8.1	6.7/8.1	6.8/8.1	7.6/8.1	7.6/8.1	7.5/8.1
RNO	-0.16	2.5/3.6	2.3/3.1	3.7/3.4	5.7/3.4	5.7/3.5	5.5/4.1	4.7/3.9	4.8/6.1	5.1/6.1	8.1/6.1	8.2/6.1	7.3/6.1	6.4/6.1	8.0/6.1	7.1/6.1
ROA	0.09	2.5/2.6	3.0/2.9	3.1/3.1	3.4/3.2	3.5/3.2	3.9/3.0	4.6/4.3	5.3/7.6	5.5/7.6	5.0/7.6	5.6/7.6	6.1/7.6	6.2/7.6	6.4/7.6	6.3/7.6
ROC	0.17	3.0/3.5	3.0/3.5	3.3/4.4	4.0/4.2	3.8/4.1	4.4/4.4	4.2/4.6	4.7/7.0	5.1/7.0	5.5/7.0	5.7/7.0	5.6/7.0	5.3/7.0	5.6/7.0	6.0/7.0

SAC	-0.15	2.6/2.8	2.4/2.4	2.4/2.4	4.2/2.3	4.2/3.0	4.5/3.4	4.3/2.8	3.9/4.5	3.9/4.5	4.9/4.5	4.9/4.5	4.7/4.5	4.8/4.5	4.9/4.5	5.0/4.5
SAN	0.15	1.8/2.4	1.7/2.7	1.5/2.8	3.1/3.0	3.5/2.9	3.9/3.6	3.6/4.0	3.8/4.1	3.6/4.1	3.2/4.1	3.2/4.1	3.4/4.1	3.4/4.1	3.3/4.1	3.6/4.1
SAT	0.14	4.0/5.7	3.6/6.3	3.9/8.0	4.1/8.8	4.5/8.0	5.5/7.4	7.4/8.9	8.0/8.4	7.3/8.4	8.5/8.4	8.5/8.4	8.9/8.4	9.5/8.4	10.1/8.4	10.6/8.4
SAV	0.02	3.3/3.6	3.5/3.7	3.5/3.1	4.3/4.4	4.6/4.4	6.0/5.7	6.8/4.8	7.4/8.8	8.8/8.8	7.4/8.8	6.8/8.8	7.8/8.8	8.2/8.8	8.8/8.8	8.8/8.8
SDF	0.13	2.1/2.9	2.7/3.2	2.5/3.1	3.1/3.9	3.6/4.6	4.6/4.7	5.5/4.1	5.4/7.0	5.7/7.0	5.7/7.0	6.2/7.0	6.2/7.0	6.2/7.0	6.1/7.0	6.4/7.0
SEA	-0.36	1.9/1.9	1.7/1.9	1.7/1.9	2.8/2.0	3.3/2.4	4.0/2.5	4.5/3.1	5.1/3.0	5.4/3.0	4.5/3.0	4.3/3.0	4.2/3.0	4.1/3.0	4.0/3.0	4.0/3.0
SFO	0.01	1.8/2.1	1.7/1.6	1.6/1.8	1.7/2.1	2.3/2.0	2.6/2.3	2.5/3.1	2.6/3.1	2.8/3.1	3.7/3.1	3.5/3.1	3.2/3.1	2.9/3.1	3.1/3.1	3.4/3.1
SJC	-0.11	1.9/2.0	1.9/2.4	1.9/2.4	3.0/2.2	3.7/2.7	4.2/2.9	3.9/3.0	4.3/4.0	3.8/4.0	4.8/4.0	4.5/4.0	4.4/4.0	3.9/4.0	4.0/4.0	4.4/4.0
SJT	0.13	4.4/7.8	4.3/9.6	5.2/10.0	4.9/9.5	5.2/9.1	5.7/8.9	5.9/9.3	6.3/6.2	6.2/6.2	8.3/6.2	7.0/6.2	6.8/6.2	7.0/6.2	7.4/6.2	7.4/6.2
SLC	-0.09	2.9/4.0	3.2/4.1	4.2/3.5	6.9/3.8	7.0/3.6	6.9/4.6	5.6/4.7	4.5/5.9	4.3/5.9	5.8/5.9	5.8/5.9	5.4/5.9	5.5/5.9	5.4/5.9	5.5/5.9
SSI	0.23	2.4/3.8	2.4/3.9	2.3/3.8	2.7/3.8	2.9/4.4	3.6/5.3	4.1/4.2	4.9/7.5	5.0/7.5	5.9/7.5	5.7/7.5	6.3/7.5	6.8/7.5	7.5/7.5	8.1/7.5
STL	0.14	2.3/4.1	2.4/4.0	2.3/4.2	3.4/5.6	3.6/5.4	4.1/4.1	5.3/4.8	5.2/4.9	4.8/4.9	4.6/4.9	5.3/4.9	5.1/4.9	4.6/4.9	4.4/4.9	4.5/4.9
SYR	0.15	4.0/3.5	4.0/3.7	4.4/4.6	4.2/4.3	3.8/4.6	4.3/5.5	4.8/5.6	5.6/8.4	5.9/8.4	10.6/8.4	5.8/8.4	5.6/8.4	5.7/8.4	6.1/8.4	6.7/8.4
TLH	0.16	3.5/3.9	3.0/3.8	3.1/4.6	3.6/4.9	4.0/5.5	4.7/5.7	5.4/4.6	6.3/9.0	6.7/9.0	6.9/9.0	6.8/9.0	8.1/9.0	9.0/9.0	9.0/9.0	9.1/9.0
TPA	0.18	1.6/2.8	2.0/2.5	2.7/2.7	2.7/3.1	3.1/3.1	3.8/3.3	3.7/3.5	4.9/8.0	5.2/8.0	5.5/8.0	5.8/8.0	5.6/8.0	6.5/8.0	6.7/8.0	6.8/8.0
TRM	0.15	2.9/3.0	3.1/2.8	3.2/2.4	4.1/3.1	4.2/3.1	4.0/3.4	4.4/4.5	4.1/6.9	3.8/6.9	3.6/6.9	3.3/6.9	3.3/6.9	3.2/6.9	4.4/6.9	5.5/6.9
TUL	0.02	3.4/5.8	3.1/5.9	3.9/6.6	3.8/7.0	4.1/5.6	4.7/6.4	6.2/7.8	5.1/4.1	3.9/4.1	5.3/4.1	5.5/4.1	5.2/4.1	5.1/4.1	5.3/4.1	6.2/4.1
TUS	0.24	1.8/2.5	2.1/3.4	1.8/2.7	2.7/2.4	2.7/3.8	2.9/4.0	3.2/4.2	3.4/5.8	3.4/5.8	4.4/5.8	4.4/5.8	4.6/5.8	5.0/5.8	5.0/5.8	5.2/5.8
TYR	0.18	2.9/6.3	3.2/5.8	3.6/7.2	3.9/8.1	4.7/8.0	5.3/7.7	6.7/9.1	6.2/6.6	5.4/6.6	6.2/6.6	6.8/6.6	6.8/6.6	7.5/6.6	7.8/6.6	8.6/6.6
TYS	0.13	2.3/3.5	2.6/3.7	2.4/3.7	3.2/4.5	3.2/4.3	3.9/4.9	4.6/4.0	4.8/6.9	5.1/6.9	5.3/6.9	6.9/6.9	7.4/6.9	8.1/6.9	7.7/6.9	8.0/6.9
VCT	0.29	2.7/6.8	2.8/7.0	3.4/8.8	3.6/9.7	4.1/9.6	4.7/10.1	6.8/10.3	7.8/9.7	7.5/9.7	9.1/9.7	9.4/9.7	9.2/9.7	9.8/9.7	10.4/9.7	10.9/9.7
WJF	-0.03	3.6/3.4	3.8/4.0	4.4/4.1	5.5/3.8	5.5/3.7	5.7/4.6	6.1/5.7	6.3/7.0	6.2/7.0	6.0/7.0	5.9/7.0	6.1/7.0	6.4/7.0	6.5/7.0	6.9/7.0
YKM	-0.32	3.7/3.7	4.1/4.0	4.0/3.1	5.8/3.4	5.6/3.7	5.1/3.6	5.4/3.9	5.7/4.6	5.6/4.6	6.0/4.6	5.7/4.6	6.4/4.6	6.3/4.6	6.2/4.6	5.8/4.6
YNG	0.10	2.9/3.1	3.0/3.5	3.0/3.5	3.6/3.1	3.3/3.3	4.0/4.3	4.6/3.1	4.3/6.2	4.9/6.2	4.3/6.2	4.7/6.2	4.8/6.2	5.0/6.2	5.3/6.2	5.5/6.2

Bias (2007-12-01~2007-12-31)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ABE	-2.55	-0.4/0.7	-0.4/0.6	-1.2/-0.7	-1.8/-0.7	-0.7/-0.4	-2.0/-0.4	-3.3/-1.9	-3.7/-2.8	-3.6/-2.8	-3.7/-2.8	-3.5/-2.8	-3.5/-2.8	-3.5/-2.8	-3.8/-2.8	-3.2/-2.8
ABI	0.54	0.1/5.3	0.5/7.1	0.1/7.9	0.6/7.1	0.1/6.0	0.0/6.6	0.5/6.7	0.7/0.6	1.0/0.6	0.5/0.6	0.2/0.6	0.9/0.6	1.0/0.6	0.7/0.6	1.0/0.6
ABQ	-2.29	0.4/2.6	0.3/2.4	-1.3/2.3	-4.0/2.1	-4.4/1.3	-4.6/1.4	-4.5/1.8	-4.6/-3.0	-4.6/-3.0	-4.1/-3.0	-1.9/-3.0	-1.3/-3.0	-1.5/-3.0	-1.6/-3.0	-0.7/-3.0
ABY	-1.49	0.2/1.9	-0.2/1.0	-0.5/0.7	-1.2/0.4	-1.2/1.7	-1.9/2.6	-1.7/0.6	-2.2/-6.8	-2.6/-6.8	-3.8/-6.8	-2.9/-6.8	-0.9/-6.8	-2.2/-6.8	-2.5/-6.8	-0.2/-6.8
ACT	0.99	0.3/7.8	1.1/9.3	0.2/10.5	0.6/10.6	-0.1/8.6	-0.2/8.2	0.4/8.0	0.8/1.1	1.2/1.1	1.1/1.1	1.3/1.1	1.8/1.1	2.2/1.1	2.0/1.1	2.3/1.1
ACY	-2.04	-0.7/0.6	-0.5/0.8	-0.3/-0.1	-1.3/-1.2	-0.1/-0.8	-1.6/0.7	-3.2/-1.7	-3.3/-3.5	-3.4/-3.5	-3.4/-3.5	-2.8/-3.5	-2.4/-3.5	-2.7/-3.5	-2.9/-3.5	-2.0/-3.5
ALB	-2.62	-0.6/0.4	-0.7/0.6	-1.5/0.0	-2.4/-1.6	-1.5/-1.8	-3.1/-1.0	-4.9/-2.6	-4.5/-1.5	-4.1/-1.5	-3.2/-1.5	-2.8/-1.5	-2.8/-1.5	-2.5/-1.5	-2.7/-1.5	-2.8/-1.5
ALW	-3.51	-0.1/-0.8	0.1/-0.7	-1.3/-1.9	-2.3/-1.8	-3.1/-3.4	-2.8/-3.3	-2.4/-2.0	-2.5/-3.1	-2.6/-3.1	-6.0/-3.1	-5.9/-3.1	-6.6/-3.1	-6.2/-3.1	-6.0/-3.1	-5.1/-3.1
AOO	-2.90	-1.1/0.7	-1.3/0.8	-1.6/0.4	-1.4/-0.1	-0.9/-0.2	-2.3/0.4	-3.0/-0.8	-3.5/-1.5	-3.7/-1.5	-3.4/-1.5	-3.3/-1.5	-5.3/-1.5	-4.2/-1.5	-4.8/-1.5	-3.8/-1.5
APN	-3.81	0.0/3.4	-0.3/3.3	-0.6/2.6	-1.7/1.1	-3.3/1.1	-4.9/0.7	-5.2/-0.3	-5.2/-0.6	-5.9/-0.6	-6.6/-0.6	-4.9/-0.6	-4.2/-0.6	-5.4/-0.6	-4.5/-0.6	-4.5/-0.6
ATL	-3.24	-0.3/1.2	-0.5/1.7	-0.8/1.4	-1.9/1.3	-2.6/2.0	-3.2/1.7	-3.7/1.1	-4.5/-5.4	-4.8/-5.4	-4.0/-5.4	-5.6/-5.4	-4.5/-5.4	-4.4/-5.4	-4.8/-5.4	-2.9/-5.4
AUG	-2.79	-1.4/1.7	-1.4/2.6	-2.5/2.4	-6.7/1.5	-5.4/1.5	-5.3/1.2	-7.0/0.3	-6.9/1.2	-5.5/1.2	-1.2/1.2	-0.8/1.2	0.4/1.2	0.4/1.2	0.2/1.2	1.2/1.2
AUS	2.57	3.3/6.2	3.0/6.9	2.9/7.4	2.7/9.7	2.2/8.1	2.2/7.6	3.2/6.8	4.0/5.0	4.0/5.0	1.5/5.0	2.2/5.0	1.4/5.0	2.1/5.0	1.7/5.0	2.1/5.0
AVP	-3.44	-2.3/-0.1	-2.3/0.2	-2.6/0.2	-2.6/-0.8	-1.6/-0.8	-3.0/-0.3	-4.3/-1.9	-4.4/-1.6	-4.3/-1.6	-3.6/-1.6	-3.4/-1.6	-5.1/-1.6	-4.1/-1.6	-4.4/-1.6	-3.6/-1.6
BDL	-2.24	-0.5/0.8	-0.8/0.6	-1.3/0.8	-2.8/+0.3	-1.4/-0.9	-2.9/0.0	-4.4/-1.4	-4.6/-0.7	-4.3/-0.7	-2.2/-0.7	-2.1/-0.7	-1.0/-0.7	-1.8/-0.7	-2.1/-0.7	-1.3/-0.7
BFL	0.23	0.0/0.3	0.3/1.8	0.2/1.9	-1.4/1.9	-1.4/1.6	-0.9/2.2	-0.3/3.4	-0.1/1.5	0.2/1.5	-0.5/1.5	0.4/1.5	0.9/1.5	1.7/1.5	2.0/1.5	2.3/1.5
BGM	-1.85	-0.7/0.2	-1.4/0.2	-1.0/0.2	-1.1/-0.9	-0.8/-0.2	-2.3/0.2	-3.8/-1.4	-3.6/-1.3	-3.5/-1.3	-2.8/-1.3	-1.8/-1.3	-1.5/-1.3	-1.3/-1.3	-1.6/-1.3	-0.6/-1.3
BHM	-3.73	-0.4/1.3	-1.0/0.8	-1.4/1.5	-2.1/1.8	-2.8/1.7	-4.5/1.3	-5.0/0.6	-5.6/-6.9	-5.7/-6.9	-4.0/-6.9	-3.6/-6.9	-5.5/-6.9	-5.2/-6.9	-5.4/-6.9	-3.8/-6.9
BIS	-1.89	-1.7/2.3	-2.1/2.6	-1.6/2.1	-3.7/1.7	-3.6/2.4	-3.2/3.7	-2.3/3.0	-1.9/0.1	-1.6/0.1	-3.1/0.1	-2.1/0.1	-1.4/0.1	-0.2/0.1	-0.2/0.1	0.3/0.1
BNA	-3.85	0.5/1.9	0.0/1.5	-0.3/1.7	-0.9/3.1	-1.9/2.4	-4.4/0.8	-4.8/-0.6	-5.5/-5.9	-5.5/-5.9	-6.0/-5.9	-6.0/-5.9	-5.5/-5.9	-6.2/-5.9	-6.2/-5.9	-5.4/-5.9
BOI	-4.89	-0.6/0.1	-1.1/-0.5	-2.6/-2.0	-5.1/-2.0	-5.6/-1.3	-6.1/-0.5	-5.9/-0.7	-5.7/-2.2	-5.8/-2.2	-6.0/-2.2	-5.9/-2.2	-6.1/-2.2	-5.9/-2.2	-5.8/-2.2	-5.1/-2.2
BOS	-1.57	-0.1/1.8	-0.2/2.0	-0.7/2.4	-3.3/1.2	-2.0/0.7	-2.0/1.2	-2.8/0.1	-2.6/1.8	-1.8/1.8	-1.7/1.8	-0.8/1.8	-1.8/1.8	-1.6/1.8	-1.6/1.8	-0.7/1.8
BRO	1.00	-0.6/3.6	-1.3/4.6	-1.3/5.9	-0.7/7.5	-0.5/6.7	0.5/5.0	0.5/4.3	1.0/-2.2	1.4/-2.2	2.5/-2.2	3.5/-2.2	3.1/-2.2	2.3/-2.2	2.2/-2.2	2.4/-2.2
BTV	-2.61	0.4/0.3	0.6/0.6	-0.3/-0.2	-1.3/-0.5	-0.7/-1.3	-2.4/-0.7	-4.2/-2.4	-3.7/-1.3	-4.1/-1.3	-4.9/-1.3	-5.5/-1.3	-4.7/-1.3	-3.6/-1.3	-3.4/-1.3	-2.4/-1.3
BUF	0.08	0.1/1.6	0.6/1.9	0.5/1.6	0.1/1.2	0.2/2.6	-0.5/2.3	-0.3/1.2	0.2/0.1	0.3/0.1	-0.3/0.1	-0.2/0.1	-0.1/0.1	0.0/0.1	-0.2/0.1	0.6/0.1
BUR	-2.48	0.0/0.5	-0.4/0.5	-0.9/1.4	-3.7/1.0	-4.8/1.2	-5.8/2.1	-6.5/1.6	-7.0/0.6	-7.2/0.6	-0.7/0.6	-0.6/0.6	-0.4/0.6	-0.1/0.6	-0.3/0.6	0.5/0.6
BWI	-2.20	0.4/1.5	-0.1/0.9	-0.2/0.7	-1.1/0.5	-0.9/0.0	-1.9/0.5	-3.4/-0.8	-4.1/-3.5	-4.3/-3.5	-3.3/-3.5	-3.0/-3.5	-2.8/-3.5	-2.8/-3.5	-3.2/-3.5	-2.3/-3.5
CAE	-2.93	0.1/1.8	-0.2/1.1	-0.6/1.6	-2.3/+0.0	-2.3/1.9	-3.0/1.3	-3.5/0.7	-4.3/-4.4	-4.6/-4.4	-4.4/-4.4	-4.5/-4.4	-4.0/-4.4	-3.8/-4.4	-4.1/-4.4	-2.5/-4.4
CHA	-3.94	-0.5/-0.5	-0.7/-0.3	-1.3/-1.6	-2.0/+0.3	-2.8/0.6	-4.0/-0.2	-4.5/-1.5	-5.4/-7.0	-5.6/-7.0	-5.2/-7.0	-5.4/-7.0	-5.4/-7.0	-6.1/-7.0	-6.1/-7.0	-4.7/-7.0
CLE	-2.01	0.1/1.4	-0.1/1.4	-0.2/1.3	-1.1/0.8	-1.1/1.1	-3.2/1.5	-3.5/-0.7	-3.7/-2.4	-4.2/-2.4	-2.2/-2.4	-2.5/-2.4	-2.3/-2.4	-2.0/-2.4	-2.4/-2.4	-1.9/-2.4
CLT	-4.26	-0.7/0.0	-1.3/1.0	-1.6/-0.3	-3.1/-0.7	-3.1/0.7	-4.1/0.3	-4.8/-0.4	-5.4/-3.9	-5.9/-3.9	-5.8/-3.9	-6.0/-3.9	-5.8/-3.9	-6.1/-3.9	-6.1/-3.9	-4.6/-3.9
CMH	-2.20	0.2/1.5	0.0/1.5	-0.4/1.4	-1.6/0.6	-1.6/1.5	-3.4/1.3	-3.5/0.2	-3.7/-3.0	-4.1/-3.0	-2.1/-3.0	-2.4/-3.0	-2.5/-3.0	-2.4/-3.0	-3.2/-3.0	-2.4/-3.0
CON	-1.69	0.9/1.7	1.8/2.4	0.5/1.5	-1.7/0.7	-1.0/0.3	-1.6/1.8	-3.4/0.2	-3.3/1.2	-2.6/1.2	-2.9/1.2	-2.5/1.2	-2.6/1.2	-2.4/1.2	-2.1/1.2	-1.1/1.2
COS	-2.71	-2.1/0.3	-2.4/1.2	-3.2/1.6	-4.5/0.6	-4.8/0.1	-4.3/1.0	-3.3/2.8	-3.3/-0.6	-3.1/-0.6	-2.4/-0.6	-2.8/-0.6	-2.8/-0.6	-1.6/-0.6	-0.6/-0.6	0.2/-0.6
COU	-3.18	-1.9/2.0	-1.9/1.3	-2.1/1.1	-2.5/1.3	-2.6/1.4	-3.3/1.0	-3.5/0.4	-3.7/-3.5	-3.8/-3.5	-3.7/-3.5	-3.2/-3.5	-4.4/-3.5	-4.2/-3.5	-3.8/-3.5	-3.2/-3.5
CRP	-0.50	-0.5/5.1	-0.7/6.0	-0.9/7.1	-0.6/8.0	-0.7/7.0	-1.1/5.8	-1.2/4.6	-0.4/-2.0	-0.2/-2.0	-0.8/-2.0	-0.2/-2.0	-0.1/-2.0	-0.4/-2.0	-0.2/-2.0	0.6/-2.0
CRW	-3.25	-1.2/2.7	-1.1/2.6	-0.6/2.3	-0.5/1.9	-0.9/3.1	-2.6/3.2	-3.5/1.2	-4.1/-3.5	-4.6/-3.5	-5.2/-3.5	-5.0/-3.5	-4.7/-3.5	-4.8/-3.5	-5.6/-3.5	-4.4/-3.5
CVG	-2.91	0.5/2.4	0.1/3.2	-0.4/2.4	-1.8/2.2	-1.9/3.0	-3.9/2.1	-4.0/-0.8	-4.1/-3.0	-4.1/-3.0	-3.7/-3.0	-4.1/-3.0	-3.9/-3.0	-4.1/-3.0	-4.5/-3.0	-3.7/-3.0
DAY	-1.91	0.7/2.9	0.3/2.7	0.6/2.1	-0.1/2.1	-0.6/2.7	-2.8/1.6	-2.9/0.6	-3.1/-1.9	-3.2/-1.9	-2.6/-1.9	-3.1/-1.9	-2.8/-1.9	-3.0/-1.9	-3.4/-1.9	-2.6/-1.9
DBQ	-3.03	-1.2/3.4	-1.5/2.5	-2.4/1.9	-2.7/2.2	-3.8/2.1	-4.5/1.9	-4.0/1.0	-4.0/0.3	-3.6/0.3	-2.1/0.3	-2.4/0.3	-4.5/0.3	-3.5/0.3	-2.8/0.3	-2.6/0.3
DCA	-2.95	-0.4/-0.1	-0.4/-0.3	-1.0/-1.1	-1.8/-1.7	-2.1/-1.0	-3.3/-1.1	-5.0/-2.1	-5.9/-4.1	-6.2/-4.1	-3.5/-4.1	-3.0/-4.1	-2.9/-4.1	-2.8/-4.1	-3.3/-4.1	-2.4/-4.1
DEC	-5.54	-0.9/1.4	-1.4/1.0	-1.8/0.5	-5.2/0.6	-6.9/1.1	-8.3/0.3	-8.3/-0.2	-8.5/-3.6	-8.4/-3.6	-5.2/-3.6	-5.9/-3.6	-5.2/-3.6	-5.9/-3.6	-5.5/-3.6	-5.7/-3.6
DEN	-1.91	-1.9/1.2	-2.0/1.5	-2.4/1.2	-4.1/0.7	-3.7/1.2	-3.0/2.5	-2.5/2.3	-2.2/0.6	-1.9/0.6	-2.8/0.6	-1.4/0.6	-1.1/0.6	-1.0/0.6	-0.4/0.6	1.8/0.6
DFW	1.72	0.4/3.4	0.5/4.0	0.3/5.3	1.0/5.2	0.5/3.8	0.4/2.4	0.7/4.1	0.7/-1.6	0.6/-1.6	2.5/-1.6	3.3/-1.6	3.5/-1.6	3.6/-1.6	3.6/-1.6	4.2/-1.6
DLH	-0.03	-1.7/2.6	-1.0/2.1	-1.1/2.0	-0.8/1.4	-1.5/1.2	-1.7/1.5	-1.3/0.4	-1.3/-1.4	-1.2/-1.4	0.4/-1.4	1.8/-1.4	1.8/-1.4	2.2/-1.4	2.4/-1.4	2.7/-1.4
DSM	-4.77	-1.1/2.2	-0.9/2.2	-2.6/1.5	-5.5/2.3	-6.4/1.7	-6.4/1.9	-5.7/2.1	-6.2/0.2	-6.1/0.2	-6.7/0.2	-6.0/0.2	-5.7/0.2	-4.9/0.2	-3.9/0.2	-3.6/0.2
DTW	-1.71	-0.4/1.7	-0.4/1.5	-0.9/1.8	-1.3/0.5	-1.1/1.5	-2.4/1.0	-2.5/-0.1	-2.5/-0.9	-2.8/-0.9	-2.4/-0.9	-2.2/-0.9	-2.2/-0.9	-1.7/-0.9	-1.7/-0.9	-1.0/-0.9
ELP	-0.25	1.2/2.1	1.1/3.8	0.1/2.6	-2.0/2.5	-1.5/2.7	-1.1/1.2	-0.3/0.8	0.0/-1.0	-0.2/-1.0	-0.9/-1.0	-0.8/-1.0	-0.3/-1.0	0.3/-1.0	0.6/-1.0	0.6/-1.0
ERI	-2.19	-0.8/1.8	-1.3/1.7	-1.2/1.1	-1.3/0.9	-0.1/1.2	-1.9/1.2	-2.6/0.2	-2.7/-0.3	-3.0/+0.3	-3.1/+0.3	-3.4/+0.3	-3.2/+0.3	-3.2/+0.3	-3.2/+0.3	-1.9/+0.3
EUG	-3.32	-1.9/0.6	-1.8/0.5	-2.7/-0.1	-3.3/-0.2	-3.3/-0.4	-3.0/-0.5	-3.0/0.3	-3.3/-0.9	-3.4/-0.9	-4.4/-0.9	-4.3/-0.9	-3.9/-0.9	-4.2/-0.9	-3.6/-0.9	-3.6/-0.9
EVV	-3.76	-0.5/2.7	-1.4/2.9	-1.0/2.4	-1.3/2.8	-2.3/3.6	-4.2/1.3	-5.1/0.0	-5.6/-4.4	-6.1/-4.4	-3.0/-4.4	-5.6/-4.4	-4.9/-4.4	-5.2/-4.4	-4.8/-4.4	-4.8/-4.4
EWR	-1.41	-0.3/0.4	-0.6/0.8	-0.9/1.0	-2.0/-0.5	-0.6/-0.3	-1.2/0.2	-1.7/-1.1	-1.6/-0.9	-1.3/-0.9	-2.6/-0.9	-1.9/-0.9	-1.5/-0.9	-1.7/-0.9	-2.0/-0.9	-1.3/-0.9
FAR	0.31	-0.1/3.6	-0.6/2.3	-0.6/2.4	-0.9/1.9	-0.8/1.8	-0.4/4.0	0.1/3.6	0.7/1.1	1.3/1.1	0.6/1.1	0.5/1.1	0.3/1.1	1.5/1.1	1.5/1.1	2.6/1.1
FAT	-1.12	-0.1/0.5	0.1/1.1	-0.4/1.1	-1.8/1.3	-2.1/1.7	-1.7/2.5	-1.4/3.4	-1.3/0.5	-1.1/0.5	-2.2/0.5	-1.6/0.5	-1.3/0.5	-1.1/0.5	-0.9/0.5	-0.1/0.5
FLG	1.09	-1.1/4.6	-0.4/5.3	0.2/6.6	0.1/5.9	0.5/5.0	1.2/6.6	1.6/7.0	2.1/3.9	2.6/3.9	3.8/3.9	3.9/3.9	0.2/3.9	0.1/3.9	0.4/3.9	1.0/3.9
FMY	-0.80	-0.3/-1.0	-0.1/0.4	-0.3/-0.9	-0.3/-0.7	-0.3/-0.3	-1.1/-0.5	-2.0/-1.4	-1.9/-4.8	-2.0/-4.8	-1.7/-4.8	-1.0/-4.8	-0.5/-4.8	-0.2/-4.8	-0.5/-4.8	0.1/-4.8
FSD	-4.24	-0.7/2.5	-1.5/1.5	-2.5/1.9	-4.9/1.6	-5.8/1.2	-5.0/2.0	-4.1/1.4	-4.1/-2.4	-3.9/-2.4	-6.2/-2.4	-5.4/-2.4	-5.8/-2.4	-4.7/-2.4	-4.8/-2.4	-4.1/-2.4
FWA	-2.46	0.6/1.9	0.4/1.9	-0.3/2.3	-1.1/1.4	-1.3/1.6	-3.0/1.2	-3.3/-1.1	-3.3/-1.5	-3.4/-1.5	-4.0/-1.5	-4.1/-1.5	-3.7/-1.5	-3.7/-1.5	-3.7/-1.5	-3.1/-1.5
GAD	-5.29	-0.2/1.8	-2.0/1.8	-2.5/0.2	-3.6/1.2	-4.0/1.4	-5.2/0.7	-6.3/-2.2	-7.1/-6.1	-6.7/-6.1	-7.1/-6.1	-6.5/-6.1	-6.6/-6.1	-7.4/-6.1	-7.8/-6.1	-6.3/-6.1

GEG	-4.56	-1.0/0.4	-1.5/-0.1	-3.8/0.1	-6.1/-0.8	-5.6/-0.6	-5.4/-0.7	-4.9/0.0	-4.9/-1.8	-5.9/-1.8	-6.5/-1.8	-5.0/-1.8	-5.0/-1.8	-4.9/-1.8	-4.2/-1.8	-3.7/-1.8
GTF	-2.78	-2.5/-1.5	-1.3/-3.2	-1.5/-4.2	-2.3/-3.8	-2.6/-3.9	-2.6/-4.3	-2.6/-2.6	-3.3/-3.7	-3.1/-3.7	-4.6/-3.7	-4.2/-3.7	-3.4/-3.7	-3.8/-3.7	-2.4/-3.7	-1.7/-3.7
HOU	1.35	2.2/3.5	3.1/3.8	2.8/4.7	2.6/5.9	1.5/4.9	1.3/3.7	1.5/3.0	2.3/-2.9	2.3/-2.9	-0.0/-2.9	-0.3/-2.9	-0.4/-2.9	-0.6/-2.9	0.4/-2.9	1.5/-2.9
HSV	-4.17	0.1/1.2	-0.4/1.0	-0.7/0.6	-1.8/1.5	-2.5/1.6	-3.9/0.4	-4.2/-0.1	-5.0/-5.9	-5.3/-5.9	-6.5/-5.9	-6.4/-5.9	-6.4/-5.9	-6.7/-5.9	-6.9/-5.9	-5.8/-5.9
IAH	0.68	1.0/4.9	0.6/5.3	-0.7/5.5	-0.5/7.1	0.0/6.0	-0.4/5.4	-0.3/4.6	0.3/-3.0	0.4/-3.0	1.6/-3.0	1.2/-3.0	1.0/-3.0	0.7/-3.0	2.0/-3.0	3.3/-3.0
ICT	-4.34	0.5/3.3	-0.9/3.4	-3.4/3.6	-5.1/4.4	-5.7/3.2	-5.1/3.7	-4.4/4.2	-4.7/1.7	-4.1/1.7	-7.3/1.7	-5.8/1.7	-5.8/1.7	-4.7/1.7	-4.9/1.7	-3.6/1.7
ILG	-1.77	-0.2/0.1	-0.2/-0.3	-0.5/-0.6	-0.8/-0.4	-0.4/-0.6	-1.3/-0.4	-2.6/-1.8	-2.8/-3.0	-3.1/-3.0	-3.2/-3.0	-2.1/-3.0	-2.5/-3.0	-2.6/-3.0	-2.9/-3.0	-1.5/-3.0
IND	-3.14	-0.4/1.1	-0.7/0.9	-0.7/0.3	-1.0/0.2	-2.0/1.3	-4.0/-0.1	-4.2/-0.9	-4.2/-4.5	-4.4/-4.5	-4.1/-4.5	-4.5/-4.5	-4.1/-4.5	-4.4/-4.5	-4.4/-4.5	-3.9/-4.5
IPT	-3.52	-1.3/0.3	-1.1/0.1	-1.7/0.1	-2.6/-0.9	-1.6/-0.7	-3.0/-0.6	-4.3/-1.8	-4.7/-2.9	-5.1/-2.9	-5.0/-2.9	-4.8/-2.9	-4.5/-2.9	-4.6/-2.9	-4.7/-2.9	-3.9/-2.9
JAN	-2.46	0.2/1.3	-0.4/1.7	-0.3/2.9	-1.1/3.0	-1.2/3.9	-1.6/2.8	-1.4/0.6	-2.0/-5.3	-1.8/-5.3	-4.5/-5.3	-4.7/-5.3	-4.3/-5.3	-5.2/-5.3	-4.9/-5.3	-3.5/-5.3
JAX	-0.43	0.3/1.2	0.2/2.2	-0.0/1.6	0.2/1.6	0.5/2.6	-0.2/2.5	-0.6/2.1	-0.4/-3.6	-0.9/-3.6	-2.7/-3.6	-1.3/-3.6	-0.1/-3.6	-0.8/-3.6	-1.0/-3.6	0.5/-3.6
JFK	-1.90	-0.9/0.4	1.3/0.7	-1.5/0.4	-1.7/-0.5	-1.3/-0.6	-2.3/0.4	-3.0/-1.7	-3.0/-1.0	-3.0/-1.0	-2.5/-1.0	-1.8/-1.0	-1.5/-1.0	-1.7/-1.0	-1.8/-1.0	-1.3/-1.0
LAN	-2.83	-0.4/2.2	-0.4/2.5	-0.8/2.5	-1.2/0.9	-1.8/0.9	-2.8/0.1	-3.0/-0.5	-3.0/-1.6	-3.3/-1.6	-4.3/-1.6	-5.1/-1.6	-4.3/-1.6	-4.2/-1.6	-4.3/-1.6	-3.5/-1.6
LAS	1.30	0.6/1.1	1.0/1.6	0.9/0.8	0.2/1.0	0.1/0.8	0.5/0.8	0.8/1.5	1.0/-0.5	1.1/-0.5	1.8/-0.5	2.1/-0.5	2.1/-0.5	2.3/-0.5	2.3/-0.5	2.5/-0.5
LAX	-3.33	-0.9/-0.7	-1.6/-1.2	-2.5/-0.3	-5.1/-0.2	-4.4/-0.4	-5.3/0.0	-6.1/-0.1	-7.0/-0.1	-7.6/-0.1	-1.7/-0.1	-1.9/-0.1	-1.8/-0.1	-1.5/-0.1	-1.3/-0.1	-1.2/-0.1
LEX	-3.53	-0.0/3.6	-0.6/2.3	-0.1/2.4	0.0/2.9	-1.1/4.0	-3.0/2.2	-3.7/0.7	-4.3/-3.5	-5.0/-3.5	-4.5/-3.5	-1.9/-3.5	-4.4/-3.5	-4.6/-3.5	-5.2/-3.5	-4.5/-3.5
LFK	-1.75	-0.6/2.9	-1.4/3.9	-1.6/3.9	-1.8/5.7	-2.7/5.8	-2.7/5.2	-2.6/3.8	-2.1/-2.9	-1.9/-2.9	-1.7/-2.9	-2.1/-2.9	-1.7/-2.9	-1.7/-2.9	-0.3/-2.9	-0.3/-2.9
LGA	0.38	-0.0/-0.2	0.1/-0.1	-0.2/-0.3	0.4/-0.5	1.7/-0.5	1.4/0.1	1.2/-1.7	1.5/-1.4	1.6/-1.4	-1.3/-1.4	-0.5/-1.4	-0.0/-1.4	-0.2/-1.4	-0.3/-1.4	0.3/-1.4
LGB	-2.77	-0.5/-0.4	-1.6/-1.2	-2.2/-0.7	-3.8/-0.9	-5.0/-0.1	-6.0/0.9	-6.4/0.2	-6.8/-0.4	-6.8/-0.4	-0.6/-0.4	-0.6/-0.4	-0.6/-0.4	-0.4/-0.4	0.1/-0.4	0.1/-0.4
LIT	-1.78	1.5/4.2	1.4/4.1	1.2/4.6	-0.2/5.5	-1.7/5.0	-3.0/2.7	-2.9/1.6	-3.5/-2.0	-4.0/-2.0	-1.7/-2.0	-3.7/-2.0	-2.2/-2.0	-2.8/-2.0	-3.0/-2.0	-2.0/-2.0
LNS	-2.46	-1.0/0.6	-1.1/0.4	-1.3/0.5	-2.3/-0.7	-1.3/-0.6	-2.2/-0.4	-3.2/-1.4	-3.5/-8.2	-3.5/-8.2	-3.5/-8.2	-2.7/-8.2	-2.9/-8.2	-3.1/-8.2	-2.0/-8.2	-2.0/-8.2
MAF	-0.13	-0.6/5.3	-0.7/6.4	-0.6/6.8	-0.8/4.9	-1.2/4.3	-1.0/4.8	-0.3/4.9	-0.1/-0.1	0.1/-0.1	0.6/-0.1	0.5/-0.1	0.9/-0.1	0.7/-0.1	0.3/-0.1	0.5/-0.1
MBA	-3.03	-1.0/0.7	-0.5/1.9	-1.0/1.1	-3.4/1.3	-2.4/0.2	-3.5/1.3	-4.5/0.0	-4.5/1.7	-3.6/1.7	-4.1/1.7	-0.9/1.7	-3.7/1.7	-3.9/1.7	-3.9/1.7	-3.9/1.7
MCI	-3.36	0.3/3.8	-0.3/3.6	-1.7/3.7	-4.9/4.0	-5.7/2.2	-5.5/3.3	-5.1/4.2	-5.6/1.3	-4.7/1.3	-0.9/1.3	-3.8/1.3	-3.2/1.3	-3.2/1.3	-2.3/1.3	-2.3/1.3
MCN	-3.35	-0.4/2.3	-1.2/1.6	-1.4/0.9	-2.2/-0.4	-2.5/1.3	-3.1/2.0	-3.5/0.3	-4.4/-4.9	-4.7/-4.9	-5.2/-4.9	-5.0/-4.9	-4.9/-4.9	-4.5/-4.9	-4.7/-4.9	-4.7/-4.9
MCO	-1.21	-0.7/-0.9	-0.6/0.0	-0.5/-0.6	-0.5/-0.9	-0.9/-0.4	-1.7/-0.6	-2.8/-1.7	-2.6/-4.8	-2.8/-4.8	-2.2/-4.8	-1.2/-4.8	-0.5/-4.8	-0.5/-4.8	-0.6/-4.8	-0.1/-4.8
MDT	-1.33	-1.3/0.8	-1.1/0.5	-0.7/0.7	-0.7/-0.9	-0.0/-0.9	-0.8/-1.1	-1.9/-1.6	-2.5/-1.5	-2.4/-1.5	-1.5/-1.5	-2.7/-1.5	-1.6/-1.5	-1.1/-1.5	-1.4/-1.5	-0.1/-1.5
MEM	-0.53	1.0/4.8	1.3/4.6	2.4/5.0	2.1/6.2	2.0/4.9	0.0/3.5	-0.4/2.2	-1.0/-3.8	-1.3/-3.8	-2.8/-3.8	-2.4/-3.8	-2.0/-3.8	-2.5/-3.8	-1.8/-3.8	-1.8/-3.8
MHT	-0.43	-0.1/2.4	0.8/3.5	0.2/3.2	-1.1/2.5	0.2/1.6	-0.5/2.8	-1.7/0.8	-1.6/-6.3	-0.8/-6.3	-0.9/-6.3	-0.8/-6.3	0.5/-6.3	0.2/-6.3	-0.8/-6.3	0.0/-6.3
MIA	-0.61	0.6/0.7	0.8/0.4	0.7/0.2	0.8/-1.0	0.4/-0.7	-0.5/-0.6	1.5/-2.3	-1.6/-5.8	-1.9/-5.8	-1.4/-5.8	-0.9/-5.8	-1.1/-5.8	-1.0/-5.8	-1.3/-5.8	1.0/-5.8
MKE	-3.53	-0.0/2.8	-0.7/2.2	-1.7/2.4	-4.2/1.7	-5.4/2.7	-7.2/1.9	-6.8/0.7	-6.3/-0.5	-6.8/-0.5	-2.8/-0.5	-2.3/-0.5	-2.4/-0.5	-2.5/-0.5	-2.2/-0.5	-1.6/-0.5
MOB	-3.26	-1.0/1.6	-1.0/1.0	-1.5/1.7	-1.4/3.4	-2.3/4.7	-3.4/3.2	-3.7/1.7	-4.4/-5.4	-4.7/-5.4	-4.2/-5.4	-4.0/-5.4	-4.9/-5.4	-5.2/-5.4	-3.1/-5.4	-3.1/-5.4
MSP	-1.57	-0.3/3.3	0.3/3.2	-0.7/2.2	-2.5/2.5	-2.2/2.2	-1.8/2.4	-1.8/3.5	-1.7/-0.6	-1.6/-0.6	-3.4/-0.6	-2.2/-0.6	-2.3/-0.6	-1.6/-0.6	-1.4/-0.6	-0.3/-0.6
MSY	-1.83	0.3/1.3	-0.8/1.4	0.0/1.9	-1.4/3.9	-2.2/3.2	-3.1/1.2	-3.2/0.2	-3.8/-6.5	-3.6/-6.5	-1.5/-6.5	-1.7/-6.5	-1.8/-6.5	-2.3/-6.5	-0.2/-6.5	-0.2/-6.5
MWL	1.70	0.7/5.0	0.9/6.5	0.7/8.0	1.4/8.8	0.6/6.8	0.7/6.6	1.2/8.3	1.7/4.1	2.0/4.1	2.3/4.1	2.1/4.1	2.9/4.1	3.0/4.1	2.5/4.1	2.8/4.1
NKX	-1.95	0.6/0.9	0.3/1.1	-0.7/0.7	-2.3/1.3	-2.8/1.0	-3.2/2.1	-2.9/1.1	-3.2/0.0	-3.2/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0	0.0/0.0
NTU	-2.74	-0.1/1.4	-0.6/1.6	-0.8/1.8	-2.7/0.8	-2.5/0.9	-3.6/1.0	-4.8/-0.3	-5.4/-3.0	-5.6/-3.0	-3.4/-3.0	-2.8/-3.0	-2.5/-3.0	-2.3/-3.0	-2.7/-3.0	-1.3/-3.0
OAK	-2.14	-0.7/-0.2	-0.8/-0.4	-1.1/-0.4	-3.0/0.0	-3.8/0.3	-4.1/0.4	-3.9/1.3	-3.8/3.8	-3.7/3.8	-1.8/3.8	-1.3/3.8	-1.1/3.8	-1.0/3.8	-1.0/3.8	-1.1/3.8
OKC	-1.37	0.4/3.7	0.3/4.4	-0.2/4.2	-1.9/4.0	-3.2/3.2	-3.3/3.6	-3.3/3.9	-3.4/0.0	-3.7/0.0	-2.4/0.0	0.0/0.0	0.0/0.0	0.2/0.0	-0.2/0.0	-0.1/0.0
OMA	-3.24	-0.2/4.0	0.6/4.2	-0.8/4.5	-3.4/4.5	-4.4/3.6	-4.3/4.1	-3.9/3.6	-4.2/1.7	-3.5/1.7	-5.1/1.7	-4.5/1.7	-4.8/1.7	-3.6/1.7	-3.4/1.7	-2.9/1.7
ORD	-2.43	-1.0/2.5	-1.1/3.1	-1.3/2.2	-1.7/2.4	-2.0/2.7	-3.3/1.2	-3.1/0.2	-3.3/-1.1	-3.5/-1.1	-3.1/-1.1	-3.0/-1.1	-2.7/-1.1	-2.8/-1.1	-2.4/-1.1	-2.1/-1.1
ORH	-2.29	-0.4/1.3	-0.2/2.4	-0.7/2.0	-3.2/0.9	-2.3/0.7	-2.9/1.2	-4.7/-0.2	-4.8/0.2	-4.0/0.2	-2.1/0.2	-2.4/0.2	-1.5/0.2	-2.0/0.2	-2.1/0.2	-1.3/0.2
PDT	-6.68	-1.0/0.4	-1.6/-0.0	-2.7/-0.2	-5.9/-0.4	-7.0/-1.3	-7.7/-1.0	-7.7/-0.8	-7.9/-1.4	-7.9/-1.4	-9.3/-1.4	-9.2/-1.4	-9.0/-1.4	-8.5/-1.4	-8.0/-1.4	-6.7/-1.4
PDX	-3.97	-1.2/-0.6	-1.9/0.1	-3.1/-1.0	-4.1/-1.0	-4.5/-1.3	-4.7/-0.2	-4.8/-0.0	-5.2/-1.5	-5.7/-1.5	-3.4/-1.5	-4.1/-1.5	-4.7/-1.5	-4.9/-1.5	-4.2/-1.5	-3.2/-1.5
PHL	-1.35	-0.2/1.1	-0.5/0.6	-0.5/0.4	-0.9/-0.0	-0.2/-0.2	-1.1/0.3	-2.3/-1.2	-2.8/-1.5	-2.9/-1.5	-2.0/-1.5	-1.7/-1.5	-1.4/-1.5	-1.4/-1.5	-0.7/-1.5	-0.7/-1.5
PHX	0.82	0.3/1.1	0.2/1.6	0.1/1.2	-0.8/1.1	-0.4/1.0	-0.2/2.1	-0.0/1.6	0.0/0.2	0.0/0.2	1.4/0.2	1.5/0.2	1.9/0.2	2.3/0.2	2.6/0.2	3.3/0.2
PIR	-3.76	-1.0/1.9	-1.3/1.5	-2.1/1.3	-4.0/0.3	-4.6/0.5	-3.9/1.1	-3.6/-0.0	-3.5/-0.6	-3.4/-0.6	-5.9/-0.6	-5.2/-0.6	-4.2/-0.6	-4.4/-0.6	-3.9/-0.6	-3.9/-0.6
PIT	-2.38	-0.3/1.1	-0.7/2.1	-1.3/1.8	-2.5/0.6	-1.5/1.2	-3.1/1.7	-3.4/-0.2	-3.4/-2.3	-3.9/-2.3	-2.5/-2.3	-2.8/-2.3	-2.5/-2.3	-2.3/-2.3	-3.1/-2.3	-2.2/-2.3
PVD	-1.17	-0.6/0.7	-0.7/1.2	-1.3/0.7	-2.2/0.8	-0.5/0.2	-0.8/1.2	-1.6/-0.3	-1.4/0.1	-0.8/0.1	-0.9/0.1	-1.7/0.1	-0.9/0.1	-1.5/0.1	-1.7/0.1	-0.8/0.1
PWM	-1.72	-0.2/1.7	0.1/1.8	-0.8/2.9	-3.2/1.2	-2.3/1.1	-3.0/1.6	-4.3/-0.4	-4.1/1.2	-3.1/1.2	-1.7/1.2	-1.0/1.2	-0.3/1.2	-0.5/1.2	-0.9/1.2	-0.3/1.2
RAP	-0.15	-1.7/3.1	-1.3/3.5	-1.2/3.0	-0.5/2.4	-0.7/1.6	-0.1/1.5	1.0/2.3	1.1/2.3	1.6/2.3	-3.3/2.3	-1.4/2.3	0.0/2.3	1.2/2.3	1.4/2.3	1.7/2.3
RBL	-1.45	-0.7/-1.5	-0.9/-1.0	-1.2/-1.4	-1.6/-1.4	-1.9/-1.7	-1.6/-1.5	-1.6/-0.4	-1.7/-0.2	-2.1/-0.2	-2.0/-0.2	-1.8/-0.2	-1.7/-0.2	-1.7/-0.2	-0.3/-0.2	-0.3/-0.2
RDD	-1.32	-0.5/-0.7	-1.9/-0.4	-2.4/-1.0	-3.2/-2.1	-2.6/-2.8	-2.1/-1.7	-1.0/-0.5	-1.2/-2.4	-1.7/-2.4	-1.1/-2.4	-0.9/-2.4	-0.9/-2.4	-0.4/-2.4	0.3/-2.4	-0.2/-2.4
RDU	-3.60	-0.1/0.7	-0.4/0.7	-0.7/0.9	-3.0/0.9	-3.1/2.3	-4.2/1.2	-4.9/-0.3	-5.5/-5.5	-5.8/-5.5	-4.6/-5.5	-4.7/-5.5	-4.4/-5.5	-4.5/-5.5	-3.2/-5.5	-3.2/-5.5
RIC	-3.64	-0.6/0.2	-1.0/0.5	-1.3/0.6	-2.7/-0.1	-2.3/0.5	-3.5/0.8	-4.2/-1.1	-4.4/-4.9	-4.4/-4.9	-5.2/-4.9	-5.0/-4.9	-4.9/-4.9	-4.9/-4.9	-5.7/-4.9	-4.5/-4.9
RNO	-4.09	-1.6/-1.2	-1.2/0.0	-2.7/0.7	-4.9/-1.7	-4.8/-1.9	-4.6/-1.7	-4.4/-0.9	-4.5/-4.6	-4.5/-4.6	-4.4/-4.6	-4.3/-4.6	-4.4/-4.6	-4.8/-4.6	-7.6/-4.6	-5.7/-4.6
ROA	-3.25	-0.2/-0.2	-0.8/0.0	-1.2/0.1	-2.0/1.0	-1.5/0.8	-2.8/-0.0	-3.9/-1.1	-4.9/-6.1	-5.1/-6.1	-4.3/-6.1	-4.5/-6.1	-4.3/-6.1	-4.4/-6.1	-5.0/-6.1	-3.8/-6.1
ROC	-1.08	0.0/1.3	-0.1/0.9	-0.6/1.4	-0.9/0.1	-0.3/1.4	-1.1/1.0	-1.4/-0.5	-1.0/-0.9	-0.9/-0.9	-2.5/-0.9	-1.8/-0.9	-1.5/-0.9	-1.4/-0.9	-1.9/-0.9	-0.9/-0.9

SAC	-3.13	-0.1/0.6	-0.7/0.5	-1.2/0.9	-3.7/0.7	-3.8/0.3	-4.0/1.2	-3.8/1.4	-3.4/0.4	-3.2/0.4	-3.7/0.4	-4.1/0.4	-4.0/0.4	-3.9/0.4	-3.7/0.4	-3.5/0.4
SAN	-0.50	1.1/1.7	0.6/1.9	0.0/2.7	-2.4/2.6	-2.6/2.6	-3.2/3.0	-2.9/3.2	-3.2/2.4	-3.2/2.4	1.0/2.4	1.1/2.4	1.3/2.4	1.5/2.4	1.6/2.4	1.7/2.4
SAT	1.92	2.0/4.5	1.8/5.1	1.8/7.1	1.7/7.8	1.3/6.4	0.9/5.4	1.7/5.0	2.2/-2.2	2.2/-2.2	0.2/-2.2	2.1/-2.2	2.2/-2.2	2.3/-2.2	2.7/-2.2	3.7/-2.2
SAV	-3.26	-0.2/0.5	-0.2/0.6	-0.4/-0.1	-1.9/-0.6	-3.0/0.5	-4.6/0.6	-5.8/-0.1	-6.3/-6.0	-7.3/-6.0	-4.5/-6.0	-3.4/-6.0	-2.7/-6.0	-3.3/-6.0	-3.7/-6.0	-1.7/-6.0
SDF	-3.31	-1.1/1.8	-1.2/1.6	-1.0/1.7	-0.7/1.8	-1.7/2.6	-3.6/0.7	-3.9/-0.9	-4.5/-4.6	-4.9/-4.6	-4.9/-4.6	-4.7/-4.6	-4.0/-4.6	-4.4/-4.6	-4.8/-4.6	-4.3/-4.6
SEA	-2.55	-0.3/-0.1	-0.4/0.2	-1.3/0.4	-2.5/+0.3	-2.9/-0.0	-3.3/0.4	-3.3/0.5	-3.6/0.1	-3.9/0.1	-2.8/0.1	-2.9/0.1	-3.0/0.1	-3.2/0.1	-2.8/0.1	-2.1/0.1
SFO	-0.73	0.6/1.4	0.5/0.4	0.5/1.2	-0.4/1.0	-1.0/1.5	-1.2/1.6	-1.0/2.4	-0.7/-0.4	-0.6/-0.4	-1.7/-0.4	-1.4/-0.4	-1.2/-0.4	-1.0/-0.4	-1.1/-0.4	-1.3/-0.4
SJC	-1.98	-0.2/-0.1	-0.1/0.8	-0.8/-0.3	-2.4/-0.2	-3.4/0.2	-3.8/0.7	-3.6/0.9	-3.3/-0.2	-3.1/-0.2	-2.2/-0.2	-1.5/-0.2	-1.2/-0.2	-1.2/-0.2	-1.2/-0.2	-1.6/-0.2
SJT	2.09	1.1/7.3	1.3/9.3	0.8/9.7	1.9/8.9	0.9/7.6	0.9/7.7	1.7/7.9	2.3/0.8	2.9/0.8	3.9/0.8	2.6/0.8	2.4/0.8	2.6/0.8	3.1/0.8	3.1/0.8
SLC	-2.48	-0.2/1.1	-0.7/0.3	-1.6/-0.4	-3.4/-0.8	-3.4/-0.1	-3.7/0.3	-3.1/2.2	-2.9/1.4	-2.8/1.4	-3.5/1.4	-3.6/1.4	-3.4/1.4	-1.8/1.4	-3.1/1.4	-0.3/1.4
SSI	-0.61	0.3/2.1	0.0/2.5	-0.1/2.3	-0.1/1.6	-0.4/3.0	-1.0/3.1	-1.3/1.6	-1.4/-3.4	-1.6/-3.4	-2.4/-3.4	-0.5/-3.4	0.2/-3.4	-0.7/-3.4	-0.7/-3.4	0.6/-3.4
STL	-2.16	-0.4/3.7	-0.9/3.1	-0.4/3.2	-1.7/4.3	-2.4/3.8	-3.2/2.5	-3.1/2.1	-3.4/-2.1	-3.7/-2.1	-2.8/-2.1	-2.7/-2.1	-2.2/-2.1	-2.2/-2.1	-1.9/-2.1	-1.5/-2.1
SYR	-1.70	-1.1/2.1	-1.4/1.9	-1.6/1.6	-1.2/0.5	-0.7/0.8	-1.8/0.8	-2.9/-0.6	-2.4/-1.2	-2.1/-1.2	-7.2/-1.2	-1.1/-1.2	-0.8/-1.2	-0.4/-1.2	-0.7/-1.2	-0.1/-1.2
TLH	-1.99	-1.1/0.0	-1.2/0.3	-1.2/0.7	-0.9/-0.2	-1.6/0.9	-2.5/2.9	-2.7/0.5	-3.4/-4.7	-3.6/-4.7	-3.1/-4.7	-2.4/-4.7	-1.3/-4.7	-2.1/-4.7	-2.4/-4.7	-0.5/-4.7
TPA	-1.03	0.0/-0.4	-0.2/0.0	-0.5/-0.5	-0.7/-0.5	-1.1/0.5	-1.5/0.8	-2.4/-0.5	-2.3/-5.0	-2.1/-5.0	-1.7/-5.0	-0.9/-5.0	-0.3/-5.0	-0.9/-5.0	-0.7/-5.0	-0.1/-5.0
TRM	-0.83	-0.7/-0.8	-1.4/-1.1	-0.5/-0.9	-2.3/-0.1	-2.6/-1.7	-2.5/-1.8	-2.5/-0.5	-2.7/5.3	-2.6/5.3	-1.4/5.3	-0.8/5.3	0.3/5.3	0.7/5.3	2.5/5.3	4.0/5.3
TUL	-0.72	-0.9/5.0	-0.6/5.0	-0.4/6.1	-0.1/6.1	-0.6/4.0	-0.8/4.2	-0.4/5.4	-0.9/0.4	-1.0/0.4	3.5/0.4	-2.7/0.4	-1.8/0.4	-1.8/0.4	-1.4/0.4	-1.0/0.4
TUS	-0.15	0.2/2.0	0.1/2.8	-0.7/1.8	-2.2/1.1	-2.3/1.6	-1.9/2.4	-1.5/2.5	-1.4/1.6	-1.3/1.6	0.7/1.6	0.2/1.6	1.2/1.6	1.5/1.6	2.1/1.6	2.8/1.6
TYR	-0.85	-0.6/5.8	0.1/4.3	-0.4/6.7	-0.5/8.0	-1.6/7.1	-1.5/5.8	-1.2/5.9	-1.1/0.9	-1.0/0.9	-1.2/0.9	-1.2/0.9	-0.6/0.9	-0.9/0.9	-0.7/0.9	-0.3/0.9
TYS	-1.00	1.0/2.6	1.4/2.5	1.2/2.0	0.8/1.7	0.3/2.5	-1.0/3.0	-1.5/0.9	-2.3/-3.6	-2.7/-3.6	-2.2/-3.6	-2.1/-3.6	-2.0/-3.6	-2.1/-3.6	-2.7/-3.6	-1.2/-3.6
VCT	-0.45	-0.5/5.2	-0.4/6.0	-0.7/7.9	-0.4/8.9	-1.1/8.0	-1.2/7.7	-1.5/6.0	-1.0/0.3	-0.8/0.3	-0.4/0.3	-0.3/0.3	-0.1/0.3	-0.2/0.3	0.5/0.3	1.5/0.3
WJF	-1.40	-0.3/0.1	-0.9/1.4	-0.7/1.3	-2.0/-0.1	-1.4/-0.4	-0.7/0.2	-0.4/1.1	0.0/-0.6	0.2/-0.6	-3.4/-0.6	-3.7/-0.6	-3.2/-0.6	-1.9/-0.6	-1.6/-0.6	-1.1/-0.6
YKM	-3.95	-0.5/-0.2	-0.8/0.2	-1.9/-0.5	-4.3/-0.2	-4.3/-1.1	-4.2/-1.0	-4.1/-0.0	-3.9/-3.4	-3.8/-3.4	-5.1/-3.4	-4.8/-3.4	-5.3/-3.4	-5.8/-3.4	-5.6/-3.4	-5.0/-3.4
YNG	-2.18	-0.7/1.9	-1.1/2.1	-1.3/1.8	-2.0/0.9	-0.8/1.5	-2.5/1.9	-3.2/0.8	-3.5/-2.0	-4.3/-2.0	-2.7/-2.0	-2.6/-2.0	-2.1/-2.0	-2.1/-2.0	-2.1/-2.0	-1.6/-2.0

red: $S < -0.3$

orange: $-0.3 < S < -0.1$

grey: $-0.1 < S < 0.1$

green: $0.1 < S < 0.3$

blue: $S > 0.3$

S_score: average of (1 - ECMWF-value / MEX-value)

red: $B \geq 4.0$

orange: $4.0 > B \geq 2.0$


black: $2.0 > B \geq -2.0$

green: $2.0 > B \geq -2.0$


blue: $B \leq -4.0$

avg_bias: average of ECMWF-value


CME18: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




CME18: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




CME18: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




CME18: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




USNW: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




USNW: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




USNW: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




USNW: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




USNC: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




USNC: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




USNC: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




USNC: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




USNE: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




USNE: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




USNE: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




USNE: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31



USSE: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




USSE: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


USSE: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




USSE: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




USSC: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




USSC: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




USSC: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




USSC: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




USSW: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




USSW: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




USSW: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




USSW: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




ATL: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




ATL: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




ATL: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




ATL: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




BOS: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




BOS: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




BOS: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




BOS: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




BWI: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




BWI: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




CVG: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




CVG: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




CVG: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




CVG: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




DFW: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




DFW: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




DFW: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




DFW: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




DSM: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




DSM: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




DSM: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




DSM: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




DTW: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




DTW: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




DTW: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




DTW: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




IAH: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




IAH: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




IAH: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




IAH: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




LAS: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




LAS: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




LAS: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




LAS: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




LGA: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




LGA: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




LGA: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31



LGA: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




MCI: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

MCI: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


MCI: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




MCI: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




MSP: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




MSP: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




MSP: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




MSP: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




ORD: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




ORD: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




PDX: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




PDX: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




PDX: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




PDX: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




PHL: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




PHL: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




PHL: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




PHL: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




SAC: ECMWF Tmax MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




SAC: ECMWF Tmax bias for Monthly Period from 2007-01-01 ~ 2007-12-31




SAC: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




SAC: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




SLC: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31



SLC: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




TUS: ECMWF Tmin MAE for Monthly Period from 2007-01-01 ~ 2007-12-31




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

TUS: ECMWF Tmin bias for Monthly Period from 2007-01-01 ~ 2007-12-31




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


CME18: Max Temperature (2007-12-01_2007-12-31)




CME18: Max Temperature (2007-12-01_2007-12-31)




CME18: Min Temperature (2007-12-01_2007-12-31)




CME18: Min Temperature (2007-12-01_2007-12-31)




USNW: Max Temperature (2007-12-01_2007-12-31)




USNW: Max Temperature (2007-12-01_2007-12-31)




USNW: Min Temperature (2007-12-01_2007-12-31)




USNW: Min Temperature (2007-12-01_2007-12-31)




USNC: Max Temperature (2007-12-01_2007-12-31)




USNC: Max Temperature (2007-12-01_2007-12-31)




USNC: Min Temperature (2007-12-01_2007-12-31)




USNC: Min Temperature (2007-12-01_2007-12-31)




USNE: Max Temperature (2007-12-01_2007-12-31)




USNE: Max Temperature (2007-12-01_2007-12-31)




USNE: Min Temperature (2007-12-01_2007-12-31)




USNE: Min Temperature (2007-12-01_2007-12-31)




USSE: Max Temperature (2007-12-01_2007-12-31)




USSE: Max Temperature (2007-12-01_2007-12-31)




USSE: Min Temperature (2007-12-01_2007-12-31)




USSE: Min Temperature (2007-12-01_2007-12-31)




USSC: Max Temperature (2007-12-01_2007-12-31)




USSC: Max Temperature (2007-12-01_2007-12-31)




USSC: Min Temperature (2007-12-01_2007-12-31)




USSC: Min Temperature (2007-12-01_2007-12-31)




USSW: Max Temperature (2007-12-01_2007-12-31)




USSW: Max Temperature (2007-12-01_2007-12-31)




USSW: Min Temperature (2007-12-01_2007-12-31)




USSW: Min Temperature (2007-12-01_2007-12-31)




ATL: Max Temperature (2007-12-01_2007-12-31)




ATL: Max Temperature (2007-12-01_2007-12-31)




ATL: Min Temperature (2007-12-01_2007-12-31)




ATL: Min Temperature (2007-12-01_2007-12-31)




BOS: Max Temperature (2007-12-01_2007-12-31)




BOS: Max Temperature (2007-12-01_2007-12-31)




BOS: Min Temperature (2007-12-01_2007-12-31)




BOS: Min Temperature (2007-12-01_2007-12-31)




BWI: Max Temperature (2007-12-01_2007-12-31)




BWI: Max Temperature (2007-12-01_2007-12-31)




BWI: Min Temperature (2007-12-01_2007-12-31)




BWI: Min Temperature (2007-12-01_2007-12-31)




CVG: Max Temperature (2007-12-01_2007-12-31)




CVG: Max Temperature (2007-12-01_2007-12-31)




CVG: Min Temperature (2007-12-01_2007-12-31)




CVG: Min Temperature (2007-12-01_2007-12-31)




DFW: Max Temperature (2007-12-01_2007-12-31)




DFW: Max Temperature (2007-12-01_2007-12-31)




DFW: Min Temperature (2007-12-01_2007-12-31)




DFW: Min Temperature (2007-12-01_2007-12-31)




DSM: Max Temperature (2007-12-01_2007-12-31)




DSM: Max Temperature (2007-12-01_2007-12-31)




DSM: Min Temperature (2007-12-01_2007-12-31)




DSM: Min Temperature (2007-12-01_2007-12-31)




DTW: Max Temperature (2007-12-01_2007-12-31)




DTW: Max Temperature (2007-12-01_2007-12-31)




DTW: Min Temperature (2007-12-01_2007-12-31)




DTW: Min Temperature (2007-12-01_2007-12-31)




IAH: Max Temperature (2007-12-01_2007-12-31)




IAH: Max Temperature (2007-12-01_2007-12-31)




IAH: Min Temperature (2007-12-01_2007-12-31)




IAH: Min Temperature (2007-12-01_2007-12-31)




LAS: Max Temperature (2007-12-01_2007-12-31)




LAS: Max Temperature (2007-12-01_2007-12-31)




LAS: Min Temperature (2007-12-01_2007-12-31)




LAS: Min Temperature (2007-12-01_2007-12-31)




LGA: Max Temperature (2007-12-01_2007-12-31)




LGA: Max Temperature (2007-12-01_2007-12-31)




LGA: Min Temperature (2007-12-01_2007-12-31)




LGA: Min Temperature (2007-12-01_2007-12-31)




MCI: Max Temperature (2007-12-01_2007-12-31)




MCI: Max Temperature (2007-12-01_2007-12-31)




MCI: Min Temperature (2007-12-01_2007-12-31)




MCI: Min Temperature (2007-12-01_2007-12-31)




MSP: Max Temperature (2007-12-01_2007-12-31)




MSP: Max Temperature (2007-12-01_2007-12-31)




MSP: Min Temperature (2007-12-01_2007-12-31)




MSP: Min Temperature (2007-12-01_2007-12-31)




ORD: Max Temperature (2007-12-01_2007-12-31)




ORD: Max Temperature (2007-12-01_2007-12-31)




ORD: Min Temperature (2007-12-01_2007-12-31)




ORD: Min Temperature (2007-12-01_2007-12-31)




PDX: Max Temperature (2007-12-01_2007-12-31)




PDX: Max Temperature (2007-12-01_2007-12-31)




PDX: Min Temperature (2007-12-01_2007-12-31)




PDX: Min Temperature (2007-12-01_2007-12-31)




PHL: Max Temperature (2007-12-01_2007-12-31)




PHL: Max Temperature (2007-12-01_2007-12-31)




PHL: Min Temperature (2007-12-01_2007-12-31)




PHL: Min Temperature (2007-12-01_2007-12-31)




SAC: Max Temperature (2007-12-01_2007-12-31)




SAC: Max Temperature (2007-12-01_2007-12-31)




SAC: Min Temperature (2007-12-01_2007-12-31)




SAC: Min Temperature (2007-12-01_2007-12-31)




SLC: Max Temperature (2007-12-01_2007-12-31)




SLC: Max Temperature (2007-12-01_2007-12-31)




SLC: Min Temperature (2007-12-01_2007-12-31)




SLC: Min Temperature (2007-12-01_2007-12-31)




TUS: Max Temperature (2007-12-01_2007-12-31)



TUS: Max Temperature (2007-12-01_2007-12-31)



TUS: Min Temperature (2007-12-01_2007-12-31)



TUS: Min Temperature (2007-12-01_2007-12-31)

