

# eCast Monthly Summary Report for 2010-02-01 ~ 2010-02-28

March 4, 2010

Copyright (c) Atmospheric and Environmental Research (AER), Inc., 2010

AER Proprietary Information --

Release or disclosure only with the expressed written permission of AER

# ECMWF/MEX MAX Temperature Regional Summary

## MAE (2010-02-01~2010-02-28)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
USSC	-0.06	3.1/3.1	3.6/3.5	4.0/4.0	4.7/4.3	5.3/4.4	5.6/5.4	6.4/6.1	7.4/8.5	8.3/8.3	8.5/8.2	8.7/8.1	9.0/8.0	8.9/7.9	8.8/7.8	8.6/7.7
USSW	-0.02	2.5/2.5	2.7/2.6	2.8/2.9	3.1/3.0	3.5/3.5	3.8/3.8	4.0/4.3	4.4/5.0	4.6/5.0	4.8/4.9	5.1/4.9	5.2/4.9	5.5/4.9	5.6/4.9	5.5/4.9
USNE	-0.02	2.1/2.2	2.4/2.5	2.5/2.7	2.7/2.7	2.9/3.2	3.2/3.5	3.4/4.0	4.2/4.6	4.6/4.6	4.8/4.5	5.0/4.5	5.4/4.5	5.3/4.5	5.3/4.6	5.1/4.6
CME18	-0.00	2.3/2.5	2.7/2.7	2.9/3.2	3.2/3.5	3.5/3.7	3.8/4.2	4.3/4.6	4.8/5.5	5.3/5.4	5.5/5.4	5.7/5.4	6.0/5.3	6.1/5.3	6.0/5.3	5.9/5.3
USNC	0.01	2.5/2.6	2.8/3.0	3.0/3.4	3.2/3.9	3.4/4.2	3.9/4.5	4.5/4.6	5.0/5.7	5.3/5.6	5.5/5.5	5.8/5.5	6.2/5.4	6.4/5.4	6.4/5.3	6.3/5.3
USSE	0.08	2.5/2.5	2.9/2.9	3.1/3.2	3.5/3.8	3.9/4.0	4.1/4.8	4.6/5.0	4.9/8.0	5.6/7.9	6.6/7.8	7.0/7.7	7.5/7.7	7.9/7.6	7.9/7.5	7.5/7.4
USNW	0.11	3.0/2.6	3.1/2.9	3.2/3.3	3.5/3.3	3.7/3.3	3.9/3.6	4.1/3.7	4.6/6.1	4.8/6.2	5.3/6.4	5.0/6.6	4.8/6.8	4.7/7.0	4.6/7.2	4.5/7.4

## Bias (2010-02-01~2010-02-28)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
USSW	-0.07	-0.0/-0.3	0.0/-0.5	-0.0/-0.6	-0.1/-0.5	-0.1/-0.4	0.0/-0.0	0.2/0.2	0.1/1.4	0.1/1.3	0.1/1.1	0.0/1.0	-0.2/0.8	-0.4/0.7	-0.4/0.5	-0.4/0.4
USNC	0.47	-0.0/0.2	-0.1/-0.5	-0.0/-0.9	-0.1/-1.5	-0.2/-1.6	-0.4/-1.1	-0.6/-0.3	-0.8/2.5	-0.5/2.3	1.0/2.0	1.4/1.8	1.8/1.6	1.9/1.3	1.8/1.1	1.9/0.9
CME18	0.75	-0.1/-0.2	-0.0/-0.4	0.1/-0.4	0.2/-0.7	0.2/-0.8	0.3/-0.7	0.3/-0.0	0.2/2.2	0.5/2.0	1.3/1.8	1.4/1.6	1.7/1.4	1.7/1.2	1.7/1.0	1.7/0.8
USSE	0.85	0.0/-0.0	0.1/0.5	0.1/1.6	0.3/2.1	0.3/2.2	0.4/2.5	0.3/2.7	0.4/6.5	0.7/6.4	1.1/6.2	1.3/6.1	1.2/5.9	1.7/5.8	2.2/5.7	2.4/5.6
USNE	1.29	0.2/0.1	0.4/-0.3	0.5/-0.2	0.8/-0.7	0.7/-1.1	0.7/-1.3	0.5/-0.8	0.2/1.4	0.6/1.2	1.7/1.1	2.2/0.9	2.6/0.8	2.8/0.6	2.8/0.5	2.6/0.4
USNW	1.88	-0.3/-0.7	-0.2/-1.4	-0.1/-1.8	0.3/-1.7	0.8/-1.8	1.5/-1.8	2.0/-1.9	2.6/-5.6	3.3/-5.8	4.1/-6.0	3.7/-6.3	3.1/-6.5	2.8/-6.7	2.5/-6.9	1.9/-7.1
USSC	2.26	-0.3/0.4	-0.1/0.7	0.1/1.0	0.7/0.8	0.9/1.0	1.3/1.6	1.9/1.9	2.1/6.8	3.2/6.5	3.5/6.3	3.6/6.1	3.8/5.9	4.1/5.6	4.6/5.4	4.6/5.2

USNW: US North West      USNC: US North Central      USNE: US North East      USSE: US South East      USSC: US South Central      USSW: US South West

red:  $S < -0.3$       orange:  $-0.3 < S < -0.1$       grey:  $-0.1 < S < 0.1$       green:  $0.1 < S < 0.3$       blue:  $S > 0.3$

S\_score: average of  $(1 - \text{ECMWF-value} / \text{MEX-value})$

red:  $B \geq 4.0$       orange:  $4.0 > B \geq 2.0$       black:  $2.0 > B \geq -2.0$       green:  $-2.0 > B \geq -4.0$       blue:  $B < -4.0$

avg\_bias: average of ECMWF-value

# ECMWF/MEX MIN Temperature Regional Summary

## MAE (2010-02-01~2010-02-28)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
USNC	-0.07	4.3/0.0	4.3/4.2	4.5/4.3	4.6/5.0	5.2/5.4	5.8/5.6	6.8/6.0	7.1/6.9	7.5/6.9	7.2/7.0	7.5/7.0	8.1/7.0	8.4/7.1	8.3/7.1	8.3/--
USSW	0.01	2.7/0.0	2.8/2.8	2.9/2.8	3.2/2.8	3.3/3.2	3.4/3.3	3.6/3.2	3.7/4.3	3.9/4.3	4.0/4.4	4.2/4.4	4.3/4.5	4.3/4.6	4.4/4.6	4.4/--
CME18	0.03	2.5/0.0	2.8/2.9	3.0/3.3	3.3/3.6	3.7/4.1	4.1/4.3	4.6/4.5	4.9/5.8	5.4/5.8	5.6/5.9	5.9/5.9	6.2/5.9	6.4/6.0	6.4/6.0	6.5/--
USNE	0.04	3.0/0.0	3.2/3.0	3.5/3.1	3.9/3.7	4.2/4.1	4.3/4.7	4.7/5.0	5.2/6.3	6.0/6.4	6.2/6.5	5.9/6.6	6.0/6.6	6.2/6.7	6.0/6.8	6.3/--
USSC	0.06	2.5/0.0	2.6/3.1	2.9/3.6	3.1/3.7	3.3/4.0	3.8/4.2	4.5/4.5	4.9/6.6	5.7/6.5	6.3/6.5	6.8/6.4	7.1/6.4	7.0/6.3	7.1/6.3	7.2/--
USSE	0.17	2.2/0.0	2.3/2.9	2.6/2.9	2.8/3.1	3.1/3.4	3.7/3.7	4.3/4.0	4.5/7.4	4.4/7.3	4.7/7.2	5.2/7.1	5.9/7.1	6.0/7.0	6.0/7.0	6.1/--
USNW	0.29	2.5/0.0	2.6/2.8	2.7/3.4	2.7/3.8	3.1/4.2	3.5/4.6	3.7/4.7	3.7/6.7	4.0/6.8	4.4/6.9	4.5/6.9	4.9/7.0	4.6/7.1	4.7/7.2	4.8/--

## Bias (2010-02-01~2010-02-28)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
USNC	-1.54	-0.7/0.0	-1.1/0.2	-1.2/-0.5	-1.3/-1.2	-1.8/-1.5	-2.3/-1.7	-3.2/-1.5	-3.4/-1.5	-3.2/-1.7	-2.1/-2.0	-1.2/-2.2	-0.3/-2.4	-0.3/-2.6	-0.5/-2.8	-0.5/--
USNE	-1.30	-0.2/0.0	-0.3/-0.7	-0.4/-0.8	-0.7/-1.5	-1.0/-2.2	-1.5/-2.9	-2.4/-2.8	-2.5/-3.5	-2.9/-3.7	-2.6/-3.8	-1.7/-3.9	-1.3/-4.0	-0.8/-4.1	-0.4/-4.2	-0.9/--
CME18	-0.61	-0.1/0.0	-0.3/0.0	-0.5/-0.5	-0.6/-0.7	-0.7/-0.9	-1.0/-1.0	-1.7/-0.9	-1.6/-0.8	-1.5/-1.0	-0.9/-1.2	-0.5/-1.4	-0.0/-1.5	0.1/-1.7	0.2/-1.8	-0.0/--
USSW	-0.37	0.1/0.0	-0.0/0.1	0.1/-0.1	0.1/-0.3	0.0/-0.8	-0.3/-0.4	-0.4/-0.1	-0.2/-2.2	-0.3/-2.3	-0.6/-2.4	-1.0/-2.5	-0.8/-2.6	-0.8/-2.7	-0.8/-2.8	-1.0/--
USSE	0.02	0.1/0.0	0.0/-0.1	-0.1/-0.4	-0.3/0.6	-0.7/1.3	-0.7/1.4	-0.7/2.1	-0.4/4.9	-0.6/4.7	-0.2/4.6	0.1/4.5	0.8/4.4	0.8/4.3	1.0/4.2	1.1/--
USSC	1.04	0.1/0.0	-0.1/1.1	-0.3/1.2	-0.3/1.3	0.1/1.4	0.4/1.8	0.5/1.9	0.6/3.1	1.1/2.9	1.4/2.8	1.8/2.6	2.3/2.4	2.4/2.3	2.6/2.1	2.8/--
USNW	1.07	-0.0/0.0	0.2/-1.2	0.1/-2.1	0.3/-2.2	0.8/-2.6	1.1/-3.1	1.5/-2.9	1.9/-5.4	1.9/-5.5	1.7/-5.6	1.9/-5.8	1.6/-5.9	1.5/-6.0	1.1/-6.1	0.3/--

USNW: US North West      USNC: US North Central      USNE: US North East      USSE: US South East      USSC: US South Central      USSW: US South West

red:  $S < -0.3$       orange:  $-0.3 < S < -0.1$       grey:  $-0.1 < S < 0.1$       green:  $0.1 < S < 0.3$       blue:  $S > 0.3$

S\_score: average of  $(1 - \text{ECMWF-value} / \text{MEX-value})$

red:  $B \geq 4.0$       orange:  $4.0 > B \geq 2.0$       black:  $2.0 > B \geq -2.0$       green:  $-2.0 > B \geq -4.0$       blue:  $B < -4.0$

avg\_bias: average of ECMWF-value

# ECMWF/MEX MAX Temperature in CME18

MAE (2010-02-01~2010-02-28)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
DSM	-0.26	3.1/1.8	3.5/2.7	3.8/3.8	3.8/3.8	4.2/3.9	4.5/4.2	4.7/3.5	5.2/4.7	5.6/4.5	4.7/4.4	4.9/4.2	5.3/4.0	5.5/4.0	5.9/3.9	6.2/3.9
BWI	-0.26	1.8/1.8	2.3/1.9	2.5/1.9	2.9/3.0	3.5/2.7	4.1/3.0	4.5/3.7	5.9/5.7	6.7/5.5	6.4/5.4	7.0/5.3	7.3/5.2	7.4/5.1	7.2/5.0	6.8/4.9
PHL	-0.24	1.3/1.9	1.8/2.1	2.2/2.5	2.4/2.0	2.4/2.4	2.8/2.6	3.2/3.8	4.2/3.8	4.8/3.7	5.0/3.6	5.3/3.5	5.8/3.4	5.9/3.4	5.9/3.4	5.7/3.4
ORD	-0.24	1.9/1.7	2.1/2.1	2.0/2.4	2.1/2.9	2.2/2.7	2.7/3.3	3.1/3.3	3.3/2.9	3.7/2.9	4.2/2.9	4.2/2.8	4.6/2.7	4.9/2.6	4.7/2.6	4.4/2.8
LGA	-0.22	2.8/2.4	3.2/2.6	3.1/3.6	3.1/2.5	3.2/3.0	3.0/3.6	3.5/4.4	3.8/3.3	4.2/3.2	4.3/3.2	4.1/3.2	4.6/3.0	4.4/3.0	4.6/3.0	4.4/3.0
LAS	-0.12	2.9/2.4	3.5/2.3	3.4/2.4	3.5/2.3	3.3/3.0	3.8/3.1	4.0/4.0	3.8/4.4	3.9/4.5	4.4/4.6	4.5/4.6	4.3/4.6	4.7/4.7	5.0/4.7	5.0/4.9
MCI	-0.11	2.5/2.6	3.1/2.9	3.3/3.0	3.8/3.5	4.0/3.8	4.5/4.8	5.5/5.5	6.2/6.6	6.6/6.4	6.6/6.2	7.4/6.1	7.7/5.9	7.6/5.8	7.6/5.6	7.1/5.4
DTW	-0.11	2.2/2.3	2.5/2.6	2.7/2.8	2.6/3.0	2.9/3.1	2.9/3.5	3.6/3.9	3.9/3.6	3.9/3.5	4.2/3.5	4.5/3.4	4.7/3.4	5.0/3.4	4.6/3.4	4.5/3.4
DFW	-0.09	4.1/2.9	4.4/4.2	4.4/4.8	5.7/5.4	5.8/6.0	7.1/6.8	8.5/7.2	9.6/10.1	10.6/10.1	10.1/10.0	10.3/9.8	10.9/9.5	10.7/9.4	11.1/9.5	11.3/9.2
TUS	-0.02	2.2/1.4	2.5/1.8	2.1/2.1	1.9/2.5	2.7/3.0	2.9/3.5	3.8/4.3	4.0/5.5	4.5/5.5	5.3/5.4	5.7/5.4	5.5/5.4	5.9/5.3	6.1/5.3	6.2/5.2
IAH	0.01	3.0/2.9	3.5/3.1	3.6/3.4	4.3/4.2	5.3/3.9	5.2/5.8	5.9/6.2	6.5/8.7	8.0/8.5	7.6/8.5	7.7/8.4	8.3/8.2	8.3/8.1	7.7/8.0	7.7/7.9
BOS	0.05	2.0/2.5	2.1/2.7	2.2/2.7	2.7/2.4	2.8/3.5	3.1/3.5	3.2/4.2	3.8/3.8	4.2/3.8	4.5/3.7	4.0/3.8	4.0/3.9	3.8/4.0	3.9/4.1	3.8/4.1
CVG	0.05	2.0/2.8	2.5/2.8	2.7/2.9	3.3/3.1	3.9/3.5	4.3/3.6	4.4/4.2	5.2/8.2	6.0/8.1	6.8/8.0	7.2/7.8	7.9/7.5	7.6/7.4	7.3/7.3	7.3/7.2
SAC	0.05	1.7/1.9	2.0/2.4	2.3/2.6	2.8/2.9	3.1/3.2	3.4/3.1	3.2/3.3	3.7/3.6	3.7/3.5	3.5/3.7	3.4/3.9	3.4/4.0	3.8/4.1	3.9/4.2	3.9/4.4
ATL	0.09	2.3/3.1	2.4/3.1	2.8/4.0	3.3/3.6	3.9/4.4	4.2/4.7	4.6/5.4	5.2/8.2	6.6/8.1	8.0/8.0	7.8/7.9	8.4/7.8	8.7/7.6	8.3/7.5	7.9/7.4
SLC	0.12	2.5/4.3	3.2/4.2	3.6/5.1	3.6/6.1	4.1/6.5	4.2/6.3	4.3/5.7	4.9/5.1	5.3/5.2	5.5/5.3	6.0/5.5	6.4/5.6	6.1/5.7	6.2/5.9	6.3/6.0
MSP	0.24	1.5/3.5	2.2/3.7	2.4/5.2	2.5/6.0	2.6/5.9	3.2/6.5	3.9/6.4	3.8/4.4	3.9/4.4	3.9/4.5	4.5/4.7	5.1/4.8	5.6/4.9	5.9/5.1	5.6/5.2
PDX	0.28	2.1/2.4	2.5/2.1	2.6/2.5	2.8/3.0	3.0/2.9	2.8/3.3	2.7/3.5	3.2/5.8	3.3/5.9	3.1/6.1	3.6/6.2	3.2/6.4	3.1/6.5	2.9/6.6	2.9/6.8

Bias (2010-02-01~2010-02-28)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
DSM	-1.29	-1.1/-0.8	-1.2/-1.9	-1.5/-2.3	-2.1/-2.6	-2.3/-2.1	-2.8/-2.8	-2.8/-1.4	-3.3/3.5	-2.4/3.1	-0.6/2.8	-0.2/2.5	0.2/2.3	0.4/2.0	0.1/1.8	0.4/1.5
SAC	-1.22	-0.1/-0.2	-0.4/-1.5	-0.9/-1.3	-1.5/-1.7	-1.8/-1.8	-1.9/-0.8	-1.5/-0.8	-1.6/-1.2	-1.6/-1.5	-1.1/-1.8	-0.9/-2.0	-1.0/-2.2	-1.3/-2.5	-1.4/-2.8	-1.3/-3.0
ORD	-0.70	0.2/-0.2	0.1/-1.1	-0.0/-1.1	-0.3/-2.2	-0.5/-1.8	-1.0/-2.3	-1.9/-1.5	-2.0/0.5	-1.9/0.2	-0.6/0.0	-0.5/-0.2	-0.4/-0.4	-0.8/-0.6	-0.5/-0.9	-0.3/-1.1
DTW	-0.59	-0.4/-0.5	-0.4/-0.4	-0.4/-0.8	-0.3/-1.4	-0.4/-1.8	-0.7/-1.7	-1.3/-1.1	-2.0/-0.1	-2.0/-0.3	-0.4/-0.5	-0.4/-0.6	0.1/-0.8	0.2/-0.9	-0.2/-1.0	-0.1/-1.1
LAS	-0.49	-0.1/1.5	-0.2/1.9	-0.6/1.6	-0.4/1.2	-0.6/1.4	-0.8/1.1	-0.6/1.1	-1.0/0.6	-1.0/0.4	-0.7/0.2	-0.2/0.0	0.1/-0.2	-0.4/-0.5	-0.4/-0.7	-0.6/-0.9
MSP	-0.27	0.1/-3.2	0.1/-3.2	0.2/-4.4	0.0/-5.5	0.1/-5.5	-0.1/-5.4	-1.0/-4.7	-1.9/-1.9	-2.6/-2.2	-1.1/-2.5	-0.2/-2.8	0.6/-3.1	0.8/-3.4	0.7/-3.6	0.2/-3.8
TUS	-0.10	-0.2/-0.1	-0.1/0.4	0.2/0.1	0.1/1.5	0.1/1.2	0.3/-0.3	0.4/1.5	0.7/2.2	0.2/2.1	0.2/2.0	0.0/1.8	-0.3/1.7	-1.0/1.5	-1.0/1.4	-1.0/1.2
BOS	0.27	0.2/0.7	0.3/-1.8	0.4/-0.9	0.7/-1.7	0.2/-2.6	0.2/-2.1	0.0/-2.3	-0.7/-1.1	-0.4/-1.2	0.2/-1.4	0.5/-1.5	0.7/-1.6	0.9/-1.7	0.6/-1.8	0.3/-1.9
PDX	0.46	-0.6/-1.0	-0.4/-0.5	-0.7/-1.2	-0.3/-1.1	-0.1/-1.2	0.2/-1.6	0.4/-1.3	0.8/-5.0	1.4/-5.2	1.6/-5.4	2.0/-5.6	1.2/-5.8	0.9/-6.0	0.5/-6.1	0.1/-6.3
SLC	0.61	0.6/-3.9	0.7/-3.4	0.8/-4.4	1.0/-4.6	1.4/-5.3	1.6/-3.7	1.4/-3.4	1.6/-2.9	1.7/-3.2	1.1/-3.4	0.6/-3.7	0.0/-3.9	-0.8/-4.2	-1.1/-4.4	-1.6/-4.6
ATL	0.86	-0.3/0.5	0.4/1.4	0.8/2.4	0.4/1.0	0.4/1.4	1.2/2.1	1.0/3.0	0.8/6.7	1.4/6.5	1.3/6.2	0.4/6.0	0.6/5.8	1.1/5.6	1.7/5.5	1.8/5.3
CVG	1.11	0.4/1.9	0.4/0.9	0.2/0.6	0.3/0.1	0.5/0.6	0.4/0.7	0.0/1.6	-0.6/7.0	-0.8/6.8	1.4/6.5	2.0/6.3	2.6/6.1	3.4/5.9	2.9/5.7	3.5/5.5
PHL	1.70	-0.1/-0.9	0.0/-0.3	0.3/-0.0	0.6/-1.1	0.8/0.4	0.7/-0.4	0.6/0.1	0.5/2.9	1.3/2.7	2.6/2.5	2.8/2.4	3.4/2.2	3.7/2.1	4.0/1.9	4.0/1.8
LGA	2.27	0.9/0.5	1.1/0.1	1.5/0.6	1.6/-0.3	1.5/-0.3	1.4/-0.6	1.7/-0.4	1.4/1.8	1.9/1.6	3.3/1.5	3.2/1.3	3.7/1.2	3.7/1.0	3.7/0.9	3.5/0.8
IAH	2.27	-0.6/0.4	-0.7/0.3	-0.5/1.7	0.2/1.2	1.0/-0.4	1.9/1.4	2.7/2.6	2.8/7.5	3.5/7.3	3.9/7.1	3.2/6.9	3.6/6.8	4.1/6.6	4.3/6.4	4.6/6.2
MCI	2.31	-0.2/-0.1	0.1/-0.6	1.0/-0.9	0.9/-0.8	1.1/-1.0	1.2/-0.5	2.0/1.6	2.2/5.5	3.1/5.1	2.8/4.9	3.6/4.6	4.5/4.3	3.9/4.0	4.3/3.8	4.3/3.5
BWI	2.43	-0.1/0.7	0.2/0.8	0.5/1.2	0.9/2.2	1.5/0.8	1.8/0.4	1.6/1.2	1.9/5.5	2.6/5.3	3.8/5.1	3.9/5.0	4.2/4.8	4.4/4.7	4.7/4.5	4.5/4.4
DFW	3.83	-0.9/1.5	-0.5/2.1	0.4/2.0	1.7/3.1	1.3/3.5	2.7/3.3	3.4/3.9	3.8/8.9	5.3/8.6	6.0/8.3	6.0/8.1	6.6/7.8	6.8/7.6	7.4/7.3	7.6/7.1

red: S < -0.3      orange: -0.3 < S < -0.1      grey: -0.1 < S < 0.1      green: 0.1 < S < 0.3      blue: S > 0.3

S\_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0      orange: 4.0 > B >= 2.0      black: 2.0 > B >= -2.0      green: -2.0 > B >= -4.0      blue: B < -4.0

avg\_bias: average of ECMWF-value

# ECMWF/MEX MIN Temperature in CME18

MAE (2010-02-01~2010-02-28)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
DTW	-0.69	5.1/0.0	5.0/2.5	5.2/3.0	5.5/3.8	6.0/3.8	6.8/3.7	7.9/4.4	8.9/4.6	8.8/4.8	8.2/4.9	7.9/5.1	7.4/5.1	8.2/5.2	8.0/5.3	7.9/--
PHL	-0.26	2.3/0.0	2.6/2.3	2.9/2.8	3.6/3.0	3.7/3.1	3.8/3.0	3.9/4.5	4.4/4.2	5.4/4.3	5.8/4.4	6.2/4.4	6.3/4.3	6.8/4.2	6.7/4.3	6.8/--
BWI	-0.25	2.9/0.0	2.9/2.6	3.2/3.1	3.9/3.6	4.3/4.0	5.0/4.5	5.3/5.1	5.7/5.2	6.9/5.4	6.8/5.4	7.6/5.5	8.5/5.5	9.1/5.5	9.0/5.5	9.4/--
CVG	-0.19	4.0/0.0	3.9/5.1	4.0/4.6	4.0/5.6	4.4/6.3	6.4/6.2	8.1/6.9	9.0/7.9	10.4/7.9	11.0/7.8	11.5/7.8	12.4/7.7	12.6/7.6	12.1/7.5	11.4/--
TUS	-0.05	2.0/0.0	2.3/2.8	2.4/2.5	2.4/2.2	2.5/2.1	2.5/2.8	2.9/2.5	3.1/3.8	3.8/3.8	4.0/3.9	4.5/3.9	4.5/3.9	4.6/4.0	5.1/4.1	4.7/--
DFW	-0.05	1.5/0.0	1.9/2.8	2.3/3.4	2.8/2.9	2.8/3.4	3.2/4.1	3.6/3.6	4.4/5.5	6.3/5.5	6.7/5.3	7.0/5.2	7.5/5.2	7.1/5.2	7.1/5.1	7.1/--
LGA	-0.03	1.8/0.0	2.3/2.0	2.7/1.9	2.8/2.5	2.7/2.8	2.9/3.8	3.3/4.2	3.7/3.2	4.3/3.4	4.2/3.5	3.1/3.5	3.2/3.5	3.2/3.6	3.3/3.7	3.8/--
ORD	0.03	2.4/0.0	2.5/2.7	2.9/3.9	4.1/4.6	5.8/5.9	6.3/5.8	6.8/5.9	6.3/6.9	6.4/7.1	6.2/7.2	6.2/7.3	7.5/7.4	8.3/7.5	8.5/7.6	8.6/--
BOS	0.07	1.6/0.0	2.2/1.8	2.5/2.2	3.0/2.9	3.6/2.9	4.0/3.7	4.3/3.5	4.8/5.5	4.8/5.6	4.9/5.8	4.2/5.9	3.7/6.1	3.5/6.2	3.6/6.2	3.7/--
IAH	0.08	2.0/0.0	1.8/2.2	1.7/3.2	2.0/3.2	2.5/3.7	2.8/4.1	3.8/4.8	4.7/6.4	6.7/6.3	7.4/6.3	7.7/6.4	8.0/6.4	7.7/6.2	7.5/6.1	7.2/--
ATL	0.13	1.9/0.0	1.8/2.5	2.6/2.5	2.8/2.8	3.4/3.4	4.0/3.5	3.8/6.8	3.8/6.7	4.6/6.6	5.1/6.4	5.7/6.4	5.9/6.4	5.8/6.4	5.8/6.4	5.6/--
MCI	0.14	3.1/0.0	3.4/4.9	3.5/5.4	4.0/5.8	4.3/5.6	5.5/6.4	6.1/6.4	7.1/8.8	7.3/8.8	7.6/8.7	7.7/8.6	8.7/8.6	8.8/8.5	9.4/8.4	10.2/--
DSM	0.16	2.6/0.0	3.3/4.0	3.8/4.1	4.6/5.8	5.4/5.6	5.0/6.2	5.9/6.2	5.9/7.8	5.5/7.7	5.3/7.8	6.4/7.7	6.4/7.6	7.0/7.7	7.5/7.7	8.1/--
SAC	0.19	2.6/0.0	3.2/2.9	3.4/3.1	3.2/2.8	2.8/3.7	3.1/3.2	2.7/3.0	2.7/4.2	2.7/4.2	3.1/4.2	2.9/4.4	2.7/4.5	3.0/4.5	2.9/4.6	3.1/--
LAS	0.20	1.6/0.0	2.2/2.4	2.4/2.1	2.1/1.9	2.3/2.2	2.1/2.1	2.2/2.1	2.6/4.6	2.6/4.7	2.8/4.9	3.4/5.0	3.5/5.2	3.4/5.4	3.1/5.5	3.2/--
SLC	0.21	2.8/0.0	3.3/3.0	3.3/5.0	2.9/4.8	3.3/5.7	3.4/5.4	4.2/5.0	3.8/5.9	4.3/6.0	5.3/6.1	6.0/6.3	6.0/6.4	5.8/6.5	5.7/6.7	5.9/--
MSP	0.22	3.0/0.0	3.1/3.5	3.2/4.0	3.3/4.5	3.8/5.4	4.7/5.9	5.2/5.3	6.0/6.9	4.6/7.0	3.8/7.1	5.1/7.2	5.9/7.1	6.4/7.2	6.6/7.3	7.0/--
PDX	0.25	2.5/0.0	2.2/1.9	2.5/2.6	2.3/2.8	2.7/3.5	2.8/3.8	2.8/3.6	2.8/5.5	3.2/5.6	3.5/5.7	3.9/5.7	4.3/5.7	4.1/5.7	4.0/5.8	4.1/--

Bias (2010-02-01~2010-02-28)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
DTW	-4.84	-1.3/0.0	-1.9/-1.0	-2.7/-1.4	-3.6/-2.5	-4.8/-2.8	-6.1/-2.7	-6.8/-2.9	-7.8/-3.9	-8.2/-4.1	-6.2/-4.2	-5.4/-4.4	-4.1/-4.5	-4.4/-4.6	-4.4/-4.7	-4.8/--
ORD	-2.56	0.3/0.0	-0.3/-0.8	-0.9/-2.5	-1.5/-3.2	-2.2/-3.4	-3.0/-3.0	-4.4/-3.1	-4.4/-3.9	-4.5/-4.1	-3.8/-4.4	-2.8/-4.6	-2.3/-4.8	-2.5/-5.0	-2.9/-5.2	-3.1/--
CVG	-2.34	-0.8/0.0	-0.8/3.6	-1.3/2.7	-1.2/2.1	-1.8/1.0	-3.2/0.8	-5.1/1.7	-6.1/3.8	-6.3/3.6	-4.3/3.4	-2.5/3.2	-0.8/3.1	-0.5/2.9	-0.5/2.8	0.2/--
SLC	-1.83	1.3/0.0	0.5/-2.7	-0.1/-4.7	-0.8/-4.5	-1.1/-4.8	-2.0/-4.1	-2.3/-2.9	-2.5/-5.1	-2.5/-5.3	-2.7/-5.5	-3.3/-5.7	-2.9/-5.9	-2.7/-6.0	-2.8/-6.2	-3.7/--
BOS	-1.37	-0.2/0.0	-0.5/-0.7	-0.7/-0.9	-1.1/-1.7	-1.5/-1.7	-2.1/-2.7	-2.9/-2.2	-2.7/-4.5	-2.6/-4.6	-2.3/-4.8	-1.2/-4.9	-0.9/-5.1	-0.5/-5.2	-0.5/-5.2	-1.0/--
PHL	-0.92	-0.3/0.0	-0.1/0.2	-0.2/-0.5	-0.4/-0.5	-0.6/-0.6	-0.9/-1.0	-2.1/-1.8	-2.2/0.9	-2.5/0.8	-1.7/0.6	-1.4/0.5	-1.1/0.4	-0.6/0.3	0.3/0.2	-0.1/--
SAC	-0.65	0.1/0.0	-0.3/-1.1	-0.4/-2.1	-0.4/-1.3	-0.7/-3.0	-1.0/-1.7	-0.9/-2.0	-0.6/-3.2	-1.0/-3.4	-1.0/-3.5	-0.5/-3.6	-0.8/-3.7	-0.7/-3.8	-0.8/-3.9	-0.9/--
BWI	-0.54	-0.7/0.0	-0.6/-0.6	-0.6/-1.0	-0.7/-1.4	-0.6/-1.0	-0.2/-2.0	-0.6/-2.6	-0.7/1.0	-0.7/0.9	0.2/0.8	-1.5/0.6	-1.1/0.5	-0.7/0.4	0.3/0.2	0.0/--
LAS	-0.44	-0.1/0.0	0.1/1.4	0.3/0.3	0.4/0.1	0.2/-0.2	-0.2/-0.5	-0.6/-0.3	-0.1/-4.2	-0.2/-4.4	-0.5/-4.5	-1.4/-4.7	-1.2/-4.9	-1.2/-5.1	-1.1/-5.2	-1.1/--
LGA	-0.39	-0.2/0.0	0.1/-0.6	0.1/-0.5	0.2/-1.5	0.2/-1.8	-0.7/-2.9	-1.4/-2.2	-1.4/-2.0	-1.9/-2.1	-1.6/-2.2	0.4/-2.3	0.1/-2.4	0.6/-2.5	0.3/-2.6	-0.2/--
MSP	-0.16	-0.2/0.0	-0.5/0.1	-0.8/-0.6	-0.2/-2.5	-0.1/-1.7	-0.3/-0.8	-2.3/-2.1	-2.9/-2.1	-1.8/-2.5	-0.2/-2.9	0.4/-3.2	1.5/-3.5	1.8/-3.8	1.8/-4.1	1.4/--
ATL	0.10	0.2/0.0	0.1/0.8	0.2/1.4	-0.2/2.1	-0.9/2.6	-1.1/2.5	-1.2/1.9	-0.9/4.8	-0.6/4.6	-0.1/4.5	0.4/4.4	1.3/4.2	1.3/4.1	1.7/3.9	1.3/--
MCI	0.18	-0.3/0.0	-0.5/-0.5	-0.5/-1.2	-0.4/-0.9	-0.6/-1.9	-0.9/-2.5	-0.8/-1.4	-0.0/1.5	0.8/1.2	1.0/1.0	1.5/0.7	1.4/0.5	0.8/0.3	0.5/0.0	0.8/--
TUS	0.42	0.2/0.0	-0.2/0.9	0.0/0.5	0.2/0.5	0.1/0.5	0.2/-0.3	-0.3/-0.2	-0.1/-1.8	0.2/-1.9	0.2/-2.0	0.8/-2.1	1.2/-2.2	1.4/-2.3	1.5/-2.4	0.8/--
DSM	0.62	0.9/0.0	0.2/-1.0	0.2/-2.0	0.3/-0.9	0.9/-0.7	0.8/-1.4	-1.1/-1.4	-0.6/1.0	-0.1/0.7	0.9/0.4	1.6/0.2	1.5/-0.1	1.5/-0.4	1.3/-0.6	0.9/--
PDX	0.67	-0.2/0.0	0.2/0.8	0.0/-0.9	-0.1/-0.0	0.2/-1.0	-0.1/-1.4	0.2/-1.2	0.4/-3.9	0.4/-4.0	0.9/-4.0	1.8/-4.1	1.8/-4.2	1.7/-4.2	1.8/-4.3	1.0/--
DFW	1.54	-0.4/0.0	-0.4/1.0	-0.7/1.9	-0.6/1.6	0.4/1.9	1.2/2.8	0.8/1.8	1.2/2.9	2.0/2.7	2.4/2.5	2.4/2.2	3.3/2.1	3.4/1.9	3.6/1.7	4.2/--
IAH	1.55	-0.0/0.0	-0.2/0.8	-0.5/2.5	-0.2/2.0	0.6/2.2	1.3/3.9	1.7/4.0	1.7/3.8	2.1/3.6	2.8/3.5	1.9/3.3	2.5/3.2	2.9/3.0	3.1/2.9	3.7/--

red: S < -0.3      orange: -0.3 < S < -0.1      grey: -0.1 < S < 0.1      green: 0.1 < S < 0.3      blue: S > 0.3

S\_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0      orange: 4.0 > B >= 2.0      black: 2.0 > B >= -2.0      green: -2.0 > B >= -4.0      blue: B < -4.0

avg\_bias: average of ECMWF-value

# ECMWF/MEX MAX Temperature in USNW

	S-score	MAE (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
BOI	-0.22	2.7/2.3	2.2/2.6	2.7/3.3	4.3/3.2	5.0/2.9	5.8/3.6	6.2/3.8	6.8/5.3	7.1/5.5	7.2/5.8	7.0/6.0	6.9/6.2	7.1/6.5	6.8/6.7	7.0/7.0
ALW	0.00	3.7/3.3	3.7/3.7	4.2/4.1	4.7/4.0	4.7/4.4	4.9/4.9	5.4/4.5	5.8/6.1	6.1/6.3	6.8/6.4	6.7/6.6	6.4/6.8	6.2/7.0	6.0/7.2	5.5/7.3
GEG	0.04	2.3/1.9	3.0/2.1	3.4/2.6	3.6/2.9	3.7/2.8	4.0/2.8	4.2/3.6	4.9/7.0	5.3/7.2	6.2/7.5	5.7/7.8	5.3/8.0	5.1/8.2	5.0/8.5	4.7/8.7
EUG	0.08	3.6/3.0	3.4/2.8	3.3/3.2	3.4/3.5	4.2/3.5	4.0/3.5	4.0/4.1	4.6/5.2	4.7/5.2	4.4/5.4	4.0/5.4	4.3/5.5	4.1/5.7	3.9/5.8	3.8/5.9
SEA	0.14	2.9/2.1	2.6/2.6	2.3/2.9	2.6/3.3	2.8/3.0	3.1/3.5	3.0/3.5	3.5/5.1	4.3/5.2	5.3/5.2	4.4/5.3	4.4/5.4	4.1/5.6	4.3/5.7	4.1/5.9
PDT	0.20	4.3/3.2	4.4/4.6	4.6/5.1	4.5/4.4	4.1/4.8	4.0/4.6	4.1/4.1	4.6/7.0	4.8/7.2	5.3/7.4	4.9/7.6	4.6/7.9	4.9/8.1	4.8/8.3	4.5/8.6
YKM	0.27	2.1/2.3	2.8/2.3	2.9/2.2	2.3/2.4	2.4/2.4	2.7/2.4	3.3/2.9	3.4/7.0	3.2/7.3	3.6/7.5	3.2/7.8	2.9/8.1	3.0/8.3	2.9/8.6	3.1/8.9
PDX	0.28	2.1/2.4	2.5/2.1	2.6/2.5	2.8/3.0	3.0/2.9	2.8/3.3	2.7/3.5	3.2/5.8	3.3/5.9	3.1/6.1	3.6/6.2	3.2/6.4	3.1/6.5	2.9/6.6	2.9/6.8

	avg-bias	Bias (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
PDX	0.46	-0.6/-1.0	-0.4/-0.5	-0.7/-1.2	-0.3/-1.1	-0.1/-1.2	0.2/-1.6	0.4/-1.3	0.8/-5.0	1.4/-5.2	1.6/-5.4	2.0/-5.6	1.2/-5.8	0.9/-6.0	0.5/-6.1	0.1/-6.3
EUG	0.73	-0.6/-0.1	-0.4/-1.8	-0.4/-2.1	-0.2/-2.1	-0.2/-1.2	0.5/-1.5	0.7/-1.0	1.2/-4.3	1.8/-4.5	1.8/-4.7	1.9/-4.8	1.8/-5.0	1.4/-5.1	1.0/-5.2	0.6/-5.4
YKM	0.91	0.2/1.1	0.1/1.1	-0.1/-0.5	0.2/0.1	0.1/-0.1	0.8/0.1	1.4/-0.4	1.4/-6.6	1.5/-6.9	2.4/-7.2	1.8/-7.5	1.3/-7.8	1.2/-8.1	1.0/-8.4	0.3/-8.7
PDT	1.40	-0.8/-2.7	-1.2/-3.7	-1.0/-4.2	-0.6/-3.3	-0.2/-3.7	1.0/-3.5	1.5/-3.1	2.3/-6.8	3.2/-7.1	4.1/-7.3	3.6/-7.6	2.8/-7.8	2.8/-8.1	2.3/-8.3	1.3/-8.6
SEA	2.29	-0.1/-1.4	0.5/-2.2	0.7/-2.2	1.2/-2.4	1.6/-2.2	2.0/-2.0	2.2/-2.1	2.8/-4.5	3.8/-4.6	5.1/-4.8	3.7/-4.9	3.2/-5.1	2.7/-5.2	2.6/-5.4	2.2/-5.5
GEG	2.37	-0.4/0.1	-0.2/-0.9	0.1/-0.7	0.3/-1.6	1.3/-1.7	1.9/-1.5	2.4/-2.4	3.1/-6.9	4.0/-7.1	5.6/-7.4	4.6/-7.7	3.7/-8.0	3.5/-8.2	3.0/-8.5	2.5/-8.7
ALW	2.53	-0.4/-0.8	-0.3/-1.9	-0.6/-2.5	-0.4/-1.6	0.4/-2.9	1.7/-3.2	2.1/-2.9	2.8/-5.6	3.9/-5.8	5.2/-6.1	5.7/-6.3	4.9/-6.6	4.6/-6.8	4.5/-7.0	3.6/-7.2
BOI	4.36	0.4/-0.9	0.6/-1.6	1.3/-1.3	2.4/-1.4	3.2/-1.2	4.2/-1.1	5.2/-2.1	6.3/-4.6	6.8/-5.0	7.1/-5.2	6.7/-5.6	6.1/-5.9	5.8/-6.2	4.9/-6.5	4.4/-6.8

red:  $S < -0.3$       orange:  $-0.3 < S < -0.1$       grey:  $-0.1 < S < 0.1$       green:  $0.1 < S < 0.3$       blue:  $S > 0.3$

S\_score: average of  $(1 - \text{ECMWF-value} / \text{MEX-value})$

red:  $B \geq 4.0$       orange:  $4.0 > B \geq 2.0$       black:  $2.0 > B \geq -2.0$       green:  $-2.0 > B \geq -4.0$       blue:  $B < -4.0$

avg\_bias: average of ECMWF-value

# ECMWF/MEX MIN Temperature in USNW

	S-score	MAE (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
PDT	0.21	3.0/0.0	3.2/2.8	3.0/3.4	2.4/3.8	3.1/3.6	3.8/4.7	3.8/4.4	4.1/5.8	4.3/5.9	4.4/6.0	4.5/6.0	4.9/6.1	4.3/6.2	4.4/6.3	4.8/--
EUG	0.22	2.5/0.0	2.4/2.9	3.3/3.6	3.1/4.4	4.0/5.2	4.2/4.8	4.5/5.4	4.2/6.9	4.8/7.0	5.3/7.0	5.7/7.0	5.8/7.0	5.4/7.0	5.4/7.0	5.3/--
SEA	0.23	1.9/0.0	1.6/2.2	1.8/2.1	1.9/2.5	2.3/2.8	2.4/3.4	2.7/2.9	3.1/5.0	3.5/5.0	4.0/4.9	3.7/5.0	3.8/5.0	4.0/5.0	3.9/5.1	3.7/--
PDX	0.25	2.5/0.0	2.2/1.9	2.5/2.6	2.3/2.8	2.7/3.5	2.8/3.8	2.8/3.6	2.8/5.5	3.2/5.6	3.5/5.7	3.9/5.7	4.3/5.7	4.1/5.7	4.0/5.8	4.1/--
YKM	0.27	3.2/0.0	3.3/3.3	3.7/4.9	4.2/4.6	4.8/5.1	4.8/5.7	4.6/5.8	4.5/9.4	5.1/9.5	5.6/9.6	6.1/9.6	6.8/9.7	6.5/9.9	6.8/10.0	6.8/--
BOI	0.33	2.6/0.0	3.0/3.0	3.0/3.3	3.0/4.1	3.1/5.2	3.6/5.1	4.0/6.2	4.3/7.0	4.1/7.2	4.6/7.4	4.3/7.5	4.6/7.7	4.7/7.9	4.5/8.0	4.8/--
ALW	0.34	2.8/0.0	3.2/2.9	2.6/3.6	2.4/4.0	2.5/3.9	3.3/4.8	3.6/4.8	3.8/6.6	3.7/6.7	4.2/6.8	4.1/6.9	4.5/7.0	3.9/7.1	4.1/7.2	4.0/--
GEG	0.44	1.9/0.0	1.7/3.0	1.9/3.5	2.1/3.9	2.6/4.1	3.3/4.8	3.6/4.3	3.2/7.4	3.5/7.5	3.7/7.7	3.8/7.8	4.2/7.9	4.2/8.1	4.6/8.2	4.6/--

	avg-bias	Bias (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
PDX	0.67	-0.2/0.0	0.2/0.8	0.0/-0.9	-0.1/-0.0	0.2/-1.0	-0.1/-1.4	0.2/-1.2	0.4/-3.9	0.4/-4.0	0.9/-4.0	1.8/-4.1	1.8/-4.2	1.7/-4.2	1.8/-4.3	1.0/--
ALW	0.79	-0.5/0.0	-0.3/-1.3	-0.6/-1.8	-0.7/-1.5	-0.3/-2.1	0.7/-2.4	1.1/-2.4	1.9/-4.8	1.9/-5.0	1.7/-5.1	2.0/-5.2	1.7/-5.4	1.4/-5.5	1.5/-5.7	0.5/--
YKM	0.86	0.6/0.0	0.6/-1.9	0.6/-4.7	0.8/-4.1	1.0/-4.1	0.9/-4.8	1.4/-4.0	1.6/-8.5	1.5/-8.7	0.8/-8.9	1.1/-9.0	1.0/-9.1	1.3/-9.3	0.2/-9.4	-0.3/--
SEA	0.88	-0.2/0.0	-0.1/-1.1	-0.1/-0.8	0.0/-1.0	0.4/-1.2	0.5/-2.2	0.9/-0.7	1.1/-4.0	1.6/-4.0	2.4/-4.1	2.4/-4.1	1.4/-4.1	1.3/-4.2	1.1/-4.2	0.4/--
PDT	1.24	-0.7/0.0	-0.7/-0.9	-0.6/-1.4	-0.8/-1.5	0.3/-1.6	0.7/-3.4	1.4/-2.6	2.3/-4.0	2.4/-4.1	2.1/-4.2	3.3/-4.4	3.0/-4.5	2.7/-4.6	2.2/-4.8	1.1/--
EUG	1.26	0.4/0.0	0.6/-0.6	0.4/-1.9	0.4/-1.9	1.4/-2.6	1.3/-2.0	1.3/-2.9	1.6/-4.4	1.4/-4.5	1.6/-4.5	1.6/-4.6	1.7/-4.7	2.1/-4.8	1.9/-4.8	1.2/--
GEG	1.29	0.5/0.0	0.8/-2.0	0.4/-2.6	1.4/-3.4	2.0/-3.5	2.5/-4.5	2.6/-3.6	2.8/-7.1	2.9/-7.3	2.2/-7.5	1.0/-7.6	0.7/-7.8	0.4/-7.9	-0.1/-8.1	-0.9/--
BOI	1.54	0.1/0.0	0.2/-2.8	0.8/-3.1	1.6/-3.9	1.5/-4.6	2.5/-4.5	3.1/-5.5	3.8/-6.3	3.5/-6.5	1.8/-6.8	1.7/-7.0	1.5/-7.2	1.2/-7.4	0.4/-7.5	-0.5/--

red:  $S < -0.3$       orange:  $-0.3 < S < -0.1$       grey:  $-0.1 < S < 0.1$       green:  $0.1 < S < 0.3$       blue:  $S > 0.3$

S\_score: average of  $(1 - \text{ECMWF-value} / \text{MEX-value})$

red:  $B \geq 4.0$       orange:  $4.0 > B \geq 2.0$       black:  $2.0 > B \geq -2.0$       green:  $-2.0 > B \geq -4.0$       blue:  $B < -4.0$

avg\_bias: average of ECMWF-value

# ECMWF/MEX MAX Temperature in USNC

MAE (2010-02-01~2010-02-28)																
S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
FWA	-0.29	1.6/1.3	1.6/2.1	1.8/2.3	1.9/2.6	2.5/2.9	2.9/3.5	3.4/3.1	3.9/3.4	4.9/3.3	5.0/3.2	5.2/3.2	5.7/3.2	6.1/3.1	6.0/3.1	5.1/3.1
CLE	-0.28	2.4/2.6	2.4/3.1	3.0/3.8	3.2/3.4	3.5/3.6	3.9/4.1	4.6/3.6	5.1/3.8	5.5/3.9	5.3/3.8	5.7/3.9	6.5/3.9	7.0/3.8	7.1/3.8	6.2/3.8
LAN	-0.27	1.6/1.7	1.8/1.9	2.3/2.1	2.2/2.2	2.4/2.3	2.6/3.0	3.4/3.6	4.1/2.8	4.1/2.9	4.3/2.9	4.6/2.9	5.0/3.0	4.8/3.0	4.8/3.0	4.5/3.0
DSM	-0.26	3.1/1.8	3.5/2.7	3.8/3.8	3.8/3.8	4.2/3.9	4.5/4.2	4.7/3.5	5.2/4.7	5.6/4.5	4.9/4.2	4.9/4.2	5.3/4.0	5.5/4.0	5.9/3.9	6.2/3.9
RAP	-0.25	3.1/3.0	3.9/3.3	4.1/3.8	4.9/6.0	5.6/5.2	6.7/7.2	8.8/7.5	9.3/7.4	9.5/7.4	10.1/7.3	10.3/7.1	10.2/7.1	10.6/7.0	11.0/6.9	10.8/6.7
DEC	-0.25	2.2/2.4	3.0/2.5	3.3/2.6	3.5/2.8	4.2/2.7	4.9/3.4	5.0/3.5	5.9/6.2	6.5/6.0	6.9/5.8	6.6/5.6	6.9/5.5	6.8/5.2	6.9/5.1	6.8/5.0
ORD	-0.24	1.9/1.7	2.1/2.1	2.0/2.4	2.1/2.9	2.2/2.7	2.7/3.3	3.1/3.3	3.3/2.9	3.7/2.9	4.2/2.9	4.2/2.8	4.6/2.7	4.9/2.6	4.7/2.6	4.4/2.8
DAY	-0.22	3.1/2.5	3.3/1.7	3.8/2.7	3.8/3.2	3.8/3.1	4.1/3.7	4.8/3.4	5.2/6.3	6.4/6.1	5.9/6.0	6.2/5.8	6.6/5.7	6.8/5.7	6.8/5.6	6.5/5.4
GTF	-0.16	3.3/3.4	2.4/3.4	3.2/3.8	4.0/4.3	4.7/5.2	6.5/5.1	7.4/6.3	8.7/6.5	9.0/6.6	9.0/6.5	9.2/6.6	9.3/6.8	8.8/7.0	8.9/6.9	8.2/7.0
DTW	-0.11	2.2/2.3	2.5/2.6	2.7/2.8	2.6/3.0	2.9/3.1	2.9/3.5	3.6/3.9	3.9/3.6	3.9/3.5	4.2/3.5	4.5/3.4	4.7/3.4	5.0/3.4	4.6/3.4	4.5/3.4
OMA	-0.10	3.1/2.1	3.6/3.2	3.2/2.6	3.2/2.6	3.0/4.4	4.0/2.9	5.5/4.1	5.6/7.0	6.0/6.8	5.3/6.6	6.1/6.4	6.9/6.2	6.4/6.0	7.3/5.9	7.6/5.9
YNG	-0.07	3.2/2.8	4.0/3.0	4.1/3.1	3.7/3.8	3.3/3.5	3.4/4.6	3.6/4.6	3.8/4.2	4.2/4.1	3.9/4.2	4.2/4.1	4.7/4.0	5.1/4.0	5.1/4.0	4.8/4.0
IND	-0.06	2.0/2.8	2.3/2.1	2.4/2.5	2.7/2.3	3.0/2.6	3.5/3.1	3.7/3.2	4.7/6.4	5.0/6.1	5.7/5.9	6.2/5.8	6.7/5.6	6.9/5.4	6.9/5.4	6.5/5.2
EVV	-0.04	2.9/3.0	2.8/2.8	3.0/3.5	3.5/4.2	4.1/4.6	4.6/4.3	5.8/5.1	6.5/8.0	7.0/7.9	8.1/7.7	8.5/7.5	8.8/7.3	8.9/7.1	8.6/7.0	8.5/7.0
PIR	-0.03	6.3/3.9	6.9/4.8	6.4/4.6	5.3/5.4	5.1/5.6	5.7/6.6	6.2/7.4	6.8/9.1	6.2/8.8	7.4/8.6	8.2/8.3	7.8/8.1	7.8/7.9	8.0/7.8	8.1/7.5
CMH	0.00	1.8/2.2	1.9/2.0	2.4/2.2	2.7/2.6	2.8/2.7	3.3/3.1	4.1/3.7	4.5/7.1	5.6/7.0	6.3/6.8	6.6/6.7	7.3/6.5	7.5/6.4	7.3/6.3	6.7/6.2
APN	0.01	2.3/1.9	2.3/2.3	2.5/2.9	2.4/2.8	2.7/3.3	2.9/3.7	3.8/3.2	3.9/4.1	3.7/4.1	4.0/4.1	4.4/4.2	4.9/4.4	4.8/4.5	4.8/4.5	4.6/4.5
CVG	0.05	2.0/2.8	2.5/2.8	2.7/2.9	3.3/3.1	3.9/3.5	4.3/3.6	4.4/4.2	5.2/8.2	6.0/8.1	6.8/8.0	7.2/7.8	7.9/7.5	7.6/7.4	7.3/7.3	7.3/7.2
SDF	0.06	3.1/3.8	3.3/3.5	3.7/4.5	4.3/4.5	5.0/5.1	5.5/5.1	5.9/6.4	6.9/9.5	7.3/9.3	8.6/9.2	9.0/9.0	9.1/8.9	9.2/8.8	8.7/8.6	9.1/8.5
DBQ	0.08	1.7/1.7	2.0/2.9	2.4/3.7	2.8/3.9	3.0/3.6	3.3/4.4	2.4/4.1	2.6/3.0	2.7/3.0	3.0/3.1	3.3/3.2	3.9/3.2	3.9/3.2	4.3/3.3	3.8/3.4
LEX	0.09	2.5/3.5	3.0/3.5	3.4/3.4	4.0/4.0	4.4/4.5	4.8/4.6	5.4/5.9	6.4/9.5	6.8/9.4	7.8/9.2	8.5/9.1	8.5/9.0	8.6/8.8	8.4/8.7	8.7/8.5
FSD	0.12	1.8/1.3	1.8/2.3	2.2/3.4	2.3/4.4	3.0/4.9	3.9/3.5	4.5/3.1	4.4/5.7	3.8/5.5	3.1/5.4	3.2/5.2	3.9/4.9	4.7/4.8	5.0/4.7	5.0/4.5
MKE	0.13	1.4/2.4	1.6/3.2	1.7/4.2	1.5/5.1	1.3/3.9	1.9/4.5	2.3/3.5	2.6/2.5	3.1/2.5	3.2/2.7	3.9/3.0	4.2/3.1	4.2/3.2	4.0/3.3	4.0/3.3
FAR	0.18	2.3/2.0	2.9/2.7	2.7/2.9	2.7/4.4	3.1/6.2	3.0/5.3	3.4/4.4	4.0/4.8	3.6/4.8	2.3/4.8	3.1/4.9	4.4/5.2	5.0/5.2	5.6/5.4	6.3/4.4
BIS	0.19	2.4/4.4	2.3/4.4	2.3/5.4	3.5/5.3	3.3/5.9	3.3/5.7	4.3/5.5	4.6/5.5	5.0/5.2	5.1/5.1	4.7/4.9	4.3/4.5	3.9/4.3	4.9/4.1	5.3/4.1
MSP	0.24	1.5/3.5	2.2/3.7	2.4/5.2	2.5/6.0	2.6/5.9	3.2/6.5	3.9/6.4	3.8/4.4	3.9/4.4	3.9/4.5	4.5/4.7	5.1/4.8	5.6/4.9	5.9/5.1	5.6/5.2
DLH	0.44	2.0/4.1	2.3/5.8	2.5/5.9	2.7/6.1	2.8/8.5	3.7/8.2	3.9/7.7	4.0/6.9	4.7/7.1	5.2/7.2	5.6/7.5	5.4/7.8	5.5/7.9	5.1/8.2	4.8/8.5

Bias (2010-02-01~2010-02-28)																
avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15	
DSM	-1.29	-1.1/-0.8	-1.2/-1.9	-1.5/-2.3	-2.1/-2.6	-2.3/-2.1	-2.8/-2.8	-2.8/-1.4	-3.3/3.5	-2.4/3.1	-0.6/2.8	-0.2/2.5	0.2/2.3	0.4/2.0	0.1/1.8	0.4/1.5
MKE	-1.13	-0.3/-1.6	-0.5/-3.1	-0.5/-4.0	-0.6/-5.0	-0.5/-3.7	-0.8/-4.2	-1.3/-3.2	-1.8/-1.6	-2.5/-1.8	-1.6/-2.0	-1.5/-2.2	-1.1/-2.4	-1.3/-2.6	-1.2/-2.8	-1.3/-3.0
DEC	-1.05	-0.8/1.6	-1.0/0.8	-1.1/-0.3	-1.6/-1.4	-2.1/0.1	-2.6/-0.2	-3.4/0.5	-3.6/5.8	-2.8/5.5	-0.7/5.3	-0.0/5.0	0.7/4.7	1.0/4.5	0.8/4.2	1.4/4.0
DLH	-0.84	-0.8/-3.9	-1.0/-5.8	-1.4/-5.7	-1.4/-5.9	-1.6/-8.5	-1.4/-8.2	-1.4/-6.8	-1.5/-6.3	-1.4/-6.6	-0.8/-6.9	-0.8/-7.2	-0.0/-7.4	0.3/-7.7	0.5/-8.0	0.1/-8.3
CLE	-0.83	-0.6/-2.2	-0.6/-2.9	-1.1/-3.5	-0.9/-2.9	-1.4/-3.4	-1.8/-3.4	-2.7/-2.3	-3.2/0.6	-3.0/0.4	-0.6/0.2	-0.0/0.1	0.6/-0.1	1.1/-0.2	0.7/-0.4	1.0/-0.5
YNG	-0.80	0.3/-1.8	0.7/-2.1	0.3/-2.7	-0.3/-3.0	-1.3/-3.0	-2.0/-3.5	-2.9/-2.8	-3.1/1.1	-3.0/0.9	-1.8/0.7	-0.3/0.5	0.4/0.3	0.6/0.2	0.3/0.0	0.0/-0.1
LAN	-0.74	-0.5/-0.2	-0.5/-0.4	-0.5/-0.5	-0.6/-1.2	-0.6/-0.9	-0.8/-1.2	-1.1/-1.6	-1.8/-0.2	-1.8/-0.4	-0.4/-0.5	-0.4/-0.7	-0.4/-0.9	-0.4/-1.0	-0.5/-1.1	-0.4/-1.2
FAR	-0.70	-0.7/0.8	-1.3/-0.1	-0.4/-1.9	-0.4/-3.9	-0.7/-5.2	-1.0/-4.3	-1.2/-3.4	-2.4/-2.5	-2.6/-2.8	-0.6/-3.1	0.4/-3.3	0.8/-3.7	0.4/-4.0	0.1/-4.2	-1.0/-4.6
ORD	-0.70	0.2/-0.2	0.1/-1.1	-0.0/-1.1	-0.3/-2.2	-0.5/-1.8	-1.0/-2.3	-1.9/-1.5	-2.0/0.5	-1.9/0.2	-0.6/0.0	-0.5/-0.2	-0.4/-0.4	-0.8/-0.6	-0.5/-0.9	-0.3/-1.1
DTW	-0.59	-0.4/-0.5	-0.4/-0.4	-0.4/-0.8	-0.3/-1.4	-0.4/-1.8	-0.7/-1.7	-1.3/-1.1	-2.0/-0.1	-2.0/-0.3	-0.4/-0.5	-0.4/-0.6	0.1/-0.8	0.2/-0.9	-0.2/-1.0	-0.1/-1.1
DAY	-0.53	0.5/1.6	-0.2/0.1	-0.5/-0.2	-0.7/-0.7	-0.9/-0.7	-1.3/-0.4	-2.1/0.9	-2.6/4.8	-3.1/4.6	-0.9/4.4	-0.2/4.2	0.6/4.0	1.3/3.7	0.7/3.6	1.5/3.4
DBQ	-0.49	-0.3/-0.8	-0.5/-2.4	-0.6/-2.6	-1.5/-3.4	-2.0/-3.6	-2.7/-3.7	-1.2/-3.2	-1.4/-0.6	-0.4/-0.9	-0.4/-1.2	0.5/-1.4	0.7/-1.6	0.8/-1.9	0.8/-2.1	0.8/-2.3
FWA	-0.40	-0.1/-0.1	-0.3/-1.2	-0.3/-0.8	-0.2/-1.8	-0.3/-1.8	-0.8/-2.1	-1.9/-1.7	-2.5/1.7	-2.8/1.5	-0.2/1.2	-0.1/1.0	0.7/0.9	1.0/0.7	0.7/0.5	1.1/0.4
MSP	-0.27	0.1/-3.2	0.1/-3.2	0.2/-4.4	0.0/-5.5	0.1/-5.5	-0.1/-5.4	-1.0/-4.7	-1.9/-1.9	-2.6/-2.2	-1.1/-2.5	-0.2/-2.8	0.6/-3.1	0.8/-3.4	0.7/-3.6	0.2/-3.8
FSD	-0.20	0.5/-0.1	-0.0/-2.0	0.2/-2.8	0.3/-3.6	-0.1/-2.7	-0.4/-1.4	-1.0/0.7	-1.4/3.7	-0.5/3.4	0.6/3.2	0.2/2.8	0.3/2.6	0.4/2.4	-0.9/2.1	-1.1/1.8
CMH	0.21	0.3/1.6	-0.0/1.0	-0.3/0.6	0.3/0.6	-0.3/-1.0	-0.6/1.4	-1.6/0.5	-2.0/6.2	-2.0/6.0	0.5/5.8	1.1/5.6	1.7/5.4	2.5/5.2	1.9/5.1	2.3/4.9
APN	0.68	-0.1/-1.0	0.1/-1.0	0.7/-2.5	0.9/-2.2	1.0/-2.4	1.2/-1.9	0.7/-1.4	-0.4/-2.4	-0.3/-2.5	1.8/-2.6	0.4/-2.8	1.1/-2.9	1.4/-3.0	0.9/-3.1	0.7/-3.1
CVG	1.11	0.4/1.9	0.4/0.9	0.2/0.6	0.3/0.1	0.5/0.6	0.4/0.7	0.0/1.6	-0.6/7.0	-0.8/6.8	1.4/6.5	2.0/6.3	2.6/6.1	3.4/5.9	2.9/5.7	3.5/5.5
EVV	1.11	-0.5/1.0	-0.6/0.2	-0.8/0.6	-0.9/0.6	-0.9/0.6	-1.1/-0.3	-0.7/0.8	-0.3/5.8	0.8/5.5	2.0/5.2	3.3/5.0	3.6/4.7	4.0/4.5	4.1/4.2	4.6/4.0
SDF	1.32	-0.3/1.9	-0.2/1.2	-0.5/0.9	-0.9/0.9	-0.8/0.3	-0.8/1.0	-0.9/2.2	-0.1/6.7	0.8/6.4	2.3/6.1	3.6/5.9	3.8/5.6	4.3/5.4	4.3/5.2	5.2/5.0
IND	1.36	0.5/2.6	0.5/1.2	0.7/0.7	1.1/0.5	1.2/0.5	0.9/1.2	0.5/1.5	-0.2/5.6	-0.2/5.4	1.6/5.1	1.9/4.8	2.8/4.6	3.2/4.4	2.8/4.1	3.2/3.9
OMA	1.42	-1.4/-0.4	-1.2/-2.5	0.1/-0.9	-0.1/-0.5	0.1/-0.1	0.2/0.9	0.9/1.9	0.7/6.2	2.4/5.9	3.0/5.6	3.3/5.4	3.8/5.1	3.3/4.8	3.0/4.6	3.3/4.4
LEX	1.57	-0.1/1.6	-0.1/1.5	-0.4/-0.2	-0.9/0.5	-0.5/0.3	-0.3/0.6	-0.3/1.3	0.3/7.5	1.1/7.2	2.6/7.0	3.8/6.8	3.9/6.5	4.6/6.3	4.5/6.1	5.2/5.9
GTF	1.62	0.3/-0.5	-0.4/-0.6	-0.6/0.8	-0.7/-0.6	-0.6/-0.2	-1.1/0.1	0.8/-0.1	1.5/-0.6	2.7/-0.7	3.9/-1.0	3.0/-1.3	3.6/-1.5	3.6/-1.7	4.3/-1.9	4.1/-2.2
BIS	2.27	0.5/4.3	0.6/3.7	0.8/3.8	0.8/1.8	1.5/2.3	2.5/4.5	2.4/3.3	2.6/3.9	4.1/3.6	5.1/3.3	4.0/3.0	3.4/2.7	2.5/2.3	2.1/2.0	1.7/1.7
RAP	4.86	0.1/-0.6	1.9/1.3	3.0/1.1	3.7/0.2	4.5/0.5	4.4/4.0	4.7/4.3	5.5/5.0	5.2/4.8	5.5/4.6	6.5/4.4	6.1/4.2	6.1/4.0	7.9/3.8	7.8/3.6
PIR	5.62	2.9/3.7	3.8/4.3	4.4/3.6	4.3/2.3	4.3/2.2	4.5/4.6	5.0/6.4	5.5/8.5	5.6/8.2	7.4/7.8	8.0/7.6	7.6/7.2	7.5/6.9	7.0/6.7	6.7/6.4

red: S < -0.3     
 orange: -0.3 < S < -0.1     
 grey: -0.1 < S < 0.1     
 green: 0.1 < S < 0.3     
 blue: S > 0.3  
 S\_score: average of (1 - ECMWF-value / MEX-value)  
red: B >= 4.0     
 orange: 4.0 > B >= 2.0     
 black: 2.0 > B >= -2.0     
 green: -2.0 > B >= -4.0     
 blue: B < -4.0  
 avg\_bias: average of ECMWF-value

# ECMWF/MEX MIN Temperature in USNC

MAE (2010-02-01~2010-02-28)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
DTW	-0.69	5.1/0.0	5.0/2.5	5.2/3.0	5.5/3.8	6.0/3.8	6.8/3.7	7.9/4.4	8.9/4.6	8.8/4.8	8.2/4.9	7.9/5.1	7.4/5.1	8.2/5.2	8.0/5.3	7.9/--
IND	-0.48	4.8/0.0	4.6/3.7	4.7/4.0	4.6/4.9	5.8/5.4	7.4/5.0	8.3/5.6	8.8/6.2	10.4/6.1	10.0/6.2	10.2/6.2	11.0/6.1	11.1/6.0	10.7/6.1	9.8/--
DEC	-0.46	3.9/0.0	4.1/3.4	4.1/3.1	5.4/4.0	6.1/4.4	6.3/4.4	6.9/4.5	7.6/5.6	7.8/5.5	7.4/5.4	7.6/5.3	8.7/5.2	9.0/5.2	8.5/5.1	8.1/--
YNG	-0.43	5.4/0.0	5.6/3.4	4.5/3.8	4.9/4.3	5.4/5.1	6.2/5.6	7.7/6.6	8.8/5.7	10.3/5.8	9.5/5.9	9.6/6.0	9.8/6.1	10.4/6.2	9.5/6.2	9.6/--
LAN	-0.43	5.7/0.0	6.0/4.0	6.7/4.0	6.6/4.8	7.0/4.9	8.6/6.0	10.1/7.2	11.7/6.7	11.5/6.9	10.0/7.0	8.5/7.0	8.6/7.1	9.2/7.2	8.7/7.3	8.7/--
APN	-0.36	8.5/0.0	9.4/3.5	8.8/3.0	7.3/4.1	6.2/3.6	5.8/4.2	6.3/4.8	7.0/7.4	7.0/7.5	6.2/7.6	5.7/7.6	5.9/7.7	6.5/7.7	6.3/7.8	6.3/--
CLE	-0.35	4.3/0.0	4.1/3.5	3.9/4.2	4.7/4.8	5.6/5.2	6.4/5.8	8.5/6.0	9.6/6.2	10.5/6.2	10.0/6.4	9.9/6.5	10.0/6.5	10.5/6.6	9.7/6.7	9.4/--
SDF	-0.24	4.6/0.0	4.5/3.6	4.3/3.2	4.2/3.7	5.1/4.6	5.7/4.6	6.0/4.5	6.2/6.4	7.0/6.2	7.3/6.2	8.2/6.1	8.8/6.1	8.2/6.0	7.7/5.9	7.5/--
DAY	-0.23	2.6/0.0	3.2/5.3	4.0/5.1	4.6/5.5	5.1/6.0	6.6/6.7	8.9/6.7	9.0/6.9	10.6/6.9	9.9/6.8	10.4/6.7	11.0/6.7	11.2/6.9	10.7/6.8	10.8/--
CMH	-0.22	2.9/0.0	2.5/4.5	2.7/4.1	3.3/4.6	4.5/5.6	5.9/6.0	7.6/6.4	8.2/6.1	9.3/6.1	8.8/6.0	9.1/5.9	10.1/6.0	10.5/6.0	9.8/6.1	9.5/--
EVV	-0.21	3.3/0.0	3.3/3.3	3.2/2.8	3.6/3.8	5.0/4.4	5.3/4.3	5.2/4.4	5.0/5.6	6.5/5.6	7.0/5.5	7.8/5.5	8.2/5.4	7.7/5.4	7.4/5.4	7.0/--
LEX	-0.19	5.3/0.0	5.5/4.0	5.3/3.9	5.0/3.8	5.2/4.9	5.8/4.9	6.0/4.5	5.9/7.3	6.8/7.2	7.2/7.1	8.4/7.0	9.4/6.9	9.0/6.8	8.3/6.7	8.0/--
CVG	-0.19	4.0/0.0	3.9/5.1	4.0/4.6	4.0/5.6	4.4/6.3	6.4/6.2	8.1/6.9	9.0/7.9	10.4/7.9	11.0/7.8	11.5/7.8	12.4/7.7	12.6/7.6	12.1/7.5	11.4/--
RAP	-0.16	2.7/0.0	3.1/3.4	3.5/3.2	3.7/3.9	4.4/4.3	5.1/4.2	6.1/5.8	6.7/6.0	6.9/6.0	6.5/5.8	7.6/5.8	7.8/5.8	7.5/5.7	8.2/5.7	8.2/--
FWA	-0.11	5.5/0.0	4.8/4.4	4.3/4.3	4.1/5.5	4.9/6.4	6.3/6.5	6.9/6.4	7.3/7.0	8.5/7.0	8.6/7.1	9.1/7.2	9.7/7.2	10.1/7.2	9.8/7.2	10.1/--
ORD	0.03	2.4/0.0	2.5/2.7	2.9/3.9	4.1/4.6	5.8/5.9	6.3/5.8	6.8/5.9	6.3/6.9	6.4/7.1	6.2/7.2	6.2/7.3	7.5/7.4	8.3/7.5	8.5/7.6	8.6/--
FAR	0.04	7.7/0.0	6.1/6.2	5.8/5.0	6.3/6.3	5.8/5.7	4.9/6.6	6.1/6.6	7.1/7.4	7.1/7.6	6.3/7.9	7.6/8.1	8.3/8.2	8.1/8.4	8.7/8.6	8.6/--
OMA	0.09	5.2/0.0	5.2/3.7	4.5/5.4	4.6/5.4	4.6/5.9	5.2/5.8	6.6/6.6	6.8/8.5	6.6/8.5	5.8/8.4	7.1/8.4	7.8/8.2	7.7/8.2	8.6/8.2	10.1/--
DBQ	0.10	4.4/0.0	4.5/5.4	5.1/5.6	5.4/6.0	6.0/6.6	6.2/6.7	5.9/6.5	5.7/7.2	5.9/7.3	6.3/7.2	6.1/7.3	7.5/7.3	7.5/7.4	7.6/7.5	7.3/--
DSM	0.16	2.6/0.0	3.3/4.0	3.8/4.1	4.6/5.8	5.4/5.6	5.0/6.2	5.9/6.2	5.9/7.8	5.5/7.7	5.3/7.8	6.4/7.7	6.4/7.6	7.0/7.7	7.5/7.7	8.1/--
PIR	0.16	3.9/0.0	3.2/5.1	4.9/5.8	4.7/5.9	5.2/5.9	4.5/5.4	5.6/5.7	5.7/7.0	5.5/6.8	5.1/6.8	5.2/6.7	5.3/6.7	6.1/6.5	6.9/6.3	6.9/--
GTF	0.19	4.3/0.0	4.2/5.7	5.1/6.0	4.7/5.7	4.1/5.2	5.3/6.2	6.0/6.5	6.1/7.4	6.5/7.6	6.7/7.7	6.4/7.9	6.1/8.1	5.8/8.2	6.1/8.4	5.8/--
FSD	0.19	3.0/0.0	3.9/5.4	3.8/4.4	3.6/5.8	4.7/5.1	4.5/4.8	6.2/5.8	6.3/6.8	5.4/7.1	5.0/7.2	5.1/7.3	5.6/7.6	5.4/7.7	6.3/7.8	7.5/--
DLH	0.20	3.8/0.0	4.8/4.6	5.1/4.7	4.0/4.7	4.4/6.3	5.4/5.9	5.2/6.0	5.9/8.3	5.7/8.4	4.8/8.6	5.9/8.8	6.5/8.9	7.3/9.2	7.3/9.4	7.6/--
MSP	0.22	3.0/0.0	3.1/3.5	3.2/4.0	3.3/4.5	3.8/5.4	4.7/5.9	5.2/5.3	5.0/6.9	4.6/7.0	3.8/7.1	5.1/7.2	5.9/7.1	6.4/7.2	6.6/7.3	7.0/--
BIS	0.24	4.5/0.0	4.3/5.3	4.6/6.9	5.7/7.2	6.8/7.7	6.5/7.8	7.2/8.1	7.3/8.7	6.1/8.8	5.8/8.9	5.3/9.0	6.5/9.1	7.3/9.5	7.7/9.5	7.8/--
MKE	0.30	2.6/0.0	2.4/3.9	2.4/5.0	3.0/5.2	3.5/6.3	4.6/6.5	5.4/7.0	5.4/7.1	5.2/7.3	5.5/7.5	5.1/7.7	5.9/7.8	6.9/7.9	7.1/8.1	7.8/--

Bias (2010-02-01~2010-02-28)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
DTW	-4.84	-1.3/0.0	-1.9/-1.0	-2.7/-1.4	-3.6/-2.5	-4.8/-2.8	-6.1/-2.7	-6.8/-2.9	-7.8/-3.9	-8.2/-4.1	-6.2/-4.2	-5.4/-4.4	-4.1/-4.5	-4.4/-4.6	-4.4/-4.7	-4.8/--
LAN	-4.41	-1.9/0.0	-3.0/-1.5	-3.4/-1.5	-4.3/-2.6	-5.0/-2.3	-6.4/-2.0	-6.8/-2.8	-7.6/-5.0	-8.3/-5.1	-5.4/-5.2	-3.9/-5.4	-2.4/-5.5	-2.4/-5.6	-2.4/-5.6	-2.9/--
YNG	-4.13	-2.2/0.0	-3.4/-0.6	-2.7/-0.7	-3.1/-0.9	-4.0/-1.6	-4.5/-2.5	-5.9/-2.9	-6.6/-2.4	-7.9/-2.5	-5.9/-2.6	-4.4/-2.7	-3.1/-2.8	-2.8/-2.9	-2.7/-3.0	-2.9/--
CLE	-3.89	-1.9/0.0	-2.7/-0.8	-2.1/-1.1	-2.6/-1.8	-3.9/-2.1	-4.5/-2.6	-5.8/-2.1	-7.0/-3.2	-7.8/-3.4	-5.7/-3.5	-4.4/-3.7	-2.6/-3.8	-2.6/-3.9	-2.3/-4.0	-2.5/--
BIS	-3.80	-0.9/0.0	-1.5/-2.4	-1.7/-3.5	-2.8/-5.1	-3.7/-6.0	-4.5/-5.9	-4.1/-5.6	-3.6/-6.8	-2.6/-7.2	-4.2/-7.5	-4.1/-7.9	-4.9/-8.3	-6.1/-8.7	-6.2/-9.0	-6.0/--
IND	-3.27	-1.7/0.0	-1.8/1.9	-2.0/1.8	-2.1/1.1	-3.5/0.1	-5.0/0.2	-6.1/-1.0	-6.9/1.1	-7.2/0.9	-4.9/0.7	-3.1/0.5	-1.8/0.3	-1.4/0.1	-1.2/-0.1	-0.3/--
DAY	-3.11	-0.6/0.0	-0.8/3.0	-1.0/2.5	-1.8/1.2	-2.7/0.4	-3.9/0.4	-5.9/-0.3	-6.9/2.3	-7.3/2.1	-5.2/1.9	-3.8/1.7	-1.9/1.6	-1.8/1.4	-1.7/1.2	-1.3/--
FWA	-2.95	-0.5/0.0	-0.7/0.7	-0.6/-0.1	-1.3/-1.4	-2.5/-1.9	-3.4/-1.6	-4.7/-1.4	-5.9/-1.5	-6.7/-1.7	-4.4/-1.9	-3.3/-2.0	-2.2/-2.2	-2.5/-2.4	-2.6/-2.5	-2.8/--
MKE	-2.74	0.8/0.0	-0.2/-2.8	-0.4/-4.0	-0.5/-4.5	-0.9/-5.2	-2.2/-5.1	-3.8/-5.4	-4.5/-6.4	-4.0/-6.6	-4.7/-6.9	-4.4/-7.1	-3.4/-7.3	-3.7/-7.5	-4.2/-7.8	-5.0/--
CMH	-2.65	-1.0/0.0	-1.6/2.2	-1.1/1.5	-1.3/1.5	-2.8/0.5	-3.5/0.0	-4.7/-1.4	-5.6/1.1	-6.2/0.9	-3.9/0.8	-2.9/0.6	-1.5/0.5	-1.3/0.3	-1.1/0.2	-1.3/--
ORD	-2.56	0.3/0.0	-0.3/-0.8	-0.9/-2.5	-1.5/-3.2	-2.2/-3.4	-3.0/-3.0	-4.4/-3.1	-4.4/-3.9	-4.5/-4.1	-3.8/-4.4	-2.8/-4.6	-2.3/-4.8	-2.5/-5.0	-2.9/-5.2	-3.1/--
CVG	-2.34	-0.8/0.0	-0.8/3.6	-1.3/2.7	-1.2/2.1	-1.8/1.0	-3.2/0.8	-5.1/1.7	-6.1/3.8	-6.3/3.6	-4.3/3.4	-2.5/3.2	-0.8/3.1	-0.5/2.9	-0.5/2.8	0.2/--
DEC	-2.15	-1.1/0.0	-1.1/2.8	-2.0/1.2	-3.0/0.9	-3.5/0.1	-4.2/-0.5	-5.2/-0.6	-4.6/2.1	-4.1/1.8	-2.3/1.6	-0.8/1.4	0.1/1.1	-0.1/0.9	-0.3/0.8	0.0/--
FSD	-1.68	0.3/0.0	-0.4/-4.4	-0.9/-2.9	-0.8/-4.8	-1.6/-3.4	-1.8/-3.6	-3.4/-2.2	-2.0/-4.5	-0.6/-4.9	-2.1/-5.2	-2.4/-5.5	-2.0/-5.8	-2.0/-6.1	-2.8/-6.4	-2.6/--
LEX	-1.64	-2.0/0.0	-2.4/2.5	-3.1/1.1	-3.2/1.1	-3.3/-0.2	-3.3/0.1	-3.8/1.0	-3.9/4.4	-3.3/4.2	-1.9/4.0	-0.9/3.9	0.6/3.7	1.6/3.6	1.9/3.4	2.4/--
EVV	-1.20	-1.5/0.0	-1.8/2.5	-2.3/1.5	-2.9/1.3	-3.9/0.1	-3.3/-0.1	-3.2/-0.9	-3.5/2.4	-2.4/2.2	-0.9/2.0	0.3/1.8	1.3/1.6	1.9/1.5	2.0/1.3	2.4/--
SDF	-1.09	-1.6/0.0	-1.6/2.9	-2.0/2.0	-2.0/2.0	-2.6/1.0	-2.7/0.2	-2.8/2.2	-3.1/3.2	-3.1/3.0	-1.6/2.9	-0.6/2.7	0.8/2.6	1.7/2.4	2.2/2.2	2.6/--
APN	-0.86	-0.1/0.0	0.4/0.3	0.3/-0.4	0.5/-1.1	-0.1/-0.9	-1.2/-1.7	-2.2/-0.3	-4.0/-6.5	-5.8/-6.6	-2.4/-6.7	-0.6/-6.7	0.9/-6.8	1.1/-6.8	0.4/-6.8	-0.2/--
GTF	-0.48	-0.8/0.0	-2.0/-4.5	-2.9/-4.5	-2.7/-4.4	-1.2/-3.0	-1.4/-2.6	-0.5/-4.1	-0.4/-6.7	1.0/-6.8	1.0/-7.0	0.1/-7.2	0.7/-7.4	0.3/-7.6	0.7/-7.7	0.9/--
DBQ	-0.25	-0.8/0.0	-1.3/1.4	-1.9/-0.4	-1.5/-2.0	-1.6/-2.2	-1.8/-2.1	-2.0/-1.6	-1.8/-1.1	-0.5/-1.4	0.4/-1.7	1.1/-2.0	1.9/-2.3	2.3/-2.5	2.2/-2.8	1.7/--
MSP	-0.16	-0.2/0.0	-0.5/0.1	-0.8/0.6	-0.2/-2.5	-0.1/-1.7	-0.3/0.8	-2.3/-2.1	-2.9/-2.1	-1.8/-2.5	-0.2/-2.9	0.4/-3.2	1.5/-3.5	1.8/-3.8	1.8/-4.1	1.4/--
FAR	-0.04	-0.4/0.0	-0.5/-1.8	0.9/-2.1	1.9/-3.8	0.4/-3.8	-0.3/-5.1	-1.4/-4.9	-1.9/-6.1	-1.2/-6.5	0.2/-6.9	0.8/-7.3	1.2/-7.6	0.2/-7.9	-0.2/-8.2	-0.4/--
DSM	0.62	0.9/0.0	0.2/-1.0	0.2/-2.0	0.3/-0.9	0.9/-0.7	0.8/-1.4	-1.1/-1.4	-0.6/1.0	-0.1/0.7	0.9/0.4	1.6/0.2	1.5/-0.1	1.5/-0.4	1.3/-0.6	0.9/--
OMA	0.93	-1.5/0.0	-1.7/0.2	-1.1/-1.7	-0.1/-0.8	1.0/0.2	0.5/-1.1	0.3/-0.2	0.6/1.4	2.6/1.2	1.9/0.9	2.8/0.6	2.3/0.3	2.4/0.1	1.7/-0.2	2.1/--
PIR	2.19	1.2/0.0	1.7/1.2	1.8/0.9	2.6/-0.3	1.9/-0.3	1.8/1.4	2.2/2.3	2.1/1.6	3.8/1.3	3.2/1.0	3.0/0.7	2.6/0.4	1.8/0.2	1.7/-0.2	1.6/--
DLH	2.36	0.4/0.0	0.9/-0.1	1.2/-0.3	1.3/-1.4	0.7/-3.3	1.3/-3.8	1.5/-3.0	2.6/-7.3	2.1/-7.6	2.7/-7.9	4.1/-8.3	4.1/-8.5	4.6/-8.8	4.2/-9.1	3.7/--
RAP	2.66	-0.6/0.0	0.2/1.1	0.8/0.7	1.5/0.3	2.0/1.0	2.7/0.6	3.1/2.6	3.5/2.5	3.5/2.3	3.7/2.1	4.8/1.9	4.8/1.7	4.5/1.5	2.4/1.3	3.0/--

red: S < -0.3     
 orange: -0.3 < S < -0.1     
 grey: -0.1 < S < 0.1     
 green: 0.1 < S < 0.3     
 blue: S > 0.3

red: B >= 4.0     
 orange: 4.0 > B >= 2.0     
 black: 2.0 > B >= -2.0     
 green: -2.0 > B >= -4.0     
 blue: B < -4.0

S\_score: average of (1 - ECMWF-value / MEX-value)  
 avg\_bias: average of ECMWF-value

# ECMWF/MEX MAX Temperature in USNE

	S-score	MAE (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
DCA	-0.42	1.7/1.1	2.1/1.8	2.4/2.1	2.9/2.2	3.7/2.2	4.1/2.9	4.4/3.8	5.8/5.1	6.4/4.9	6.1/4.8	7.0/4.6	7.3/4.4	7.5/4.3	7.3/4.4	6.9/4.2
RIC	-0.31	2.9/2.4	3.4/2.2	3.4/2.6	3.7/2.9	4.1/3.3	4.3/4.8	5.1/4.7	6.3/5.8	7.0/5.6	6.9/5.6	7.4/5.5	8.0/5.4	8.4/5.5	8.4/5.4	8.1/5.3
EWR	-0.28	3.1/2.3	3.5/2.2	3.5/3.4	3.4/2.7	3.5/3.3	3.6/4.4	3.9/3.3	4.4/3.4	4.6/3.3	4.5/3.2	4.9/3.2	4.6/3.2	4.6/3.2	4.7/3.2	4.6/3.3
MDT	-0.26	1.7/1.8	2.2/2.2	2.3/2.3	2.4/2.0	2.7/2.3	3.0/2.9	3.4/3.3	4.0/3.4	4.6/4.1	5.2/3.9	5.4/3.8	5.6/3.9	6.0/3.8	5.7/3.6	5.5/3.5
BWI	-0.26	1.8/1.8	2.3/1.9	2.5/1.9	2.9/3.0	3.5/2.7	4.1/3.0	4.5/3.7	5.9/5.7	6.7/5.5	6.4/5.4	7.0/5.3	7.3/5.2	7.4/5.1	7.2/5.0	6.8/4.9
ABE	-0.25	2.0/1.9	2.2/2.3	2.5/2.5	2.4/1.8	2.1/2.5	2.3/3.0	2.3/3.3	3.1/2.8	3.9/2.7	4.2/2.7	4.1/2.7	4.4/2.7	4.5/2.7	4.5/2.7	4.3/2.8
PHL	-0.24	1.3/1.9	1.8/2.1	2.2/2.5	2.4/2.0	2.4/2.4	2.8/2.6	3.2/3.8	4.2/3.8	4.8/3.7	5.0/3.6	5.3/3.5	5.8/3.4	5.9/3.4	5.9/3.4	5.7/3.4
ILG	-0.23	2.1/1.7	2.2/2.1	2.4/2.4	2.6/2.0	2.8/2.6	3.1/3.4	3.3/4.0	4.4/4.5	5.3/4.4	4.9/4.2	5.6/4.2	6.2/4.0	6.5/4.0	6.6/4.0	6.3/3.9
ROC	-0.23	1.4/1.6	1.6/2.3	2.1/2.0	2.2/2.0	2.4/2.2	2.3/2.8	2.3/2.9	3.5/2.6	3.6/2.5	3.4/2.5	4.2/2.6	4.4/2.6	4.3/2.6	4.1/2.6	3.7/2.6
LGA	-0.22	2.8/2.4	3.2/2.6	3.1/3.6	3.1/2.5	3.2/3.0	3.0/3.6	3.5/4.4	3.8/3.3	4.2/3.2	4.3/3.2	4.1/3.2	4.6/3.0	4.4/3.0	4.6/3.0	4.4/3.0
JFK	-0.21	2.1/1.8	2.8/2.3	2.9/2.8	2.9/2.3	2.9/2.5	3.0/3.3	3.0/3.7	3.5/3.4	3.7/3.3	4.1/3.1	4.2/3.1	4.5/3.0	4.5/3.1	4.4/3.1	4.4/3.1
IPT	-0.21	3.1/2.6	3.6/2.9	3.9/3.1	3.5/3.3	3.2/4.2	3.4/4.4	3.5/3.4	4.2/3.4	4.4/3.4	4.7/3.5	5.1/3.6	5.0/3.6	5.1/3.6	5.2/3.6	4.7/3.8
BDL	-0.19	1.8/1.9	2.3/1.8	2.3/2.2	3.0/2.5	2.7/3.0	3.0/3.7	3.2/3.9	4.1/3.1	4.5/3.1	4.8/3.1	4.3/3.2	4.5/3.3	4.3/3.4	4.4/3.5	4.4/3.6
ACY	-0.16	2.0/1.9	2.3/2.4	2.4/2.6	2.9/2.4	3.0/3.0	3.0/3.0	3.6/4.2	4.7/4.3	5.3/4.2	5.1/4.1	5.2/4.1	5.5/4.2	5.6/4.1	5.9/4.1	5.6/4.0
BGM	-0.14	1.4/2.1	1.8/2.1	1.8/2.2	2.2/2.3	2.4/2.6	2.7/2.9	2.4/3.5	3.5/2.9	3.8/2.9	4.0/2.9	4.4/3.0	4.7/3.0	4.5/3.0	4.4/3.1	4.3/3.2
BUF	-0.11	1.5/2.1	1.6/2.1	1.9/2.0	1.8/2.1	1.8/2.0	2.2/2.3	2.2/2.6	3.0/3.1	3.2/3.1	3.4/3.0	4.3/2.9	4.7/3.0	4.9/3.0	4.6/3.0	4.2/3.0
PVD	-0.08	2.6/2.1	2.6/3.0	2.4/2.6	3.4/2.7	3.4/3.3	3.7/3.6	3.6/4.8	4.3/3.9	4.7/4.0	5.0/4.1	4.6/4.1	4.7/4.1	4.4/4.1	4.7/4.1	4.6/4.2
ALB	-0.07	2.1/2.3	2.3/2.4	2.5/2.7	2.6/2.4	3.4/3.1	3.3/3.0	3.1/3.1	3.4/2.9	3.4/3.0	3.7/3.0	3.3/3.2	3.6/3.3	3.8/3.5	4.0/3.5	3.8/3.6
PIT	-0.06	2.3/2.4	2.5/2.0	2.3/1.9	2.2/2.6	2.5/2.8	3.0/3.2	2.9/4.0	3.9/5.0	4.5/4.9	4.9/4.7	5.3/4.6	5.7/4.5	6.2/4.4	6.1/4.4	5.5/4.4
AVP	-0.05	2.7/2.6	3.4/3.0	3.8/3.2	3.3/2.4	2.8/3.4	2.8/3.6	3.0/4.3	3.6/4.1	3.9/4.0	4.1/3.9	4.1/3.9	4.5/3.9	4.5/3.8	4.5/3.8	4.1/3.7
ORH	-0.04	2.3/2.3	2.4/2.5	2.3/2.5	2.6/2.8	2.8/3.6	3.2/3.2	3.4/4.3	3.6/3.8	4.2/3.9	4.8/3.9	4.7/3.8	5.0/3.9	4.6/3.9	4.7/4.0	4.6/4.1
SYR	-0.04	1.3/3.4	1.7/2.7	1.9/3.2	2.1/2.8	2.4/2.8	2.5/2.9	2.4/3.1	3.5/3.2	3.7/3.3	4.0/3.3	4.6/3.2	5.2/3.3	4.9/3.4	5.0/3.4	4.6/3.4
AOO	0.03	1.5/1.4	1.7/1.7	1.6/2.0	1.8/2.3	2.4/2.6	2.8/2.4	3.2/3.3	4.7/6.2	5.0/6.0	5.3/5.9	5.8/5.8	6.3/5.6	6.3/5.5	5.9/5.4	5.5/5.2
LNS	0.03	1.5/1.4	1.8/2.2	2.0/2.6	2.2/2.0	2.7/2.2	3.0/2.8	3.0/2.8	4.1/4.9	4.9/5.0	5.1/5.1	5.0/5.2	5.4/5.4	5.4/5.5	5.3/5.7	5.0/5.8
ERI	0.04	1.6/2.4	1.9/2.1	2.5/2.1	2.0/2.3	1.8/2.2	2.2/2.8	2.8/3.6	3.7/4.7	4.2/4.6	3.7/4.5	4.7/4.5	5.3/4.5	5.5/4.4	5.0/4.3	4.9/4.2
BOS	0.05	2.0/2.5	2.1/2.7	2.2/2.7	2.7/2.4	2.8/3.5	3.1/3.5	3.2/4.2	3.8/3.8	4.2/3.8	4.5/3.7	4.0/3.8	4.0/3.9	3.8/4.0	3.9/4.1	3.8/4.1
MHT	0.06	1.9/2.3	2.4/2.5	2.1/2.1	2.6/3.3	2.8/3.7	3.6/3.4	3.7/3.5	3.5/4.0	4.2/4.1	4.5/4.2	4.4/4.2	4.5/4.3	4.2/4.5	4.2/4.6	4.1/4.8
MBA	0.09	2.4/2.6	2.5/2.6	2.4/3.6	2.9/3.9	3.0/4.3	3.8/4.3	3.8/4.8	4.1/4.1	4.4/4.3	4.6/4.3	4.6/4.3	4.6/4.4	4.2/4.5	4.3/4.6	4.2/4.6
NTU	0.10	2.4/3.4	2.8/3.1	2.9/3.1	3.1/3.4	3.2/4.6	3.6/5.0	3.6/6.0	4.8/6.8	5.5/6.8	5.8/6.7	6.2/6.6	7.0/6.5	7.4/6.4	7.7/6.4	7.6/6.4
ROA	0.12	2.9/2.4	3.3/3.5	3.0/3.6	3.5/3.4	4.1/4.0	3.9/4.5	4.1/4.6	5.4/9.4	6.2/9.2	6.2/9.1	7.5/9.0	7.9/8.9	8.2/8.8	8.3/8.7	7.9/8.5
CRW	0.18	2.2/3.1	2.2/2.9	2.7/3.2	3.1/3.8	4.0/4.1	4.5/4.6	5.2/4.6	6.3/10.6	6.8/10.5	7.8/10.4	8.7/10.2	8.8/10.0	9.0/9.9	8.9/9.8	8.7/9.6
CON	0.19	1.9/2.0	2.2/2.7	1.9/2.3	2.3/3.8	2.8/3.9	3.4/3.9	3.3/3.4	3.2/4.0	3.7/4.2	4.0/4.4	4.0/4.5	3.9/4.7	3.5/4.8	3.4/4.9	3.6/5.0
BTV	0.19	1.7/2.2	2.2/2.7	2.7/3.1	3.0/3.6	3.0/3.7	3.3/3.9	3.3/3.4	4.1/5.6	4.2/5.7	4.3/5.7	4.3/5.9	4.9/6.0	5.0/6.1	5.1/6.2	5.0/6.3
PWM	0.36	2.1/3.9	2.5/3.9	2.3/3.6	2.8/4.3	2.9/4.6	3.4/5.2	3.6/5.4	4.2/6.2	4.5/6.4	4.7/6.5	4.5/6.6	4.5/6.8	4.2/6.9	4.3/7.0	4.0/7.1
AUG	0.38	2.0/2.8	2.0/3.2	2.4/2.8	2.4/3.4	2.8/4.7	3.2/4.5	3.0/4.8	3.8/6.2	4.0/6.4	4.0/6.5	3.9/6.6	3.7/6.7	3.5/6.8	3.7/7.0	3.6/7.1

	avg-bias	Bias (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
NTU	-0.09	-0.4/-3.3	-0.4/-2.4	-0.3/-1.9	0.0/-1.5	-0.4/-2.5	-0.7/-2.4	-1.0/-2.7	-1.3/5.9	-1.1/5.8	-1.0/5.7	0.3/5.6	0.2/5.5	1.2/5.4	1.8/5.2	1.6/5.1
PWM	0.25	0.2/-3.8	0.3/-3.3	0.5/-3.4	0.5/-4.2	0.2/-4.4	0.6/-5.1	-0.2/-4.6	-1.3/-5.4	-1.0/-5.6	0.2/-5.7	0.8/-5.9	1.1/-6.0	0.8/-6.2	0.6/-6.4	0.5/-6.5
BOS	0.27	0.2/0.7	0.3/-1.8	0.4/-0.9	0.7/-1.7	0.2/-2.6	0.2/-2.1	0.0/-2.3	-0.7/-1.1	-0.4/-1.2	0.2/-1.4	0.5/-1.5	0.7/-1.6	0.9/-1.7	0.6/-1.8	0.3/-1.9
PVD	0.40	0.4/0.5	0.1/-2.2	0.2/-0.7	0.6/-1.5	-0.0/-2.3	-0.3/-2.1	-0.5/-2.3	-1.2/-1.4	-0.7/-1.5	0.4/-1.6	1.4/-1.7	1.6/-1.9	1.7/-2.0	1.4/-2.0	1.1/-2.1
IPT	0.43	0.1/-1.1	0.4/-1.3	0.2/-1.4	0.1/-2.3	0.1/-2.8	-0.1/-3.1	-0.5/-1.8	-0.8/-1.6	-0.6/-1.8	1.1/-2.0	0.9/-2.1	1.3/-2.3	1.5/-2.5	1.6/-2.6	1.2/-2.8
AUG	0.58	0.2/-2.4	0.4/-2.9	0.3/-1.9	0.8/-2.8	1.2/-4.4	1.2/-4.1	1.0/-3.2	0.6/-4.1	0.3/-4.3	0.1/-4.5	0.3/-4.7	0.7/-4.9	0.6/-5.0	0.4/-5.2	0.6/-5.3
PIT	0.65	0.2/0.5	0.2/-0.1	0.1/-0.2	0.0/-0.6	0.0/-1.3	-0.0/-0.6	-0.5/-0.1	-0.7/0.0	-1.0/3.8	1.3/3.6	1.5/3.4	2.0/3.3	2.5/3.1	2.2/3.0	1.9/2.8
BDL	0.76	0.1/1.1	0.1/-0.6	0.4/0.2	0.9/-1.0	0.5/-1.7	0.1/-2.4	0.0/-1.5	-0.6/-1.1	0.0/-1.2	1.0/-1.4	1.6/-1.6	2.0/-1.8	2.0/-1.9	1.8/-2.0	1.6/-2.2
AVP	0.77	0.4/0.2	0.9/0.5	0.7/0.2	0.8/-0.7	0.1/-0.7	-0.1/-0.9	-0.5/-0.2	-0.4/2.8	0.4/2.6	1.2/2.5	1.2/2.4	1.5/2.2	1.8/2.1	1.9/2.0	1.6/1.9
RIC	0.78	-0.3/-1.3	-0.1/-0.2	-0.2/-0.1	0.3/-0.1	0.2/-0.6	0.3/-1.6	0.2/-1.3	-0.1/4.1	-0.1/3.9	0.8/3.6	1.6/3.5	1.7/3.3	2.2/3.1	2.6/3.0	2.7/2.8
MBA	0.88	0.1/0.2	0.2/-0.8	0.4/-1.6	0.7/-2.9	0.4/-3.2	0.4/-2.7	0.0/-3.1	-0.6/-1.7	-0.1/-1.9	1.0/-2.0	2.1/-2.1	2.5/-2.3	2.4/-2.4	2.0/-2.5	1.7/-2.6
ILG	0.89	-0.2/0.0	-0.3/-0.1	-0.4/0.1	-0.3/-0.7	-0.1/0.2	-0.1/0.0	-0.5/-0.4	-0.8/4.0	-0.5/3.8	0.7/3.6	2.4/3.5	2.8/3.3	3.2/3.2	3.8/3.0	3.6/2.9
BTV	0.97	0.1/-0.0	0.1/-0.3	0.2/-0.0	0.2/-1.0	-0.1/-2.3	-0.4/-3.3	0.1/-1.8	-0.2/-3.9	0.0/-4.1	0.5/-4.2	1.8/-4.4	2.7/-4.5	3.1/-4.6	3.4/-4.7	3.1/-4.8
ERI	0.98	0.5/0.5	1.0/0.1	0.8/0.0	0.6/0.1	0.1/-0.2	-0.3/-0.3	-1.0/0.4	-1.7/4.1	-1.9/4.0	0.9/3.9	2.7/3.8	3.2/3.7	3.5/3.6	3.3/3.5	2.9/3.4
CON	1.08	0.2/0.6	0.3/-1.6	0.6/-1.0	0.8/-2.7	0.9/-2.8	0.9/-3.1	0.8/-2.4	0.1/-3.2	0.5/-3.4	1.1/-3.5	1.8/-3.7	2.5/-3.9	2.1/-4.1	1.9/-4.2	1.9/-4.4
ABE	1.10	0.3/-0.6	0.5/-0.6	0.6/-0.4	0.9/-0.5	0.9/-0.7	0.5/-0.5	0.4/-0.6	0.0/0.9	0.6/0.7	1.7/0.5	1.5/0.4	2.1/0.2	2.2/0.1	2.2/-0.2	2.1/-0.2
BGM	1.15	0.4/1.0	1.0/0.5	1.1/0.4	1.4/-0.1	1.4/-0.6	1.0/-1.6	0.4/-0.3	0.0/0.4	-0.1/0.3	1.0/0.1	1.6/0.0	2.2/-0.1	2.2/-0.2	2.2/-0.3	1.5/-0.4
JFK	1.32	-0.0/0.7	0.4/0.5	0.6/0.1	0.8/0.2	0.5/-0.1	0.3/-0.4	0.5/-0.6	0.3/1.8	1.0/1.6	2.1/1.5	2.2/1.4	2.5/1.2	2.9/1.1	2.9/1.0	2.8/0.9
MHT	1.35	-0.0/1.4	0.2/0.8	0.5/-0.5	0.8/-2.0	0.8/-2.8	0.9/-2.4	1.0/-1.2	0.4/-2.5	0.9/-2.7	1.7/-2.9	2.5/-3.0	2.9/-3.2	2.7/-3.3	2.5/-3.5	2.4/-3.6
SYR	1.43	0.3/3.0	0.8/2.2	0.9/2.5	0.9/1.8	0.9/0.7	0.7/-0.1	0.5/1.6	0.6/1.4	1.1/1.3	1.6/1.1	2.0/1.0	2.7/0.9	2.8/0.8	2.9/0.8	2.7/0.7
BUF	1.49	0.6/1.7	1.0/1.4	1.3/1.7	1.3/1.1	1.3/0.6	1.3/0.8	0.4/0.7	0.4/2.7	-0.3/2.6	1.5/2.4	2.4/2.3	2.9/2.2	3.2/2.1	3.1/2.0	2.6/2.0
AOO	1.53	0.0/-0.4	0.1/-0.2	-0.0/-0.2	0.2/-0.4	0.8/-1.5	0.9/-1.3	0.7/-0.8	1.0/5.9	1.2/5.8	2.4/5.6	2.5/5.4	3.0/5.2	3.5/5.0	3.5/4.9	3.2/4.8
ORH	1.64	-0.0/0.8	0.2/-0.8	0.4/-0.5	0.9/-0.9	1.0/-1.9	0.9/-1.4	1.3/-1.3	0.6/-0.6	1.2/-0.8	2.3/-0.9	3.0/-1.0	3.5/-1.2	3.2/-1.3	3.1/-1.4	3.1/-1.5
PHL	1.70	-0.1/-0.9	0.0/0.3	0.3/-0.0	0.6/-1.1	0.8/0.4	0.7/-0.4	0.6/0.1	0.5/2.9	1.3/2.7	2.6/2.5	2.8/2.4	3.4/2.2	3.7/2.1	4.0/1.9	4.0/1.8
ROC	1.7															

# ECMWF/MEX MIN Temperature in USNE

	S-score	MAE (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ROA	-1.19	6.0/0.0	6.5/2.3	6.4/2.0	5.9/2.9	5.6/3.3	4.9/3.8	5.7/3.1	6.2/3.2	7.2/3.2	7.7/3.2	6.4/3.3	7.2/3.3	8.2/3.4	7.9/3.4	8.0/--
RIC	-0.35	2.3/0.0	3.5/2.8	3.8/3.1	4.2/4.0	4.3/4.2	4.2/4.1	4.5/4.5	5.3/4.2	6.2/4.3	6.5/4.2	6.9/4.4	7.4/4.4	7.7/4.4	7.6/4.4	7.7/--
PIT	-0.31	4.5/0.0	4.4/4.0	3.7/4.3	4.0/4.5	4.9/5.5	5.9/6.0	7.7/5.4	8.0/6.0	9.4/6.0	9.1/5.9	9.7/5.9	9.6/6.0	10.1/6.1	9.9/6.1	9.8/--
IPT	-0.31	4.8/0.0	4.9/3.6	6.2/4.2	6.6/4.4	6.3/4.7	6.2/5.4	6.5/5.7	7.2/6.1	8.9/6.2	8.8/6.3	8.0/6.4	8.2/6.4	8.5/6.5	8.1/6.6	8.6/--
ILG	-0.26	1.9/0.0	2.1/2.5	2.3/2.6	3.3/3.1	3.5/3.4	4.0/4.2	4.2/4.8	4.8/4.0	5.7/4.1	5.6/4.2	6.7/4.2	7.3/4.3	7.8/4.2	7.7/4.3	8.2/--
PHL	-0.26	2.3/0.0	2.6/2.3	2.9/2.8	3.6/3.0	3.7/3.1	3.8/3.0	3.9/4.5	4.4/4.2	5.4/4.3	5.8/4.4	6.2/4.4	6.3/4.3	6.8/4.2	6.7/4.3	6.8/--
BWI	-0.25	2.9/0.0	2.9/2.6	3.2/3.1	3.9/3.6	4.3/4.0	5.0/4.5	5.3/5.1	5.7/5.3	6.9/5.4	6.8/5.4	7.6/5.5	8.5/5.5	9.1/5.5	9.0/5.5	9.4/--
DCA	-0.22	2.7/0.0	2.9/3.3	3.5/3.5	3.5/4.1	3.7/4.5	4.0/4.0	4.3/4.6	5.0/4.4	5.8/4.4	5.8/4.4	7.0/4.5	7.4/4.6	7.6/4.7	7.8/4.7	8.0/--
ACY	-0.19	2.6/0.0	3.2/4.2	4.0/4.2	5.0/4.4	5.0/5.1	5.1/6.5	6.0/7.3	6.4/5.4	7.8/5.5	7.9/5.6	8.5/5.6	8.7/5.7	8.8/5.7	8.7/5.7	8.8/--
ABE	-0.19	3.2/0.0	3.1/3.1	3.3/3.4	3.8/3.1	3.7/3.5	4.0/4.1	5.3/4.5	5.6/5.3	6.6/5.4	7.5/5.4	7.5/5.5	7.4/5.6	8.0/5.8	7.8/5.8	7.9/--
AOO	-0.17	3.2/0.0	3.2/3.0	3.8/3.2	4.0/3.5	4.2/3.9	4.3/4.6	5.1/5.4	5.9/5.2	6.4/5.1	6.2/5.3	6.6/5.3	7.1/5.4	7.6/5.4	7.2/5.4	7.1/--
AVP	-0.15	3.1/0.0	3.4/3.5	3.9/3.1	4.7/3.5	5.1/3.7	5.0/4.6	5.1/5.0	5.5/4.6	5.6/4.7	5.9/4.8	5.3/4.7	4.9/4.8	5.6/4.9	5.1/4.9	5.2/--
MDT	-0.14	3.2/0.0	3.6/3.3	3.9/3.1	4.1/3.5	4.1/4.2	3.9/4.5	4.2/5.2	4.4/4.2	5.0/4.2	5.4/4.3	5.5/4.5	5.9/4.6	6.3/4.6	6.2/4.6	6.4/--
CRW	-0.13	2.7/0.0	2.9/2.8	3.2/3.4	4.3/3.9	3.7/4.1	3.3/4.9	3.9/5.0	4.2/4.1	4.6/4.1	4.9/4.1	5.7/4.0	5.7/3.9	6.1/3.8	5.6/3.9	5.6/--
ERI	-0.13	2.5/0.0	2.8/3.0	3.0/3.4	2.9/3.1	3.0/3.0	3.1/3.8	3.2/4.3	4.1/3.8	5.2/3.7	5.3/3.7	4.5/3.8	5.0/3.9	5.7/3.8	5.6/3.9	5.4/--
EWR	-0.11	2.5/0.0	2.5/2.4	2.9/2.4	3.1/2.7	3.4/2.8	3.4/3.5	3.9/4.2	4.1/3.5	4.6/3.5	4.4/3.6	4.0/3.8	3.9/3.7	4.1/3.8	3.9/3.9	4.2/--
BDL	-0.07	4.0/0.0	4.5/3.3	4.8/3.0	5.2/4.2	5.6/4.8	5.2/5.6	6.0/5.4	7.5/7.4	8.4/7.6	7.8/7.7	7.4/7.9	6.6/8.0	6.6/8.0	6.5/8.1	6.5/--
BUF	-0.06	2.7/0.0	2.9/3.3	3.3/3.4	3.6/3.4	3.8/3.1	3.5/4.0	4.4/4.7	5.8/4.7	5.9/4.8	5.5/4.9	5.0/4.9	5.2/5.0	5.8/5.0	5.3/5.1	4.9/--
LGA	-0.03	1.8/0.0	2.3/2.0	2.7/1.9	2.8/2.5	2.7/2.8	2.9/3.8	3.3/4.2	3.7/3.2	4.3/3.4	4.2/3.5	3.1/3.5	3.2/3.5	3.2/3.6	3.3/3.7	3.8/--
ROC	-0.03	3.8/0.0	4.1/3.1	4.3/3.7	4.3/3.9	4.4/4.1	4.3/4.9	5.0/5.5	6.2/6.7	7.1/6.8	7.4/6.9	6.5/6.9	6.8/6.9	6.8/7.0	6.7/7.0	7.0/--
JFK	-0.02	2.1/0.0	2.7/2.9	3.1/3.4	3.5/3.7	3.8/3.5	4.3/3.9	4.6/4.4	4.8/4.1	4.9/4.1	4.7/4.2	3.9/4.2	3.7/4.3	4.2/4.4	4.3/4.5	4.3/--
PVD	-0.01	2.4/0.0	2.3/2.5	2.9/1.9	3.8/3.2	4.5/3.4	4.9/4.2	5.0/4.1	5.7/5.9	6.2/6.0	6.0/6.1	4.9/6.2	4.4/6.3	4.3/6.4	4.2/6.5	4.6/--
LNS	0.01	2.6/0.0	2.8/2.9	3.2/3.0	4.1/3.0	4.2/3.2	4.2/4.0	5.1/4.6	5.8/8.0	7.2/8.2	7.3/8.3	7.1/8.4	7.5/8.5	8.1/8.6	8.0/8.6	8.2/--
NTU	0.01	3.9/0.0	3.9/3.0	3.9/3.1	4.1/3.5	4.0/3.6	3.8/3.3	3.2/3.2	3.1/5.4	3.2/5.4	3.8/5.4	5.0/5.2	5.0/5.1	5.2/5.1	5.4/5.1	5.9/--
BGM	0.05	2.9/0.0	3.1/3.0	3.2/2.9	3.4/3.4	3.7/3.9	3.8/4.7	4.1/4.8	3.8/5.3	4.9/5.4	5.6/5.5	5.5/5.5	6.1/5.6	5.4/5.6	5.2/5.7	5.5/--
BOS	0.07	1.6/0.0	2.2/1.8	2.5/2.2	3.0/2.9	3.6/2.9	4.0/3.7	4.3/3.5	4.8/5.5	4.8/5.6	4.9/5.8	4.2/5.9	3.7/6.1	3.5/6.2	3.6/6.2	3.7/--
MBA	0.08	3.6/0.0	3.3/2.9	3.4/2.5	4.1/3.5	4.8/4.2	4.7/5.1	4.9/5.0	6.4/7.1	6.7/7.2	6.7/7.3	5.7/7.4	4.7/7.5	4.6/7.6	4.4/7.8	4.8/--
ORH	0.10	2.7/0.0	2.8/2.7	3.6/2.5	3.8/2.7	4.2/3.7	4.3/3.9	4.6/4.3	4.0/6.5	4.8/6.6	5.1/6.6	4.3/6.7	4.1/6.8	4.4/6.9	4.2/7.0	4.3/--
SYR	0.16	2.3/0.0	3.1/3.2	3.5/3.5	3.9/4.1	4.6/4.9	4.6/4.9	5.1/5.4	5.2/7.9	6.1/8.1	6.5/8.2	6.1/8.3	6.4/8.3	6.4/8.4	6.3/8.4	6.6/--
ALB	0.29	2.4/0.0	2.9/2.7	3.3/3.1	3.5/4.2	4.2/5.4	4.0/6.0	4.8/6.2	5.0/9.2	5.9/9.4	6.4/9.4	5.4/9.6	5.7/9.7	5.7/9.9	5.3/9.9	6.0/--
CON	0.33	3.7/0.0	3.2/4.0	4.1/4.1	4.8/5.5	4.6/6.6	5.2/7.2	4.9/7.6	5.7/11.1	6.9/11.2	8.2/11.4	6.9/11.6	6.5/11.8	6.4/11.9	5.5/12.0	6.6/--
PWM	0.40	2.6/0.0	2.4/3.0	2.9/3.2	3.0/4.4	3.5/5.1	3.6/6.2	3.9/5.3	4.4/9.5	5.3/9.6	5.8/9.8	5.2/10.0	4.7/10.1	4.9/10.2	4.2/10.4	4.3/--
BTW	0.41	2.5/0.0	2.9/3.2	3.3/3.2	3.1/4.8	3.7/6.0	4.1/6.1	4.2/6.4	4.8/11.3	5.8/11.5	5.6/11.6	4.7/11.7	5.0/11.8	5.2/11.8	4.9/11.9	5.5/--
AUG	0.42	3.4/0.0	3.3/2.5	2.9/3.0	2.7/3.8	3.5/5.4	4.0/5.9	3.9/5.9	3.0/11.3	3.9/11.4	4.5/11.6	5.1/11.8	4.8/11.9	4.8/12.1	4.5/12.2	5.1/--
MHT	0.47	3.0/0.0	2.7/3.3	2.8/3.1	3.5/4.4	4.0/4.8	4.4/6.0	4.4/5.2	5.3/18.1	6.1/18.2	6.5/18.4	5.4/18.6	4.6/18.8	4.7/19.0	4.2/19.1	4.8/--

	avg-bias	Bias (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ROA	-3.84	-0.5/0.0	-2.6/-0.9	-3.1/-0.4	-2.8/-1.0	-3.7/-1.8	-4.0/-2.4	-5.0/-2.1	-6.1/0.8	-6.9/0.7	-6.7/0.6	-4.2/0.4	-3.6/0.3	-2.3/0.2	-2.7/0.1	-2.3/--
IPT	-3.29	-0.9/0.0	-1.2/-1.4	-1.5/-2.0	-1.8/-2.5	-2.7/-3.1	-3.5/-4.0	-4.9/-4.1	-5.4/-4.6	-6.8/-4.7	-5.2/-4.9	-3.9/-5.0	-3.2/-5.1	-2.9/-5.2	-2.4/-5.3	-3.1/--
BDL	-3.04	-0.7/0.0	-1.2/-1.4	-1.6/-2.0	-2.3/-3.2	-3.0/-4.0	-4.0/-4.6	-4.9/-4.3	-4.5/-6.2	-5.0/-6.4	-4.3/-6.5	-3.8/-6.6	-2.9/-6.8	-2.4/-6.9	-2.1/-7.0	-3.0/--
CON	-3.02	0.0/0.0	-0.6/-3.0	-0.8/-3.1	-2.2/-4.7	-2.4/-6.0	-3.4/-6.5	-3.7/-6.7	-3.8/-10.6	-4.1/-10.8	-5.6/-11.0	-4.0/-11.2	-3.8/-11.3	-3.7/-11.5	-2.9/-11.6	-4.2/--
PIT	-2.95	-1.6/0.0	-1.7/1.1	-1.1/1.0	-1.1/0.7	-2.2/-0.1	-3.2/-0.9	-4.9/-0.6	-5.2/0.6	-6.6/0.4	-5.2/0.3	-3.9/0.1	-2.2/0.0	-1.8/0.1	-1.7/-0.2	-1.9/--
ACY	-2.11	-0.8/0.0	-0.6/-2.2	-0.9/-2.4	-1.3/-2.4	-1.6/-3.1	-2.1/-4.5	-3.5/-5.1	-3.8/-1.8	-4.1/-1.9	-3.1/-2.0	-3.1/-2.1	-2.6/-2.2	-1.9/-2.4	-0.9/-2.4	-1.3/--
ABE	-2.09	-1.0/0.0	-0.8/0.3	-1.3/0.1	-1.9/0.4	-2.3/-1.0	-2.4/-1.8	-3.7/-2.1	-3.9/-1.4	-4.2/-1.5	-3.2/-1.7	-2.2/-1.8	-1.9/-1.9	-1.3/-2.0	-0.4/-2.0	-1.0/--
AVP	-2.03	0.4/0.0	0.8/-1.0	0.3/-1.0	-0.5/-1.5	-1.7/-2.3	-2.6/-3.2	-3.4/-3.4	-3.6/-3.2	-4.0/-3.4	-3.8/-3.5	-3.0/-3.6	-2.5/-3.7	-2.3/-3.8	-2.0/-3.9	-2.6/--
MHT	-1.90	-0.5/0.0	-0.9/-2.4	-1.0/-2.6	-1.3/-4.1	-1.7/-4.6	-2.5/-5.6	-3.2/-4.6	-3.1/-18.1	-3.5/-18.2	-3.5/-18.4	-2.1/-18.6	-1.4/-18.8	-1.2/-19.0	-0.7/-19.1	-1.7/--
PVD	-1.83	-0.2/0.0	-0.5/-1.5	-0.9/-1.0	-1.3/-2.3	-2.1/-2.7	-3.0/-3.4	-3.7/-3.4	-3.4/-5.0	-4.2/-5.1	-3.7/-5.2	-1.6/-5.4	-1.0/-5.5	-0.6/-5.6	-0.2/-5.7	-1.1/--
LNS	-1.80	-0.8/0.0	-0.9/-0.2	-1.1/-0.3	-1.5/-1.0	-1.9/-1.0	-2.4/-2.5	-3.5/-2.4	-4.0/-7.5	-4.6/-7.6	-3.3/-7.7	-1.4/-7.8	-1.1/-7.9	-0.6/-8.0	0.4/-8.1	-0.2/--
CRW	-1.71	-1.2/0.0	-1.5/-0.8	-1.9/-1.4	-2.1/-1.4	-2.3/-2.7	-1.7/-3.3	-2.8/-2.9	-2.9/0.5	-2.8/0.4	-2.6/0.2	-2.1/0.1	-0.8/0.0	-0.4/0.1	-0.2/0.2	-0.2/--
SYR	-1.63	0.2/0.0	-0.1/0.8	-0.2/0.6	-0.8/-0.4	-1.1/-1.6	-1.7/-2.2	-2.1/-2.1	-2.6/-6.4	-2.7/-6.6	-3.4/-6.7	-2.6/-6.8	-2.6/-6.9	-1.5/-7.0	-1.4/-7.1	-2.0/--
RIC	-1.59	-0.4/0.0	-0.7/-1.1	-0.9/-0.8	-0.7/-1.0	-1.0/-1.5	-1.3/-2.4	-3.0/-2.0	-3.8/2.0	-4.0/1.9	-3.5/1.8	-2.4/1.6	-1.3/1.5	-0.9/1.4	-0.1/1.3	0.2/--
PWM	-1.58	-0.4/0.0	-1.0/-1.6	-1.4/-2.2	-1.6/-3.6	-1.7/-4.7	-2.0/-5.7	-2.7/-4.9	-2.5/-9.3	-2.3/-9.5	-2.7/-9.6	-1.5/-9.8	-1.0/-10.0	-0.9/-10.1	-0.5/-10.2	-1.3/--
MBA	-1.52	-0.1/0.0	-0.6/-0.5	-0.8/-1.0	-1.2/-2.1	-1.7/-3.0	-2.4/-3.9	-3.3/-3.6	-3.2/-5.8	-3.5/-6.0	-2.9/-6.1	-1.4/-6.2	-0.7/-6.4	-0.4/-6.5	0.2/-6.6	-0.9/--
JFK	-1.50	-0.1/0.0	0.2/-1.4	0.1/-1.7	-0.3/-2.0	-1.3/-2.3	-2.1/-2.6	-2.9/-2.8	-3.1/-2.9	-3.4/-3.0	-2.8/-3.1	-1.7/-3.2	-1.5/-3.3	-1.1/-3.4	-1.1/-3.5	-1.5/--
ALB	-1.41	0.4/0.0	0.1/-1.3	0.0/-1.4	-0.8/-2.8	-0.6/-4.3	-2.1/-5.2	-3.1/-5.0	-2.5/-8.4	-2.2/-8.5	-3.0/-8.7	-1.8/-8.9	-2.0/-9.0	-1.0/-9.1	-0.8/-9.2	-1.9/--
BOS	-1.37	-0.2/0.0	-0.5/-0.7	-0.7/-0.9	-1.1/-1.7	-1.5/-1.7	-2.1/-2.7	-2.9/-2.2	-2.7/-4.5	-2.6/-4.6	-2.3/-4.8	-1.2/-4.9	-0.9/-5.1	-0.5/-5.2	-0.5/-5.2	-1.0/--
MDT	-1.19	-0.4/0.0	-0.7/-2.4	-0.7/-1.1	-0.8/-2.2	-1.3/-2.6	-1.4/-3.7	-2.0/-3.8	-1.9/-0.8	-2.1/-0.9	-2.0/-1.0	-1.4/-1.1	-1.0/-1.2	-0.9/-1.2	-0.4/-1.3	-0.9/--
EWR	-1.05	0.1/0.0	-0.0/0.7	-0.2/0.9	-0.4/-1.0	-0.8/-1.3	-1.4/-2.2	-2.5/-2.2	-2.4/-1.6	-2.9/-1.8	-2.3/-1.9	-1.0/-2.0	-0.2/0.2	-0.2/2.2	-0.4/2.4	-0.8/--
PHL	-0.92	-0.3/0.0	-0.1/0.2	-0.2/0.5	-0.4/0.5	-0.6/0.6	-0.9/-1.0	-2.1/-1.8	-2.2/0.9	-2.5/0.8	-1.7/0.6	-1.4/0.5	-1.1/0.4	-0.6/0.3	0.3/0.2	-0.1/--
ILG	-0.92	-0.5/0.0	-0.4/-0.4	-0.5/-1.0	-0.4/-1.1	-0.5/-1.7	-0.4/-2.8	-1.0/-2.9	-1.3/0.0	-1.6/-0.1	-0.9/0.3	-2.0/0.4	-1.6/0.5	-1.3/0.6	-0.5/0.7	-0.9/--
ROC	-0.91	-0.2/0.0	0.2/1.2	0.5/1.1	0.2/0.3	0.2/0.0	-0.9/-1.1	-1.1/-0.6	-1.8/-3.7	-2.8/-3.8	-2.7/-3.9	-1.8/-3.9	-1.5/-4.0	-2.0/4.0	-0.4/4.1	-1.4/--
BWI	-0.54	-0.7/0.0	-0.6/-0.6	-0.6/-1.0	-0.7/-1.4	-0.6/-1.0	-0.2/0.0	-0.6/-2.6	-0.7/1.0	-0.7/0.9	0.2/0.8	-1.5/				

# ECMWF/MEX MAX Temperature in USSE

MAE (2010-02-01~2010-02-28)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
RDU	-0.02	2.3/2.3	2.7/2.8	2.8/2.7	3.6/3.4	3.8/4.1	3.7/4.1	3.8/3.9	4.6/7.0	4.7/6.9	6.0/6.8	7.1/6.6	7.8/6.5	8.2/6.4	8.5/6.4	7.9/6.2
TLH	0.00	3.2/2.6	3.7/3.5	4.0/3.4	3.9/4.3	4.3/3.6	4.9/4.7	5.6/5.3	5.7/8.6	6.7/8.5	7.5/8.4	8.0/8.3	8.0/8.2	8.2/8.1	8.1/8.0	7.9/7.9
SSI	0.00	3.4/2.5	3.3/3.3	3.4/3.4	3.3/3.5	3.6/3.1	3.8/4.8	4.4/4.3	4.6/6.7	5.2/6.6	5.8/6.6	5.9/6.5	6.6/6.4	7.2/6.3	7.2/6.3	6.7/6.2
MIA	0.01	2.1/1.2	2.5/1.2	2.6/1.8	2.5/3.0	3.0/3.1	3.1/4.6	3.6/4.6	4.3/6.4	4.2/6.4	4.9/6.3	5.2/6.3	5.6/6.3	5.4/6.4	5.4/6.3	5.4/6.3
CAE	0.02	2.3/2.5	3.2/2.5	3.5/2.9	3.9/3.9	4.5/4.3	4.2/5.2	4.4/4.9	4.8/7.9	5.2/7.7	6.6/7.6	6.8/7.5	7.4/7.4	8.5/7.2	8.3/7.1	7.9/7.1
CLT	0.03	2.8/2.7	3.2/2.6	3.2/2.8	4.3/3.8	4.4/4.1	3.9/5.0	4.2/4.0	4.6/8.2	5.2/8.1	6.3/7.9	6.8/7.7	7.5/7.6	8.2/7.5	8.3/7.4	7.7/7.2
JAX	0.06	2.7/3.0	3.1/3.6	3.4/3.6	3.6/3.6	4.4/3.8	4.6/4.8	4.9/4.9	5.2/8.0	6.2/7.9	6.7/7.8	7.2/7.8	7.7/7.8	8.1/7.8	8.2/7.7	7.8/7.6
FMY	0.07	3.3/2.1	3.3/2.9	3.5/3.1	3.7/3.3	4.2/3.8	4.2/4.9	5.0/5.1	5.2/8.8	5.4/8.8	6.2/8.7	6.9/8.7	7.2/8.7	7.3/8.6	7.5/8.6	7.2/8.5
ATL	0.09	2.3/3.1	2.4/3.1	2.8/4.0	3.3/3.6	3.9/4.4	4.2/4.7	4.6/5.4	5.2/8.2	6.6/8.1	8.0/8.0	7.8/7.9	8.4/7.8	8.7/7.6	8.3/7.5	7.9/7.4
SAV	0.12	2.1/2.1	2.5/2.8	2.8/3.2	2.9/3.4	3.4/4.1	4.0/4.5	4.1/4.4	4.3/7.4	4.9/7.4	6.0/7.3	6.1/7.3	6.8/7.2	7.4/7.1	7.2/7.0	6.9/6.9
ABY	0.13	2.1/2.6	2.6/2.9	2.7/3.6	2.4/4.2	2.9/3.7	3.5/4.5	4.5/5.1	4.7/7.8	6.4/7.8	6.9/7.6	7.2/7.6	7.7/7.5	8.2/7.3	7.8/7.2	7.7/7.2
MCN	0.13	1.8/3.4	2.1/3.5	2.8/4.4	3.6/5.2	3.9/5.1	4.2/5.4	4.7/5.1	4.8/7.8	6.1/7.7	7.6/7.6	7.5/7.4	8.2/7.3	8.9/7.2	8.4/7.1	7.9/7.0
TPA	0.15	2.1/2.4	3.2/2.6	3.3/2.9	3.6/3.5	3.6/4.2	4.3/5.1	4.6/5.7	4.7/9.2	5.1/9.2	6.5/9.1	7.2/9.1	7.5/9.0	7.6/8.9	7.9/8.9	7.3/8.8
MCO	0.15	2.1/2.3	3.0/3.2	3.3/3.2	3.9/4.3	4.1/4.8	4.9/5.7	5.4/6.7	5.9/9.8	6.5/9.6	7.3/9.6	7.7/9.6	8.3/9.6	8.7/9.5	8.9/9.5	8.1/9.4

Bias (2010-02-01~2010-02-28)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
SSI	-0.12	-0.5/-0.5	-0.9/-0.7	-0.9/1.3	-0.7/2.5	-0.7/2.3	-0.6/2.3	-0.4/3.0	-0.8/5.7	-0.2/5.6	-0.1/5.4	0.5/5.3	0.1/5.2	0.3/5.1	1.3/5.0	1.8/4.9
SAV	0.05	0.6/-1.1	0.0/-1.4	0.2/0.2	0.3/1.2	0.3/2.4	-0.5/1.1	-0.6/2.1	-0.6/5.8	-1.6/5.6	-0.9/5.5	-0.3/5.4	0.0/5.2	0.8/5.1	1.4/4.9	1.7/4.8
JAX	0.48	-0.1/-1.6	-0.5/-0.9	-0.4/1.9	-0.3/2.5	-0.0/2.0	0.1/2.3	0.1/3.1	-0.4/6.2	0.4/6.1	0.7/6.0	1.2/5.8	0.9/5.7	1.2/5.5	2.0/5.4	2.2/5.3
MIA	0.55	-0.0/0.1	-0.0/0.2	-0.2/0.5	-0.3/1.5	-0.1/2.2	0.1/3.2	0.5/3.4	0.8/4.3	0.9/4.3	1.6/4.2	1.5/4.2	1.1/4.2	0.8/4.1	1.0/4.1	0.7/4.0
MCN	0.60	-0.2/1.7	-0.0/2.0	0.5/3.3	0.9/3.7	0.3/4.1	0.5/3.9	0.3/3.4	-0.0/6.1	0.2/6.0	0.5/5.8	0.2/5.6	0.5/5.4	1.4/5.3	1.7/5.1	2.2/5.0
CLT	0.68	0.5/-0.3	0.7/0.5	0.6/1.0	1.7/0.7	0.9/1.3	0.3/1.7	-0.5/0.7	-0.0/6.7	0.1/6.5	-0.2/6.3	0.4/6.1	0.7/5.9	1.4/5.7	1.7/5.5	1.8/5.3
ATL	0.86	-0.3/0.5	0.4/1.4	0.8/2.4	0.4/1.0	0.4/1.4	1.2/2.1	1.0/3.0	0.8/6.7	1.4/6.5	1.3/6.2	0.4/6.0	0.6/5.8	1.1/5.6	1.7/5.5	1.8/5.3
TPA	1.01	-0.3/0.5	-0.2/-0.1	-0.5/1.9	-0.5/2.2	-0.3/3.4	0.5/3.8	0.4/3.8	0.6/7.6	1.0/7.6	2.2/7.5	2.3/7.4	1.8/7.4	2.3/7.3	2.8/7.2	3.2/7.2
ABY	1.06	-0.5/-0.3	-0.7/0.2	-0.2/2.1	-0.6/3.3	-0.1/1.2	0.7/2.5	1.0/2.4	0.7/6.5	1.7/6.3	2.0/6.1	2.0/5.9	1.7/5.8	2.2/5.6	2.9/5.4	3.1/5.2
FMY	1.08	0.0/-0.4	0.0/1.9	0.1/1.4	-0.2/1.0	0.1/1.8	0.4/2.4	0.7/2.8	0.8/7.0	1.2/7.0	1.8/6.9	2.4/6.8	2.1/6.8	1.9/6.7	2.3/6.6	2.4/6.6
CAE	1.09	0.6/1.4	0.8/1.5	1.0/1.9	1.9/2.2	1.8/2.2	0.9/2.5	-0.0/1.7	0.8/6.1	0.1/5.9	0.6/5.7	0.5/5.5	1.0/5.4	2.0/5.2	2.0/5.0	2.5/4.9
RDU	1.17	0.2/-0.5	0.7/0.6	1.0/0.5	2.0/1.1	1.6/0.6	1.0/0.1	0.2/0.5	0.5/5.8	0.4/5.5	0.2/5.4	1.2/5.2	1.4/5.0	2.0/4.9	2.5/4.7	2.5/4.5
TLH	1.51	-0.2/-0.6	-0.3/0.0	-0.4/1.8	-0.7/2.8	-0.2/1.3	-0.1/2.8	0.4/2.9	0.9/7.5	2.1/7.3	3.1/7.1	3.2/7.0	2.8/6.9	3.7/6.7	4.3/6.6	4.3/6.5
MCO	1.83	0.4/1.0	0.6/1.4	0.5/1.8	0.4/3.2	0.6/3.9	0.9/4.6	1.5/5.7	1.5/8.9	2.0/8.8	3.2/8.7	3.3/8.6	2.8/8.5	2.8/8.5	3.5/8.4	3.5/8.3

red: S < -0.3      orange: -0.3 < S < -0.1      grey: -0.1 < S < 0.1      green: 0.1 < S < 0.3      blue: S > 0.3

S\_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0      orange: 4.0 > B >= 2.0      black: 2.0 > B >= -2.0      green: -2.0 > B >= -4.0      blue: B < -4.0

avg\_bias: average of ECMWF-value

# ECMWF/MEX MIN Temperature in USSE

MAE (2010-02-01~2010-02-28)

	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
CLT	-0.13	3.4/0.0	3.9/3.1	4.7/3.3	5.1/3.5	5.6/3.6	6.1/4.6	6.6/3.4	6.4/6.6	5.6/6.4	5.0/6.3	4.6/6.2	4.8/6.1	4.9/6.1	4.9/6.1	5.4/--
RDU	-0.10	2.2/0.0	2.7/2.4	2.8/3.1	3.1/4.0	3.8/4.1	4.3/3.3	5.1/3.3	5.1/4.3	4.3/4.2	4.3/4.1	4.5/4.1	4.5/4.1	4.8/4.1	4.5/4.0	4.8/--
CAE	-0.02	2.8/0.0	3.0/2.6	3.5/2.2	3.3/3.0	4.2/3.0	4.9/3.4	5.1/3.2	5.1/7.2	4.3/7.1	4.2/7.0	4.8/6.9	5.2/6.8	5.3/6.8	5.5/6.8	5.9/--
SAV	0.10	2.0/0.0	1.9/2.5	2.0/3.0	2.6/2.0	2.9/2.2	3.4/2.5	3.9/2.9	3.8/7.2	3.8/7.0	4.6/7.0	4.8/7.0	5.8/6.9	5.8/6.8	5.8/6.6	6.2/--
ATL	0.13	1.9/0.0	1.8/2.5	2.6/2.5	2.8/2.8	3.4/3.4	4.0/3.5	4.0/3.5	3.8/6.8	3.8/6.7	4.6/6.6	5.1/6.4	5.7/6.4	5.9/6.4	5.8/6.4	5.6/--
ABY	0.18	2.7/0.0	2.3/2.7	2.5/2.8	2.4/2.7	2.5/3.5	3.0/3.6	3.5/3.8	3.5/7.0	3.2/6.9	4.1/6.8	5.7/6.8	6.5/6.7	6.7/6.6	6.9/6.5	6.7/--
MCN	0.20	1.6/0.0	1.9/2.2	2.0/2.2	2.3/2.9	2.6/3.3	3.5/3.6	3.9/3.2	3.9/6.5	3.6/6.4	3.4/6.4	4.3/6.3	4.8/6.2	5.2/6.1	5.3/6.1	4.9/--
TLH	0.22	3.6/0.0	3.3/3.9	3.2/3.5	2.8/3.4	3.4/3.9	3.9/4.2	4.9/5.4	5.9/9.9	5.0/9.8	5.6/9.6	6.8/9.6	7.5/9.6	7.5/9.5	7.7/9.4	7.5/--
SSI	0.23	2.5/0.0	2.3/3.1	2.2/3.5	2.3/2.7	2.5/2.9	3.4/3.0	3.3/3.1	3.7/7.9	4.4/7.9	4.8/7.8	5.0/7.7	6.1/7.6	6.3/7.5	6.1/7.4	6.1/--
FMY	0.25	1.8/0.0	2.2/3.2	2.6/3.2	2.9/3.4	3.0/4.0	3.4/4.4	4.3/5.2	4.6/7.6	5.0/7.5	5.4/7.4	4.8/7.4	5.9/7.3	5.8/7.2	6.0/7.2	6.0/--
MCO	0.26	2.1/0.0	2.0/3.5	2.4/2.6	2.4/3.5	2.6/3.3	3.2/4.3	3.7/4.4	4.3/7.7	4.8/7.6	4.7/7.5	5.4/7.4	6.6/7.4	6.4/7.4	6.2/7.4	6.8/--
TPA	0.29	1.8/0.0	2.1/3.2	2.2/2.8	2.3/3.1	2.6/3.6	3.1/3.5	3.9/4.5	4.1/7.6	4.4/7.5	4.7/7.5	4.7/7.5	5.6/7.5	5.6/7.4	5.7/7.3	5.6/--
JAX	0.29	1.5/0.0	1.6/2.9	2.0/2.6	2.1/2.7	2.5/3.1	2.9/3.0	3.7/4.4	4.1/9.2	4.3/9.1	4.8/9.0	5.8/8.9	7.1/8.8	7.1/8.7	7.1/8.7	7.4/--
MIA	0.31	1.5/0.0	1.6/2.9	1.9/2.9	2.3/3.1	2.4/3.9	3.0/4.1	3.9/5.5	4.2/7.9	4.5/8.0	5.2/7.8	5.7/7.8	6.2/7.7	6.1/7.7	6.4/7.6	6.6/--

Bias (2010-02-01~2010-02-28)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
CLT	-2.41	-0.3/0.0	-0.7/-1.4	-1.2/-1.0	-1.8/-0.5	-2.7/-0.6	-3.4/-2.1	-4.2/-1.1	-4.5/4.4	-4.2/4.2	-4.1/4.1	-3.2/4.0	-1.9/3.9	-1.7/3.8	-1.1/3.7	-1.3/--
RDU	-1.83	0.2/0.0	-0.3/0.3	-0.7/-0.6	-1.1/-1.4	-1.8/-0.8	-2.5/-0.9	-3.7/-0.7	-3.9/2.6	-3.5/2.5	-3.5/2.3	-2.8/2.2	-1.6/2.1	-1.1/2.0	-0.5/1.9	-0.5/--
CAE	-1.08	0.5/0.0	0.0/1.1	-0.5/0.5	-0.9/0.4	-1.9/1.3	-2.2/-0.0	-2.9/0.1	-2.9/4.2	-2.8/4.1	-2.3/4.0	-1.2/3.9	-0.4/3.8	-0.0/3.8	0.8/3.7	0.4/--
MCN	-0.16	0.3/0.0	0.4/0.7	0.2/1.0	0.1/2.2	-0.4/1.7	-0.8/2.4	-0.9/2.1	-0.9/4.4	-1.7/4.3	-1.2/4.2	-0.2/4.1	0.8/4.0	0.7/3.9	0.8/3.8	0.5/--
FMY	-0.08	-0.1/0.0	-0.0/0.5	0.2/-0.5	-0.2/1.1	-0.2/2.5	-0.0/2.4	0.4/4.5	1.1/5.2	1.0/5.1	0.9/5.1	-0.9/5.0	-0.6/4.9	-1.0/4.9	-1.3/4.9	-0.6/--
TPA	-0.01	-0.4/0.0	-0.6/-0.4	-0.7/-0.5	-0.8/0.8	-1.0/1.6	-0.4/2.4	0.2/2.3	0.7/6.2	0.6/6.2	0.8/6.1	-0.2/6.0	0.1/6.0	0.4/5.9	0.6/5.8	0.6/--
ATL	0.10	0.2/0.0	0.1/0.8	0.2/1.4	-0.2/2.1	-0.9/2.6	-1.1/2.5	-1.2/1.9	-0.9/4.8	-0.6/4.6	-0.1/4.5	0.4/4.4	1.3/4.2	1.3/4.1	1.7/3.9	1.3/--
SSI	0.16	-0.5/0.0	-0.5/-1.0	-0.4/-2.0	-0.5/-0.4	-0.5/1.2	-0.5/1.7	-0.4/1.8	-0.1/5.8	-0.1/5.6	0.4/5.5	0.1/5.4	0.8/5.3	1.3/5.2	1.4/5.1	1.9/--
MCO	0.26	-0.3/0.0	-0.2/0.1	-0.2/-0.2	-0.8/0.2	-1.0/1.5	-0.8/2.8	-0.4/3.4	0.3/5.7	-0.3/5.6	0.5/5.5	1.0/5.4	1.8/5.3	1.4/5.2	1.3/5.2	1.7/--
ABY	0.73	-0.1/0.0	0.2/-0.1	-0.0/-0.4	-0.1/1.1	-0.5/1.0	-0.5/1.0	-0.1/1.9	0.2/2.8	-0.2/2.6	0.2/2.5	1.9/2.4	2.4/2.2	2.4/2.1	2.6/2.0	2.7/--
JAX	0.78	-0.1/0.0	-0.1/-0.6	-0.0/-0.9	-0.3/1.1	-0.3/1.7	-0.5/1.8	-0.1/3.4	0.4/6.3	-0.2/6.2	0.4/6.1	1.7/6.0	2.7/5.9	2.7/5.8	2.6/5.7	2.9/--
MIA	0.92	0.4/0.0	0.6/-0.1	0.5/-0.9	0.4/0.9	0.2/2.5	0.6/3.0	0.9/4.5	1.5/4.1	1.2/4.0	1.7/4.0	1.5/3.9	1.3/3.8	1.0/3.8	0.9/3.7	1.3/--
SAV	1.40	0.8/0.0	1.0/-1.4	1.2/-2.0	1.5/0.0	1.1/0.8	1.0/0.4	1.2/1.5	1.4/4.4	1.2/4.2	1.7/4.1	1.1/4.0	1.9/3.9	2.1/3.8	2.1/3.6	1.8/--
TLH	1.46	0.2/0.0	0.2/-0.1	0.6/0.3	0.3/0.9	0.3/1.3	1.0/2.2	1.5/3.4	2.0/7.0	1.8/6.9	1.4/6.8	2.2/6.7	2.4/6.6	2.3/6.5	2.7/6.4	3.1/--

red: S < -0.3      orange: -0.3 < S < -0.1      grey: -0.1 < S < 0.1      green: 0.1 < S < 0.3      blue: S > 0.3

S\_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0      orange: 4.0 > B >= 2.0      black: 2.0 > B >= -2.0      green: -2.0 > B >= -4.0      blue: B < -4.0

avg\_bias: average of ECMWF-value

# ECMWF/MEX MAX Temperature in USSC

	S-score	MAE (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ICT	-0.32	3.4/2.2	4.0/2.7	4.5/4.1	5.6/4.5	6.0/4.5	6.2/5.7	8.0/6.9	8.2/6.8	8.8/6.7	9.1/6.6	9.4/6.5	9.2/6.4	9.2/6.3	9.1/6.3	7.7/6.2
SJT	-0.32	3.9/5.0	4.9/3.3	5.9/4.0	7.3/4.9	7.9/4.5	8.9/6.6	8.9/6.9	10.8/8.6	10.6/8.5	10.7/8.4	11.3/8.2	11.2/8.3	10.8/8.2	10.1/8.1	10.6/8.0
ACT	-0.26	3.4/2.8	4.5/3.0	5.1/2.8	5.7/4.4	6.4/4.2	6.5/5.6	7.7/6.6	8.5/9.2	10.0/9.0	9.9/8.9	10.2/8.8	10.6/8.6	10.5/8.5	10.3/8.4	10.5/8.3
STL	-0.25	2.1/2.4	2.4/2.0	2.8/3.1	3.2/3.7	3.5/3.1	4.4/3.8	4.6/4.2	6.1/5.6	6.8/5.5	7.5/5.2	7.6/5.1	7.7/4.9	7.5/4.8	7.2/4.7	6.7/4.6
BRO	-0.16	3.1/2.4	3.6/3.2	4.0/4.2	4.0/2.9	4.5/3.5	4.6/3.9	5.5/4.5	6.2/6.0	6.3/5.8	6.2/5.8	6.5/6.0	6.4/5.9	6.9/5.8	6.9/5.7	6.8/5.6
ABI	-0.15	3.9/3.3	5.0/3.6	5.5/4.0	6.4/5.1	6.5/4.9	7.1/7.4	8.2/8.0	10.2/10.2	10.8/10.1	10.7/10.0	11.1/9.9	10.8/9.7	10.6/9.6	10.3/9.5	10.8/9.5
VCT	-0.14	2.9/2.4	3.3/3.6	4.0/3.4	4.6/3.9	5.9/3.9	5.8/5.6	6.7/5.9	6.9/7.2	8.2/7.1	7.8/7.0	8.0/6.9	8.2/7.0	8.1/7.0	7.7/6.8	7.6/6.7
LFK	-0.12	2.4/2.6	2.9/3.1	3.4/3.3	4.5/3.9	6.0/3.8	6.2/5.3	7.1/6.7	7.7/8.8	9.7/8.6	9.5/8.4	9.4/8.5	10.2/8.3	9.6/8.2	9.1/8.1	9.2/8.0
MCI	-0.11	2.5/2.6	3.1/2.9	3.3/3.0	3.8/3.5	4.0/3.8	4.5/4.8	5.5/5.5	6.2/6.6	6.6/6.4	6.6/6.2	7.4/6.1	7.7/5.9	7.6/5.8	7.6/5.6	7.1/5.4
TUL	-0.11	2.1/2.4	2.2/3.0	3.3/4.1	3.8/4.2	3.7/4.1	4.7/5.0	6.6/5.1	7.7/7.1	8.4/6.8	8.5/6.6	8.5/6.5	8.3/6.3	8.4/6.1	8.2/6.0	7.9/5.9
AUS	-0.11	3.1/2.7	4.2/3.6	5.3/3.4	6.1/4.1	7.4/4.5	7.3/6.3	7.3/7.0	7.8/9.8	8.9/9.6	8.4/9.5	9.0/9.3	9.2/9.2	9.1/9.1	8.4/8.9	8.7/8.8
LIT	-0.11	2.6/3.1	3.0/3.4	4.0/4.3	4.7/4.4	5.4/4.2	5.5/5.0	6.5/5.1	7.5/8.3	8.2/8.1	8.4/7.9	9.0/7.8	9.7/7.6	9.3/7.4	9.4/7.3	9.1/7.1
HSV	-0.10	3.3/3.4	3.6/3.8	3.8/4.2	4.3/4.4	4.8/3.5	5.3/4.6	5.6/5.5	6.7/8.1	8.2/8.0	9.0/7.9	8.8/7.8	9.6/7.6	9.7/7.5	9.5/7.4	9.0/7.3
MEM	-0.10	3.1/3.4	3.4/3.5	4.4/4.4	4.9/4.4	5.4/5.1	6.0/5.6	6.5/6.1	8.1/9.1	9.0/8.9	9.9/8.7	9.9/8.5	10.3/8.3	10.5/8.1	10.2/8.0	9.9/7.8
DFW	-0.09	4.1/2.9	4.4/4.2	4.4/4.8	5.7/5.4	5.8/6.0	7.1/6.8	8.5/7.2	9.6/10.1	10.6/10.1	10.1/10.0	10.3/9.8	10.9/9.5	10.7/9.4	11.1/9.5	11.3/9.2
JAN	-0.09	2.8/2.8	3.3/2.4	3.2/3.9	4.0/4.5	4.6/4.2	5.0/4.6	6.2/5.8	7.1/8.0	8.7/7.9	8.3/7.8	8.4/7.6	9.1/7.4	8.9/7.2	8.5/7.2	8.2/7.1
COU	-0.08	2.1/2.2	2.4/2.9	3.3/3.0	3.5/2.9	4.1/3.5	4.0/3.8	4.7/4.3	5.7/7.0	6.5/6.8	7.1/6.6	7.2/6.4	7.1/6.2	7.0/6.1	7.0/5.8	7.2/5.6
SAT	-0.08	3.1/2.5	4.1/3.2	4.9/3.6	5.3/3.9	6.8/4.6	6.4/6.8	6.2/7.4	6.7/8.8	7.6/8.6	7.2/8.4	7.9/8.3	8.4/8.2	8.5/8.1	8.2/8.0	8.2/7.9
MWL	-0.06	4.9/3.6	4.9/4.9	5.0/5.2	6.1/5.2	6.6/6.1	8.1/7.4	9.5/8.0	11.0/12.6	12.0/12.4	11.6/12.2	12.1/12.1	12.6/11.9	12.2/11.8	12.3/11.6	12.6/11.6
OKC	-0.05	3.6/3.5	4.5/4.0	4.9/4.4	5.1/4.5	5.1/6.0	6.3/6.6	7.8/7.1	8.4/9.3	8.8/9.1	9.2/9.1	9.6/8.9	9.7/8.8	9.7/8.6	9.9/8.6	9.6/8.6
MAF	-0.05	3.3/3.8	3.2/3.4	4.0/4.9	4.8/5.4	6.1/4.9	6.7/5.8	7.1/7.0	9.5/8.9	9.4/8.8	9.8/8.9	10.0/8.8	9.3/8.6	9.5/8.6	9.2/8.7	8.9/8.6
BNA	-0.04	3.3/3.6	3.7/3.4	3.7/4.3	4.5/4.4	4.8/4.5	5.3/4.5	5.6/5.8	6.9/9.1	7.9/9.8	9.5/8.8	9.4/8.6	10.0/8.5	10.2/8.3	10.0/8.2	9.4/8.2
TYR	-0.04	3.3/2.7	3.7/3.7	4.4/4.3	5.1/5.0	5.9/4.6	6.4/6.4	8.0/6.6	8.9/11.4	10.2/11.3	10.5/11.1	10.7/11.0	11.3/10.8	11.0/10.7	10.8/10.5	11.1/10.4
BHM	-0.01	2.8/2.9	3.2/3.5	3.3/4.1	4.2/3.9	4.8/3.9	5.0/5.1	5.1/5.5	6.0/8.1	7.5/8.0	8.3/7.9	8.6/7.8	8.6/7.6	8.5/7.5	8.4/7.4	7.9/7.4
MOB	-0.00	2.1/2.4	2.9/2.4	2.8/3.3	3.5/3.8	4.2/3.4	4.7/4.3	5.3/5.0	5.8/7.7	6.7/7.6	7.4/7.5	7.6/7.4	7.8/7.3	7.6/7.2	7.5/7.2	7.1/7.1
ELP	0.00	2.0/2.0	1.9/2.3	2.2/2.3	2.6/2.6	3.0/3.1	3.6/3.5	4.2/4.3	4.2/4.6	4.8/4.7	4.5/4.6	5.0/4.5	5.0/4.5	4.5/4.6	4.6/4.6	5.1/4.4
CHA	0.00	3.3/3.9	4.0/4.5	4.2/4.5	4.7/5.0	4.8/5.0	5.2/5.2	5.9/6.3	7.0/9.1	8.3/8.9	9.0/8.8	9.2/8.6	9.8/8.5	10.2/8.4	9.9/8.2	9.2/8.1
IAH	0.01	3.0/2.9	3.5/3.1	3.6/3.4	4.3/4.2	5.3/3.9	5.2/5.8	5.9/6.2	6.5/8.7	8.0/8.5	7.6/8.5	7.7/8.4	8.3/8.2	8.3/8.1	7.7/8.0	7.7/7.9
HOU	0.03	3.3/2.7	4.0/3.0	3.8/3.6	4.0/4.2	4.8/4.0	4.8/5.4	5.5/6.2	6.2/8.7	7.6/8.8	7.2/8.8	7.3/8.6	7.8/8.2	8.0/8.2	7.6/8.1	7.6/8.2
MSY	0.07	2.4/3.2	2.4/3.1	2.9/3.0	3.3/3.4	4.0/3.1	4.3/4.1	4.9/5.2	5.5/8.4	7.3/8.2	7.5/8.2	7.5/8.1	8.0/8.0	7.8/7.9	7.6/7.8	7.2/7.7
TYS	0.12	2.9/3.7	3.6/5.0	4.4/5.3	4.4/5.3	4.6/5.4	4.8/5.3	5.4/6.5	5.9/9.6	7.2/9.5	8.4/9.4	8.7/9.2	8.8/9.1	9.4/8.9	9.4/8.8	8.8/8.6
CRP	0.14	2.0/2.5	2.6/3.8	2.9/4.1	3.5/3.4	4.5/4.5	4.3/5.5	5.0/5.2	5.7/7.7	6.7/7.7	6.3/7.5	6.6/7.4	6.6/7.3	6.8/7.4	6.7/7.3	6.6/7.2
GAD	0.14	5.4/7.1	5.6/7.7	5.8/7.2	6.4/7.5	7.2/6.7	7.0/6.7	6.8/7.3	7.5/10.7	8.5/10.4	8.9/10.3	8.6/10.1	8.2/9.9	8.4/9.9	8.4/9.7	8.3/9.6

	avg-bias	Bias (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ELP	0.28	0.1/-1.5	0.2/-0.5	0.5/0.3	1.0/0.4	0.9/-1.1	0.7/0.0	0.5/-0.2	0.6/1.9	0.2/1.6	-0.6/1.4	-0.0/1.1	0.1/0.9	0.2/0.6	0.2/0.4	-0.4/0.1
BHM	0.66	-0.4/0.4	-0.5/0.5	-0.1/1.4	-0.5/1.4	0.0/1.4	-0.1/2.5	0.4/1.0	0.5/6.6	1.1/6.3	1.4/6.1	1.1/5.9	1.2/5.6	1.5/5.4	2.1/5.2	2.0/5.0
STL	0.92	-0.2/0.5	0.0/-0.8	-0.1/-0.9	0.1/-2.5	0.2/-1.5	-0.5/-0.6	-0.4/0.0	-1.1/4.5	0.4/4.2	1.7/4.0	1.9/3.7	2.7/3.4	2.9/3.2	3.1/2.9	3.2/2.7
CHA	1.12	-0.3/2.2	0.2/3.0	0.4/3.1	-0.3/2.8	-0.4/2.0	-0.3/2.8	-0.2/2.6	0.5/6.8	1.1/6.6	2.2/6.4	2.3/6.1	2.2/5.9	2.7/5.7	3.3/5.5	3.3/5.4
TUL	1.16	-0.5/-0.5	-1.0/-1.7	-1.0/-1.0	-0.5/-1.1	-0.3/0.2	-0.2/0.2	0.9/1.1	1.2/6.1	2.2/5.8	2.1/5.5	2.2/5.3	2.7/5.0	2.8/4.7	3.4/4.5	3.1/4.2
BNA	1.25	0.1/1.6	0.4/1.4	0.1/1.7	-0.4/0.9	-0.4/1.0	-0.4/1.2	-0.3/1.8	0.5/7.0	0.3/6.8	2.6/6.5	2.8/6.3	2.5/6.1	3.4/5.8	3.9/5.6	3.9/5.4
SAT	1.26	-0.5/0.1	-0.1/0.3	0.1/0.4	1.7/-1.4	1.0/0.6	0.6/1.1	0.9/1.1	1.1/6.2	1.8/6.0	1.7/5.8	1.7/5.6	1.8/5.4	2.1/5.1	2.3/5.0	2.7/4.8
HSV	1.29	-0.1/0.0	0.1/0.2	0.5/1.2	-0.1/0.5	-0.1/-0.0	-0.0/0.6	0.3/0.7	0.9/5.7	1.4/5.5	2.4/5.2	2.1/5.0	2.3/4.7	2.8/4.5	3.3/4.3	3.4/4.1
MAF	1.49	0.2/-1.5	0.1/-1.1	-0.0/-2.2	0.3/-2.5	-0.1/-0.6	-0.1/0.1	0.7/-1.0	0.6/5.5	1.9/5.2	1.3/5.0	2.6/4.8	2.7/4.5	3.7/4.2	4.3/4.0	4.1/3.8
TYS	1.53	0.0/2.5	0.8/4.0	1.1/3.8	0.4/3.4	-0.0/2.9	0.3/2.4	0.4/2.6	0.8/8.0	0.5/7.8	2.7/7.5	2.5/7.2	2.4/7.0	3.3/6.8	3.9/6.6	3.9/6.4
COU	1.72	-0.8/0.9	-0.7/0.2	-0.7/-0.3	-0.4/-1.1	-0.0/-1.0	0.2/0.4	0.9/1.1	0.7/6.5	3.0/6.2	2.6/5.9	3.5/5.6	4.1/5.3	4.1/5.0	4.3/4.8	4.8/4.5
MEM	1.83	-0.2/2.2	0.3/2.0	0.6/2.7	0.6/1.7	-0.0/1.4	0.5/2.4	1.2/2.8	1.3/7.1	1.8/6.9	2.9/6.6	2.7/6.4	3.3/6.2	3.9/5.9	4.3/5.7	4.3/5.5
ICT	1.84	-1.4/-0.2	-0.7/-1.3	0.6/-1.9	0.8/-2.0	1.0/-1.3	1.6/-0.6	1.6/0.4	1.5/4.6	2.1/4.3	2.8/4.0	3.5/3.7	3.7/3.4	3.5/3.1	3.8/2.9	3.4/2.6
HOU	1.93	-0.8/-0.2	-0.9/0.2	-0.6/0.6	0.1/1.4	0.3/1.0	1.7/1.6	2.2/2.5	2.3/7.8	3.1/7.6	3.3/7.5	2.9/7.3	3.3/7.1	3.8/7.0	4.0/6.8	4.3/6.7
MOB	2.01	-0.4/-0.9	-0.5/-0.3	-0.2/1.1	0.0/2.3	1.0/2.0	1.2/2.9	1.9/2.9	2.5/6.4	3.4/6.2	3.8/6.1	2.9/5.9	2.9/5.8	3.5/5.6	4.3/5.5	3.9/5.4
MSY	2.21	-0.4/-1.5	-0.3/-0.1	0.3/0.5	0.8/1.4	1.6/0.1	2.2/2.4	2.6/2.2	2.4/7.2	3.1/7.0	3.6/6.9	2.7/6.8	2.8/6.6	3.5/6.5	4.1/6.4	4.2/6.2
IAH	2.27	-0.6/0.4	-0.7/0.3	-0.5/1.7	0.2/1.2	1.0/-0.4	1.9/1.4	2.7/2.6	2.8/7.5	3.5/7.3	3.9/7.1	3.2/6.9	3.6/6.8	4.1/6.6	4.3/6.4	4.6/6.2
MCI	2.31	-0.2/-0.1	0.1/-0.6	1.0/-0.9	0.9/-0.8	1.1/-1.0	1.2/-0.5	2.0/1.6	2.2/5.5	3.1/5.1	2.8/4.9	3.6/4.6	4.5/4.3	3.9/4.0	4.3/3.8	4.3/3.5
CRP	2.31	-0.1/-1.3	-0.2/1.6	-0.2/1.5	0.9/1.1	0.9/2.4	1.6/3.6	2.3/3.3	2.4/6.3	3.8/6.1	3.8/5.9	4.0/5.8	3.7/5.6	4.0/5.5	4.0/5.3	3.9/5.2
LIT	2.39	-0.4/0.8	-0.1/0.6	0.2/1.1	0.9/0.6	1.0/0.6	1.6/1.4	1.9/2.3	2.3/6.9	2.6/6.6	3.4/6.4	3.4/6.1	4.0/5.8	4.4/5.6	5.3/5.3	5.3/5.1
AUS	2.61	-0.2/0.2	-0.1/1.5	0.4/1.1	1.8/-0.8	1.4/1.0	1.6/1.1	2.6/1.4	2.9/8.1	3.7/7.9	3.9/7.7	3.6/7.5	4.1/7.3	4.4/7.1	4.4/6.9	4.7/6.6
JAN	2.67	-0.0/0.8	0.3/0.6	0.6/1.9	1.0/2.4	1.9/2.4	2.4/2.4	2.8/2.9	3.4/7.4	3.8/7.1	4.2/6.9	3.1/6.7	3.5/6.5	3.9/6.2	4.6/6.0	4.6/5.9
SJT	2.74	-0.1/-1.8	-0.3/-0.4	-0.1/0.0	0.6/-0.2	0.5/0.2	1.3/1.6	1.9/0.4	2.3/5.5	4.1/5.2	4.1/5.0	4.8/4.8	4.9/4.5	5.1/4.3	5.7/4.1	6.2/3.9
BRO	2.75	0.2/-0.8	0.5/-0.7	0.3/0.1	1.2/-0.6	2.1/0.1	2.8/1.5	3.3/1.0	3.4/2.5	3.8/2.3	3.7/2.2	4.1/2.0	4.0/1.9	3.7/1.8	4.2/1.6	4.0/1.5
VCT	2.81	0.0/0.3	0.1/0.4	0.2/0.3	1.3/1.2	1.5/0.4	2.1/1.0	3.1/1.8	3.1/4.5	4.7/4.4	4.1/4.2	4.2/4.0	4.3/3.9	4.5/3.8	4.5/3.6	4.5/3.5
ACT	3.01	-1.3/0.6	-1.5/0.7	-1.7/0.2	0.1/0.7	1.0/1.6	1.0/1.8	2.4/2.9	2.9/7.5	5.3/7.3	5.4/7.0	6.				

## ECMWF/MEX MIN Temperature in USSC

	S-score	MAE (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
LIT	-0.25	3.2/0.0	3.7/2.5	3.8/2.6	4.1/2.7	3.6/3.5	3.4/2.8	3.4/3.3	4.1/5.4	5.3/5.4	6.2/5.2	6.4/5.1	7.4/5.1	6.8/5.0	7.2/5.0	7.3/--
OKC	-0.21	2.9/0.0	2.6/3.2	2.8/3.9	2.8/3.5	3.6/3.0	3.5/2.8	3.9/3.5	4.8/4.4	6.3/4.4	6.3/4.4	6.2/4.4	6.9/4.4	6.5/4.5	6.6/4.5	6.6/--
ELP	-0.19	2.4/0.0	2.6/2.2	2.9/2.2	3.2/2.5	3.4/2.8	4.3/3.3	4.7/4.0	4.7/4.6	5.4/4.6	5.8/4.8	5.7/4.9	5.8/4.9	5.6/5.0	5.4/5.1	5.5/--
STL	-0.15	1.9/0.0	1.7/2.6	2.4/2.8	3.4/3.0	4.5/4.1	5.5/3.9	5.9/3.5	6.0/5.8	6.7/5.7	5.9/5.7	6.4/5.6	6.8/5.6	6.5/5.5	6.8/5.5	6.7/--
COU	-0.07	3.5/0.0	3.8/3.8	3.5/4.5	3.7/4.3	4.6/4.3	5.6/4.2	6.1/4.9	6.6/7.2	7.0/7.1	7.1/7.0	7.8/6.9	8.3/6.9	7.9/6.9	8.2/6.7	9.0/--
DFW	-0.05	1.5/0.0	1.9/2.8	2.3/3.4	2.8/2.9	2.8/3.4	3.2/4.1	3.6/3.6	4.4/5.5	6.3/5.5	6.7/5.3	7.0/5.2	7.5/5.2	7.1/5.2	7.1/5.1	7.1/--
TUL	-0.05	3.8/0.0	2.9/3.8	2.4/3.8	3.1/4.0	3.4/3.9	4.2/3.9	4.8/3.9	6.1/5.8	6.7/5.9	6.5/5.9	6.7/5.7	7.3/5.6	6.8/5.6	7.3/5.7	7.5/--
HOU	-0.04	3.6/0.0	3.5/2.6	3.8/3.2	4.0/3.5	4.0/4.3	4.1/4.5	5.0/5.1	5.9/7.3	7.4/7.2	7.4/7.1	7.6/7.1	7.4/7.1	7.1/7.0	7.1/6.9	6.9/--
MSY	-0.03	1.4/0.0	1.7/2.1	2.0/2.4	2.4/2.3	2.9/2.9	3.6/3.4	4.3/4.2	4.3/7.2	5.4/7.1	6.9/7.0	8.8/7.0	9.1/6.9	9.3/6.9	8.9/6.9	8.7/--
ICT	-0.02	2.4/0.0	3.3/3.2	2.9/4.2	2.9/4.8	3.5/4.4	3.5/4.3	4.8/4.5	5.7/5.7	6.1/5.8	6.5/5.8	6.6/5.8	7.2/5.9	7.8/6.0	8.5/6.2	8.3/--
BNA	0.01	2.6/0.0	3.0/3.7	3.8/3.3	3.6/3.5	3.2/3.6	3.6/3.5	4.0/3.6	3.8/6.1	4.7/6.0	5.2/5.9	6.1/5.8	6.7/5.8	6.9/5.7	6.4/5.6	6.6/--
MAF	0.04	2.5/0.0	2.4/3.6	3.1/4.2	3.5/4.4	3.7/4.1	4.2/4.1	4.9/5.4	5.3/5.5	5.4/5.5	6.2/5.5	5.9/5.5	6.1/5.4	6.2/5.5	6.2/5.5	6.3/--
ABI	0.04	2.1/0.0	2.5/4.0	3.2/4.7	3.4/4.7	3.5/4.1	3.7/5.3	4.2/5.9	5.1/5.7	6.1/5.7	6.8/5.7	6.9/5.7	7.1/5.7	7.2/5.5	7.1/5.6	6.8/--
SAT	0.04	2.6/0.0	2.1/3.1	2.7/3.6	2.9/3.6	3.1/3.8	3.5/4.0	4.8/4.8	5.3/6.9	6.9/6.8	7.5/6.8	8.0/6.8	7.7/6.8	7.5/6.7	7.9/6.5	7.8/--
CRP	0.05	1.6/0.0	2.0/2.4	2.4/2.4	2.5/3.0	2.6/3.9	3.4/4.8	4.6/4.5	5.3/6.4	6.1/6.4	7.2/6.4	7.3/6.4	7.1/6.4	6.6/6.3	6.8/6.3	7.2/--
SJT	0.05	3.1/0.0	3.4/4.2	3.9/4.5	4.0/5.0	4.0/4.9	4.0/5.2	4.7/6.1	5.7/6.3	6.4/6.3	6.9/6.3	7.1/6.3	7.0/6.3	6.9/6.3	7.2/6.3	7.0/--
TYS	0.06	2.2/0.0	2.4/3.5	3.6/3.9	3.8/3.8	3.8/4.2	4.3/4.1	4.6/3.8	3.8/5.6	3.7/5.6	4.1/5.5	4.8/5.4	6.0/5.3	6.2/5.2	6.0/5.1	5.5/--
MEM	0.06	2.2/0.0	2.6/2.7	2.6/2.6	2.6/3.2	2.6/3.3	2.6/2.5	2.9/3.2	3.7/6.4	4.3/6.1	5.2/5.9	5.9/5.8	6.5/5.8	6.8/5.8	6.9/5.6	6.7/--
IAH	0.08	2.0/0.0	1.8/2.2	1.7/3.2	2.0/3.2	2.5/3.7	2.8/4.1	3.8/4.8	4.7/6.4	6.7/6.3	7.4/6.3	7.7/6.4	8.0/6.4	7.7/6.2	7.5/6.1	7.2/--
HSV	0.08	2.6/0.0	2.9/2.8	3.0/3.4	3.3/3.2	3.7/3.7	4.3/4.0	4.5/4.2	4.3/6.6	4.2/6.5	4.6/6.4	5.3/6.3	6.1/6.2	6.1/6.2	6.1/6.0	5.9/--
TYR	0.09	2.2/0.0	2.5/2.6	2.5/4.1	2.6/3.3	3.3/3.9	3.9/4.1	4.5/4.1	5.3/7.4	6.0/7.3	6.6/7.2	7.1/7.1	7.0/6.9	6.9/6.8	7.3/6.7	7.7/--
LFK	0.10	2.4/0.0	2.1/2.5	2.0/2.6	2.3/3.4	2.4/3.4	3.1/3.7	4.1/4.2	4.9/7.1	6.5/7.0	7.2/7.0	7.3/7.0	7.5/6.9	6.9/6.8	7.2/6.8	7.2/--
BHM	0.10	2.0/0.0	2.6/3.0	2.8/3.2	2.9/3.0	3.3/3.9	3.8/4.2	4.1/3.2	4.1/6.8	4.2/6.6	4.5/5.6	5.5/6.4	6.6/6.4	6.2/6.3	6.3/6.2	6.3/--
AUS	0.11	4.2/0.0	3.9/4.0	4.2/4.6	4.2/4.1	4.2/4.9	4.8/4.7	6.2/5.9	6.8/10.5	7.9/10.4	8.4/10.3	8.8/10.2	8.5/10.2	8.2/10.0	8.8/9.9	8.8/--
ACT	0.12	2.7/0.0	3.0/3.2	3.5/4.5	3.4/4.4	2.8/4.6	2.7/5.0	3.7/5.2	4.3/6.6	5.9/6.5	6.8/6.5	7.1/6.4	7.0/6.4	6.9/6.2	7.2/6.2	7.3/--
BRO	0.12	1.7/0.0	2.0/3.3	2.2/3.0	2.5/3.7	3.3/4.3	4.0/5.4	5.1/4.9	5.3/6.3	5.5/6.2	6.6/6.2	6.0/6.1	6.0/6.1	6.0/6.0	6.2/5.9	6.9/--
CHA	0.13	2.3/0.0	2.4/2.9	2.7/3.7	2.9/3.8	3.2/4.1	4.0/3.8	4.3/3.8	3.7/5.9	3.5/5.8	4.2/5.8	4.9/5.6	5.7/5.5	5.9/5.4	5.6/5.5	5.5/--
MCI	0.14	3.1/0.0	3.4/4.9	3.5/5.4	4.0/5.8	4.3/5.6	5.5/6.4	6.1/6.4	7.1/8.8	7.3/8.8	7.6/8.7	7.7/8.6	8.7/8.6	8.8/8.5	9.4/8.4	10.2/--
VCT	0.16	2.6/0.0	3.2/2.8	2.5/3.8	2.2/3.8	2.2/4.7	3.5/5.1	5.4/5.2	6.0/8.5	7.4/8.4	8.2/8.2	8.6/8.2	8.3/8.1	8.1/8.1	8.4/8.0	8.4/--
MWL	0.17	2.3/0.0	2.4/3.4	2.6/3.8	2.9/3.7	2.8/4.0	3.2/5.1	3.5/4.5	4.2/6.9	5.3/6.8	6.2/6.6	6.6/6.5	6.8/6.4	6.9/6.3	6.9/6.3	7.0/--
GAD	0.17	2.5/0.0	2.3/3.0	2.7/2.9	3.0/3.2	3.4/4.1	4.1/4.1	4.2/3.7	3.9/6.6	3.2/6.5	3.9/6.4	4.8/6.3	5.3/6.2	5.8/6.1	5.6/6.1	5.6/--
JAN	0.26	1.8/0.0	1.9/3.0	2.1/4.0	2.5/4.6	2.8/4.6	3.3/5.0	3.9/5.1	3.5/8.0	4.2/7.9	6.0/7.8	7.3/7.6	8.1/7.5	7.9/7.4	7.7/7.3	7.6/--
MOB	0.26	1.6/0.0	1.8/3.2	2.1/3.1	2.5/4.1	2.9/3.9	3.5/4.3	3.9/5.2	3.9/8.5	4.2/8.3	5.6/8.2	7.2/8.1	7.9/8.0	7.9/8.0	7.6/8.0	7.6/--

	avg-bias	Bias (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ELP	-1.91	0.0/0.0	-0.4/1.1	-0.9/0.4	-0.7/0.1	-0.9/0.8	-1.5/-0.9	-1.8/-1.6	-1.9/-2.1	-1.8/-2.3	-3.2/-2.5	-3.5/-2.7	-3.2/-2.9	-3.1/-3.1	-2.9/-3.2	-2.9/--
STL	-0.89	-0.3/0.0	-0.4/0.6	-0.8/0.0	-1.5/-1.2	-1.8/-2.4	-2.0/-1.9	-3.2/-1.4	-2.6/1.0	-2.6/0.7	-1.2/0.5	-0.1/0.2	0.7/0.0	0.6/-0.2	0.7/-0.4	1.2/--
MAF	-0.58	-0.3/0.0	-0.7/2.2	-0.8/3.1	-1.2/2.9	-1.1/2.4	-1.2/2.4	-1.2/2.9	-1.2/2.9	-1.2/0.6	-1.4/0.4	-0.1/0.2	0.2/0.1	0.3/-0.1	0.9/-0.2	0.4/--
ICT	-0.28	-0.7/0.0	-1.1/-0.7	-1.2/-2.0	-1.2/-3.2	-0.8/-2.8	-1.2/-1.8	-0.9/-1.7	0.2/-1.0	0.6/-1.2	0.4/-1.5	0.4/-1.7	0.5/-1.9	0.1/-2.1	0.4/-2.3	0.3/--
SJT	-0.03	-0.0/0.0	-0.8/2.6	-1.3/2.1	-1.3/1.8	-1.3/2.1	-0.7/2.7	-0.5/2.9	-0.8/0.3	-0.1/0.1	0.0/-0.0	0.7/-0.2	1.0/-0.4	1.3/-0.5	1.9/-0.7	1.5/--
BNA	0.04	-0.1/0.0	-0.2/1.4	-0.4/0.6	-0.6/0.7	-0.6/0.1	-0.7/0.1	-1.1/0.2	-1.5/3.2	-0.5/3.0	0.1/2.9	0.8/2.8	1.4/2.6	1.4/2.5	1.4/2.4	1.3/--
MCI	0.18	-0.3/0.0	-0.5/-0.5	-0.5/-1.2	-0.4/-0.9	-0.6/-1.9	-0.9/-2.5	-0.8/-1.4	-0.0/1.5	0.8/1.2	1.0/1.0	1.5/0.7	1.4/0.5	0.8/0.3	0.5/0.0	0.8/--
CHA	0.26	0.1/0.0	-0.1/0.1	0.1/0.6	0.2/0.7	-0.1/-0.1	-0.4/0.1	-0.5/0.3	-0.6/2.2	-0.6/2.1	-0.1/2.0	0.5/1.9	1.6/1.8	1.3/1.6	1.3/1.5	1.2/--
HSV	0.54	0.5/0.0	0.5/0.5	0.7/-0.2	0.5/0.8	0.3/0.0	-0.4/0.7	-0.4/-0.1	-0.5/3.2	-0.1/3.0	0.1/2.9	0.9/2.8	1.8/2.6	1.4/2.5	1.6/2.4	1.4/--
MEM	0.71	-0.4/0.0	-0.0/2.3	-0.3/2.0	0.1/2.0	-0.2/1.8	-0.0/1.2	-0.5/1.4	-0.1/4.4	0.4/4.1	1.2/3.9	1.3/3.8	1.9/3.6	2.1/3.4	2.3/3.2	2.8/--
OKC	0.79	0.2/0.0	0.3/-0.0	0.3/-1.7	-0.1/-1.8	1.2/-1.0	1.1/-0.0	0.8/-0.1	1.4/0.4	1.7/0.1	0.3/-0.1	0.6/-0.3	1.0/-0.5	0.6/-0.8	1.4/-0.9	1.0/--
ACT	0.85	-0.1/0.0	-0.8/2.4	-1.5/3.4	-1.5/3.1	-0.7/3.6	-0.1/4.1	0.1/4.3	0.1/3.4	0.9/3.2	1.9/3.0	1.9/2.9	2.7/2.7	2.9/2.5	3.2/2.4	3.8/--
AUS	0.94	1.1/0.0	0.7/2.4	-0.4/2.6	-0.9/2.8	-0.4/3.4	-0.0/3.2	0.4/4.6	0.3/7.9	1.2/7.8	1.2/7.6	1.0/7.5	1.7/7.3	2.1/7.2	2.6/7.0	3.4/--
TYS	0.94	0.4/0.0	0.7/1.0	1.3/0.1	0.4/1.1	-0.1/0.5	0.0/-0.3	-0.4/-0.9	-0.3/2.9	0.2/2.8	1.0/2.6	1.4/2.5	2.5/2.4	2.6/2.3	2.4/2.2	1.9/--
BHM	0.95	0.3/0.0	0.3/2.0	0.4/2.2	0.5/1.8	0.3/2.1	0.1/2.7	0.1/2.2	0.3/4.2	0.5/4.1	0.8/3.9	1.3/3.8	2.2/3.6	2.3/3.5	2.6/3.4	2.4/--
GAD	0.98	0.3/0.0	-0.1/0.1	-0.2/-0.3	0.2/1.4	0.1/1.6	0.4/1.1	0.2/2.0	0.2/3.4	0.6/3.3	1.3/3.2	1.8/3.1	2.5/3.0	2.3/2.9	2.7/2.8	2.4/--
ABI	1.08	0.0/0.0	-0.4/3.0	-0.7/3.0	-0.5/2.6	-0.2/2.6	-0.2/2.9	0.4/3.1	0.5/2.4	1.8/2.1	1.5/1.9	2.2/1.8	2.7/1.6	2.9/1.4	3.4/1.2	2.7/--
LIT	1.22	0.1/0.0	0.2/0.8	0.0/1.0	-0.6/0.6	-0.5/0.7	0.1/0.1	0.1/0.5	0.6/3.4	1.0/3.2	1.3/3.0	2.2/2.9	3.3/2.7	3.5/2.6	2.9/2.4	4.1/--
MWL	1.25	0.1/0.0	-0.4/1.4	-0.8/2.0	-0.6/1.9	-0.1/2.5	0.3/3.4	0.3/2.5	0.3/4.6	1.5/4.4	2.0/4.2	2.3/4.1	2.9/3.9	3.3/3.7	3.7/3.5	3.8/--
SAT	1.29	0.6/0.0	0.3/1.8	-0.3/2.0	-0.3/1.6	0.0/2.2	0.4/2.5	1.0/3.6	0.9/1.5	1.9/1.3	1.8/1.2	1.8/1.0	2.2/0.9	2.5/0.8	3.1/0.6	3.7/--
TUL	1.41	0.2/0.0	0.5/0.6	0.2/-0.5	-0.4/-1.2	0.9/-1.2	1.4/-0.1	1.3/-0.9	1.9/1.6	1.9/1.4	1.3/1.1	2.0/0.9	2.5/0.7	2.4/0.5	2.5/0.3	2.8/--
LFK	1.46	-0.1/0.0	-0.3/0.1	-0.9/1.1	-0.9/1.8	0.1/1.6	1.1/2.3	1.6/3.0	1.6/4.6	2.1/4.4	2.9/4.3	2.0/4.1	2.6/4.0	2.9/3.9	3.1/3.8	4.0/--
DFW	1.54	-0.4/0.0	-0.4/1.0	-0.7/1.9	-0.6/1.6	0.4/1.9	1.2/2.8	0.8/1.8	1.2/2.9	2.0/2.7	2.4/2.5	2.4/2.2	3.3/2.1	3.4/1.9	3.6/1.7	4.2/--
IAH	1.55	-0.0/0.0	-0.2/0.8	-0.5/2.5	-0.2/2.0	0.6/2.2	1.3/3.9	1.7/4.0	1.7/3.8	2.1/3.6	2.8/3.5	1.9/3.3	2.5/3.2	2.9/3.0	3.1/2.9	3.7/--
MOB	1.64	0.3/0.0	-0.3/1.1	-0.5/2.0	-0.7/3.6	-0.2/3.4	0.7/3.2	1.2/4.3	1.2/6.7	1.1/6.5	2.1/6.4	3.3/6.3	4.0/6.2	4.2/6.0	4.1/5.9	4.1/--
CRP	1.69	-0.2/0.0	-0.3/0.2	-0.5/1.0	-0.2/1.8	1.1/2.5	1.7/3.8	2.2/3.8	1.6/2.1	2.3/2.0	2.7/1.8	2.5/1.7	3.0/1.3	2.9/1.4	3.0/1.3	3.7/--
VCT	1.98	0.1/0.0	0.0/1.6	-0.2/2.3	-0.2/2.8	0.7/3.6	1.5/4.6	2.1/4.2	2.1/4.9	2.8/4.7	3.2/4					

# ECMWF/MEX MAX Temperature in USSW

	S-score	MAE (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
NKX	-0.86	4.8/2.4	5.3/2.0	5.6/2.4	5.5/3.1	5.5/3.1	5.1/4.0	5.0/4.0	5.0/0.0	5.0/0.0	4.4/0.0	5.0/0.0	5.1/0.0	5.4/0.0	5.7/0.0	5.8/0.0
SJC	-0.41	3.3/2.2	3.7/2.3	4.1/2.1	4.4/2.6	4.8/2.7	4.7/2.8	4.7/3.0	4.4/3.4	3.6/3.4	3.5/3.4	3.9/3.5	3.8/3.5	4.2/3.4	4.5/3.3	4.4/3.3
SFO	-0.27	1.9/1.5	2.1/1.6	2.5/1.5	2.5/1.9	2.8/2.1	3.0/2.2	3.0/2.5	3.0/2.5	2.9/2.2	2.9/2.5	2.9/2.5	3.3/2.6	3.4/2.6	3.4/2.6	3.2/2.7
OAK	-0.20	2.4/1.7	2.5/2.3	2.8/2.0	2.8/2.2	3.0/2.1	3.0/2.4	2.9/2.4	3.0/2.8	2.9/2.8	3.0/2.8	3.0/2.8	2.9/2.7	3.1/2.6	3.1/2.5	3.0/2.5
ABQ	-0.15	1.6/2.2	1.9/2.3	2.7/2.4	3.0/2.2	3.7/2.8	4.6/3.0	4.9/3.8	5.1/4.6	4.7/4.4	4.4/4.3	5.1/4.3	4.9/4.1	4.1/3.9	4.5/3.8	4.6/3.9
PHX	-0.12	2.2/1.6	2.4/1.8	2.2/2.1	2.5/2.4	3.1/2.6	3.6/3.6	4.1/4.1	4.5/4.8	4.4/4.8	5.0/4.8	5.7/4.9	5.8/5.0	6.1/5.0	6.0/5.0	5.9/5.0
LAS	-0.12	2.9/2.4	3.5/2.3	3.4/2.4	3.5/2.3	3.3/3.0	3.8/3.1	4.0/4.0	3.8/4.4	3.9/4.5	4.4/4.6	4.5/4.6	4.3/4.6	4.7/4.7	5.0/4.7	5.0/4.9
COS	-0.09	2.9/2.9	2.4/2.9	2.5/2.9	3.7/3.5	4.3/5.1	4.9/5.1	6.4/6.8	7.5/7.5	8.7/7.5	9.4/7.4	10.2/7.4	9.4/7.2	9.5/7.2	8.9/7.1	8.1/7.1
DEN	-0.09	2.8/2.3	3.1/2.4	3.6/3.1	3.9/4.1	4.5/5.1	5.7/5.6	7.1/7.4	7.8/8.1	9.0/8.1	9.1/8.0	9.0/7.9	9.1/7.9	9.2/7.9	8.8/8.0	8.4/7.9
BFL	-0.08	2.1/2.4	2.1/2.5	2.4/2.1	2.8/2.0	3.3/2.9	3.6/2.9	3.6/3.3	3.6/3.8	3.7/3.8	3.5/3.9	3.6/3.9	4.4/3.9	5.0/4.0	5.2/4.2	4.8/4.2
FLG	-0.03	2.4/2.2	2.4/2.1	2.6/2.3	3.4/2.5	4.1/3.0	4.7/3.9	4.9/4.2	4.0/5.2	4.2/5.2	4.4/5.2	4.8/5.1	4.6/5.0	4.7/5.0	4.8/5.0	4.4/4.9
RNO	-0.02	4.2/3.2	4.0/3.9	3.8/4.0	4.1/4.4	4.0/5.8	4.7/5.9	5.4/6.3	5.5/6.5	6.0/6.6	6.6/6.7	7.2/6.7	7.6/6.8	8.5/6.8	9.0/6.9	9.0/7.0
TUS	-0.02	2.2/1.4	2.5/1.8	2.1/2.1	1.9/2.5	2.7/3.0	2.9/3.5	3.8/4.3	4.0/5.5	4.5/5.5	5.3/5.4	5.7/5.4	5.5/5.4	5.9/5.3	6.1/5.3	6.2/5.2
RBL	-0.01	2.8/2.7	3.0/2.6	2.6/2.8	3.0/3.1	3.4/3.9	3.2/2.9	3.9/3.7	4.5/4.7	4.3/4.7	4.5/4.5	4.3/4.5	4.5/4.5	4.7/4.5	4.6/4.4	4.8/4.4
RDD	0.03	2.9/2.8	3.5/2.9	3.4/3.4	3.5/3.5	4.0/4.5	3.4/3.8	4.0/4.1	4.4/5.5	4.7/5.5	5.0/5.5	5.1/5.4	5.3/5.4	5.6/5.4	5.2/5.4	5.2/5.4
FAT	0.03	2.9/2.9	3.0/2.8	3.4/3.1	3.4/2.8	3.3/3.2	3.4/3.6	3.5/4.2	3.5/4.6	3.9/4.6	3.7/4.5	3.8/4.5	4.2/4.6	4.6/4.6	5.1/4.6	4.9/4.8
TRM	0.03	1.9/2.0	2.4/2.0	2.5/2.5	2.8/1.9	3.1/2.9	3.0/3.6	3.5/4.0	3.2/5.2	3.6/5.2	4.1/5.1	4.5/5.0	4.8/4.9	5.0/4.9	5.5/4.9	4.8/4.8
LAX	0.04	3.5/3.2	3.7/3.9	3.8/4.0	3.8/3.7	3.8/3.6	4.1/4.0	4.0/4.0	4.3/5.4	4.4/5.4	4.6/5.4	4.9/5.4	5.1/5.4	5.2/5.4	5.5/5.4	5.5/5.3
SAC	0.05	1.7/1.9	2.0/2.4	2.3/2.6	2.8/2.9	3.1/3.2	3.4/3.1	3.2/3.3	3.7/3.6	3.7/3.5	3.5/3.7	3.4/3.9	3.4/4.0	3.8/4.1	3.9/4.2	3.9/4.4
WJF	0.10	2.1/1.8	1.9/1.8	1.6/2.3	1.5/2.0	1.9/2.7	2.2/3.2	2.7/3.9	3.0/4.7	3.3/4.6	3.6/4.5	4.3/4.5	4.9/4.5	5.2/4.5	5.8/4.6	5.5/4.5
SLC	0.12	2.5/4.3	3.2/4.2	3.6/5.1	3.6/6.1	4.1/6.5	4.2/6.3	4.3/5.7	4.9/5.1	5.3/5.2	5.5/5.3	6.0/5.5	6.4/5.6	6.1/5.7	6.2/5.9	6.3/6.0
SAN	0.13	1.8/2.2	1.9/2.2	1.7/2.5	1.9/2.3	2.1/2.4	2.4/2.4	2.6/3.0	3.1/4.4	3.6/4.5	3.8/4.5	4.2/4.5	4.2/4.5	4.3/4.5	4.5/4.4	4.5/4.4
LGB	0.14	2.4/2.8	2.3/3.1	2.2/3.2	2.5/3.3	3.0/3.2	3.6/3.7	3.5/4.1	4.5/6.2	5.2/6.3	5.5/6.4	5.8/6.4	5.7/6.5	5.9/6.4	6.3/6.4	6.2/6.4
BUR	0.16	2.4/3.3	2.7/3.3	2.8/3.7	3.0/3.6	3.7/3.8	4.1/4.6	3.8/5.1	4.7/7.2	5.4/7.1	5.6/7.1	6.0/7.0	6.2/6.9	6.4/6.9	6.7/6.9	6.6/6.9
CQT	0.17	2.1/3.4	2.2/4.2	2.3/4.6	2.6/3.8	3.0/3.8	3.3/4.2	3.0/4.3	3.9/5.2	4.6/5.2	4.8/5.2	5.0/5.1	5.2/5.1	5.3/5.0	5.7/4.9	5.5/4.9
RAL	0.35	1.5/3.2	1.4/2.8	1.3/2.9	2.2/3.5	2.7/4.4	3.0/4.6	3.3/5.5	4.4/8.0	5.0/7.9	5.2/7.9	5.7/7.8	5.9/7.7	6.2/7.6	6.6/7.6	6.6/7.5

	avg-bias	Bias (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
SJC	-1.72	-0.6/0.3	-0.7/0.3	-1.1/0.1	-1.5/0.0	-1.4/0.3	-1.2/0.6	-0.9/0.2	-1.1/1.1	-1.1/0.9	-1.1/0.8	-2.9/0.6	-3.0/0.5	-3.2/0.4	-3.1/0.2	-3.0/0.0
SFO	-1.56	-0.5/0.5	-0.6/0.1	-0.8/-0.4	-1.2/-0.2	-1.3/-0.4	-1.4/0.7	-1.5/0.4	-1.6/-0.4	-1.7/-0.5	-1.7/-0.7	-2.1/-0.8	-2.2/-1.0	-2.3/-1.1	-2.3/-1.2	-2.1/-1.4
NKX	-1.28	-0.5/-1.6	-0.8/-1.6	-1.1/-1.4	-1.7/0.6	-1.8/-0.6	-2.2/0.7	-2.4/0.0	-2.6/0.0	-2.8/0.0	-1.7/0.0	-0.6/0.0	-0.7/0.0	-0.3/0.0	-0.1/0.0	0.2/0.0
SAC	-1.22	-0.1/-0.2	-0.4/-1.5	-0.9/-1.3	-1.5/-1.7	-1.8/-1.8	-1.9/-0.8	-1.5/-0.8	-1.6/-1.2	-1.6/-1.5	-1.1/-1.8	-0.9/-2.0	-1.0/-2.2	-1.3/-2.5	-1.4/-2.8	-1.3/-3.0
RDD	-1.16	-0.3/0.4	-0.6/-0.6	-0.8/-1.2	-0.9/-0.9	-1.4/-0.9	-1.2/0.4	-1.3/0.4	-1.2/0.4	-0.8/0.2	-0.5/0.0	-0.6/-0.1	-1.4/-0.3	-2.1/-0.5	-2.2/-0.7	-2.2/-0.9
OAK	-1.12	-0.5/0.7	-0.6/0.2	-0.8/0.0	-0.9/0.2	-1.0/0.3	-1.0/0.9	-1.1/0.7	-1.2/1.6	-1.3/1.5	-1.4/1.3	-1.3/1.2	-1.4/1.0	-1.5/0.8	-1.4/0.6	-1.3/0.5
WJF	-1.08	-0.1/0.7	-0.1/1.0	-0.4/1.0	-0.6/0.6	-0.8/0.6	-0.6/0.1	-0.5/0.7	-1.0/-0.1	-1.1/-0.2	-1.2/-0.4	-1.5/-0.5	-2.0/-0.7	-2.2/-0.8	-2.2/-1.0	-1.9/-1.1
RNO	-0.80	0.1/0.8	0.3/-0.2	0.4/0.5	0.3/-1.4	0.9/-2.3	1.1/0.9	1.6/-0.1	1.1/-0.6	1.1/-0.9	-0.7/-1.1	-2.1/-1.4	-3.0/-1.6	-3.9/-1.8	-4.7/-2.0	-4.6/-2.3
RBL	-0.71	-0.2/0.8	-0.3/-0.9	-0.5/-1.0	-0.7/-0.9	-1.2/-1.4	-0.9/-0.1	-0.9/0.0	-0.8/0.8	-0.5/0.6	-0.4/0.4	-0.0/0.2	-0.6/0.0	-1.1/-0.2	-1.3/-0.4	-1.3/-0.5
LAX	-0.58	-0.3/-1.9	-0.3/-3.0	-0.5/-3.2	-0.5/-3.0	-0.6/-2.7	-0.7/-2.0	-0.7/-1.1	-1.0/1.2	-0.9/1.2	-0.8/1.2	-0.6/1.2	-0.7/1.2	-0.5/1.2	-0.4/1.2	-0.1/1.2
LAS	-0.49	-0.1/1.5	-0.2/1.9	-0.6/1.6	-0.4/1.2	-0.6/1.4	-0.8/1.1	-0.6/1.1	-1.0/0.6	-1.0/0.4	-0.7/0.2	-0.2/0.0	0.1/-0.2	-0.4/-0.5	-0.4/-0.7	-0.6/-0.9
CQT	-0.44	-0.5/-2.9	-0.5/-3.8	-0.7/-4.1	-0.9/-3.4	-1.3/-2.6	-0.9/-3.1	-0.3/-2.6	-0.4/0.8	-0.4/0.7	-0.1/0.6	-0.2/0.6	-0.4/0.5	-0.2/0.4	0.1/0.4	0.1/0.3
SAN	-0.40	-0.6/-1.8	-0.8/-1.5	-0.9/-1.9	-1.0/-1.8	-1.1/-1.9	-1.0/-1.4	-0.7/-0.8	-0.7/1.4	-0.6/1.4	-0.0/1.4	0.4/1.4	0.2/1.4	0.3/1.4	0.2/1.4	0.4/1.3
TRM	-0.14	0.1/-0.4	0.3/-0.1	0.3/-1.1	0.4/-0.6	0.2/-0.6	0.3/-1.0	0.2/-0.1	-0.2/2.4	-0.7/2.2	-0.7/2.0	-0.2/1.8	-0.1/1.6	-0.6/1.5	-0.6/1.3	-0.8/1.1
BFL	-0.10	-0.3/1.1	-0.2/1.6	-0.5/0.6	-0.1/0.3	-0.1/0.1	0.3/0.6	0.7/-0.3	1.0/-0.6	0.8/-0.9	0.6/-1.1	0.7/-1.4	-0.3/-1.7	-0.9/-2.0	-1.3/-2.2	-1.7/-2.5
TUS	-0.10	-0.2/-0.1	-0.1/0.4	0.2/0.1	0.1/1.5	0.1/1.2	0.3/-0.3	0.4/1.5	0.7/2.2	0.2/2.1	0.2/2.0	0.0/1.8	-0.3/1.7	-1.0/1.5	-1.0/1.4	-1.0/1.2
BUR	0.06	-0.1/-2.3	0.0/-2.4	0.1/-2.1	-0.1/-2.2	-0.6/-0.5	-0.3/-1.6	-0.1/-1.6	-0.2/3.0	-0.4/2.9	0.5/2.9	0.7/2.8	0.4/2.7	0.2/2.6	0.3/2.6	0.4/2.5
FAT	0.15	0.8/0.8	0.9/1.0	0.5/0.5	0.6/0.2	0.4/0.5	0.5/0.9	0.6/1.2	0.6/-0.2	0.5/-0.5	0.1/-0.8	0.2/-1.1	-0.5/-1.4	-0.9/-1.7	-1.1/-2.0	-1.0/-2.3
ABQ	0.49	0.1/-0.9	0.6/-0.9	1.2/0.3	1.4/-0.2	1.5/-0.5	1.2/1.0	1.0/-0.5	1.5/3.3	1.4/3.1	0.3/2.8	-0.3/2.5	-0.2/2.2	-0.4/2.0	-0.8/1.8	-1.1/1.5
SLC	0.61	0.6/-3.9	0.7/-3.4	0.8/-4.4	1.0/-4.6	1.4/-5.3	1.6/-3.7	1.4/-3.4	1.6/-2.9	1.7/-3.2	1.1/-3.4	0.6/-3.7	0.0/-3.9	-0.8/-4.2	-1.1/-4.4	-1.6/-4.6
RAL	0.77	0.4/2.9	0.4/1.7	0.1/1.5	0.1/3.1	-0.2/3.7	0.4/2.4	0.9/3.0	0.6/5.7	0.8/5.6	1.0/5.6	0.9/5.5	1.1/5.4	1.3/5.4	1.9/5.3	1.9/5.2
LGB	0.92	0.0/-1.4	0.1/-1.8	0.0/-1.8	0.1/-2.4	-0.1/-1.9	0.3/-1.3	0.6/-1.4	0.8/3.0	0.6/3.0	1.9/3.0	2.2/3.0	1.8/3.0	1.8/2.9	1.8/2.9	1.9/2.9
FLG	1.00	0.0/0.6	0.2/1.1	0.7/1.3	0.8/0.6	1.0/0.6	1.4/0.4	1.5/0.2	1.6/3.7	1.4/3.6	1.6/3.5	1.4/3.4	1.0/3.2	0.8/3.1	0.7/3.0	0.9/2.9
PHX	1.00	0.9/0.2	0.8/0.1	1.3/0.1	1.4/-0.3	1.7/0.4	1.8/0.3	1.9/0.2	1.9/-0.4	1.4/-0.6	0.8/-0.7	1.1/-0.9	0.8/-1.0	-0.1/-1.2	-0.3/-1.4	-0.3/-1.6
COS	2.74	0.6/-1.1	0.6/-0.5	1.2/1.1	1.7/0.9	1.9/2.7	2.5/1.9	2.8/4.1	3.1/6.4	3.8/6.2	3.2/6.1	3.3/6.0	3.7/5.8	3.9/5.7	4.4/5.5	4.3/5.4
DEN	3.40	1.3/-1.4	1.8/-0.7	2.3/-0.3	2.7/0.5	3.0/1.4	3.4/2.4	3.7/3.0	3.7/5.7	3.9/5.6	3.6/5.4	3.2/5.2	3.8/5.0	4.5/4.9	5.0/4.7	5.2/4.6

red: S < -0.3      orange: -0.3 < S < -0.1      grey: -0.1 < S < 0.1      green: 0.1 < S < 0.3      blue: S > 0.3

S\_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0      orange: 4.0 > B >= 2.0      black: 2.0 > B >= -2.0      green: -2.0 > B >= -4.0      blue: B < -4.0

avg\_bias: average of ECMWF-value

# ECMWF/MEX MIN Temperature in USSW

	S-score	MAE (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
COS	-0.58	3.7/0.0	4.2/2.7	4.3/2.6	5.4/2.6	5.6/3.0	6.6/3.6	7.5/4.3	8.1/5.1	8.2/5.3	8.1/5.4	6.7/5.3	6.6/5.2	6.9/5.1	6.7/5.1	6.9/5.1
ABQ	-0.45	2.4/0.0	3.1/2.4	3.6/2.3	4.5/2.5	4.9/2.4	5.0/2.5	5.1/2.9	5.3/4.3	4.7/4.3	4.8/4.5	5.4/4.7	5.8/4.8	6.3/5.0	6.5/5.0	6.6/5.0
WJF	-0.29	4.9/0.0	5.0/2.8	5.4/2.8	5.6/3.3	5.2/3.8	5.1/3.8	5.0/3.4	4.8/4.7	4.5/4.8	4.5/4.7	5.0/4.8	5.1/4.9	5.2/5.0	5.7/5.1	5.8/5.1
NKX	-0.28	2.6/0.0	2.6/1.7	2.8/2.1	3.0/2.1	2.9/2.3	2.6/2.5	2.8/2.8	3.3/0.0	3.7/0.0	3.9/0.0	3.8/0.0	3.8/0.0	3.9/0.0	3.9/0.0	4.1/0.0
DEN	-0.23	3.5/0.0	3.7/2.9	4.0/3.3	4.9/3.4	5.3/3.9	5.7/4.3	6.6/4.8	6.9/6.0	7.4/6.1	7.2/6.2	6.9/6.1	6.8/6.2	6.9/6.3	6.9/6.4	6.7/6.1
OAK	-0.20	2.8/0.0	2.5/2.2	2.7/2.3	2.9/1.9	2.7/2.5	2.7/2.2	2.9/2.2	2.5/2.6	2.9/2.6	2.8/2.5	3.2/2.6	3.2/2.7	3.2/2.6	3.6/2.7	3.5/2.6
FLG	-0.12	4.6/0.0	4.9/5.0	5.5/5.0	6.0/5.0	5.8/5.6	6.3/5.6	6.3/5.7	6.6/6.0	6.8/6.1	6.7/6.1	7.0/6.0	7.1/6.0	7.1/6.0	7.2/5.9	7.0/5.9
TRM	-0.09	2.6/0.0	3.0/2.0	2.7/2.1	3.1/2.4	2.6/3.5	2.4/3.5	2.8/2.7	3.2/3.5	3.7/3.5	3.9/3.7	4.3/3.8	4.7/3.9	4.6/4.1	4.8/4.2	4.9/4.1
SJC	-0.07	2.3/0.0	2.0/1.8	2.2/1.5	2.5/1.8	2.7/2.1	2.6/2.6	2.9/1.7	2.4/3.2	2.7/3.2	2.7/3.3	3.0/3.4	3.0/3.5	3.0/3.6	3.5/3.7	3.2/3.1
TUS	-0.05	2.0/0.0	2.3/2.8	2.4/2.5	2.4/2.2	2.5/2.1	2.5/2.8	2.9/2.5	3.1/3.8	3.8/3.8	4.0/3.9	4.5/3.9	4.5/3.9	4.6/4.0	5.1/4.1	4.7/4.1
LGB	-0.03	4.6/0.0	4.4/4.3	3.8/4.3	4.2/4.2	4.4/4.6	4.0/4.6	5.1/4.4	4.6/5.0	4.9/5.0	5.2/4.9	5.8/4.9	5.9/5.0	5.6/5.1	5.6/5.1	5.8/5.1
LAX	-0.01	1.9/0.0	1.9/1.9	1.8/2.1	2.1/2.2	2.1/2.4	2.4/2.3	2.5/2.0	2.6/3.1	2.7/3.1	3.0/3.0	3.3/3.0	3.3/3.0	3.5/3.0	3.5/3.0	3.7/3.0
SAN	0.05	1.7/0.0	1.9/1.6	1.7/1.7	1.8/2.0	2.0/2.1	2.1/2.4	2.3/2.3	2.4/2.7	2.7/2.8	2.6/2.8	2.5/2.8	2.5/2.8	2.5/2.8	2.7/2.8	2.7/2.8
BFL	0.05	2.3/0.0	2.1/2.6	2.5/2.6	2.7/2.6	3.0/3.2	3.1/3.2	3.1/3.1	3.4/3.8	3.4/3.8	3.8/3.8	3.6/3.9	3.8/3.9	4.0/4.0	3.8/4.1	3.8/4.1
CQT	0.06	2.3/0.0	2.4/2.6	2.3/2.5	2.6/2.9	2.6/2.8	2.8/2.5	2.9/2.5	3.0/3.6	3.0/3.6	3.1/3.5	3.4/3.6	3.4/3.6	3.3/3.6	3.3/3.6	3.3/3.6
BUR	0.08	1.8/0.0	1.9/2.8	2.0/2.8	2.1/2.4	2.4/2.4	2.9/2.8	3.2/2.6	3.6/3.8	3.4/3.9	3.6/3.9	3.9/4.0	3.8/4.1	3.9/4.2	3.8/4.2	4.0/4.1
PHX	0.08	2.4/0.0	2.4/1.5	2.0/1.8	1.7/1.6	1.9/1.7	2.1/2.0	2.2/2.1	2.7/4.2	3.2/4.3	3.1/4.5	3.4/4.6	3.6/4.7	3.5/4.8	3.8/4.9	3.7/4.9
RNO	0.18	2.6/0.0	2.8/3.5	3.1/3.6	4.0/3.2	4.2/4.8	4.4/4.4	4.1/4.5	4.7/7.5	4.7/7.5	5.2/7.6	5.7/7.8	6.1/7.9	6.5/8.1	6.3/8.1	6.7/8.1
SAC	0.19	2.6/0.0	3.2/2.9	3.4/3.1	3.2/2.8	2.8/3.7	3.1/3.2	2.7/3.0	2.7/4.2	2.7/4.2	3.1/4.2	2.9/4.4	2.7/4.5	3.0/4.5	2.9/4.6	3.1/4.6
LAS	0.20	1.6/0.0	2.2/2.4	2.4/2.1	2.1/1.9	2.3/2.2	2.1/2.1	2.2/2.1	2.6/4.6	2.6/4.7	2.8/4.9	3.4/5.0	3.5/5.2	3.4/5.4	3.1/5.5	3.2/5.5
FAT	0.20	2.6/0.0	2.4/2.2	2.3/2.2	3.1/2.4	2.8/3.1	2.5/2.6	2.1/2.5	2.5/4.4	2.5/4.4	2.5/4.5	2.7/4.6	3.1/4.7	3.1/4.8	3.4/4.9	3.4/4.9
SLC	0.21	2.8/0.0	3.3/3.0	3.3/3.0	2.9/4.8	3.3/5.7	3.4/5.4	4.2/5.0	3.8/5.9	4.3/6.0	5.3/6.1	6.0/6.3	6.0/6.4	5.8/6.5	5.7/6.7	5.9/6.7
RDD	0.23	2.7/0.0	2.7/3.5	3.0/3.5	3.1/3.4	3.3/4.2	3.3/4.2	3.7/3.7	3.9/5.5	3.9/5.6	4.0/5.7	3.8/5.6	4.0/5.7	4.0/5.7	4.3/5.8	4.3/5.8
RBL	0.27	2.2/0.0	2.1/3.2	2.3/2.9	2.3/3.0	2.1/3.4	2.4/3.2	2.5/4.1	2.9/4.1	3.1/4.2	3.1/4.2	3.2/4.3	3.5/4.4	3.3/4.4	3.6/4.5	3.4/4.5
SFO	0.29	1.9/0.0	1.7/1.8	1.9/2.1	2.1/1.8	2.2/2.3	2.0/2.1	2.1/1.7	1.8/3.9	1.7/4.0	1.7/4.1	1.9/4.2	1.9/4.3	1.8/4.4	1.8/4.5	1.7/4.5
RAL	0.38	2.9/0.0	3.1/5.5	3.0/5.2	3.1/5.0	3.1/4.4	3.1/5.4	3.5/5.1	3.6/5.8	3.5/5.8	3.4/5.8	3.6/5.7	3.4/5.7	3.6/5.6	3.7/5.6	3.6/5.6

	avg-bias	Bias (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
COS	-3.58	-1.4/0.0	-2.5/-0.5	-3.4/-0.4	-4.6/-0.1	-4.9/0.4	-6.0/0.6	-6.5/0.8	-6.9/-0.9	-6.1/-1.1	-5.3/-1.2	-3.2/-1.4	-1.6/-1.5	-1.0/-1.6	-0.3/-1.7	-0.1/-1.7
SLC	-1.83	1.3/0.0	0.5/-2.7	-0.1/-4.7	-0.8/-4.5	-1.1/-4.8	-2.0/-4.1	-2.3/-2.9	-2.5/-5.1	-2.5/-5.3	-2.7/-5.5	-2.9/-5.9	-2.7/-6.0	-2.8/-6.2	-3.7/-6.2	-3.7/-6.2
WJF	-1.50	-0.1/0.0	0.2/0.2	0.4/0.4	0.3/-1.6	0.1/-2.0	-0.1/-0.6	-0.2/-0.1	-0.3/-3.4	-0.5/-3.5	-2.4/-3.6	-3.7/-3.8	-3.7/-3.9	-4.0/-4.0	-4.1/-4.1	-4.4/-4.1
SFO	-0.85	-0.3/0.0	-0.7/-0.9	-0.7/-0.9	-0.8/-1.2	-1.0/-1.8	-1.1/-1.2	-1.0/-1.0	-0.9/-3.9	-1.0/-4.0	-0.8/-4.1	-1.0/-4.2	-1.1/-4.3	-0.9/-4.4	-0.7/-4.5	-0.7/-4.5
OAK	-0.81	0.0/0.0	-0.1/-1.1	0.1/-0.6	-0.0/-0.4	-0.4/-1.0	-0.9/-0.6	-0.8/-0.9	-0.6/0.1	-0.9/0.0	-1.0/-0.1	-1.6/-0.2	-1.5/-0.3	-1.5/-0.4	-1.4/-0.5	-1.5/-0.5
TRM	-0.77	0.5/0.0	0.5/-0.6	0.6/0.3	0.7/0.0	0.5/-2.1	0.3/-2.1	-0.3/-1.0	-0.1/-2.4	-0.7/-2.5	-2.4/-2.7	-2.0/-2.8	-1.9/-3.0	-1.9/-3.2	-2.6/-3.3	-2.9/-3.3
SJC	-0.70	0.0/0.0	-0.2/-0.2	-0.0/-0.2	-0.1/-0.8	-0.5/-1.6	-0.9/-1.4	-0.6/0.0	-0.4/-2.5	-0.8/-2.6	-0.8/-2.7	-1.4/-2.8	-1.3/-2.9	-1.3/-3.0	-1.2/-3.1	-1.1/-3.1
SAC	-0.65	0.1/0.0	-0.3/-1.1	-0.4/-2.1	-0.4/-1.3	-0.7/-3.0	-1.0/-1.7	-0.9/-2.0	-0.6/-3.2	-1.0/-3.4	-1.0/-3.5	-0.5/-3.6	-0.8/-3.7	-0.7/-3.8	-0.8/-3.9	-0.9/-3.9
LAX	-0.49	-0.2/0.0	-0.2/-0.1	-0.2/0.1	-0.3/-0.4	-0.2/-0.5	-0.4/-0.8	-0.2/-0.1	-0.0/-0.8	-0.0/-0.9	0.2/-0.9	-1.1/-0.9	-1.0/-1.0	-1.2/-1.0	-1.3/-1.0	-1.3/-1.0
LAS	-0.44	-0.1/0.0	0.1/1.4	0.3/0.3	0.4/0.1	0.2/-0.2	-0.2/-0.5	-0.6/-0.3	-0.1/-4.2	-0.2/-4.4	-0.5/-4.5	-1.4/-4.7	-1.2/-4.9	-1.2/-5.1	-1.1/-5.2	-1.1/-5.2
CQT	-0.36	-0.1/0.0	-0.1/-0.9	0.0/-1.0	-0.1/-1.6	-0.3/-1.7	-0.5/-1.0	-0.3/-0.8	-0.2/-1.8	-0.3/-1.9	-0.2/-2.0	-1.1/-2.0	-0.9/-2.0	-0.6/-2.1	-0.7/-2.1	-0.1/-1.1
PHX	-0.33	-0.1/0.0	-0.2/-0.0	-0.3/-0.6	0.0/0.5	0.3/-0.8	0.3/-1.0	-0.2/-1.0	-0.0/-3.7	0.0/-3.8	-0.4/-4.0	-0.9/-4.1	-0.7/-4.2	-0.8/-4.3	-0.8/-4.5	-1.1/-4.5
ABQ	-0.27	-0.3/0.0	0.4/-0.2	0.3/-0.0	0.9/0.3	1.0/-0.4	0.5/-0.5	-0.4/-0.4	-0.1/-3.1	0.2/-3.3	-0.9/-3.5	-0.7/-3.7	-0.6/-3.9	-0.6/-4.0	-1.5/-4.2	-2.4/-4.2
RDD	-0.25	0.3/0.0	-0.3/-1.5	-0.3/-1.9	-0.3/-1.1	-0.2/-2.4	-0.2/-1.6	-0.3/-0.7	0.3/-4.4	0.1/-4.5	0.2/-4.6	-0.9/-4.7	-1.1/-4.8	-0.3/-4.9	-0.3/-4.9	-0.3/-4.9
DEN	0.02	-0.2/0.0	-0.1/-1.8	0.2/-1.9	-0.3/-1.0	-0.1/-0.1	-0.4/0.1	-0.4/0.5	-0.8/-1.6	-0.4/-1.7	-0.4/-1.9	-0.4/-2.1	0.1/-2.3	0.7/-2.4	1.2/-2.6	1.4/-2.6
BFL	0.02	0.6/0.0	0.4/0.9	0.6/1.2	0.7/-0.5	0.8/-0.3	0.2/-0.3	0.4/1.2	0.1/-2.2	-0.3/-2.4	-1.3/-2.5	-0.2/-2.7	-0.0/-2.8	-0.4/-2.9	-0.4/-3.0	-0.7/-3.0
RBL	0.04	0.4/0.0	0.3/-2.2	-0.1/-2.2	0.2/-2.1	-0.3/-2.6	-0.2/-2.2	-0.4/-1.9	0.3/-3.1	-0.2/-3.3	-0.1/-3.4	0.1/-3.5	0.0/-3.6	0.1/-3.7	0.2/-3.8	0.1/-3.8
RAL	0.06	0.1/0.0	0.3/5.3	0.7/4.8	1.0/4.6	0.8/3.9	0.4/4.8	0.4/4.6	0.5/5.3	0.4/5.2	0.3/5.2	-0.9/5.1	-0.9/5.1	-0.9/5.1	-0.8/5.0	-0.6/5.0
FAT	0.08	0.6/0.0	0.2/-0.1	0.4/-0.8	0.5/-1.0	0.6/-1.0	0.3/-0.5	0.2/-0.2	0.4/-4.1	-0.0/-4.2	-0.6/-4.3	-0.3/-4.4	-0.1/-4.5	-0.4/-4.6	-0.4/-4.7	-0.4/-4.7
LGB	0.31	0.0/0.0	0.2/2.4	1.0/2.0	0.9/1.8	0.5/1.1	0.3/2.0	0.0/1.7	1.2/0.6	0.5/0.5	1.0/0.4	-0.4/0.4	-0.2/0.3	-0.2/0.2	0.0/0.1	-0.0/0.1
FLG	0.36	-0.3/0.0	-0.4/3.0	-0.3/3.7	-0.1/2.6	0.1/1.6	0.1/1.5	0.4/1.0	1.0/-0.8	1.1/-0.9	0.6/-1.0	1.0/-1.0	1.1/-1.1	0.5/-1.2	0.7/-1.2	-0.1/-1.2
SAN	0.37	0.3/0.0	0.4/0.7	0.5/0.8	0.7/0.3	0.8/0.5	0.6/0.5	0.6/0.9	0.5/-0.7	0.5/-0.8	0.7/-0.8	-0.2/-0.9	-0.1/-1.0	-0.1/-1.0	0.1/-1.1	0.0/-1.1
RNO	0.40	1.1/0.0	0.9/-1.2	1.4/-1.6	1.5/-2.1	1.4/-3.2	1.6/-2.5	1.4/-1.8	2.0/-6.5	1.8/-6.6	-0.4/-6.7	-0.4/-6.9	-0.7/-7.0	-1.3/-7.1	-1.7/-7.3	-2.7/-7.3
TUS	0.42	0.2/0.0	-0.2/0.9	0.0/0.5	0.2/0.5	0.1/0.5	0.2/-0.3	-0.3/-0.2	0.1/-1.8	0.2/-1.9	0.2/-2.0	0.8/-2.1	1.2/-2.2	1.4/-2.3	1.5/-2.4	0.8/-2.4
NKX	0.48	0.3/0.0	0.5/0.7	1.4/1.4	1.7/0.4	1.8/-0.5	1.3/0.8	1.0/0.9	0.9/0.0	0.7/0.0	1.2/0.0	-1.0/0.0	-0.7/0.0	-0.8/0.0	-0.4/0.0	-0.7/0.0
BUR	0.57	0.2/0.0	0.5/1.2	1.0/1.3	1.2/0.7	1.1/0.8	1.0/1.5	0.9/1.2	1.6/-2.3	1.2/-2.4	1.6/-2.5	-0.4/-2.6	-0.2/-2.7	-0.4/-2.8	-0.5/-2.9	-0.4/-2.9

red: S < -0.3      orange: -0.3 < S < -0.1      grey: -0.1 < S < 0.1      green: 0.1 < S < 0.3      blue: S > 0.3

S\_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0      orange: 4.0 > B >= 2.0      black: 2.0 > B >= -2.0      green: -2.0 > B >= -4.0      blue: B < -4.0

avg\_bias: average of ECMWF-value

# ECMWF/MEX MAX Temperature in ALL

	S-score	MAE (2010-02-01~2010-02-28)														
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ABE	-0.25	2.0/1.9	2.2/2.3	2.5/2.5	2.4/1.8	2.1/2.5	2.3/3.0	2.3/3.3	3.1/2.8	3.9/2.7	4.2/2.7	4.1/2.7	4.4/2.7	4.5/2.7	4.5/2.7	4.3/2.8
ABI	-0.15	3.9/3.3	5.0/3.6	5.5/4.0	6.4/5.1	6.5/4.9	7.1/7.4	8.2/8.0	10.2/10.2	10.8/10.1	10.7/10.0	11.1/9.9	10.8/9.7	10.6/9.6	10.3/9.5	10.8/9.5
ABQ	-0.15	1.6/2.2	1.9/2.3	2.7/2.4	3.0/2.2	3.7/2.8	4.6/3.0	4.9/3.8	5.1/4.6	4.7/4.4	4.4/4.3	5.1/4.3	4.9/4.1	4.1/3.9	4.5/3.8	4.6/3.9
ABY	0.13	2.1/2.6	2.6/2.9	2.7/3.6	2.4/4.2	2.9/3.7	3.5/4.5	4.5/5.1	4.7/7.8	6.4/7.8	6.9/7.6	7.2/7.6	7.7/7.5	8.2/7.3	7.8/7.2	7.7/7.2
ACT	-0.26	3.4/2.8	4.5/3.0	5.1/2.8	5.7/4.4	6.4/4.2	6.5/5.6	7.7/6.6	8.5/9.2	10.0/9.0	9.9/8.9	10.2/8.8	10.6/8.6	10.5/8.5	10.3/8.4	10.5/8.3
ACY	-0.16	2.0/1.9	2.3/2.4	2.4/2.6	2.9/2.4	3.0/3.0	3.0/3.0	3.6/4.2	4.7/4.3	5.3/4.2	5.1/4.1	5.2/4.1	5.5/4.2	5.6/4.1	5.9/4.1	5.6/4.0
ALB	-0.07	2.1/2.3	2.3/2.4	2.5/2.7	2.6/2.4	3.4/3.1	3.3/3.0	3.1/3.1	3.4/2.9	3.4/3.0	3.7/3.0	3.3/3.2	3.6/3.3	3.8/3.5	4.0/3.5	3.8/3.6
ALW	0.00	3.7/3.3	3.7/3.7	4.2/4.1	4.7/4.0	4.7/4.4	4.9/4.9	5.4/4.5	5.8/6.1	6.1/6.3	6.8/6.4	6.7/6.6	6.4/6.8	6.2/7.0	6.0/7.2	5.5/7.3
AOO	0.03	1.5/1.4	1.7/1.7	1.6/2.0	1.8/2.3	2.4/2.6	2.8/2.4	3.2/3.3	4.7/6.2	5.0/6.0	5.3/5.9	5.8/5.8	6.3/5.6	6.3/5.5	5.9/5.4	5.5/5.2
APN	0.01	2.3/1.9	2.3/2.3	2.5/2.9	2.4/2.8	2.7/3.3	2.9/3.7	3.8/3.2	3.9/4.1	3.7/4.1	4.0/4.1	4.4/4.2	4.9/4.4	4.8/4.5	4.8/4.5	4.6/4.5
ATL	0.09	2.3/3.1	2.4/3.1	2.8/4.0	3.3/3.6	3.9/4.4	4.2/4.7	4.6/5.4	5.2/8.2	6.6/8.1	8.0/8.0	7.8/7.9	8.4/7.8	8.7/7.6	8.3/7.5	7.9/7.4
AUG	0.38	2.0/2.8	2.0/3.2	2.4/2.8	2.4/3.4	2.8/4.7	3.2/4.5	3.0/4.8	3.8/6.2	4.0/6.4	4.0/6.5	3.9/6.6	3.7/6.7	3.5/6.8	3.7/7.0	3.6/7.1
AUS	-0.11	3.1/2.7	4.2/3.6	5.3/3.4	6.1/4.1	7.4/4.5	7.3/6.3	7.3/7.0	7.8/9.8	8.9/9.6	8.4/9.5	9.0/9.3	9.2/9.2	9.1/9.1	8.4/8.9	8.7/8.8
AVP	-0.05	2.7/2.6	3.4/3.0	3.8/3.2	3.3/2.4	2.8/3.4	2.8/3.6	3.0/4.3	3.6/4.1	3.9/4.0	4.1/3.9	4.1/3.9	4.5/3.9	4.5/3.8	4.5/3.8	4.1/3.7
BDL	-0.19	1.8/1.9	2.3/1.8	2.3/2.2	3.0/2.5	2.7/3.0	3.0/3.7	3.2/3.9	4.1/3.1	4.5/3.1	4.8/3.1	4.3/3.2	4.5/3.3	4.3/3.4	4.4/3.5	4.4/3.6
BFL	-0.08	2.1/2.4	2.1/2.5	2.4/2.1	2.8/2.0	3.3/2.9	3.6/2.9	3.6/3.3	3.6/3.8	3.7/3.8	3.5/3.9	3.6/3.9	4.4/3.9	5.0/4.0	5.2/4.2	4.8/4.2
BGM	-0.14	1.4/2.1	1.8/2.1	1.8/2.2	2.2/2.3	2.4/2.6	2.7/2.9	2.4/3.5	3.5/2.9	3.8/2.9	4.0/2.9	4.4/3.0	4.7/3.0	4.5/3.0	4.4/3.1	4.3/3.2
BHM	-0.01	2.8/2.9	3.2/3.5	3.3/4.1	4.2/3.9	4.8/3.9	5.0/5.1	5.1/5.5	6.0/8.1	7.5/8.0	8.3/7.9	8.0/7.8	8.6/7.6	8.5/7.5	8.4/7.4	7.9/7.4
BIS	0.19	2.4/4.4	2.3/4.4	2.3/5.4	3.5/5.3	3.3/5.9	3.3/5.7	4.3/5.5	4.6/5.5	5.0/5.2	5.1/5.1	4.7/4.9	4.3/4.5	3.9/4.3	4.9/4.1	5.3/4.1
BNA	-0.04	3.3/3.6	3.7/3.4	3.7/4.3	4.5/4.4	4.8/4.5	5.3/4.5	5.6/5.8	6.9/9.1	7.9/8.9	9.5/8.8	9.4/8.6	10.0/8.5	10.2/8.3	10.0/8.2	9.4/8.2
BOI	-0.22	2.7/2.3	2.2/2.6	2.7/3.3	4.3/3.2	5.0/2.9	5.8/3.6	6.2/3.8	6.8/5.3	7.1/5.5	7.2/5.8	7.0/6.0	6.9/6.2	7.1/6.5	6.8/6.7	7.0/7.0
BOS	0.05	2.0/2.5	2.1/2.7	2.2/2.7	2.7/2.4	2.8/3.5	3.1/3.5	3.2/4.2	3.8/3.8	4.2/3.8	4.5/3.7	4.0/3.8	4.0/3.8	3.8/4.0	3.9/4.1	3.8/4.1
BRO	-0.16	3.1/2.4	3.6/3.2	4.0/4.2	4.0/2.9	4.5/5.5	4.6/3.9	5.5/4.5	6.2/6.0	6.3/5.8	6.2/5.8	6.5/6.0	6.4/5.9	6.9/5.8	6.9/5.7	6.8/5.6
BTV	0.19	1.7/2.2	2.2/2.7	2.7/3.1	3.0/3.6	3.0/3.7	3.3/3.9	3.3/3.4	4.1/5.6	4.2/5.7	4.3/5.7	4.3/5.9	4.9/6.0	5.0/6.1	5.1/6.2	5.0/6.3
BUF	-0.11	1.5/2.1	1.6/2.1	1.9/2.0	1.8/2.1	1.8/2.0	2.2/2.3	2.2/2.6	3.0/3.1	3.2/3.1	3.4/3.0	4.3/2.9	4.7/3.0	4.9/3.0	4.6/3.0	4.2/3.0
BUR	0.16	2.4/3.3	2.7/3.3	2.8/3.7	3.0/3.6	3.7/3.8	4.1/4.6	3.8/5.1	4.7/7.2	5.4/7.1	5.6/7.1	6.0/7.0	6.2/6.9	6.4/6.9	7.0/6.9	6.6/6.9
BWI	-0.26	1.8/1.8	2.3/1.9	2.5/1.9	2.9/3.0	3.5/2.7	4.1/3.0	4.5/3.7	5.9/5.7	6.7/5.5	6.4/5.4	7.0/5.3	7.3/5.2	7.4/5.1	7.2/5.0	6.8/4.9
CAE	0.02	2.3/2.5	3.2/2.5	3.5/2.9	3.9/3.9	4.5/4.3	4.2/5.2	4.4/4.9	4.8/7.9	5.2/7.7	6.6/7.6	6.8/7.7	7.4/7.4	8.5/7.2	8.3/7.1	7.9/7.1
CHA	0.00	3.3/3.9	4.0/4.5	4.2/4.5	4.7/5.0	4.8/5.0	5.2/5.2	5.9/6.3	7.0/9.1	8.3/8.9	9.0/8.8	9.2/8.6	9.8/8.5	10.2/8.4	9.9/8.2	9.2/8.1
CLE	-0.28	2.4/2.6	2.4/3.1	3.0/3.8	3.2/3.4	3.5/3.6	3.9/4.1	4.6/3.6	5.1/3.8	5.5/3.9	5.3/3.8	5.7/3.9	6.5/3.9	7.0/3.8	7.1/3.8	6.2/3.8
CLT	0.03	2.8/2.7	3.2/2.6	3.2/2.8	4.3/3.8	4.4/4.1	3.9/5.0	4.2/4.0	4.6/8.2	5.2/8.1	6.3/7.9	6.8/7.7	7.5/7.6	8.2/7.5	8.3/7.4	7.7/7.2
CMH	0.00	1.8/2.2	1.9/2.0	2.4/2.2	2.7/2.6	2.8/2.7	3.3/3.1	4.1/3.7	4.5/7.1	5.6/7.0	6.3/6.8	6.6/6.7	7.3/6.5	7.5/6.4	7.3/6.3	6.7/6.2
CON	0.19	1.9/2.0	2.2/2.7	1.9/2.3	2.3/3.8	2.8/3.9	3.4/3.9	3.3/3.4	3.2/4.0	3.7/4.2	4.0/4.4	4.0/4.5	3.9/4.7	3.5/4.8	3.4/4.9	3.6/5.0
COS	-0.09	2.9/2.9	2.4/2.9	2.5/2.9	3.7/3.5	4.3/5.1	4.9/5.1	6.4/6.8	7.5/7.5	8.7/7.5	9.4/7.4	10.2/7.4	9.4/7.2	9.5/7.2	8.9/7.1	8.1/7.1
COU	-0.08	2.1/2.2	2.4/2.9	3.3/3.0	3.5/2.9	4.1/3.5	4.0/3.8	4.7/4.3	5.7/7.0	6.5/6.8	7.1/6.6	7.2/6.4	7.1/6.2	7.0/6.1	7.0/5.8	7.2/5.6
CQT	0.17	2.1/3.4	2.2/4.2	2.3/4.6	2.6/3.8	3.0/3.8	3.3/4.2	3.0/4.3	3.9/5.2	4.6/5.2	4.8/5.2	5.0/5.1	5.2/5.1	5.3/5.0	5.7/4.9	5.5/4.9
CRP	0.14	2.0/2.5	2.6/3.8	2.9/4.1	3.5/3.4	4.5/4.5	4.3/5.5	5.0/5.2	5.7/7.7	6.7/7.7	6.3/7.5	6.6/7.4	6.8/7.3	6.8/7.4	6.7/7.3	6.6/7.2
CRW	0.18	2.2/3.1	2.2/2.9	2.7/3.2	3.1/3.8	4.0/4.1	4.5/4.6	5.2/6.4	6.3/10.6	6.8/10.5	7.8/10.4	8.7/10.2	8.8/10.0	9.0/9.9	8.9/9.8	8.7/9.6
CVG	0.05	2.0/2.8	2.5/2.8	2.7/2.9	3.3/3.1	3.9/3.5	4.3/3.6	4.4/4.2	5.2/8.2	6.0/8.1	6.8/8.0	7.2/7.8	7.9/7.5	7.6/7.4	7.3/7.3	7.3/7.2
DAY	-0.22	3.1/2.5	3.3/1.7	3.8/2.7	3.8/3.2	3.8/3.1	4.1/3.7	4.8/3.4	5.2/6.3	6.4/6.1	5.9/6.0	6.2/5.8	6.6/5.7	6.8/5.7	6.8/5.6	6.5/5.4
DBQ	0.08	1.7/1.7	2.0/2.9	2.4/3.7	2.8/3.9	3.0/3.6	3.3/4.4	2.4/4.1	2.6/3.0	2.7/3.0	3.0/3.1	3.3/3.2	3.9/3.2	3.9/3.2	4.3/3.3	3.8/3.4
DCA	-0.42	1.7/1.1	2.1/1.8	2.4/2.1	2.9/2.2	3.7/2.2	4.1/2.9	4.4/3.8	5.8/5.1	6.4/4.9	6.1/4.8	7.0/4.6	7.3/4.4	7.5/4.3	7.3/4.4	6.9/4.2
DEC	-0.25	2.2/2.4	3.0/2.5	3.3/2.6	3.5/2.8	4.2/2.7	4.9/3.4	5.0/3.5	5.9/6.2	6.5/6.0	6.9/5.8	6.6/5.6	6.9/5.5	6.8/5.2	6.9/5.1	6.8/5.0
DEN	-0.09	2.8/2.3	3.1/2.4	3.6/3.1	3.9/4.1	4.5/5.1	5.7/5.6	7.1/7.4	7.8/8.1	9.0/8.1	9.1/8.0	9.0/7.9	9.1/7.9	9.2/7.9	8.8/8.0	8.4/7.9
DFW	-0.09	4.1/2.9	4.4/4.2	4.4/4.8	5.7/5.4	5.8/6.0	7.1/6.8	8.5/7.2	9.6/10.1	10.6/10.1	10.1/10.0	10.3/9.8	10.9/9.5	10.7/9.4	11.1/9.5	11.3/9.2
DLH	0.44	2.0/4.1	2.3/5.8	2.5/5.9	2.7/6.1	2.8/8.5	3.7/8.2	3.9/7.7	4.0/6.9	4.7/7.1	5.2/7.2	5.6/7.5	5.4/7.8	5.7/7.2	4.8/8.5	4.8/8.5
DSM	-0.26	3.1/1.8	3.5/2.7	3.8/3.8	3.8/3.8	4.2/3.9	4.5/4.2	4.7/3.5	5.2/4.7	5.6/4.5	4.7/4.4	4.9/4.2	5.3/4.0	5.5/4.0	5.9/3.9	6.2/3.9
DTW	-0.11	2.2/2.3	2.5/2.6	2.7/2.8	2.6/3.0	2.9/3.1	2.9/3.5	3.6/3.9	3.9/3.6	3.9/3.5	4.2/3.5	4.5/3.4	4.7/3.4	5.0/3.4	4.6/3.4	4.5/3.4
ELP	0.00	2.0/2.0	1.9/2.3	2.2/2.3	2.6/2.6	3.0/3.1	3.6/3.5	4.2/4.3	4.2/4.6	4.8/4.7	4.5/4.6	5.0/4.5	5.0/4.5	4.5/4.6	4.6/4.6	5.1/4.4
ERI	0.04	1.6/2.4	1.9/2.1	2.5/2.1	2.0/2.3	1.8/2.2	2.2/2.8	2.8/3.6	3.7/4.7	4.2/4.6	3.7/4.5	4.7/4.5	5.3/4.5	5.5/4.4	5.0/4.3	4.9/4.2
EUG	0.08	3.6/3.0	3.4/2.8	3.3/3.2	3.4/3.5	4.2/3.5	4.0/3.5	4.0/4.1	4.6/5.2	4.7/5.2	4.4/5.4	4.0/5.4	4.3/5.5	4.1/5.7	3.9/5.8	3.8/5.9
EVV	-0.04	2.9/3.0	2.8/2.8	3.0/3.5	3.5/4.2	4.1/4.6	4.6/4.3	5.8/5.1	6.5/8.0	7.0/7.9	8.1/7.7	8.5/7.5	8.8/7.3	8.9/7.1	8.6/7.0	8.5/7.0
EWR	-0.28	3.1/2.3	3.5/2.2	3.5/3.4	3.4/2.7	3.5/3.3	3.5/3.5	3.6/4.4	3.9/3.3	4.4/3.4	4.6/3.3	4.5/3.2	4.9/3.2	4.6/3.2	4.7/3.2	4.6/3.3
FAR	0.18	2.3/2.0	2.9/2.7	2.7/2.9	2.7/4.4	3.1/6.2	3.0/5.3	3.4/4.4	4.0/4.8	3.6/4.8	2.3/4.8	3.1/4.9	4.4/5.2	5.0/5.2	5.6/5.4	6.3/5.4
FAT	0.03	2.9/2.9	3.0/2.8	3.4/3.1	3.4/2.8	3.3/3.2	3.4/3.6	3.5/4.2	3.5/4.6	3.9/4.6	3.7/4.5	3.8/4.5	4.2/4.6	4.6/4.6	5.1/4.6	4.9/4.8
FLG	-0.03	2.4/2.2	2.4/2.1	2.6/2.3	3.4/2.5	4.1/3.0	4.7/3.9	4.9/4.2	4.0/5.2	4.2/5.2	4.4/5.2	4.8/5.1	4.6/5.0	4.7/5.0	4.8/5.0	4.4/4.9
FMY	0.07	3.3/2.1	3.3/2.9	3.5/3.1	3.7/3.3	4.2/3.8	4.2/4.9	5.0/5.1	5.2/8.8	5.4/8.8	6.2/8.7	6.9/8.7	7.2/8.7	7.3/8.6	7.5/8.6	7.2/8.5
FSD	0.12	1.8/1.3	1.8/2.3	2.2/3.4	2.3/4.4	3.0/4.9	3.9/3.5	4.5/3.1	4.4/5.7	3.8/5.5	3.1/5.4	3.2/5.2	3.9/4.9	4.7/4.8	5.0/4.7	5.0/4.5
FWA	-0.29	1.6/1.3	1.6/2.1	1.8/2.3	1.9/2.6	2.5/2.9	2.9/3.5	3.4/3.1	3.9/3.4	4.9/3.3	5.0/3.2	5.2/3.2	5.7/3.2	6.1/3.1	6.0/3.1	5.1/3.1

GAD	0.14	5.4/7.1	5.6/7.7	5.8/7.2	6.4/7.5	7.2/6.7	7.0/6.7	6.8/7.3	7.5/10.7	8.5/10.4	8.9/10.3	8.6/10.1	8.2/9.9	8.4/9.9	8.4/9.7	8.3/9.6
GEG	0.04	2.3/1.9	3.0/2.1	3.4/2.6	3.6/2.9	3.7/2.8	4.0/2.8	4.2/3.6	4.9/7.0	5.3/7.2	6.2/7.5	5.7/7.8	5.3/8.0	5.1/8.2	5.0/8.5	4.7/8.7
GTF	-0.16	3.3/3.4	2.4/3.4	3.2/3.8	4.0/4.3	4.7/5.2	6.5/5.1	7.4/6.3	8.7/6.5	9.0/6.6	9.0/6.5	9.2/6.6	9.3/6.8	8.8/7.0	8.6/6.9	8.2/7.0
HOU	0.03	3.3/2.7	4.0/3.0	3.8/3.6	4.0/4.2	4.8/4.0	4.8/5.4	5.5/6.2	6.2/8.7	7.6/8.8	7.2/8.8	7.3/8.6	7.8/8.4	8.0/8.2	7.6/8.1	7.6/8.2
HSV	-0.10	3.3/3.4	3.6/3.8	3.8/4.2	4.3/4.4	4.8/3.5	5.3/4.6	6.7/8.1	8.2/8.0	9.0/7.9	8.8/7.8	9.6/7.6	9.7/7.5	9.5/7.4	9.0/7.3	9.0/7.3
IAH	0.01	3.0/2.9	3.5/3.1	3.6/3.4	4.3/4.2	5.3/3.9	5.2/5.8	5.9/6.2	6.5/8.7	8.0/8.5	7.6/8.5	7.7/8.4	8.3/8.2	8.3/8.3	7.7/8.0	7.7/7.9
ICT	-0.32	3.4/2.2	4.0/2.7	4.5/4.1	5.6/4.5	6.0/4.5	6.2/5.7	8.0/6.9	8.2/6.8	8.8/6.7	9.1/6.6	9.4/6.5	9.2/6.4	9.2/6.3	9.1/6.3	7.7/6.2
ILG	-0.23	2.1/1.7	2.2/2.1	2.4/2.4	2.6/2.0	2.8/2.6	3.1/3.4	3.3/4.0	4.4/4.5	5.3/4.4	4.9/4.2	5.6/4.2	6.2/4.0	6.5/4.0	6.6/4.0	6.3/3.9
IND	-0.06	2.0/2.8	2.3/2.1	2.4/2.5	2.7/2.3	3.0/2.6	3.5/3.1	3.7/3.2	4.7/6.4	5.0/6.1	5.7/5.9	6.2/5.8	6.7/5.6	6.9/5.4	6.9/5.4	6.5/5.2
IPT	-0.21	3.1/2.6	3.6/2.9	3.9/3.1	3.5/3.3	3.2/4.2	3.4/4.4	3.5/3.4	4.2/3.4	4.4/3.4	4.7/3.5	5.1/3.6	5.0/3.6	5.1/3.6	5.2/3.6	4.7/3.8
JAN	-0.09	2.8/2.8	3.3/2.4	3.2/3.9	4.0/4.5	4.6/4.2	5.0/4.6	6.2/5.8	7.1/8.0	8.7/7.9	8.3/7.8	8.4/7.6	9.1/7.4	8.9/7.2	8.5/7.2	8.2/7.1
JAX	0.06	2.7/3.0	3.1/3.6	3.4/3.6	3.6/3.6	4.4/3.8	4.6/4.8	4.9/4.9	5.2/8.0	6.2/7.9	6.7/7.8	7.2/7.8	7.7/7.8	8.1/7.8	8.2/7.7	7.8/7.6
JFK	-0.21	2.1/1.8	2.8/2.3	2.9/2.8	2.9/2.3	2.9/2.5	3.0/3.3	3.0/3.7	3.5/3.4	3.7/3.3	4.1/3.1	4.2/3.1	4.5/3.0	4.5/3.1	4.4/3.1	4.4/3.1
LAN	-0.27	1.6/1.7	1.8/1.9	2.3/2.1	2.2/2.2	2.4/2.3	2.6/3.0	3.4/3.6	4.1/2.8	4.1/2.9	4.3/2.9	4.5/2.9	4.6/2.9	5.0/3.0	4.8/3.0	4.5/3.0
LAS	-0.12	2.9/2.4	3.5/2.3	3.4/2.4	3.5/2.3	3.3/3.0	3.8/3.1	4.0/4.0	3.8/4.4	3.9/4.5	4.4/4.6	4.5/4.6	4.3/4.6	4.7/4.7	5.0/4.7	5.0/4.9
LAX	0.04	3.5/3.2	3.7/3.9	3.8/4.0	3.8/3.7	3.8/3.6	4.1/4.0	4.0/4.0	4.3/5.4	4.4/5.4	4.6/5.4	4.9/5.4	5.1/5.4	5.2/5.4	5.5/5.4	5.5/5.3
LEX	0.09	2.5/3.5	3.0/3.5	3.4/3.4	4.0/4.0	4.4/4.5	4.8/4.6	5.4/5.9	6.4/9.5	6.8/9.4	7.8/9.2	8.5/9.1	8.5/9.0	8.6/8.8	8.4/8.7	8.7/8.5
LFK	-0.12	2.4/2.6	2.9/3.1	3.4/3.3	4.5/3.9	6.0/3.8	6.2/5.3	7.1/6.7	7.7/8.8	9.7/8.6	9.5/8.4	9.4/8.5	10.2/8.3	9.6/8.2	9.1/8.1	9.2/8.0
LGA	-0.22	2.8/2.4	3.2/2.6	3.1/3.6	3.1/2.5	3.2/3.0	3.0/3.6	3.5/4.4	3.8/3.3	4.2/3.2	4.3/3.2	4.1/3.2	4.6/3.0	4.4/3.0	4.6/3.0	4.4/3.0
LGB	0.14	2.4/2.8	2.3/3.1	2.2/3.2	2.5/3.3	3.0/3.2	3.6/3.7	3.5/4.1	4.5/6.2	5.2/6.3	5.5/6.4	5.8/6.4	5.7/6.5	5.9/6.4	6.3/6.4	6.2/6.4
LIT	-0.11	2.6/3.1	3.0/3.4	4.0/4.3	4.7/4.4	5.4/4.2	5.5/5.0	6.5/5.1	7.5/8.3	8.2/8.1	8.4/7.9	9.0/7.8	9.7/7.6	9.3/7.4	9.4/7.3	9.1/7.1
LNS	0.03	1.5/1.4	1.8/2.2	2.0/2.6	2.2/2.0	2.7/2.2	3.0/2.8	4.1/4.9	4.9/5.0	5.1/5.1	5.0/5.2	5.4/5.4	5.4/5.5	5.3/5.7	5.0/5.8	5.0/5.8
MAF	-0.05	3.3/3.8	3.2/3.4	4.0/4.9	4.8/5.4	6.1/4.9	6.7/5.8	7.1/7.0	9.5/8.9	9.4/8.8	9.8/8.9	10.0/8.8	9.3/8.6	9.5/8.6	9.8/8.7	9.8/8.6
MBA	0.09	2.4/2.6	2.5/2.6	2.4/3.6	2.9/3.9	3.0/4.3	3.8/4.3	3.8/4.8	4.1/4.1	4.4/4.3	4.6/4.3	4.6/4.4	4.2/4.5	4.3/4.6	4.2/4.6	4.2/4.6
MCI	-0.11	2.5/2.6	3.1/2.9	3.3/3.0	3.8/3.5	4.0/3.8	4.5/4.8	5.5/5.5	6.2/6.6	6.6/6.4	6.6/6.2	7.4/6.1	7.7/5.9	7.6/5.8	7.6/5.6	7.1/5.4
MCN	0.13	1.8/3.4	2.1/3.5	2.8/4.4	3.6/5.2	3.9/5.1	4.2/5.4	4.7/5.1	4.8/7.8	6.1/7.7	7.6/7.6	7.5/7.4	8.2/7.3	8.9/7.2	8.4/7.1	7.9/7.0
MCO	0.15	2.1/2.3	3.0/3.2	3.3/3.2	3.9/4.3	4.1/4.8	4.9/5.7	5.4/6.7	5.9/8.9	6.5/9.6	7.3/9.6	7.7/9.6	8.3/9.6	8.7/9.5	8.1/9.4	8.1/9.4
MDT	-0.26	1.7/1.8	2.2/2.2	2.3/2.3	2.4/2.0	2.7/2.3	3.0/2.9	3.4/3.3	4.6/4.1	5.2/3.9	5.4/3.8	5.6/3.9	6.0/3.8	5.8/3.8	5.7/3.6	5.5/3.5
MEM	-0.10	3.1/3.4	3.4/3.5	4.4/4.4	4.9/4.4	5.4/5.1	6.0/5.6	6.5/6.1	8.1/9.1	9.0/8.9	9.9/8.7	9.9/8.5	10.3/8.3	10.5/8.1	10.2/8.0	9.9/7.8
MHT	0.06	1.9/2.3	2.4/2.5	2.6/3.3	2.8/3.7	3.6/3.4	3.7/3.5	3.5/4.0	4.2/4.1	4.5/4.2	4.4/4.2	4.5/4.3	4.2/4.5	4.2/4.6	4.1/4.8	4.1/4.8
MIA	0.01	2.1/1.2	2.5/1.2	2.6/1.8	2.5/3.0	3.0/3.1	3.1/4.6	3.6/4.6	4.3/6.4	4.2/6.4	4.9/6.3	5.2/6.3	5.6/6.3	5.4/6.4	5.4/6.3	5.4/6.3
MKE	0.13	1.4/2.4	1.6/3.2	1.7/4.2	1.5/5.1	1.3/3.9	1.9/4.5	2.3/3.5	2.6/2.5	3.1/2.5	3.2/2.7	3.2/2.8	3.9/3.0	4.2/3.1	4.2/3.2	4.0/3.3
MOB	-0.00	2.1/2.4	2.9/2.4	2.8/3.3	3.5/3.8	4.2/3.4	4.7/4.3	5.3/5.0	5.8/7.7	6.7/7.6	7.4/7.5	7.6/7.4	7.8/7.3	7.6/7.2	7.5/7.2	7.1/7.1
MSP	0.24	1.5/3.5	2.2/3.7	2.4/5.2	2.5/6.0	2.6/5.9	3.2/6.5	3.9/6.4	3.8/4.4	3.9/4.4	3.9/4.5	4.5/4.7	5.1/4.8	5.6/4.9	5.9/5.1	5.6/5.2
MSY	0.07	2.4/3.2	2.4/3.1	2.9/3.0	3.3/3.4	4.0/3.1	4.3/4.1	4.9/5.2	5.5/8.4	7.3/8.2	7.5/8.2	7.5/8.1	8.0/8.0	7.8/7.9	7.6/7.8	7.2/7.7
MWL	-0.06	4.9/3.6	4.9/4.9	5.0/5.2	6.1/5.2	6.6/6.1	8.1/7.4	9.5/8.0	11.0/12.6	12.0/12.4	11.6/12.2	12.1/12.1	12.6/11.9	12.2/11.8	12.3/11.6	12.6/11.6
NKX	-0.86	4.8/2.4	5.3/2.0	5.6/2.4	5.5/3.1	5.5/3.1	5.1/4.0	5.0/4.0	5.0/0.0	5.0/0.0	4.4/0.0	5.0/0.0	5.1/0.0	5.4/0.0	5.7/0.0	5.8/0.0
NTU	0.10	2.4/3.4	2.8/3.1	2.9/3.1	3.1/3.4	3.2/4.6	3.6/5.0	3.6/6.0	4.8/6.8	5.5/6.8	5.8/6.7	6.2/6.6	7.0/6.5	7.4/6.4	7.7/6.4	7.6/6.4
OAK	-0.20	2.4/1.7	2.5/2.3	2.8/2.0	2.8/2.2	3.0/2.1	3.0/2.4	2.9/2.4	3.0/2.8	2.9/2.8	3.0/2.8	3.0/2.8	2.9/2.7	3.1/2.6	3.1/2.5	3.0/2.5
OKC	-0.05	3.6/3.5	4.5/4.0	4.9/4.4	5.1/4.5	5.1/6.0	6.3/6.6	7.8/7.1	8.4/9.3	8.8/9.1	9.2/9.1	9.6/8.9	9.7/8.8	9.7/8.6	9.9/8.6	9.6/8.6
OMA	-0.10	3.1/2.1	3.6/3.2	3.2/2.6	3.2/2.6	3.0/4.4	4.0/2.9	5.5/4.1	5.6/7.0	6.0/6.8	5.3/6.6	6.1/6.4	6.9/6.2	6.4/6.0	7.3/5.9	7.6/5.9
ORD	-0.24	1.9/1.7	2.1/2.1	2.0/2.4	2.1/2.9	2.2/2.7	2.7/3.3	3.1/3.3	3.3/2.9	3.7/2.9	4.2/2.9	4.2/2.8	4.6/2.7	4.9/2.6	4.7/2.6	4.4/2.8
ORH	-0.04	2.3/2.3	2.4/2.5	2.3/2.5	2.6/2.8	2.8/3.6	3.2/3.2	3.4/4.3	3.6/3.8	4.2/3.9	4.8/3.9	4.7/3.8	5.0/3.9	4.6/3.9	4.7/4.0	4.6/4.1
PDT	0.20	4.3/3.2	4.4/4.6	4.6/5.1	4.5/4.4	4.1/4.8	4.0/4.6	4.1/4.1	4.6/7.0	4.8/7.2	5.3/7.4	4.9/7.6	4.6/7.9	4.9/8.1	4.8/8.3	4.5/8.6
PDX	0.28	2.1/2.4	2.5/2.1	2.6/2.5	2.8/3.0	3.0/2.9	2.8/3.3	2.7/3.5	3.2/5.8	3.3/5.9	3.1/6.1	3.6/6.2	3.2/6.4	3.1/6.5	2.9/6.6	2.9/6.6
PHL	-0.24	1.3/1.9	1.8/2.1	2.2/2.5	2.4/2.0	2.4/2.4	2.8/2.6	3.2/3.8	4.2/3.8	4.8/3.7	5.0/3.6	5.3/3.5	5.8/3.4	5.9/3.4	5.9/3.4	5.7/3.4
PHX	-0.12	2.2/1.6	2.4/1.8	2.2/2.1	2.5/2.4	3.1/2.6	3.6/3.6	4.1/4.1	4.5/4.8	4.4/4.8	5.0/4.8	5.7/4.9	5.8/5.0	6.1/5.0	6.0/5.0	5.9/5.0
PIR	-0.03	6.3/3.9	6.9/4.8	6.4/4.6	5.3/5.4	5.1/5.6	5.7/6.6	6.2/7.4	6.8/9.1	6.2/8.8	7.4/8.6	8.2/8.3	7.8/8.1	7.8/7.9	8.0/7.8	8.1/7.5
PIT	-0.06	2.3/2.4	2.5/2.0	2.3/1.9	2.2/2.6	2.5/2.8	3.0/3.2	2.9/4.0	3.9/5.0	4.5/4.9	4.9/4.7	5.3/4.6	5.7/4.5	6.2/4.4	6.1/4.4	5.5/4.4
PVD	-0.08	2.6/2.1	2.6/3.0	2.4/2.6	3.4/2.7	3.4/3.3	3.7/3.6	3.6/4.8	4.3/3.9	4.7/4.0	5.0/4.1	4.6/4.1	4.7/4.1	4.4/4.1	4.7/4.1	4.6/4.2
PWM	0.36	2.1/3.9	2.5/3.9	2.3/3.6	2.8/4.3	2.9/4.6	3.4/5.2	3.6/5.4	4.2/6.2	4.5/6.4	4.7/6.5	4.5/6.6	4.5/6.8	4.2/6.9	4.3/7.0	4.0/7.1
RAL	0.35	1.5/3.2	1.4/2.8	1.3/2.9	2.2/3.5	2.7/4.4	3.0/4.6	3.3/5.5	4.4/8.0	5.0/7.9	5.2/7.9	5.7/7.8	5.9/7.7	6.2/7.6	6.6/7.6	6.6/7.5
RAP	-0.25	3.1/3.0	3.9/3.3	4.1/3.8	4.9/6.0	5.6/5.2	6.7/7.2	8.8/7.5	9.3/7.4	9.5/7.4	10.1/7.3	10.3/7.1	10.2/7.1	10.6/7.0	11.0/6.9	10.8/6.7
RBL	-0.01	2.8/2.7	3.0/2.6	2.6/2.8	3.0/3.1	3.4/3.9	3.2/2.9	3.9/3.7	4.5/4.7	4.3/4.7	4.5/4.5	4.7/4.5	4.5/4.4	4.8/4.4	4.8/4.4	4.8/4.4
RDD	0.03	2.9/2.8	3.5/2.9	3.4/3.4	3.5/3.5	4.0/4.5	3.4/3.8	4.0/4.1	4.4/5.5	4.7/5.5	5.0/5.5	5.1/5.4	5.3/5.4	5.6/5.4	5.2/5.4	5.2/5.4
RDU	-0.02	2.3/2.3	2.7/2.8	2.8/2.7	3.6/3.4	3.8/4.1	3.7/4.1	3.8/3.9	4.6/7.0	4.7/6.9	6.0/6.8	7.1/6.6	7.8/6.5	8.2/6.4	8.5/6.4	7.9/6.2
RIC	-0.31	2.9/2.4	3.4/2.2	3.4/2.6	3.7/2.9	4.1/3.3	4.3/4.8	5.1/4.7	6.3/5.8	7.0/5.6	6.9/5.6	7.4/5.5	8.0/5.4	8.4/5.5	8.4/5.4	8.1/5.3
RNO	-0.02	4.2/3.2	4.0/3.9	3.8/4.0	4.1/4.4	4.0/5.8	4.7/5.9	5.4/6.3	5.5/6.5	6.0/6.6	6.6/6.7	7.2/6.7	7.6/6.8	8.5/6.8	9.0/6.9	9.0/7.0

ROA	0.12	2.9/2.4	3.3/3.5	3.0/3.6	3.5/3.4	4.1/4.0	3.9/4.5	4.1/4.6	5.4/9.4	6.2/9.2	6.2/9.1	7.5/9.0	7.9/8.9	8.2/8.8	8.3/8.7	7.9/8.5
ROC	-0.23	1.4/1.6	1.6/2.3	2.1/2.0	2.2/2.0	2.4/2.2	2.3/2.8	2.3/2.9	3.5/2.6	3.6/2.5	3.4/2.5	4.2/2.6	4.4/2.6	4.3/2.6	4.1/2.6	3.7/2.6
SAC	0.05	1.7/1.9	2.0/2.4	2.3/2.6	2.8/2.9	3.1/3.2	3.4/3.1	3.2/3.3	3.7/3.6	3.7/3.5	3.5/3.7	3.4/3.9	3.4/4.0	3.8/4.1	3.9/4.2	3.9/4.4
SAN	0.13	1.8/2.2	1.9/2.2	1.7/2.5	1.9/2.3	2.1/2.4	2.4/2.4	2.6/3.0	3.1/4.4	3.6/4.5	3.8/4.5	4.2/4.5	4.2/4.5	4.3/4.5	4.5/4.4	4.5/4.4
SAT	-0.08	3.1/2.5	4.1/3.2	4.9/3.6	5.3/3.9	6.8/4.6	6.4/6.8	6.2/7.4	6.7/8.8	7.6/8.6	7.2/8.4	7.9/8.3	8.4/8.2	8.5/8.1	8.2/8.0	8.2/7.9
SAV	0.12	2.1/2.1	2.5/2.8	2.8/3.2	2.9/3.4	3.4/4.1	4.0/4.5	4.1/4.4	4.3/7.4	4.9/7.4	6.0/7.3	6.1/7.3	6.8/7.2	7.4/7.1	7.2/7.0	6.9/6.9
SDF	0.06	3.1/3.8	3.3/3.5	3.7/4.5	4.3/4.5	5.0/5.1	5.5/5.1	5.9/6.4	6.9/9.5	7.3/9.3	8.6/9.2	9.0/9.0	9.1/8.9	9.2/8.8	8.7/8.6	9.1/8.5
SEA	0.14	2.9/2.1	2.6/2.6	2.3/2.9	2.6/3.3	2.8/3.0	3.1/3.5	3.0/3.5	3.5/5.1	4.3/5.2	5.3/5.2	4.4/5.3	4.4/5.4	4.1/5.6	4.3/5.7	4.1/5.9
SFO	-0.27	1.9/1.5	2.1/1.6	2.5/1.5	2.5/1.9	2.8/2.1	3.0/2.2	2.9/2.2	3.0/2.5	3.0/2.5	2.9/2.5	3.0/2.5	2.9/2.5	3.3/2.6	3.4/2.6	3.2/2.7
SJC	-0.41	3.3/2.2	3.7/2.3	4.1/2.1	4.4/2.6	4.8/2.7	4.7/2.8	4.7/3.0	4.4/3.4	3.6/3.4	3.5/3.4	3.9/3.5	3.8/3.5	4.2/3.4	4.5/3.3	4.4/3.3
SJT	-0.32	3.9/5.0	4.9/3.3	5.9/4.0	7.3/4.9	7.9/4.5	7.8/6.6	8.9/6.9	10.8/8.6	10.6/8.5	10.7/8.4	11.3/8.2	11.2/8.3	10.6/8.2	10.1/8.1	10.6/8.0
SLC	0.12	2.5/4.3	3.2/4.2	3.6/5.1	3.6/6.1	4.1/6.5	4.2/6.3	4.3/5.7	4.9/5.1	5.3/5.2	5.5/5.3	6.0/5.5	6.4/5.6	6.1/5.7	6.2/5.9	6.3/6.0
SSI	0.00	3.4/2.5	3.3/3.3	3.4/3.4	3.3/3.5	3.6/3.1	3.8/4.8	4.4/4.3	4.6/6.7	5.2/6.6	5.8/6.6	5.9/6.5	6.6/6.4	7.2/6.3	7.2/6.3	6.7/6.2
STL	-0.25	2.1/2.4	2.4/2.0	2.8/3.1	3.2/3.7	3.5/3.1	4.4/3.8	4.6/4.2	6.1/5.6	6.8/5.5	7.5/5.2	7.6/5.1	7.7/4.9	7.5/4.8	7.2/4.7	6.7/4.6
SYR	-0.04	1.3/3.4	1.7/2.7	1.9/3.2	2.1/2.8	2.4/2.8	2.5/2.9	2.4/3.1	3.5/3.2	3.7/3.3	4.0/3.3	4.6/3.2	5.2/3.3	4.9/3.4	5.0/3.4	4.6/3.4
TLH	0.00	3.2/2.6	3.7/3.5	4.0/3.4	3.9/4.3	4.3/3.6	4.9/4.7	5.6/5.3	5.7/8.6	6.7/8.5	7.5/8.4	8.0/8.3	8.0/8.2	8.2/8.1	8.1/8.0	7.9/7.9
TPA	0.15	2.1/2.4	3.2/2.6	3.3/2.9	3.6/3.5	3.6/4.2	4.3/5.1	4.6/5.7	4.7/9.2	5.1/9.2	6.5/9.1	7.2/9.1	7.5/9.0	7.6/8.9	7.9/8.9	7.3/8.8
TRM	0.03	1.9/2.0	2.4/2.0	2.5/2.5	2.8/1.9	3.1/2.9	3.0/3.6	3.5/4.0	3.2/5.2	3.6/5.2	4.1/5.1	4.5/5.0	4.8/4.9	5.0/4.9	5.5/4.9	4.8/4.8
TUL	-0.11	2.1/2.4	2.2/3.0	3.3/4.1	3.8/4.2	3.7/4.1	4.7/5.0	6.6/5.1	7.7/7.1	8.4/6.8	8.5/6.6	8.5/6.5	8.3/6.3	8.4/6.1	8.2/6.0	7.9/5.9
TUS	-0.02	2.2/1.4	2.5/1.8	2.1/2.1	1.9/2.5	2.7/3.0	2.9/3.5	3.8/4.3	4.0/5.5	4.5/5.5	5.3/5.4	5.7/5.4	5.5/5.4	5.9/5.3	6.1/5.3	6.2/5.2
TYR	-0.04	3.3/2.7	3.7/3.7	4.4/4.3	5.1/5.0	5.9/4.6	6.4/6.4	8.0/6.6	8.9/11.4	10.2/11.3	10.5/11.1	10.7/11.0	11.3/10.8	11.0/10.7	10.8/10.5	11.1/10.4
TYS	0.12	2.9/3.7	3.6/5.0	4.2/5.0	4.4/5.3	4.6/5.4	4.8/5.3	5.4/6.5	6.5/9.6	7.2/9.5	8.4/9.4	8.7/9.2	8.8/9.1	9.4/8.9	9.4/8.8	8.8/8.6
VCT	-0.14	2.9/2.4	3.3/3.6	4.0/3.4	4.6/3.9	5.9/3.9	5.8/5.6	6.7/5.9	6.9/7.2	8.2/7.1	7.8/7.0	8.0/6.9	8.2/7.0	8.1/7.0	7.7/6.8	7.6/6.7
WJF	0.10	2.1/1.8	1.9/1.8	1.6/2.3	1.5/2.0	1.9/2.7	2.2/3.2	2.7/3.9	3.0/4.7	3.3/4.6	3.6/4.5	4.3/4.5	4.9/4.5	5.2/4.5	5.8/4.6	5.5/4.5
YKM	0.27	2.1/2.3	2.8/2.3	2.9/2.2	2.3/2.4	2.4/2.4	2.7/2.4	3.3/2.9	3.4/7.0	3.2/7.3	3.6/7.5	3.2/7.8	2.9/8.1	3.0/8.3	2.9/8.6	3.1/8.9
YNG	-0.07	3.2/2.8	4.0/3.0	4.1/3.1	3.7/3.8	3.3/3.5	3.4/4.6	3.6/4.6	3.8/4.2	4.2/4.1	3.9/4.2	4.2/4.1	4.7/4.0	5.1/4.0	5.1/4.0	4.8/4.0

Bias (2010-02-01~2010-02-28)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ABE	1.10	0.3/-0.6	0.5/-0.6	0.6/-0.4	0.9/-0.5	0.9/-0.7	0.5/-0.5	0.4/-0.6	0.0/0.9	0.6/0.7	1.7/0.5	1.5/0.4	2.1/0.2	2.2/0.1	2.2/-0.1	2.1/-0.2
ABI	3.04	-0.2/1.1	-0.4/1.6	-0.3/2.0	0.9/2.0	1.1/3.2	1.4/3.5	2.0/3.7	2.6/8.2	4.6/8.0	4.3/7.8	5.3/7.6	5.4/7.3	5.9/7.1	6.3/6.9	6.6/6.7
ABQ	0.49	0.1/-0.9	0.6/-0.9	1.2/0.3	1.4/-0.2	1.5/-0.5	1.2/1.0	1.0/-0.5	1.5/3.3	1.4/3.1	0.3/2.8	-0.3/2.5	-0.2/2.2	-0.4/2.0	-0.8/1.8	-1.1/1.5
ABY	1.06	-0.5/-0.3	-0.7/0.2	-0.2/2.1	-0.6/3.3	-0.1/1.2	0.7/2.5	1.0/2.4	0.7/6.5	1.7/6.3	2.0/6.1	2.0/5.9	1.7/5.8	2.0/5.6	2.9/5.4	3.1/5.2
ACT	3.01	-1.3/0.6	-1.5/0.7	-1.7/0.2	0.1/0.7	0.1/0.6	1.0/1.8	2.4/2.9	2.9/7.5	5.3/7.3	5.4/7.0	6.0/6.8	6.1/6.6	6.5/6.4	6.8/6.2	7.1/6.0
ACY	1.86	0.1/-0.6	0.2/0.6	0.5/0.1	0.9/-0.4	0.9/-0.1	0.9/-1.3	0.9/-0.7	0.9/3.9	1.7/3.8	2.9/3.6	2.9/3.5	3.3/3.4	3.7/3.3	4.0/3.2	4.1/3.1
ALB	1.80	1.0/1.4	1.5/1.1	1.6/0.7	1.7/0.2	1.5/-0.8	1.3/-1.6	1.5/-1.2	1.7/-0.4	1.8/-0.6	1.9/-0.8	1.8/-0.9	2.5/-1.0	2.5/-1.2	2.6/-1.3	2.2/-1.4
ALW	2.53	-0.4/-0.8	-0.3/-1.9	-0.6/-2.5	-0.4/-1.6	0.4/-2.9	1.7/-3.2	2.1/-2.9	2.8/-5.6	3.9/-5.8	5.2/-6.1	5.7/-6.3	4.9/-6.6	4.6/-6.8	4.5/-7.0	3.6/-7.2
AOO	1.53	0.0/-0.4	0.1/-0.2	-0.0/-0.2	0.2/-0.4	0.8/-1.5	0.9/-1.3	0.7/-0.8	1.0/5.9	1.2/5.8	2.4/5.6	2.5/5.4	3.0/5.2	3.5/5.0	3.5/4.9	3.2/4.8
APN	0.68	-0.1/-1.0	0.1/-1.0	0.7/-2.5	0.9/-2.2	1.0/-2.4	1.2/-1.9	0.7/-1.4	-0.4/-2.4	-0.3/-2.5	1.8/-2.6	0.4/-2.8	1.1/-2.9	1.4/-3.0	0.9/-3.1	0.7/-3.1
ATL	0.86	-0.3/0.5	0.4/1.4	0.8/2.4	0.4/1.0	0.4/1.4	1.2/2.1	1.0/3.0	0.8/6.7	1.4/6.5	1.3/6.2	0.4/6.0	0.6/5.8	1.1/5.6	1.7/5.5	1.8/5.3
AUG	0.58	0.2/-2.4	0.4/-2.9	0.3/-1.9	0.8/-2.8	1.2/-4.4	1.2/-4.1	1.0/-3.2	0.6/-4.1	0.3/-4.3	0.1/-4.5	0.3/-4.7	0.7/-4.9	0.6/-5.0	0.4/-5.2	0.6/-5.3
AUS	2.61	-0.2/0.2	-0.1/1.5	0.4/1.1	1.8/-0.8	1.4/1.0	1.6/1.1	2.6/1.4	2.9/8.1	3.7/7.9	3.9/7.7	3.6/7.5	4.1/7.3	4.4/7.1	4.6/6.9	4.7/6.6
AVP	0.77	0.4/0.2	0.9/0.5	0.7/0.2	0.8/-0.7	0.1/-0.7	-0.1/-0.9	-0.5/-0.2	-0.4/2.8	0.4/2.6	1.2/2.5	1.2/2.4	1.5/2.2	1.8/2.1	1.9/2.0	1.6/1.9
BDL	0.76	0.1/1.1	0.1/-0.6	0.4/0.2	0.9/-1.0	0.5/-1.7	-0.1/-2.4	0.0/-1.5	-0.6/-1.1	0.0/-1.2	1.0/-1.4	1.6/-1.6	2.0/-1.8	2.0/-1.9	1.8/-2.0	1.6/-2.2
BFL	-0.10	-0.3/1.1	-0.2/1.6	-0.5/0.6	-0.1/0.3	-0.1/0.1	0.3/0.6	0.7/-0.3	1.0/-0.6	0.8/-0.9	0.6/-1.1	0.7/-1.4	-0.3/-1.7	-0.9/-2.0	-1.3/-2.2	-1.7/-2.5
BGM	1.15	0.4/1.0	1.0/0.5	1.1/0.4	1.4/-0.1	1.4/-0.6	1.0/-1.6	0.4/-0.3	-0.0/0.4	-1.0/1.3	1.0/1.0	1.6/0.0	2.2/0.1	2.2/0.2	2.2/0.3	1.5/-0.4
BHM	0.66	-0.4/0.4	-0.5/0.5	-0.1/1.4	-0.5/1.4	0.0/1.4	-0.1/2.5	0.4/1.0	0.5/6.6	1.1/6.3	1.4/6.1	1.1/5.9	1.2/5.6	1.5/5.4	2.1/5.2	2.0/5.0
BIS	2.27	0.5/4.3	0.6/3.7	0.3/3.8	0.8/1.8	1.5/2.3	2.5/4.5	2.4/3.3	2.6/3.9	4.1/3.6	5.1/3.3	4.0/3.0	3.4/2.7	2.5/2.3	2.1/2.0	1.7/1.7
BNA	1.25	0.1/1.6	0.4/1.4	0.1/1.7	-0.4/0.9	-0.4/1.0	-0.4/1.2	-0.3/1.8	0.5/7.0	0.3/6.8	2.6/6.5	2.8/6.3	2.5/6.1	3.4/5.8	3.9/5.6	3.9/5.4
BOI	4.36	0.4/-0.9	0.6/-1.6	1.3/-1.3	2.4/-1.4	3.2/-1.2	4.2/-1.1	5.2/-2.1	6.3/-4.6	6.8/-5.0	7.1/-5.2	6.7/-5.6	6.1/-5.9	5.8/-6.2	4.9/-6.5	4.4/-6.8
BOS	0.27	0.2/0.7	0.3/-1.8	0.4/-0.9	0.7/-1.7	0.2/-2.6	0.2/-2.1	0.0/-2.3	-0.7/-1.1	-0.4/-1.2	0.2/-1.4	0.5/-1.5	0.7/-1.6	0.9/-1.7	0.6/-1.8	0.3/-1.9
BRO	2.75	0.2/-0.8	0.5/-0.7	0.3/0.1	1.2/-0.6	2.1/0.1	2.8/1.5	3.3/1.0	3.4/2.5	3.8/2.3	3.7/2.2	4.1/2.0	4.0/1.9	3.7/1.8	4.2/1.6	4.0/1.5
BTV	0.97	0.1/-0.0	0.1/-0.3	0.2/-0.0	0.2/-1.0	-0.1/-2.3	-0.4/-3.3	-0.1/-1.8	-0.2/-3.9	0.0/-4.1	0.5/-4.2	1.8/-4.4	2.7/-4.5	3.1/-4.6	3.4/-4.7	3.1/-4.8
BUF	1.49	0.6/1.7	1.0/1.4	1.3/1.7	1.3/1.1	1.3/0.6	1.3/0.8	0.4/0.7	-0.4/2.7	-0.3/2.6	1.5/2.4	2.4/2.3	2.9/2.2	3.2/2.1	3.1/2.0	2.6/2.0
BUR	0.06	-0.1/-2.3	0.0/-2.4	0.1/-2.1	0.1/-2.2	-0.6/-0.5	-0.3/-1.6	-0.1/-1.6	-0.2/3.0	-0.4/2.9	0.5/2.9	0.7/2.8	0.4/2.7	0.2/2.6	0.3/2.6	0.4/2.5
BWI	2.43	-0.1/0.7	0.2/0.8	0.5/1.2	0.9/2.2	1.5/0.8	1.8/0.4	1.6/1.2	1.9/5.5	2.6/5.3	3.8/5.1	3.9/5.0	4.2/4.8	4.4/4.7	4.7/4.5	4.5/4.4
CAE	1.09	0.6/1.4	0.8/1.5	1.0/1.9	1.9/2.2	1.8/2.2	0.9/2.5	-0.0/1.7	0.8/1.1	0.1/5.9	0.6/5.7	0.5/5.5	1.0/5.4	2.0/5.2	2.0/5.0	2.5/4.9
CHA	1.12	-0.3/2.2	0.2/3.0	0.4/3.1	-0.3/2.8	-0.4/2.0	-0.3/2.8	-0.2/2.6	0.5/6.8	1.1/6.6	2.2/6.4	2.3/6.1	2.2/5.9	2.7/5.7	3.3/5.5	3.3/5.4
CLE	-0.83	-0.6/-2.2	-0.6/-2.9	-1.1/-3.5	-0.9/-2.9	-1.4/-3.4	-1.8/-3.4	-2.7/-2.3	-3.2/0.6	-3.0/0.4	-0.6/0.2	-0.0/0.1	0.6/-0.1	1.1/-0.2	0.7/-0.4	1.0/-0.5
CLT	0.68	0.5/-0.3	0.7/0.5	0.6/1.0	1.7/0.7	0.9/1.3	0.5/1.7	-0.5/0.7	0.0/6.7	0.1/6.5	-0.2/6.3	0.7/5.5	1.4/5.7	1.7/5.5	1.8/5.3	1.8/5.3
CMH	0.21	0.3/1.6	-0.0/1.0	-0.3/0.6	-0.3/0.6	-0.3/-1.0	-0.6/0.4	-1.6/0.5	-2.0/6.2	-2.0/6.0	0.5/5.8	1.1/5.6	1.7/5.4	2.5/5.2	1.9/5.1	2.3/4.9
CON	1.08	0.2/0.6	0.3/-1.6	0.6/-1.0	0.8/-2.7	0.9/-2.8	0.9/-3.1	0.8/-2.4	0.1/-3.2	0.5/-3.4	1.1/-3.5	1.8/-3.7	2.5/-3.9	2.1/-4.1	1.9/-4.2	1.9/-4.4
COS	2.74	0.6/-1.1	0.6/-0.5	1.2/1.1	1.7/0.9	1.9/2.7	2.5/1.9	2.8/4.1	3.1/6.4	3.8/6.2	3.2/6.1	3.3/6.0	3.7/5.8	3.9/5.7	4.4/5.5	4.3/5.4
COU	1.72	-0.8/0.9	-0.7/0.2	-0.7/-0.3	-0.4/-1.1	-0.0/-1.0	0.2/0.4	0.9/1.1	0.7/6.5	3.0/6.2	2.6/5.9	3.5/5.6	4.1/5.3	4.1/5.0	4.3/4.8	4.8/4.5
CQT	-0.44	-0.5/-2.9	-0.5/-3.8	-0.7/-4.1	-0.9/-3.4	-1.3/-2.6	-0.9/-3.1	-0.3/-2.6	-0.4/0.8	-0.4/0.7	-0.1/0.6	-0.2/0.6	-0.4/0.5	-0.2/0.4	0.1/0.4	0.1/0.3
CRP	2.31	-0.1/1.3	-0.2/1.6	-0.2/1.5	0.9/1.1	0.9/2.4	1.6/3.6	2.3/3.3	2.4/6.3	3.8/6.1	3.8/5.9	4.0/5.8	3.7/5.6	4.0/5.5	4.0/5.3	3.9/5.2
CRW	1.76	0.1/2.0	0.0/0.9	-0.6/-0.4	-0.6/0.8	-0.5/0.2	-0.3/0.3	-0.1/1.7	0.7/9.3	1.4/9.1	3.0/8.9	3.8/8.8	4.1/8.5	4.7/8.4	5.2/8.2	5.4/8.0
CVG	1.11	0.4/1.9	0.4/0.9	0.2/0.6	0.3/0.1	0.5/0.6	0.4/0.7	0.0/1.6	-0.6/7.0	-0.8/6.8	1.4/6.5	2.0/6.3	2.6/6.1	3.4/5.9	2.9/5.7	3.5/5.5
DAY	-0.53	0.5/1.6	-0.2/0.1	-0.5/-0.2	-0.7/-0.7	-0.9/-0.7	-1.3/-0.4	-2.1/0.9	-2.6/4.8	-3.1/4.6	-0.9/4.4	-0.2/4.2	0.6/4.0	1.3/3.7	0.7/3.6	1.5/3.4
DBQ	-0.49	-0.3/-0.8	-0.5/-2.4	-0.6/-2.6	-1.5/-3.4	-2.0/-3.6	-2.7/-3.7	-1.2/-3.2	-1.4/-0.6	-0.4/-0.9	-0.4/-1.2	0.5/-1.4	0.7/-1.6	0.8/-1.9	0.8/-2.1	0.8/-2.3
DCA	1.93	-0.1/-0.1	0.1/0.6	0.3/-0.3	0.6/0.5	1.5/-0.2	1.6/-0.4	1.1/-0.7	1.3/4.8	1.5/4.6	2.8/4.4	3.4/4.2	3.5/4.0	3.6/3.8	4.0/3.6	3.7/3.5
DEC	-1.05	-0.8/1.6	-1.0/0.8	-1.1/-0.3	-1.6/-1.4	-2.1/0.1	-2.6/-0.2	-3.4/0.5	-3.6/5.8	-2.8/5.5	-0.7/5.3	-0.0/5.0	0.7/4.7	1.0/4.5	0.8/4.2	1.4/4.0
DEN	3.40	1.3/-1.4	1.8/-0.7	2.3/-0.3	2.7/0.5	3.0/1.4	3.4/2.4	3.7/3.0	3.7/5.7	3.9/5.6	3.6/5.4	3.2/5.2	3.8/5.0	4.5/4.9	5.0/4.7	5.2/4.6
DFW	3.83	-0.9/1.5	-0.5/2.1	0.4/2.0	1.7/3.1	1.3/3.5	2.7/3.3	3.4/3.9	3.8/8.9	5.3/8.6	6.0/8.3	6.0/8.1	6.6/7.8	6.8/7.6	7.4/7.3	7.6/7.1
DLH	-0.84	-0.8/-3.9	-1.0/-5.8	-1.4/-5.7	-1.4/-5.9	-1.6/-8.5	-1.4/-8.2	-1.4/-6.8	-1.5/-6.3	-1.4/-6.6	-0.8/-6.9	-0.8/-7.2	-0.0/-7.4	0.3/-7.7	0.5/-8.0	0.1/-8.3
DSM	-1.29	-1.1/-0.8	-1.2/-1.9	-1.5/-2.3	-2.1/-2.6	-2.3/-2.1	-2.8/-2.8	-2.8/-1.4	-3.3/3.5	-2.4/3.1	-0.6/2.8	-0.2/2.5	0.2/2.3	0.4/2.0	0.1/1.8	0.4/1.5
DTW	-0.59	-0.4/-0.5	-0.4/-0.4	-0.4/-0.8	-0.3/-1.4	-0.4/-1.8	-0.7/-1.7	-1.3/-1.1	-2.0/-0.1	-2.0/-0.3	-0.4/-0.5	-0.4/-0.6	0.1/-0.8	0.2/-0.9	-0.2/-1.0	-0.1/-1.1
ELP	0.28	0.1/-1.5	0.2/0.5	0.5/0.3	1.0/0.4	0.9/-1.1	0.7/0.0	0.5/-0.2	0.6/1.9	0.2/1.6	-0.6/1.4	-0.0/1.1	0.1/0.9	0.2/0.6	0.2/0.4	-0.4/0.1
ERI	0.98	0.5/0.5	1.0/0.1	0.8/0.0	0.6/0.1	0.1/-0.2	-0.3/-0.3	-1.0/0.4	-1.7/4.1	-1.9/4.0	0.9/3.9	2.7/3.8	3.2/3.7	3.5/3.6	3.3/3.5	2.9/3.4
EUG	0.73	-0.6/-0.1	-0.4/-1.8	-0.4/-2.1	-0.2/-2.1	-0.2/-1.2	0.5/-1.5	0.7/-1.0	1.2/-4.3	1.8/-4.5	1.8/-4.7	1.9/-4.8	1.8/-5.0	1.4/-5.1	1.0/-5.2	0.6/-5.4
EVV	1.11	-0.5/1.0	-0.6/0.2	-0.8/0.6	-0.9/-0.6	-0.9/-0.6	-1.1/-0.3	-0.7/0.8	-0.3/5.8	0.8/5.5	2.0/5.2	3.3/5.0	3.6/4.7	4.0/4.5	4.1/4.2	4.6/4.0
EWR	2.15	0.7/-0.1	0.9/-0.6	1.2/1.1	1.4/-1.1	1.3/-0.9	1.4/-1.1	1.6/-0.6	1.4/0.3	2.0/0.2	3.2/0.0	3.1/-0.1	3.6/-0.2	3.6/-0.4	3.6/-0.5	3.3/-0.6
FAR	-0.70	-0.7/0.8	-1.3/-0.1	-0.4/-1.9	-0.4/-3.9	-0.7/-5.2	-1.0/-4.3	-1.2/-3.4	-2.4/-2.5	-2.6/-2.8	-0.6/-3.1	0.4/-3.3	0.8/-3.7	0.4/-4.0	0.1/-4.2	-1.0/-4.6
FAT	0.15	0.8/0.8	0.9/1.0	0.5/0.5	0.6/0.2	0.4/0.5	0.5/0.9	0.1/1.2	0.6/-0.2	0.5/-0.5	0.1/-0.8	0.2/-1.1	-0.5/-1.4	-0.9/-1.7	-1.1/-2.0	-1.0/-2.3
FLG	1.00	-0.0/0.6	0.2/1.1	0.7/1.3	0.8/0.6	1.0/0.6	1.4/0.4	1.5/0.2	1.6/3.7	1.4/3.6	1.6/3.5	1.4/3.4	1.0/3.2	0.8/3.1	0.7/3.0	0.9/2.9
FMY	1.08	0.0/-0.4	0.0/1.9	0.1/1.4	-0.2/1.0	0.1/1.8	0.4/2.4	0.7/2.8	0.8/7.0	1.2/7.0	1.8/6.9	2.4/6.8	2.1/6.8	2.3/6.6	2.3/6.6	2.4/6.6
FSD	-0.20	0.5/-0.1	-0.0/-2.0	0.2/-2.8	0.3/-3.6	-0.1/-2.7	-0.4/-1.4	-1.0/0.7	-1.4/3.7	-0.5/3.4	0.6/3.2	0.2/2.8	0.3/2.6	0.4/2.4	-0.9/2.1	-1.1/1.8
FWA	-0.40	-0.1/-0.1	-0.3/-1.2	-0.3/-0.8	-0.2/-1.8	-0.3/-1.8	-0.8/-2.1	-1.9/-1.7	-2.5/1.7	-2.8/1.5	-0.2/1.2	-0.1/1.0	0.7/0.9	1.0/0.7	0.7/0.5	1.1/0.4

GAD	5.08	1.8/4.7	2.6/5.7	3.1/5.2	3.6/5.0	4.3/5.1	4.7/5.4	5.1/5.1	5.4/10.2	6.5/10.0	6.6/9.8	6.4/9.6	6.2/9.3	6.4/9.1	6.9/8.9	6.6/8.7
GEG	2.37	-0.4/0.1	-0.2/-0.9	0.1/-0.7	0.3/-1.6	1.3/-1.7	1.9/-1.5	2.4/-2.4	3.1/-6.9	4.0/-7.1	5.6/-7.4	4.6/-7.7	3.7/-8.0	3.5/-8.2	3.0/-8.5	2.5/-8.7
GTF	1.62	0.3/-0.5	-0.4/-0.6	-0.6/0.8	-0.7/-0.6	-0.6/-0.2	-1.1/0.1	0.8/-0.1	1.5/-0.6	2.7/-0.7	3.9/-1.0	3.0/-1.3	3.6/-1.5	3.6/-1.7	4.3/-1.9	4.1/-2.2
HOU	1.93	-0.8/-0.2	-0.9/0.2	-0.6/0.6	0.1/1.4	0.3/1.0	1.7/1.6	2.2/2.5	2.3/7.8	3.1/7.6	3.3/7.5	2.9/7.3	3.3/7.1	3.8/7.0	4.0/6.8	4.3/6.7
HSV	1.29	-0.1/0.0	0.1/0.2	0.5/1.2	-0.1/0.5	-0.1/0.0	-0.0/0.6	0.3/0.7	0.9/5.7	1.4/5.5	2.4/5.2	2.1/5.0	2.3/4.7	2.8/4.5	3.3/4.3	3.4/4.1
IAH	2.27	-0.6/0.4	-0.7/0.3	-0.5/1.7	0.2/1.2	1.0/-0.4	1.9/1.4	2.7/2.6	2.8/7.5	3.5/7.3	3.9/7.1	3.2/6.9	3.6/6.8	4.1/6.6	4.3/6.4	4.6/6.2
ICT	1.84	-1.4/-0.2	-0.7/-1.3	0.6/-1.9	0.8/-2.0	1.0/-1.3	1.6/-0.6	1.6/0.4	1.5/4.6	2.1/4.3	2.8/4.0	3.5/3.7	3.7/3.4	3.5/3.1	3.8/2.9	3.4/2.6
ILG	0.89	-0.2/0.0	-0.3/-0.1	-0.4/0.1	-0.3/-0.7	-0.1/0.2	-0.1/-0.0	-0.5/-0.4	-0.8/4.0	-0.5/3.8	0.7/3.6	2.4/3.5	2.8/3.3	3.2/3.2	3.8/3.0	3.6/2.9
IND	1.36	0.5/2.6	0.5/1.2	0.7/0.7	1.1/0.5	1.2/0.5	0.9/1.2	0.5/1.5	-0.2/5.6	-0.2/5.4	1.6/5.1	1.9/4.8	2.8/4.6	3.2/4.4	2.8/4.1	3.2/3.9
IPT	0.43	0.1/-1.1	0.4/-1.3	0.2/-1.4	0.1/-2.3	0.1/-2.8	-0.1/-3.1	-0.5/-1.8	-0.8/-1.6	-0.6/-1.8	1.1/-2.0	0.9/-2.1	1.3/-2.3	1.5/-2.5	1.6/-2.6	1.2/-2.8
JAN	2.67	-0.0/0.8	0.3/0.6	0.6/1.9	1.0/2.4	1.9/2.4	2.4/2.4	2.8/2.9	3.4/7.4	3.8/7.1	4.2/6.9	3.1/6.7	3.5/6.5	3.9/6.2	4.6/6.0	4.6/5.9
JAX	0.48	-0.1/-1.6	-0.5/-0.9	-0.4/1.9	-0.3/2.5	-0.0/2.0	0.1/2.3	0.1/3.1	-0.4/6.2	0.4/6.1	0.7/6.0	1.2/5.8	0.9/5.7	1.2/5.5	2.0/5.4	2.2/5.3
JFK	1.32	-0.0/0.7	0.4/0.5	0.6/0.1	0.8/0.2	0.5/-0.1	0.3/-0.3	0.5/-0.6	0.3/1.8	1.0/1.6	2.1/1.5	2.2/1.4	2.5/1.2	2.9/1.1	2.9/1.0	2.8/0.9
LAN	-0.74	-0.5/0.2	-0.5/-0.4	-0.5/-0.5	-0.6/-1.2	-0.6/-0.9	-0.8/-1.2	-1.1/-1.6	-1.8/-0.2	-1.8/-0.4	-0.4/-0.5	-0.8/-0.7	-0.4/-0.9	-0.4/-1.0	-0.5/-1.1	-0.4/-1.2
LAS	-0.49	-0.1/1.5	-0.2/1.9	-0.6/1.6	-0.4/1.2	-0.6/1.4	-0.8/1.1	-0.6/1.1	-1.0/0.6	-1.0/0.4	-0.7/0.2	-0.2/0.0	0.1/-0.2	-0.4/-0.5	-0.4/-0.7	-0.6/-0.9
LAX	-0.58	-0.3/-1.9	-0.3/-3.0	-0.5/-3.2	-0.5/-3.0	-0.6/-2.7	-0.7/-2.0	-0.7/-1.1	-1.0/1.2	-0.9/1.2	-0.8/1.2	-0.6/1.2	-0.7/1.2	-0.5/1.2	-0.4/1.2	-0.1/1.2
LEX	1.57	-0.1/1.6	-0.1/1.5	-0.4/-0.2	-0.9/0.5	-0.5/0.3	-0.3/0.6	-0.3/1.3	0.3/7.5	1.1/7.2	2.6/7.0	3.8/6.8	3.9/6.5	4.6/6.3	4.5/6.1	5.2/5.9
LFK	3.26	-0.4/-0.9	-0.4/0.1	-1.3/0.9	0.3/0.0	1.4/0.3	2.3/-0.6	3.5/1.2	3.5/6.9	5.2/6.7	4.9/6.2	4.9/6.2	5.7/6.0	5.7/5.8	6.1/5.5	6.3/5.3
LGA	2.27	0.9/0.5	1.1/0.1	1.5/0.6	1.6/0.3	1.5/-0.3	1.4/-0.6	1.4/1.8	1.9/1.6	3.3/1.5	3.2/1.3	3.7/1.2	3.7/1.0	3.7/1.0	3.7/0.9	3.5/0.8
LGB	0.92	0.0/-1.4	0.1/-1.8	0.0/-1.8	0.1/-2.4	-0.1/-1.9	0.3/-1.3	0.6/-1.4	0.8/3.0	0.6/3.0	1.9/3.0	2.2/3.0	1.8/3.0	1.8/2.9	1.8/2.9	1.9/2.9
LIT	2.39	-0.4/0.8	-0.1/0.6	0.2/1.1	0.9/0.6	1.0/0.6	1.6/1.4	1.9/2.3	2.3/6.9	2.6/6.6	3.4/6.4	3.4/6.1	4.0/5.8	4.4/5.6	5.3/3.5	5.3/5.1
LNS	2.39	0.5/-0.5	0.8/-1.1	0.9/-0.5	1.3/-1.1	1.7/-0.8	1.8/-1.0	1.7/0.0	1.7/-4.7	2.4/-4.9	3.7/-5.1	3.4/-5.2	4.0/-5.4	4.0/-5.5	4.1/-5.7	3.8/-5.8
MAF	1.49	0.2/-1.5	0.1/-1.1	-0.0/2.2	0.3/-2.5	-0.1/-0.6	-0.1/0.1	0.7/-1.0	0.6/5.5	1.9/5.2	1.3/5.0	2.6/4.8	2.7/4.5	3.7/4.2	4.3/4.0	4.1/3.8
MBA	0.88	0.1/0.2	0.2/-0.8	0.4/-1.6	0.7/-2.9	0.4/-3.2	0.4/-2.7	0.0/-3.1	-0.6/-1.7	-0.1/-1.9	1.0/-2.0	2.1/-2.1	2.5/-2.3	2.4/-2.4	2.0/-2.5	1.7/-2.6
MCI	2.31	-0.2/-0.1	0.1/-0.6	1.0/-0.9	0.9/0.8	1.1/-1.0	1.2/-0.5	2.0/1.6	2.2/5.5	3.1/5.1	2.8/4.9	3.6/4.6	4.5/4.3	4.3/4.0	4.3/3.8	4.3/3.5
MCN	0.60	-0.2/1.7	-0.0/2.0	0.5/3.3	0.9/3.7	0.3/4.1	0.5/3.9	0.3/3.4	-0.0/6.1	0.2/6.0	0.5/5.8	0.2/5.6	0.5/5.4	1.4/5.3	1.7/5.1	2.2/5.0
MCO	1.83	0.4/1.0	0.6/1.4	0.5/1.8	0.4/3.2	0.6/3.9	0.9/4.6	1.5/5.7	1.5/8.9	2.0/8.8	3.2/8.7	3.3/8.6	2.8/8.5	2.8/8.5	3.5/8.4	3.5/8.3
MDT	2.15	0.1/-0.2	0.5/-0.4	0.3/-0.4	0.6/-0.9	1.1/-0.8	1.4/-1.0	1.2/0.1	1.4/3.3	2.3/3.1	3.3/3.0	3.4/2.8	3.8/2.6	4.2/2.5	4.4/2.3	4.3/2.2
MEM	1.83	-0.2/2.2	0.3/2.0	0.6/2.7	0.6/1.7	-0.0/1.4	0.5/2.4	1.2/2.8	1.3/7.1	1.8/6.9	2.9/6.6	2.7/6.4	3.3/6.2	3.9/5.9	4.3/5.7	4.3/5.5
MHT	1.35	-0.0/1.4	0.2/0.8	0.5/-0.5	0.8/-2.0	0.8/-2.8	0.9/-2.4	1.0/-1.2	0.4/-2.5	0.9/-2.7	1.7/-2.9	2.5/-3.0	2.9/-3.2	2.7/-3.3	2.5/-3.5	2.4/-3.6
MIA	0.55	-0.0/0.1	-0.0/0.2	-0.2/0.5	-0.3/1.5	-0.1/2.2	0.1/3.2	0.5/3.4	0.8/4.3	0.9/4.3	1.6/4.2	1.5/4.2	1.1/4.2	0.8/4.1	1.0/4.1	0.7/4.0
MKE	-1.13	-0.3/-1.6	-0.5/-3.1	-0.5/-4.0	-0.6/-5.0	-0.5/-3.7	-0.8/-4.2	-1.3/-3.2	-1.8/-1.6	-2.5/-1.8	-1.6/-2.0	-1.5/-2.2	-1.1/-2.4	-1.3/-2.6	-1.2/-2.8	-1.3/-3.0
MOB	2.01	-0.4/-0.9	-0.5/-0.3	-0.2/1.1	0.0/2.3	1.0/2.0	1.2/2.9	1.9/2.9	2.5/6.4	3.4/6.2	3.8/6.1	2.9/5.9	2.9/5.8	3.5/5.6	4.3/5.5	3.9/5.4
MSP	-0.27	0.1/-3.2	0.1/-3.2	0.2/-4.4	0.0/-5.5	0.1/-5.5	-0.1/-5.4	-1.0/-4.7	-1.9/-1.9	-2.6/-2.2	-1.1/-2.5	-0.2/-2.8	0.6/-3.1	0.8/-3.4	0.7/-3.6	0.2/-3.8
MSY	2.21	-0.4/-1.5	-0.3/-0.1	0.3/0.5	0.8/1.4	1.6/0.1	2.2/2.4	2.6/2.2	2.4/7.2	3.1/7.0	3.6/6.9	2.7/6.8	2.8/6.6	3.5/6.5	4.1/6.4	4.2/6.2
MWL	4.38	-1.3/2.2	-1.0/2.6	-0.3/1.6	1.2/2.1	1.2/3.1	2.4/3.5	3.7/2.8	4.4/11.9	6.8/11.6	6.8/11.4	7.7/11.2	8.0/10.9	8.3/10.7	8.7/10.5	9.0/10.3
NKX	-1.28	-0.5/-1.6	-0.8/-1.6	-1.1/-1.4	-1.7/0.6	-1.8/-0.6	-2.2/0.7	-2.4/-0.0	-2.6/0.0	-2.8/0.0	-1.7/0.0	-0.6/0.0	-0.7/0.0	-0.3/0.0	-0.1/0.0	0.2/0.0
NTU	-0.09	-0.4/-3.3	-0.4/-2.4	-0.3/-1.9	0.0/-1.5	-0.4/-2.5	-0.7/-2.4	-1.0/-2.7	-1.3/5.9	-1.1/5.8	-1.0/5.7	0.3/5.6	0.2/5.5	1.2/5.4	1.8/5.2	1.6/5.1
OAK	-1.12	-0.5/0.7	-0.6/0.2	-0.8/0.0	-0.9/0.2	-1.0/0.3	-1.0/0.9	-1.1/0.7	-1.2/1.6	-1.3/1.5	-1.4/1.3	-1.3/1.2	-1.4/1.0	-1.5/0.8	-1.4/0.6	-1.3/0.5
OKC	3.26	0.4/-0.7	0.3/-0.0	0.9/1.0	2.1/1.2	2.1/1.8	2.6/0.9	3.3/1.6	3.4/7.5	4.8/7.2	4.7/6.9	4.5/6.6	4.7/6.4	4.8/6.1	5.1/5.9	5.1/5.6
OMA	1.42	-1.4/-0.4	-1.2/-2.5	0.1/-0.9	-0.1/-0.5	0.1/-0.1	0.2/0.9	0.9/1.9	0.7/6.2	2.4/5.9	3.0/5.6	3.3/5.4	3.8/5.1	3.3/4.8	3.0/4.6	3.3/4.4
ORD	-0.70	0.2/-0.2	0.1/-1.1	-0.0/-1.1	-0.3/-2.2	-0.5/-1.8	-1.0/-2.3	-1.9/-1.5	-2.0/0.5	-1.9/0.2	-0.6/0.0	-0.5/-0.2	-0.4/-0.4	-0.8/-0.6	-0.5/-0.9	-0.3/-1.1
ORH	1.64	-0.0/0.8	0.2/-0.8	0.4/-0.5	0.9/-0.9	1.0/-1.9	0.9/-1.4	1.3/-1.3	0.6/-0.6	1.2/-0.8	2.3/-0.9	3.0/-1.0	3.5/-1.2	3.2/-1.3	3.1/-1.4	3.1/-1.5
PDT	1.40	-0.8/-2.7	-1.2/-3.7	-1.0/-4.2	-0.6/-3.3	-0.2/-3.7	1.0/-3.5	1.5/-3.1	2.3/-6.8	3.2/-7.1	4.1/-7.3	3.6/-7.6	2.8/-7.8	2.8/-8.1	2.3/-8.3	1.3/-8.6
PDX	0.46	-0.6/-1.0	-0.4/-0.5	-0.7/-1.2	-0.3/-1.1	-0.1/-1.2	0.2/-1.6	0.4/-1.3	0.8/-5.0	1.4/-5.2	1.6/-5.4	2.0/-5.6	1.2/-5.8	0.9/-6.0	0.5/-6.1	0.1/-6.3
PHL	1.70	-0.1/-0.9	0.0/-0.3	0.3/-0.0	0.6/-1.1	0.8/0.4	0.7/-0.4	0.6/0.1	0.5/2.9	1.3/2.7	2.6/2.5	2.8/2.4	3.4/2.2	3.7/2.1	4.0/1.9	4.0/1.8
PHX	1.00	0.9/0.2	0.8/0.1	1.3/0.1	1.4/-0.3	1.7/0.4	1.8/0.3	1.9/0.2	1.9/-0.4	1.4/-0.6	0.8/-0.7	1.1/-0.9	0.8/-1.0	-0.1/-1.2	-0.3/-1.4	-0.3/-1.6
PIR	5.62	2.9/3.7	3.8/4.3	4.4/3.6	4.3/2.3	4.3/2.2	4.5/4.6	5.0/6.4	5.5/8.5	5.6/8.2	7.4/7.8	8.0/7.6	7.6/7.2	7.5/6.9	7.0/6.7	6.7/6.4
PIT	0.65	0.2/0.5	0.2/-0.1	0.1/-0.2	-0.0/0.6	0.0/-1.3	-0.0/-0.6	-0.5/-0.1	-0.7/4.0	-1.0/3.8	1.3/3.6	1.5/3.4	2.0/3.3	2.5/3.1	2.2/3.0	1.9/2.8
PVD	0.40	0.4/0.5	0.1/-2.2	0.2/-0.7	0.6/-1.5	0.0/-2.3	-0.3/-2.1	-0.5/-2.3	-1.2/-1.4	-0.7/-1.5	0.4/-1.6	1.4/-1.7	1.6/-1.9	1.7/-2.0	1.4/-2.0	1.1/-2.1
PWM	0.25	0.2/-3.8	0.3/-3.3	0.5/-3.4	0.5/-4.2	0.2/-4.4	0.6/-5.1	-0.2/-4.6	-1.3/-5.4	-1.0/-5.6	0.2/-5.7	0.8/-5.9	1.1/-6.0	0.8/-6.2	0.6/-6.4	0.5/-6.5
RAL	0.77	0.4/2.9	0.4/1.7	0.1/1.5	0.1/3.1	-0.2/3.7	0.4/2.4	0.9/3.0	0.6/5.7	0.8/5.6	1.0/5.6	0.9/5.5	1.1/5.4	1.3/5.4	1.9/5.3	1.9/5.2
RAP	4.86	0.1/-0.6	1.9/1.3	3.0/1.1	3.7/0.2	4.5/0.5	4.4/4.0	4.7/4.3	5.5/5.0	5.2/4.8	5.5/4.6	6.5/4.4	6.1/4.2	6.1/4.0	7.9/3.8	7.8/3.6
RBL	-0.71	-0.2/0.8	-0.3/-0.9	-0.5/-1.0	-0.7/-0.9	-1.2/-1.4	-0.9/-0.1	-0.9/0.0	-0.8/0.8	-0.5/0.6	-0.4/0.4	-0.0/0.2	-0.6/0.0	-1.1/-0.2	-1.3/-0.4	-1.3/-0.5
RDD	-1.16	-0.3/0.4	-0.6/-0.6	-0.8/-1.2	-0.9/-0.9	-1.4/-0.9	-1.2/0.4	-1.3/0.4	-1.2/0.4	-0.8/0.2	-0.5/0.0	-0.6/-0.1	-1.4/-0.3	-2.1/-0.5	-2.2/-0.7	-2.2/-0.9
RDU	1.17	0.2/-0.5	0.7/0.6	1.0/0.5	2.0/1.1	1.6/0.6	1.0/0.1	0.2/0.5	0.5/5.8	0.4/5.5	0.2/5.4	1.2/5.2	1.4/5.0	2.0/4.7	2.5/4.7	2.5/4.5
RIC	0.78	-0.3/-1.3	-0.1/-0.2	-0.2/-0.1	0.3/-0.1	0.2/-0.6	0.3/-1.6	0.2/-1.3	-0.1/4.1	-0.1/3.9	0.8/3.6	1.6/3.5	1.7/3.3	2.2/3.1	2.6/3.0	2.7/2.8
RNO	-0.80	0.1/0.8	0.3/-0.2	0.4/0.5	0.3/-1.4	0.9/-2.3	1.1/0.9	1.6/-0.1	1.1/-0.6	1.1/-0.9	-0.7/-1.1	-2.1/-1.4	-3.0/-1.6	-3.9/-1.8	-4.7/-2.0	-4.6/-2.3

ROA	2.28	0.5/0.6	0.7/2.0	0.8/1.9	1.3/1.6	1.4/2.2	1.3/1.0	1.1/1.6	1.7/8.5	2.3/8.3	2.7/8.1	3.7/8.0	3.7/7.8	4.0/7.6	4.6/7.5	4.6/7.3
ROC	1.75	0.6/0.7	1.1/0.8	1.4/0.0	1.9/1.1	1.8/-0.1	1.7/-0.1	1.0/1.0	0.2/1.5	0.5/1.4	1.8/1.3	2.6/1.2	3.0/1.1	3.0/1.0	3.1/0.9	2.4/0.9
SAC	-1.22	-0.1/-0.2	-0.4/-1.5	-0.9/-1.3	-1.5/-1.7	-1.8/-1.8	-1.9/-0.8	-1.5/-0.8	-1.6/-1.2	-1.6/-1.5	-1.1/-1.8	-0.9/-2.0	-1.0/-2.2	-1.3/-2.5	-1.4/-2.8	-1.3/-3.0
SAN	-0.40	-0.6/-1.8	-0.8/-1.5	-0.9/-1.9	-1.0/-1.8	-1.1/-1.9	-1.0/-1.4	-0.7/-0.8	-0.7/1.4	-0.6/1.4	-0.0/1.4	0.4/1.4	0.2/1.4	0.3/1.4	0.2/1.4	0.4/1.3
SAT	1.26	-0.5/0.1	-0.1/0.3	0.1/0.4	1.7/-1.4	1.0/0.6	0.6/1.1	0.9/1.1	1.1/6.2	1.8/6.0	1.7/5.8	1.7/5.6	1.8/5.4	2.1/5.1	2.3/5.0	2.7/4.8
SAV	0.05	0.6/-1.1	0.0/-1.4	0.2/0.2	0.3/1.2	0.3/2.4	-0.5/1.1	-0.6/2.1	-0.6/5.8	-1.6/5.6	-0.9/5.5	-0.3/5.4	0.0/5.2	0.8/5.1	1.4/4.9	1.7/4.8
SDF	1.32	-0.3/1.9	-0.2/1.2	-0.5/0.9	-0.9/0.9	-0.8/0.3	-0.8/1.0	-0.9/2.2	-0.1/6.7	0.8/6.4	2.3/6.1	3.6/5.9	3.8/5.6	4.3/5.4	4.3/5.2	5.2/5.0
SEA	2.29	-0.1/-1.4	0.5/-2.2	0.7/-2.2	1.2/-2.4	1.6/-2.2	2.0/-2.0	2.2/-2.1	2.8/-4.5	3.8/-4.6	5.1/-4.8	3.7/-4.9	3.2/-5.1	2.7/-5.2	2.6/-5.4	2.2/-5.5
SFO	-1.56	-0.5/0.5	-0.6/0.1	-0.8/-0.4	-1.2/-0.2	-1.3/-0.4	-1.4/0.7	-1.5/0.4	-1.6/-0.4	-1.7/-0.5	-1.7/-0.7	-2.1/-0.8	-2.2/-1.0	-2.3/-1.1	-2.3/-1.2	-2.1/-1.4
SJC	-1.72	-0.6/0.3	-0.7/0.3	-1.1/0.1	-1.5/-0.0	-1.4/0.3	-1.2/0.6	-0.9/0.2	-1.1/1.1	-1.1/0.9	-1.1/0.8	-2.9/0.6	-3.0/0.5	-3.2/0.4	-3.1/0.2	-3.0/0.0
SJT	2.74	-0.1/-1.8	-0.3/-0.4	-0.1/0.0	0.6/-0.2	0.5/0.2	1.3/1.6	1.9/0.4	2.3/5.5	4.1/5.2	4.1/5.0	4.8/4.8	4.9/4.5	5.1/4.3	5.7/4.1	6.2/3.9
SLC	0.61	0.6/-3.9	0.7/-3.4	0.8/-4.4	1.0/-4.6	1.4/-5.3	1.6/-3.7	1.4/-3.4	1.6/-2.9	1.7/-3.2	1.1/-3.4	0.6/-3.7	0.0/-3.9	-0.8/-4.2	-1.1/-4.4	-1.6/-4.6
SSI	-0.12	-0.5/-0.5	-0.9/-0.7	-0.9/1.3	-0.7/2.5	-0.7/2.3	-0.6/2.3	-0.4/3.0	-0.8/5.7	-0.2/5.6	-0.1/5.4	0.5/5.3	0.1/5.2	0.3/5.1	1.3/5.0	1.8/4.9
STL	0.92	-0.2/0.5	0.0/-0.8	-0.1/-0.9	0.1/-2.5	0.2/-1.5	-0.5/-0.6	-0.4/0.0	-1.1/4.5	0.4/4.2	1.7/4.0	1.9/3.7	2.7/3.4	2.9/3.2	3.1/2.9	3.2/2.7
SYR	1.43	0.3/3.0	0.8/2.2	0.9/2.5	0.9/1.8	0.9/0.7	0.7/-0.1	0.5/1.6	0.6/1.4	1.1/1.3	1.6/1.1	2.0/1.0	2.7/0.9	2.8/0.8	2.9/0.8	2.7/0.7
TLH	1.51	-0.2/-0.6	-0.3/0.0	-0.4/1.8	-0.7/2.8	-0.2/1.3	-0.1/2.8	0.4/2.9	0.9/7.5	2.1/7.3	3.1/7.1	3.2/7.0	2.8/6.9	3.7/6.7	4.3/6.6	4.3/6.5
TPA	1.01	-0.3/0.5	-0.2/-0.1	-0.5/1.9	-0.5/2.2	-0.3/3.4	0.5/3.8	0.4/3.8	0.6/7.6	1.0/7.6	2.2/7.5	2.3/7.4	1.8/7.4	2.3/7.3	2.8/7.2	3.2/7.2
TRM	-0.14	0.1/-0.4	0.3/-0.1	0.3/-1.1	0.4/-0.6	0.2/-0.6	0.3/-1.0	0.2/-0.1	-0.2/2.4	-0.7/2.2	-0.7/2.0	-0.2/1.8	-0.1/1.6	-0.6/1.5	-0.6/1.3	-0.8/1.1
TUL	1.16	-0.5/-0.5	-1.0/-1.7	-1.0/-1.0	-0.5/-1.1	-0.3/0.2	-0.2/0.2	0.9/1.1	1.2/6.1	2.2/5.8	2.1/5.5	2.2/5.3	2.7/5.0	2.8/4.7	3.4/4.5	3.1/4.2
TUS	-0.10	-0.2/-0.1	-0.1/0.4	0.2/0.1	0.1/1.5	0.1/1.2	0.3/-0.3	0.4/1.5	0.7/2.2	0.2/2.1	0.2/2.0	0.0/1.8	-0.3/1.7	-1.0/1.5	-1.0/1.4	-1.0/1.2
TYR	3.49	-0.6/0.2	-0.3/0.5	-0.2/2.4	0.3/2.6	1.0/2.3	2.3/3.5	3.1/3.0	3.2/10.4	5.2/10.1	5.4/9.9	5.7/9.6	6.1/9.4	6.4/9.2	7.3/8.9	7.6/8.7
TYS	1.53	0.0/2.5	0.8/4.0	1.1/3.8	0.4/3.4	-0.0/2.9	0.3/2.4	0.4/2.6	0.8/8.0	0.5/7.8	2.7/7.5	2.5/7.2	2.4/7.0	3.3/6.8	3.9/6.6	3.9/6.4
VCT	2.81	0.0/0.3	0.1/0.4	0.2/0.3	1.3/1.2	1.5/0.4	2.1/1.0	3.1/1.8	3.1/4.5	4.7/4.4	4.1/4.2	4.2/4.0	4.3/3.9	4.5/3.8	4.5/3.6	4.5/3.5
WJF	-1.08	-0.1/0.7	-0.1/1.0	-0.4/1.0	-0.6/0.6	-0.8/0.6	-0.6/0.1	-0.5/0.7	-1.0/-0.1	-1.1/-0.2	-1.2/-0.4	-1.5/-0.5	-2.0/-0.7	-2.2/-0.8	-2.2/-1.0	-1.9/-1.1
YKM	0.91	0.2/1.1	0.1/1.1	-0.1/-0.5	0.2/0.1	0.1/-0.1	0.8/0.1	1.4/-0.4	1.4/-6.6	1.5/-6.9	2.4/-7.2	1.8/-7.5	1.3/-7.8	1.2/-8.1	1.0/-8.4	0.3/-8.7
YNG	-0.80	0.3/-1.8	0.7/-2.1	0.3/-2.7	-0.3/-3.0	-1.3/-3.0	-2.0/-3.5	-2.9/-2.8	-3.1/1.1	-3.0/0.9	-1.8/0.7	-0.3/0.5	0.4/0.3	0.6/0.2	0.3/0.0	0.0/-0.1

red: S < -0.3

orange: -0.3 < S < -0.1

grey: -0.1 < S < 0.1

green: 0.1 < S < 0.3

blue: S > 0.3

S\_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0

orange: 4.0 > B >= 2.0

black: 2.0 > B >= -2.0

green: -2.0 > B >= -4.0

blue: B < -4.0

avg\_bias: average of ECMWF-value

# ECMWF/MEX MIN Temperature in ALL

		MAE (2010-02-01~2010-02-28)														
	S-score	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ABE	-0.19	3.2/0.0	3.1/3.1	3.3/3.4	<b>3.8/3.1</b>	3.7/3.5	4.0/4.1	<b>5.3/4.5</b>	5.6/5.3	<b>6.6/5.4</b>	<b>7.5/5.4</b>	<b>7.5/5.5</b>	<b>7.4/5.6</b>	<b>8.0/5.8</b>	<b>7.8/5.8</b>	7.9/--
ABI	0.04	2.1/0.0	<b>2.5/4.0</b>	<b>3.2/4.7</b>	<b>3.4/4.7</b>	<b>3.5/4.1</b>	<b>3.7/5.3</b>	<b>4.2/5.9</b>	<b>5.1/5.7</b>	6.1/5.7	<b>6.8/5.7</b>	<b>6.9/5.7</b>	<b>7.1/5.7</b>	<b>7.2/5.5</b>	<b>7.1/5.6</b>	6.8/--
ABQ	<b>-0.45</b>	2.4/0.0	<b>3.1/2.4</b>	<b>3.6/2.3</b>	<b>4.5/2.5</b>	<b>4.9/2.4</b>	<b>5.0/2.5</b>	<b>5.1/2.9</b>	<b>5.3/4.3</b>	4.7/4.3	4.8/4.5	5.4/4.7	5.8/4.8	6.3/5.0	6.5/5.0	6.6/--
ABY	<b>0.18</b>	2.7/0.0	<b>2.3/2.7</b>	2.5/2.8	2.4/2.7	<b>2.5/3.5</b>	<b>3.0/3.6</b>	3.5/3.8	<b>3.5/3.0</b>	<b>3.2/6.9</b>	<b>4.1/6.8</b>	<b>5.7/6.8</b>	6.5/6.7	6.7/6.6	6.9/6.5	6.7/--
ACT	<b>0.12</b>	2.7/0.0	3.0/3.2	<b>3.5/4.5</b>	<b>3.4/4.4</b>	<b>2.8/4.6</b>	<b>2.7/5.0</b>	<b>3.7/5.2</b>	<b>4.3/6.6</b>	5.9/6.5	6.8/6.5	7.1/6.4	7.0/6.4	6.9/6.2	7.2/6.2	7.3/--
ACY	<b>-0.19</b>	2.6/0.0	<b>3.2/4.2</b>	4.0/4.2	<b>5.0/4.4</b>	5.0/5.1	5.1/6.5	6.0/7.3	<b>6.4/5.4</b>	<b>7.8/5.5</b>	<b>7.9/5.6</b>	<b>8.5/5.6</b>	<b>8.7/5.7</b>	<b>8.8/5.7</b>	<b>8.7/5.7</b>	8.8/--
ALB	<b>0.29</b>	2.4/0.0	2.9/2.7	3.3/3.1	<b>3.5/4.2</b>	<b>4.2/5.4</b>	<b>4.0/6.0</b>	<b>4.8/6.2</b>	<b>5.0/9.2</b>	<b>5.9/9.4</b>	<b>6.4/9.4</b>	<b>5.4/9.6</b>	<b>5.7/9.7</b>	<b>5.7/9.9</b>	<b>5.3/9.9</b>	6.0/--
ALW	<b>0.34</b>	2.8/0.0	<b>3.2/2.9</b>	<b>2.6/3.6</b>	<b>2.4/4.0</b>	<b>2.5/3.9</b>	<b>3.3/4.8</b>	<b>3.6/4.8</b>	<b>3.8/6.6</b>	<b>3.7/6.7</b>	<b>4.2/6.8</b>	<b>4.1/6.9</b>	<b>4.5/7.0</b>	<b>3.9/7.1</b>	<b>4.1/7.2</b>	4.0/--
AOO	<b>-0.17</b>	3.2/0.0	3.2/3.0	<b>3.8/3.2</b>	<b>4.0/3.5</b>	4.2/3.9	4.3/4.6	5.1/5.4	<b>5.9/5.2</b>	<b>6.4/5.1</b>	<b>6.2/5.3</b>	<b>6.6/5.3</b>	<b>7.1/5.4</b>	<b>7.6/5.4</b>	<b>7.2/5.4</b>	7.1/--
APN	<b>-0.36</b>	8.5/0.0	<b>9.4/3.5</b>	<b>8.8/3.0</b>	<b>7.3/4.1</b>	<b>6.2/3.6</b>	<b>5.8/4.2</b>	<b>6.3/4.8</b>	7.0/7.4	7.0/7.5	6.2/7.6	5.7/7.6	5.9/7.7	6.5/7.7	6.3/7.8	6.3/--
ATL	<b>0.13</b>	1.9/0.0	<b>1.8/2.5</b>	2.6/2.5	2.8/2.8	3.4/3.4	<b>4.0/3.5</b>	<b>4.0/3.5</b>	<b>3.8/6.8</b>	<b>3.8/6.7</b>	<b>4.6/6.6</b>	5.1/6.4	5.7/6.4	5.9/6.4	5.8/6.4	5.6/--
AUG	<b>0.42</b>	3.4/0.0	<b>3.3/2.5</b>	2.9/3.0	<b>2.7/3.8</b>	<b>3.5/5.4</b>	<b>4.0/5.9</b>	<b>3.9/5.9</b>	<b>3.0/11.3</b>	<b>3.9/11.4</b>	<b>4.5/11.6</b>	<b>5.1/11.8</b>	<b>4.8/11.9</b>	<b>4.8/12.1</b>	<b>4.5/12.2</b>	5.1/--
AUS	<b>0.11</b>	4.2/0.0	3.9/4.0	4.2/4.6	4.7/4.1	<b>4.2/4.9</b>	4.8/4.7	6.2/5.9	<b>6.8/10.5</b>	<b>7.9/10.4</b>	<b>8.4/10.3</b>	<b>8.8/10.2</b>	<b>8.5/10.2</b>	<b>8.2/10.0</b>	<b>8.8/9.9</b>	8.8/--
AVP	<b>-0.15</b>	3.1/0.0	3.4/3.5	<b>3.9/3.1</b>	<b>4.7/3.5</b>	<b>5.1/3.7</b>	5.0/4.6	5.1/5.0	5.5/4.6	5.6/4.7	<b>5.9/4.8</b>	5.3/4.7	4.9/4.8	5.6/4.9	5.1/4.9	5.2/--
BDL	<b>-0.07</b>	4.0/0.0	<b>4.5/3.3</b>	<b>4.8/3.0</b>	<b>5.2/4.2</b>	<b>5.6/4.8</b>	5.2/5.6	6.0/5.4	7.5/7.4	8.4/7.6	7.8/7.7	7.4/7.9	<b>6.6/8.0</b>	<b>6.6/8.0</b>	<b>6.5/8.1</b>	6.5/--
BFL	0.05	2.3/0.0	<b>2.1/2.6</b>	2.5/2.6	2.7/2.6	3.0/3.2	3.1/3.2	3.1/3.1	3.4/3.8	3.4/3.8	3.8/3.8	3.6/3.9	3.8/3.9	4.0/4.0	3.8/4.1	3.8/--
BGM	0.05	2.9/0.0	3.1/3.0	<b>3.2/2.9</b>	3.4/3.4	3.7/3.9	<b>3.8/4.7</b>	<b>4.1/4.8</b>	<b>3.8/5.3</b>	4.9/5.4	5.6/5.5	5.5/5.5	6.1/5.6	5.4/5.6	5.2/5.7	5.5/--
BHM	<b>0.10</b>	2.0/0.0	<b>2.6/3.0</b>	<b>2.8/3.2</b>	2.9/3.0	<b>3.3/3.9</b>	3.8/4.2	<b>4.1/3.2</b>	<b>4.1/6.8</b>	<b>4.2/6.6</b>	<b>4.5/6.5</b>	<b>5.5/6.4</b>	6.6/6.4	6.2/6.3	6.3/6.2	6.3/--
BIS	<b>0.24</b>	4.5/0.0	<b>4.3/5.3</b>	<b>4.6/6.9</b>	<b>5.7/7.2</b>	<b>6.8/7.7</b>	<b>6.5/7.8</b>	7.2/8.1	7.3/8.7	<b>6.1/8.8</b>	<b>5.8/8.9</b>	<b>5.3/9.0</b>	<b>6.5/9.1</b>	<b>7.3/9.5</b>	<b>7.7/9.5</b>	7.8/--
BNA	0.01	2.6/0.0	<b>3.0/3.7</b>	<b>3.8/3.3</b>	3.6/3.5	3.2/3.6	3.6/3.5	4.0/3.6	<b>3.8/6.1</b>	<b>4.7/6.0</b>	<b>5.2/5.9</b>	6.1/5.8	6.9/5.7	<b>6.4/5.6</b>	<b>6.4/5.6</b>	6.6/--
BOI	<b>0.33</b>	2.6/0.0	3.0/3.0	3.0/3.3	<b>3.0/4.1</b>	<b>3.1/5.2</b>	<b>3.6/5.1</b>	<b>4.0/6.2</b>	<b>4.3/7.0</b>	<b>4.1/7.2</b>	<b>4.6/7.4</b>	<b>4.3/7.5</b>	<b>4.6/7.7</b>	<b>4.7/7.9</b>	<b>4.5/8.0</b>	4.8/--
BOS	0.07	1.6/0.0	<b>2.2/1.8</b>	<b>2.5/2.2</b>	3.0/2.9	<b>3.6/2.9</b>	4.0/3.7	<b>4.3/3.5</b>	<b>4.8/5.5</b>	<b>4.8/5.6</b>	<b>4.9/5.8</b>	<b>4.2/5.9</b>	3.7/6.1	<b>3.5/6.2</b>	<b>3.6/6.2</b>	3.7/--
BRO	<b>0.12</b>	1.7/0.0	<b>2.0/3.3</b>	<b>2.2/3.0</b>	<b>2.5/3.7</b>	<b>3.3/4.3</b>	<b>4.0/5.4</b>	5.1/4.9	<b>5.3/6.3</b>	<b>5.5/6.2</b>	6.4/6.2	6.6/6.1	6.0/6.1	6.0/6.0	6.2/5.9	6.9/--
BTV	<b>0.41</b>	2.5/0.0	2.9/3.2	3.3/3.2	<b>3.1/4.8</b>	<b>3.7/6.0</b>	<b>4.1/6.1</b>	<b>4.2/6.4</b>	<b>4.8/11.3</b>	<b>5.8/11.5</b>	<b>5.6/11.6</b>	<b>4.7/11.7</b>	<b>5.0/11.8</b>	<b>5.2/11.8</b>	<b>4.9/11.9</b>	5.5/--
BUF	<b>-0.06</b>	2.7/0.0	<b>2.9/3.3</b>	3.3/3.4	3.6/3.4	<b>3.8/3.1</b>	<b>3.5/4.0</b>	4.4/4.7	<b>5.8/4.7</b>	<b>5.9/4.8</b>	<b>5.5/4.9</b>	5.0/4.9	5.2/5.0	<b>5.8/5.0</b>	5.3/5.1	4.9/--
BUR	0.08	1.8/0.0	<b>1.9/2.8</b>	<b>2.0/2.8</b>	<b>2.1/2.4</b>	2.4/2.4	2.9/2.8	<b>3.2/2.6</b>	<b>3.6/3.8</b>	<b>3.4/3.9</b>	<b>3.6/3.9</b>	3.8/4.1	3.8/4.1	<b>3.9/4.2</b>	<b>3.8/4.2</b>	4.0/--
BWI	<b>-0.25</b>	2.9/0.0	<b>2.9/2.6</b>	3.2/3.1	3.9/3.6	4.3/4.0	<b>5.0/4.5</b>	5.3/5.1	5.7/5.3	<b>6.9/5.4</b>	<b>6.8/5.4</b>	<b>7.6/5.5</b>	<b>8.5/5.5</b>	<b>9.1/5.5</b>	<b>9.0/5.5</b>	9.4/--
CAE	<b>-0.02</b>	2.8/0.0	<b>3.0/2.6</b>	<b>3.5/2.2</b>	<b>3.3/3.0</b>	<b>4.2/3.0</b>	<b>4.9/3.4</b>	<b>5.1/3.2</b>	<b>5.1/7.2</b>	<b>4.3/7.1</b>	<b>4.2/7.0</b>	<b>4.8/6.9</b>	<b>5.2/6.8</b>	<b>5.3/6.8</b>	<b>5.5/6.8</b>	5.9/--
CHA	<b>0.13</b>	2.3/0.0	<b>2.4/2.9</b>	<b>2.7/3.7</b>	<b>2.9/3.8</b>	<b>3.2/4.1</b>	4.0/3.8	<b>4.3/3.8</b>	<b>3.7/5.9</b>	<b>3.5/5.8</b>	<b>4.2/5.8</b>	<b>4.9/5.6</b>	5.7/5.4	5.9/5.4	5.6/5.5	5.5/--
CLE	<b>-0.35</b>	4.3/0.0	4.1/3.5	3.9/4.2	4.7/4.8	5.6/5.2	6.4/5.8	<b>8.5/6.0</b>	<b>9.6/6.2</b>	<b>10.5/6.2</b>	<b>10.0/6.4</b>	<b>9.9/6.5</b>	<b>10.0/6.5</b>	<b>10.5/6.6</b>	<b>9.7/6.7</b>	9.4/--
CLT	<b>-0.13</b>	3.4/0.0	<b>3.9/3.1</b>	<b>4.7/3.3</b>	<b>5.1/3.5</b>	<b>5.6/3.6</b>	<b>6.1/4.6</b>	<b>6.6/3.4</b>	6.4/6.6	<b>5.6/6.2</b>	<b>5.0/6.3</b>	<b>4.6/6.2</b>	<b>4.8/6.1</b>	<b>4.9/6.1</b>	<b>4.9/6.1</b>	5.4/--
CMH	<b>-0.22</b>	2.9/0.0	<b>2.5/4.5</b>	<b>2.7/4.1</b>	<b>3.3/4.6</b>	<b>4.5/5.6</b>	5.9/6.0	7.6/6.4	<b>8.2/6.1</b>	<b>9.3/6.1</b>	<b>8.8/6.0</b>	<b>9.1/5.9</b>	<b>10.1/6.0</b>	<b>10.5/6.0</b>	<b>9.8/6.1</b>	9.5/--
CON	<b>0.33</b>	3.7/0.0	<b>3.2/4.0</b>	4.1/4.1	<b>4.8/5.5</b>	<b>4.6/6.6</b>	<b>5.2/7.2</b>	<b>4.9/6.4</b>	<b>5.7/11.1</b>	<b>6.9/11.2</b>	<b>8.2/11.4</b>	<b>6.9/11.6</b>	<b>6.5/11.8</b>	<b>6.4/11.9</b>	<b>5.5/12.0</b>	6.6/--
COS	<b>-0.58</b>	3.7/0.0	<b>4.2/2.7</b>	<b>4.3/2.6</b>	<b>5.4/2.6</b>	<b>5.6/3.0</b>	<b>6.6/3.6</b>	<b>7.5/4.3</b>	<b>8.1/5.1</b>	<b>8.2/3.5</b>	<b>8.1/5.4</b>	6.7/5.3	6.6/5.2	6.9/5.1	6.7/5.1	6.9/--
COU	<b>-0.07</b>	3.5/0.0	3.8/3.8	<b>3.5/4.5</b>	3.7/4.3	4.6/4.3	<b>5.6/4.2</b>	6.1/4.9	6.6/7.2	7.0/7.1	7.1/7.0	7.8/6.9	8.3/6.9	7.9/6.9	8.2/6.7	9.0/--
CQT	0.06	2.3/0.0	2.4/2.6	<b>2.3/2.5</b>	2.6/2.9	2.6/2.8	<b>2.8/2.5</b>	2.9/2.5	<b>3.0/3.6</b>	<b>3.0/3.6</b>	<b>3.1/3.5</b>	3.4/3.6	3.4/3.6	3.3/3.6	3.3/3.6	3.3/--
CRP	0.05	1.6/0.0	<b>2.0/2.4</b>	2.4/2.4	2.5/3.0	<b>2.6/3.9</b>	<b>3.4/4.8</b>	4.6/4.5	<b>5.3/6.4</b>	6.1/6.4	<b>7.2/6.4</b>	7.3/6.4	7.1/6.4	6.6/6.3	6.8/6.3	7.2/--
CRW	<b>-0.13</b>	2.7/0.0	2.9/2.8	3.2/3.4	<b>4.3/3.9</b>	3.7/4.1	<b>3.3/4.9</b>	<b>3.9/5.0</b>	4.2/4.1	4.6/4.1	4.9/4.1	5.7/4.0	5.7/3.9	6.1/3.8	5.6/3.9	5.6/--
CVG	<b>-0.19</b>	4.0/0.0	<b>3.9/5.1</b>	<b>4.0/4.6</b>	<b>4.0/5.6</b>	<b>4.4/6.3</b>	6.4/6.2	8.1/6.9	9.0/7.9	<b>10.4/7.9</b>	<b>11.0/7.8</b>	<b>11.5/7.8</b>	<b>12.4/7.7</b>	<b>12.6/7.6</b>	<b>12.1/7.5</b>	11.4/--
DAY	<b>-0.23</b>	2.6/0.0	<b>3.2/5.3</b>	<b>4.0/5.1</b>	<b>4.6/5.5</b>	5.1/6.0	6.6/6.7	<b>8.9/6.7</b>	<b>9.0/6.9</b>	<b>10.6/6.9</b>	<b>9.9/6.8</b>	<b>10.4/6.7</b>	<b>11.0/6.7</b>	<b>11.2/6.9</b>	<b>10.7/6.8</b>	10.8/--
DBQ	0.10	4.4/0.0	<b>4.5/5.4</b>	5.1/5.6	5.4/6.0	6.0/6.6	6.2/6.7	5.9/6.5	<b>5.7/7.2</b>	<b>5.9/7.3</b>	<b>6.3/7.2</b>	<b>6.1/7.3</b>	7.5/7.3	7.5/7.4	7.6/7.5	7.3/--
DCA	<b>-0.22</b>	2.7/0.0	<b>2.9/3.3</b>	3.5/3.5	3.5/4.1	<b>3.7/4.5</b>	4.0/4.0	4.3/4.6	<b>5.0/4.4</b>	<b>5.8/4.4</b>	<b>5.8/4.4</b>	<b>7.0/4.5</b>	<b>7.4/4.6</b>	<b>7.6/4.7</b>	<b>7.8/4.7</b>	8.0/--
DEC	<b>-0.46</b>	3.9/0.0	<b>4.1/3.4</b>	<b>4.1/3.1</b>	<b>5.4/4.0</b>	<b>6.1/4.4</b>	<b>6.3/4.4</b>	<b>6.9/4.5</b>	<b>7.6/5.6</b>	<b>7.8/5.5</b>	<b>7.4/5.4</b>	<b>7.6/5.3</b>	<b>8.7/5.2</b>	<b>9.0/5.2</b>	<b>8.5/5.1</b>	8.1/--
DEN	<b>-0.23</b>	3.5/0.0	<b>3.7/2.9</b>	<b>4.0/3.3</b>	<b>4.9/3.4</b>	<b>5.3/3.9</b>	<b>5.7/4.3</b>	<b>6.6/4.8</b>	6.9/6.0	7.4/6.1	7.2/6.2	6.9/6.1	6.8/6.2	6.9/6.3	6.9/6.4	6.7/--
DFW	<b>-0.05</b>	1.5/0.0	<b>1.9/2.8</b>	<b>2.3/3.4</b>	2.8/2.9	<b>2.8/3.4</b>	<b>3.2/4.1</b>	3.6/3.6	<b>4.4/5.5</b>	<b>6.3/5.5</b>	<b>6.7/5.3</b>	<b>7.0/5.2</b>	<b>7.5/5.2</b>	<b>7.1/5.2</b>	<b>7.1/5.1</b>	7.1/--
DLH	<b>0.20</b>	3.8/0.0	4.8/4.6	5.1/4.7	4.0/4.7	<b>4.6/3.4</b>	5.4/5.9	5.2/6.0	<b>5.9/8.3</b>	<b>5.7/8.4</b>	<b>4.8/8.6</b>	<b>5.9/8.8</b>	<b>6.5/8.9</b>	<b>7.3/9.2</b>	<b>7.3/9.4</b>	7.6/--
DSM	<b>0.16</b>	2.6/0.0	<b>3.3/4.0</b>	3.8/4.1	4.6/5.8	5.4/5.6	<b>5.0/6.2</b>	5.9/6.2	<b>5.9/7.8</b>	<b>5.5/7.7</b>	<b>5.3/7.8</b>	<b>6.4/7.7</b>	<b>6.4/7.6</b>	7.0/7.7	7.5/7.7	8.1/--
DTW	<b>-0.69</b>	5.1/0.0	<b>5.0/2.5</b>	<b>5.2/3.0</b>	<b>5.5/3.8</b>	<b>6.0/3.8</b>	<b>6.8/3.7</b>	<b>7.9/4.4</b>	<b>8.9/4.6</b>	<b>8.8/4.8</b>	<b>8.2/4.9</b>	<b>7.9/5.1</b>	<b>7.4/5.1</b>	<b>8.2/5.2</b>	<b>8.0/5.3</b>	7.9/--
ELP	<b>-0.19</b>	2.4/0.0	<b>2.6/2.2</b>	<b>2.9/2.2</b>	<b>3.2/2.5</b>	<b>3.4/2.8</b>	<b>4.3/3.3</b>	4.7/4.0	4.7/4.6	5.4/4.6	5.8/4.8	5.7/4.9	5.8/4.9	5.6/5.0	5.4/5.1	5.5/--
ERI	<b>-0.13</b>	2.5/0.0	2.8/3.0	3.0/3.4	2.9/3.1	3.0/3.0	<b>3.1/3.8</b>	<b>3.2/4.3</b>	4.1/3.8	<b>5.2/3.7</b>	<b>5.3/3.7</b>	4.5/3.8	5.0/3.9	<b>5.7/3.8</b>	<b>5.6/3.9</b>	5.4/--
EUG	<b>0.22</b>	2.5/0.0	<b>2.4/2.9</b>	3.3/3.6	<b>3.1/4.4</b>	<b>4.0/5.2</b>	<b>4.2/4.8</b>	<b>4.5/5.4</b>	<b>4.8/7.0</b>	<b>4.8/7.0</b>	<b>5.3/7.0</b>	<b>5.7/7.0</b>	<b>5.8/7.0</b>	<b>5.4/7.0</b>	<b>5.4/7.0</b>	5.3/--
EVV	<b>-0.21</b>	3.3/0.0	3.3/3.3	<b>3.2/2.8</b>	3.6/3.8	<b>5.0/4.4</b>	<b>5.3/4.3&lt;/</b>									

GAD	0.17	2.5/0.0	2.3/3.0	2.7/2.9	3.0/3.2	3.4/4.1	4.1/4.1	4.2/3.7	3.9/6.6	3.2/6.5	3.9/6.4	4.8/6.3	5.3/6.2	5.8/6.1	5.7/6.1	5.6/--
GEG	0.44	1.9/0.0	1.7/3.0	1.9/3.5	2.1/3.9	2.6/4.1	3.3/4.8	3.6/4.3	3.2/7.4	3.5/7.5	3.7/7.7	3.8/7.8	4.2/7.9	4.2/8.1	4.6/8.2	4.6/--
GTF	0.19	4.3/0.0	4.2/5.7	5.1/6.0	4.7/5.7	4.1/5.2	5.3/6.2	6.0/6.5	6.1/7.4	6.5/7.6	6.7/7.7	6.4/7.9	6.1/8.1	5.8/8.2	6.1/8.4	5.8/--
HOU	-0.04	3.6/0.0	3.5/2.6	3.8/3.2	4.0/3.5	4.0/4.3	4.1/4.5	5.0/5.1	5.9/7.3	7.4/7.2	7.4/7.1	7.6/7.1	7.4/7.1	7.1/7.0	7.1/6.9	6.9/--
HSV	0.08	2.6/0.0	2.9/2.8	3.0/3.4	3.3/3.2	3.7/3.7	4.3/4.0	4.5/4.2	4.3/6.6	4.2/6.5	4.6/6.4	5.3/6.3	6.1/6.2	6.1/6.1	6.1/6.0	5.9/--
IAH	0.08	2.0/0.0	1.8/2.2	1.7/3.2	2.0/3.2	2.5/3.7	2.8/4.1	3.8/4.8	4.7/6.4	6.7/6.3	7.4/6.3	7.7/6.4	8.0/6.4	7.7/6.2	7.5/6.1	7.2/--
ICT	-0.02	2.4/0.0	3.3/3.2	2.9/4.2	2.9/4.8	3.5/4.4	4.8/4.5	5.7/5.7	6.1/5.8	6.5/5.8	6.6/5.8	7.2/5.9	7.8/6.0	8.5/6.2	8.3/--	8.3/--
ILG	-0.26	1.9/0.0	2.1/2.5	2.3/2.6	3.3/3.1	3.5/3.4	4.0/4.2	4.2/4.8	4.8/4.0	5.7/4.1	5.6/4.2	6.7/4.2	7.3/4.3	7.8/4.2	7.7/4.3	8.2/--
IND	-0.48	4.8/0.0	4.6/3.7	4.7/4.0	4.6/4.9	5.8/5.4	7.4/5.0	8.3/5.6	8.8/6.2	10.4/6.1	10.0/6.2	10.2/6.2	11.0/6.1	11.1/6.0	10.7/6.1	9.8/--
IPT	-0.31	4.8/0.0	4.9/3.6	5.6/4.2	6.6/4.4	6.3/4.7	6.2/5.4	6.5/5.7	7.2/6.1	8.9/6.2	8.8/6.3	8.0/6.4	8.2/6.4	8.5/6.5	8.1/6.6	8.6/--
JAN	0.26	1.8/0.0	1.9/3.0	2.1/4.0	2.5/4.6	2.8/4.6	3.3/5.0	3.9/5.1	3.5/8.0	4.2/7.9	6.0/7.8	7.3/7.6	8.1/7.5	7.9/7.4	7.7/7.3	7.6/--
JAX	0.29	1.5/0.0	1.6/2.9	2.0/2.6	2.1/2.7	2.5/3.1	2.9/3.0	3.7/4.4	4.1/9.2	4.3/9.1	4.8/9.0	5.8/8.9	7.1/8.8	7.1/8.7	7.1/8.7	7.4/--
JFK	-0.02	2.1/0.0	2.7/2.9	3.1/3.4	3.5/3.7	3.8/3.5	4.3/3.9	4.6/4.4	4.8/4.1	4.9/4.1	4.7/4.2	3.9/4.2	3.7/4.3	4.2/4.4	4.3/4.5	4.3/--
LAN	-0.43	5.7/0.0	6.0/4.0	6.7/4.0	6.6/4.8	7.0/4.9	8.6/6.0	10.1/7.2	11.7/6.7	11.5/6.9	10.0/7.0	8.5/7.0	8.6/7.1	9.2/7.2	8.7/7.3	8.7/--
LAS	0.20	1.6/0.0	2.2/2.4	2.4/2.1	2.1/1.9	2.3/2.2	2.1/2.1	2.2/2.1	2.6/4.6	2.6/4.7	2.8/4.9	3.4/5.0	3.5/5.2	3.4/5.4	3.1/5.5	3.2/--
LAX	-0.01	1.9/0.0	1.9/1.9	1.8/2.1	2.1/2.2	2.1/2.4	2.4/2.3	2.5/2.0	2.6/3.1	2.7/3.1	3.0/3.0	3.3/3.0	3.3/3.0	3.5/3.0	3.5/3.0	3.7/--
LEX	-0.19	5.3/0.0	5.5/4.0	5.3/3.9	5.0/3.8	5.2/4.9	5.8/4.9	6.0/4.5	5.9/7.3	6.8/7.2	7.2/7.1	8.4/7.0	9.4/6.9	9.0/6.8	8.3/6.7	8.0/--
LFK	0.10	2.4/0.0	2.1/2.5	2.0/2.6	2.3/3.4	2.4/3.4	3.1/3.7	4.1/4.2	4.9/7.1	6.5/7.0	7.2/7.0	7.3/7.0	7.5/6.9	6.9/6.8	7.2/6.8	7.2/--
LGA	-0.03	1.8/0.0	2.3/2.0	2.7/1.9	2.8/2.5	2.7/2.8	2.9/3.8	3.3/4.2	3.7/3.2	4.3/3.4	4.2/3.5	3.1/3.5	3.2/3.5	3.2/3.6	3.3/3.7	3.8/--
LGB	-0.03	4.6/0.0	4.4/4.3	3.8/4.3	4.2/4.2	4.4/4.6	4.0/4.6	5.1/4.4	4.6/5.0	4.9/5.0	5.2/4.9	5.8/4.9	5.9/5.0	5.6/5.1	5.6/5.1	5.8/--
LIT	-0.25	3.2/0.0	3.7/2.5	3.8/2.6	4.1/2.7	3.6/3.5	3.4/2.8	3.4/3.3	4.1/5.4	5.3/5.4	6.2/5.2	6.4/5.1	7.4/5.1	6.8/5.0	7.2/5.0	7.3/--
LNS	0.01	2.6/0.0	2.8/2.9	3.2/3.0	4.1/3.0	4.2/3.2	4.2/4.0	5.1/4.6	5.8/8.0	7.2/8.2	7.3/8.3	7.1/8.4	7.5/8.5	8.1/8.6	8.0/8.6	8.2/--
MAF	0.04	2.5/0.0	2.4/3.6	3.1/4.2	3.5/4.4	3.7/4.1	4.2/4.1	4.9/5.4	5.3/5.5	4.5/5.5	6.2/5.5	5.9/5.5	6.1/5.4	6.2/5.5	6.2/5.5	6.3/--
MBA	0.08	3.6/0.0	3.3/2.9	3.4/2.5	4.1/3.5	4.8/4.2	4.7/5.1	4.9/5.0	6.4/7.1	6.7/7.2	6.7/7.3	5.7/7.4	4.7/7.5	4.6/7.6	4.4/7.8	4.8/--
MCI	0.14	3.1/0.0	3.4/4.9	3.5/5.4	4.0/5.8	4.3/5.6	5.5/6.4	6.1/6.4	7.1/8.8	7.3/8.8	7.6/8.7	7.7/8.6	8.7/8.6	8.8/8.5	9.4/8.4	10.2/--
MCN	0.20	1.6/0.0	1.9/2.2	2.0/2.2	2.3/2.9	2.6/3.3	3.5/3.6	3.9/3.2	3.9/6.5	3.6/6.4	3.4/6.4	4.3/6.3	4.8/6.2	5.2/6.1	5.3/6.1	4.9/--
MCO	0.26	2.1/0.0	2.0/3.5	2.4/2.6	2.4/3.5	2.6/3.3	3.2/4.3	3.7/4.4	4.3/7.7	4.8/7.6	4.7/7.5	5.4/7.4	6.6/7.4	6.4/7.4	6.2/7.4	6.8/--
MDT	-0.14	3.2/0.0	3.6/3.3	3.9/3.1	4.1/3.5	4.1/4.2	3.9/4.5	4.2/5.2	4.4/4.2	5.0/4.2	5.4/4.3	5.5/4.5	5.9/4.6	6.3/4.6	6.2/4.6	6.4/--
MEM	0.06	2.2/0.0	2.6/2.7	2.6/2.6	2.6/3.2	2.6/3.3	2.6/2.5	2.9/3.2	3.7/6.4	4.3/6.1	5.2/5.9	5.9/5.8	6.5/5.8	6.8/5.8	6.9/5.6	6.7/--
MHT	0.47	3.0/0.0	2.7/3.3	2.8/3.1	3.5/4.4	4.0/4.8	4.4/6.0	4.4/5.2	5.3/18.1	6.1/18.2	6.5/18.4	5.4/18.6	4.6/18.8	4.7/19.0	4.2/19.1	4.8/--
MIA	0.31	1.5/0.0	1.6/2.9	1.9/2.9	2.3/3.1	2.4/3.9	3.0/4.1	3.9/5.5	4.2/7.9	4.5/8.0	5.2/7.8	5.7/7.8	6.2/7.7	6.1/7.7	6.4/7.6	6.6/--
MKE	0.30	2.6/0.0	2.4/3.9	2.4/5.0	3.0/5.2	3.5/6.3	4.6/6.5	5.4/7.0	5.4/7.1	5.2/7.3	5.5/7.5	5.1/7.7	5.9/7.8	6.9/7.9	7.1/8.1	7.8/--
MOB	0.26	1.6/0.0	1.8/3.2	2.1/3.1	2.5/4.1	2.9/3.9	3.5/4.3	3.9/5.2	3.9/8.5	4.2/8.3	5.6/8.2	7.2/8.1	7.9/8.0	7.9/8.0	7.6/8.0	7.6/--
MSP	0.22	3.0/0.0	3.1/3.5	3.2/4.0	3.3/4.5	3.8/5.4	4.7/5.9	5.2/5.3	5.0/6.9	4.6/7.0	3.8/7.1	5.1/7.2	5.9/7.1	6.4/7.2	6.6/7.3	7.0/--
MSY	-0.03	1.4/0.0	1.7/2.1	2.0/2.4	2.4/2.3	2.9/2.9	3.6/3.4	4.3/4.2	4.3/7.2	5.4/7.1	6.9/7.0	8.8/7.0	9.1/6.9	9.3/6.9	8.9/6.9	8.7/--
MWL	0.17	2.3/0.0	2.4/3.4	2.6/3.8	2.9/3.7	2.8/4.0	3.2/5.1	3.5/4.5	4.2/6.9	5.3/6.8	6.2/6.6	6.6/6.5	6.8/6.4	6.9/6.3	6.9/6.3	7.0/--
NKX	-0.28	2.6/0.0	2.6/1.7	2.8/2.1	3.0/2.1	2.9/2.3	2.6/2.5	2.8/2.8	3.3/0.0	3.7/0.0	3.9/0.0	3.8/0.0	3.9/0.0	3.9/0.0	3.9/0.0	4.1/--
NTU	0.01	3.9/0.0	3.9/3.0	3.9/3.1	4.1/3.5	4.0/3.6	3.8/3.3	3.2/3.2	3.1/5.4	3.2/5.4	3.8/5.4	5.0/5.2	5.0/5.1	5.2/5.1	5.4/5.1	5.9/--
OAK	-0.20	2.8/0.0	2.5/2.2	2.7/2.3	2.9/1.9	2.7/2.5	2.7/2.2	2.9/2.2	2.5/2.6	2.9/2.6	2.8/2.5	3.2/2.6	3.2/2.7	3.2/2.6	3.6/2.7	3.5/--
OKC	-0.21	2.9/0.0	2.6/3.2	2.8/3.9	2.8/3.5	3.6/3.0	3.5/2.8	3.9/3.5	4.8/4.4	6.3/4.4	6.3/4.4	6.2/4.4	6.9/4.4	6.5/4.5	6.6/4.5	6.6/--
OMA	0.09	5.2/0.0	5.2/3.7	4.5/5.4	4.6/5.4	4.6/5.9	5.2/5.8	6.6/6.6	6.8/8.5	6.6/8.5	5.8/8.4	7.1/8.4	7.8/8.3	7.7/8.2	8.6/8.2	10.1/--
ORD	0.03	2.4/0.0	2.5/2.7	2.9/3.9	4.1/4.6	5.8/5.9	6.3/5.8	6.8/5.9	6.3/6.9	6.4/7.1	6.2/7.2	6.2/7.3	7.5/7.4	8.3/7.5	8.5/7.6	8.6/--
ORH	0.10	2.7/0.0	2.8/2.7	3.6/2.5	3.8/2.7	4.2/3.7	4.3/3.9	4.6/4.3	4.0/6.5	4.8/6.6	5.1/6.6	4.3/6.7	4.1/6.8	4.4/6.9	4.2/7.0	4.3/--
PDT	0.21	3.0/0.0	3.2/2.8	3.0/3.4	2.4/3.8	3.1/3.6	3.8/4.7	3.8/4.4	4.1/5.8	4.3/5.9	4.4/6.0	4.5/6.0	4.9/6.1	4.3/6.2	4.4/6.3	4.8/--
PDX	0.25	2.5/0.0	2.2/1.9	2.5/2.6	2.3/2.8	2.7/3.5	2.8/3.8	2.8/3.6	2.8/5.5	3.2/5.6	3.5/5.7	3.9/5.7	4.3/5.7	4.1/5.7	4.0/5.8	4.1/--
PHL	-0.26	2.3/0.0	2.6/2.3	2.9/2.8	3.6/3.0	3.7/3.1	3.8/3.0	3.9/4.5	4.4/4.2	5.4/4.3	5.8/4.4	6.2/4.4	6.3/4.3	6.8/4.2	6.7/4.3	6.8/--
PHX	0.08	2.4/0.0	2.4/1.5	2.0/1.8	1.7/1.6	1.9/1.7	2.1/2.0	2.2/2.1	2.7/4.2	3.2/4.3	3.1/4.5	3.4/4.6	3.6/4.7	3.5/4.8	3.8/4.9	3.7/--
PIR	-0.16	3.9/0.0	3.2/5.1	4.9/5.8	4.7/5.9	5.2/5.9	4.5/5.4	5.6/5.7	5.7/7.0	5.5/6.8	5.1/6.8	5.2/6.7	5.3/6.7	6.1/6.5	6.9/6.3	6.9/--
PIT	-0.31	4.5/0.0	4.4/4.0	3.7/4.3	4.0/4.5	4.9/5.5	5.9/6.0	7.7/5.4	8.0/6.0	9.4/6.0	9.1/5.9	9.7/5.9	9.6/6.0	10.1/6.1	9.9/6.1	9.8/--
PVD	-0.01	2.4/0.0	2.3/2.5	2.9/1.9	3.8/3.2	4.5/3.4	4.9/4.2	5.0/4.1	5.7/5.9	6.2/6.0	6.0/6.1	4.9/6.2	4.4/6.3	4.3/6.4	4.2/6.5	4.6/--
PWM	0.40	2.6/0.0	2.4/3.0	2.9/3.2	3.0/4.4	3.5/5.1	3.6/6.2	3.9/5.3	4.4/9.5	5.3/9.8	5.8/9.8	5.2/10.0	4.7/10.1	4.9/10.2	4.2/10.4	4.3/--
RAL	0.38	2.9/0.0	3.1/5.5	3.0/5.2	3.1/5.0	3.1/4.4	3.1/5.4	3.5/5.1	3.6/5.8	3.5/5.8	3.4/5.8	3.6/5.7	3.4/5.7	3.6/5.6	3.7/5.6	3.6/--
RAP	-0.16	2.7/0.0	3.1/3.4	3.5/3.2	3.7/3.9	4.4/4.3	5.1/4.2	6.1/5.8	6.7/6.0	6.9/6.0	6.5/5.8	7.6/5.8	7.8/5.8	7.5/5.7	8.2/5.7	8.2/--
RBL	0.27	2.2/0.0	2.1/3.2	2.3/2.9	2.3/3.0	2.1/3.4	2.4/3.2	2.3/3.4	2.5/4.1	2.9/4.1	3.1/4.2	3.2/4.3	3.5/4.4	3.3/4.4	3.6/4.5	3.4/--
RDD	0.23	2.7/0.0	2.7/3.5	3.0/3.5	3.1/3.4	3.3/4.2	3.3/4.2	3.7/3.7	3.9/5.5	3.9/5.6	4.0/5.7	3.8/5.6	4.0/5.7	4.0/5.7	4.3/5.8	4.3/--
RDU	-0.10	2.2/0.0	2.7/2.4	2.8/3.1	3.1/4.0	3.8/4.1	4.3/3.3	5.1/3.3	5.1/4.3	4.3/4.2	4.3/4.1	4.5/4.1	4.8/4.1	4.5/4.0	4.5/4.0	4.8/--
RIC	-0.35	2.3/0.0	3.5/2.8	3.8/3.1	4.2/4.0	4.3/4.2	4.2/4.1	4.5/4.5	5.3/4.2	6.2/4.3	6.5/4.2	6.9/4.4	7.4/4.4	7.7/4.4	7.6/4.4	7.7/--
RNO	0.18	2.6/0.0	2.8/3.5	3.1/3.6	4.0/3.2	4.2/4.8	4.4/4.4	4.1/4.5	4.7/7.5	4.7/7.5	5.2/7.6	5.7/7.8	6.1/7.9	6.5/8.1	6.3/8.1	6.7/--

ROA	-1.19	6.0/0.0	6.5/2.3	6.4/2.0	5.9/2.9	5.6/3.3	4.9/3.8	5.7/3.1	6.2/3.2	7.2/3.2	7.7/3.2	6.4/3.3	7.2/3.3	8.2/3.4	7.9/3.4	8.0/--
ROC	-0.03	3.8/0.0	4.1/3.1	4.3/3.7	4.3/3.9	4.4/4.1	4.3/4.9	5.0/5.5	6.2/6.7	7.1/6.8	7.4/6.9	6.5/6.9	6.8/6.9	6.8/7.0	6.7/7.0	7.0/--
SAC	0.19	2.6/0.0	3.2/2.9	3.4/3.1	3.2/2.8	2.8/3.7	3.1/3.2	2.7/3.0	2.7/4.2	2.7/4.2	3.1/4.2	2.9/4.4	2.7/4.5	3.0/4.5	2.9/4.6	3.1/--
SAN	0.05	1.7/0.0	1.9/1.6	1.7/1.7	1.8/2.0	2.0/2.1	2.1/2.4	2.3/2.3	2.4/2.7	2.7/2.8	2.6/2.8	2.5/2.8	2.5/2.8	2.4/2.8	2.5/2.8	2.7/--
SAT	0.04	2.6/0.0	2.1/3.1	2.7/3.6	2.9/3.6	3.1/3.8	3.5/4.0	4.8/4.8	5.3/6.9	6.9/6.8	7.5/6.8	8.0/6.8	7.7/6.8	7.5/6.7	7.9/6.5	7.8/--
SAV	0.10	2.0/0.0	1.9/2.5	2.0/3.0	2.6/2.0	2.9/2.2	3.4/2.5	3.9/2.9	3.8/7.2	3.8/7.0	4.6/7.0	4.8/7.0	5.8/6.9	5.8/6.8	5.8/6.6	6.2/--
SDF	-0.24	4.6/0.0	4.5/3.6	4.3/3.2	4.2/3.7	5.1/4.6	5.7/4.6	6.0/4.5	6.2/6.4	7.0/6.2	7.3/6.2	8.2/6.1	8.8/6.1	8.2/6.0	7.7/5.9	7.5/--
SEA	0.23	1.9/0.0	1.6/2.2	1.8/2.1	1.9/2.5	2.3/2.8	2.4/3.4	2.7/2.9	3.1/5.0	3.5/5.0	4.0/4.9	3.7/5.0	3.8/5.0	4.0/5.0	3.9/5.1	3.7/--
SFO	0.29	1.9/0.0	1.7/1.8	1.9/2.1	2.1/1.8	2.2/2.3	2.0/2.1	2.1/1.7	1.8/3.9	1.7/4.0	1.7/4.1	1.9/4.2	1.9/4.3	1.8/4.4	1.8/4.5	1.7/--
SJC	-0.07	2.3/0.0	2.0/1.8	2.2/1.5	2.5/1.8	2.7/2.1	2.6/2.6	2.9/1.7	2.4/3.2	2.7/3.2	2.7/3.3	3.0/3.4	3.0/3.5	3.0/3.6	3.5/3.7	3.2/--
SJT	0.05	3.1/0.0	3.4/4.2	3.9/4.5	4.0/5.0	4.0/4.9	4.0/5.2	4.7/6.1	5.7/6.3	6.4/6.3	6.9/6.3	7.1/6.3	7.0/6.3	6.9/6.3	7.2/6.3	7.0/--
SLC	0.21	2.8/0.0	3.3/3.0	3.3/5.0	2.9/4.8	3.3/5.7	3.4/5.4	4.2/5.0	3.8/5.9	4.3/6.0	5.3/6.1	6.0/6.3	6.0/6.4	5.8/6.5	5.7/6.7	5.9/--
SSI	0.23	2.5/0.0	2.3/3.1	2.2/3.5	2.3/2.7	2.5/2.9	3.4/3.0	3.3/3.1	3.7/7.9	4.4/7.9	4.8/7.8	5.0/7.7	6.1/7.6	6.3/7.5	6.1/7.4	6.1/--
STL	-0.15	1.9/0.0	1.7/2.6	2.4/2.8	3.4/3.0	4.5/4.1	5.5/3.9	5.9/3.5	6.0/5.8	6.7/5.7	5.9/5.7	6.4/5.6	6.8/5.6	6.5/5.5	6.8/5.5	6.7/--
SYR	0.16	2.3/0.0	3.1/3.2	3.5/3.5	3.9/4.1	4.6/4.9	4.6/4.9	5.1/5.4	5.2/7.9	6.1/8.1	6.5/8.2	6.1/8.3	6.4/8.3	6.4/8.4	6.3/8.4	6.6/--
TLH	0.22	3.6/0.0	3.3/3.9	3.2/3.5	2.8/3.4	3.4/3.9	3.9/4.2	4.9/5.4	5.9/9.9	5.0/9.8	5.6/9.6	6.8/9.6	7.5/9.6	7.5/9.5	7.7/9.4	7.5/--
TPA	0.29	1.8/0.0	2.1/3.2	2.2/2.8	2.3/3.1	2.6/3.6	3.1/3.5	3.9/4.5	4.1/7.6	4.4/7.5	4.7/7.5	4.7/7.5	5.6/7.5	5.6/7.4	5.7/7.3	5.6/--
TRM	-0.09	2.6/0.0	3.0/2.0	2.7/2.1	3.1/2.4	2.6/3.5	2.4/3.5	2.8/2.7	3.2/3.5	3.7/3.5	3.9/3.7	4.3/3.8	4.7/3.9	4.6/4.1	4.8/4.2	4.9/--
TUL	-0.05	3.8/0.0	2.9/3.8	2.4/3.8	3.1/4.0	3.4/3.9	4.2/3.9	4.8/3.9	6.1/5.8	6.7/5.9	6.5/5.9	6.7/5.7	7.3/5.6	6.8/5.6	7.3/5.7	7.5/--
TUS	-0.05	2.0/0.0	2.3/2.8	2.4/2.5	2.4/2.2	2.5/2.1	2.5/2.8	2.9/2.5	3.1/3.8	3.8/3.8	4.0/3.9	4.5/3.9	4.5/3.9	4.6/4.0	5.1/4.1	4.7/--
TYR	0.09	2.2/0.0	2.5/2.6	2.5/4.1	2.6/3.3	3.3/3.9	3.9/4.1	4.5/4.1	5.3/7.4	6.0/7.3	6.6/7.2	7.1/7.1	7.0/6.9	6.9/6.8	7.3/6.7	7.7/--
TYS	0.06	2.2/0.0	2.4/3.5	3.6/3.9	3.8/3.8	3.8/4.2	3.9/4.1	4.6/3.8	3.8/5.6	3.7/5.6	4.1/5.5	4.8/5.4	6.0/5.3	6.2/5.2	6.0/5.1	5.5/--
VCT	0.16	2.6/0.0	2.3/2.8	2.5/3.8	2.2/3.8	2.2/4.7	3.5/5.1	5.4/5.2	6.0/8.5	7.4/8.4	8.2/8.2	8.6/8.2	8.3/8.1	8.1/8.1	8.4/8.0	8.4/--
WJF	-0.29	4.9/0.0	5.0/2.8	5.4/2.8	5.6/3.3	5.2/3.8	5.1/3.8	5.0/3.4	4.8/4.7	4.5/4.8	4.5/4.7	5.0/4.8	5.1/4.9	5.2/5.0	5.7/5.1	5.8/--
YKM	0.27	3.2/0.0	3.3/3.3	3.7/4.9	4.2/4.6	4.8/5.1	4.8/5.7	4.6/5.8	4.5/9.4	5.1/9.5	5.6/9.6	6.1/9.6	6.8/9.7	6.5/9.9	6.8/10.0	6.8/--
YNG	-0.43	5.4/0.0	5.6/3.4	4.5/3.8	4.9/4.3	5.4/5.1	6.2/5.6	7.7/6.6	8.8/5.7	10.3/5.8	9.5/5.9	9.6/6.0	9.8/6.1	10.4/6.2	9.5/6.2	9.6/--

Bias (2010-02-01~2010-02-28)

	avg-bias	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9	Day 10	Day 11	Day 12	Day 13	Day 14	Day 15
ABE	-2.09	-1.0/0.0	-0.8/0.3	-1.3/0.1	-1.9/-0.4	-2.3/-1.0	-2.4/-1.8	-3.7/-2.1	-3.9/-1.4	-4.2/-1.5	-3.2/-1.7	-2.2/-1.8	-1.9/-1.9	-1.3/-2.0	-0.4/-2.0	-1.0/--
ABI	1.08	0.0/0.0	-0.4/3.0	-0.7/3.0	-0.5/2.6	-0.2/2.6	0.2/2.9	0.4/3.1	0.5/2.4	1.8/2.1	1.5/1.9	2.2/1.8	2.7/1.6	2.9/1.4	3.4/1.2	2.7/--
ABQ	-0.27	-0.3/0.0	0.4/-0.2	0.3/-0.0	0.9/0.3	1.0/-0.4	0.5/-0.5	-0.4/-0.4	-0.1/-3.1	0.2/-3.3	-0.9/-3.5	-0.7/-3.7	-0.6/-3.9	-0.6/-4.0	-1.5/-4.2	-2.4/--
ABY	0.73	-0.1/0.0	0.2/-0.1	-0.0/-0.4	-0.1/1.1	-0.5/1.0	-0.5/1.0	-0.1/1.9	0.2/2.8	0.2/2.6	0.2/2.5	1.9/2.4	2.4/2.2	2.6/2.0	2.7/2.1	2.7/--
ACT	0.85	-0.1/0.0	-0.8/2.4	-1.5/3.4	-1.5/3.1	-0.7/3.6	-0.1/4.1	0.1/4.3	0.1/3.4	0.9/3.2	1.9/3.0	1.9/2.9	2.7/2.7	2.9/2.5	3.2/2.4	3.8/--
ACY	-2.11	-0.8/0.0	-0.6/-2.2	-0.9/-2.4	-1.3/-2.4	-1.6/-3.1	-2.1/-4.5	-3.5/-5.1	-3.8/-1.8	-4.1/-1.9	-3.1/-2.0	-3.1/-2.1	-2.6/-2.2	-1.9/-2.4	-0.9/-2.4	-1.3/--
ALB	-1.41	0.4/0.0	0.1/-1.3	0.0/-1.4	-0.8/-2.8	-0.6/-4.3	-2.1/-5.2	-3.1/-5.0	-2.5/-8.4	-2.2/-8.5	-3.0/-8.7	-1.8/-8.9	-2.0/-9.0	-1.0/-9.1	-0.8/-9.2	-1.9/--
ALW	0.79	-0.5/0.0	-0.3/-1.3	-0.6/-1.8	-0.7/-1.5	-0.3/-2.1	0.7/-2.4	1.1/-2.4	1.9/-4.8	1.9/-5.0	1.7/-5.1	2.0/-5.2	1.7/-5.4	1.4/-5.5	1.5/-5.7	0.5/--
AOO	0.14	-0.1/0.0	0.2/0.3	0.3/0.0	0.9/0.3	0.7/-0.5	-0.2/-1.4	-1.5/-1.7	-1.6/1.9	-1.6/1.7	-0.6/1.6	0.5/1.5	1.1/1.4	1.3/1.3	1.6/1.2	1.3/--
APN	-0.86	-0.1/0.0	0.4/0.3	0.3/-0.4	0.5/-1.1	-0.1/-0.9	-1.2/-1.7	-2.2/-0.3	-4.0/-6.5	-5.8/-6.6	-2.4/-6.7	-0.6/-6.7	0.9/-6.8	1.1/-6.8	0.4/-6.8	-0.2/--
ATL	0.10	0.2/0.0	0.1/0.8	0.2/1.4	-0.2/2.1	-0.9/2.6	-1.1/2.5	-1.2/1.9	-0.9/4.8	-0.6/4.6	-0.1/4.5	0.4/4.4	1.3/4.2	1.3/4.1	1.7/3.9	1.3/--
AUG	-0.32	0.1/0.0	0.6/-1.8	0.4/-2.1	0.5/-3.3	0.8/-4.9	1.2/-5.2	1.3/-4.5	0.9/-10.2	1.1/-10.4	-0.6/-10.6	-2.2/-10.8	-2.5/-10.9	-2.2/-11.1	-1.9/-11.2	-2.3/--
AUS	0.94	1.1/0.0	0.7/2.4	-0.4/2.6	-0.4/2.8	-0.4/3.4	-0.0/3.2	0.4/4.6	0.3/7.9	1.2/7.8	1.2/7.6	1.0/7.5	1.7/7.3	2.1/7.2	2.6/7.0	3.4/--
AVP	-2.03	0.4/0.0	0.8/-1.0	0.3/-1.0	-0.5/-1.5	-1.7/-2.3	-2.6/-3.2	-3.4/-3.4	-3.6/-3.2	-4.0/-3.4	-3.8/-3.5	-3.0/-3.6	-2.5/-3.7	-2.3/-3.8	-2.0/-3.9	-2.6/--
BDL	-3.04	-0.7/0.0	-1.2/-1.4	-1.6/-2.0	-2.3/+3.2	-3.0/-4.0	-4.0/-4.6	-4.9/-4.3	-4.5/-6.2	-5.0/-6.4	-4.3/-6.5	-3.8/-6.6	-2.9/-6.8	-2.4/-6.9	-2.1/-7.0	-3.0/--
BFL	0.02	0.6/0.0	0.4/0.9	0.6/1.2	0.7/-0.5	0.8/-0.3	0.2/0.3	0.4/1.2	0.1/-2.2	-0.3/-2.4	-1.3/-2.5	-0.2/-2.7	-0.0/-2.8	-0.4/-2.9	-0.4/-3.0	-0.7/--
BGM	-0.51	1.3/0.0	1.8/+0.3	1.8/-0.2	1.2/+0.9	0.9/-1.6	-0.2/-2.8	-0.5/-2.2	-0.7/-3.6	-1.2/-3.8	-2.2/-3.9	-2.7/-4.0	-3.1/-4.1	-1.2/-4.2	-1.1/-4.3	-1.7/--
BHM	0.95	0.3/0.0	0.3/2.0	0.4/2.2	0.5/1.8	0.3/2.1	0.1/2.7	0.1/2.2	0.3/4.2	0.5/4.1	0.8/3.9	1.3/3.8	2.2/3.6	2.3/3.5	2.6/3.4	2.4/--
BIS	-3.80	-0.9/0.0	-1.5/-2.4	-1.7/-3.5	-2.8/+5.1	-3.7/-6.0	-4.5/+5.9	-4.1/-5.6	-3.6/-6.8	-2.6/-7.2	-4.2/-7.5	-4.1/-7.9	-4.9/-8.3	-6.1/-8.7	-6.2/-9.0	-6.0/--
BNA	0.04	-0.1/0.0	-0.2/1.4	-0.4/0.6	-0.6/0.7	-0.6/0.1	-0.7/0.1	-1.1/0.2	-1.5/3.2	-0.5/3.0	0.1/2.9	0.8/2.8	1.4/2.6	1.4/2.5	1.3/2.4	1.3/--
BOI	1.54	0.1/0.0	0.2/-2.8	0.8/-3.1	1.6/-3.9	1.5/-4.6	2.5/-4.5	3.1/-5.5	3.8/-6.3	3.5/-6.5	1.8/-6.8	1.7/-7.0	1.5/-7.2	1.2/-7.4	0.4/-7.5	-0.5/--
BOS	-1.37	-0.2/0.0	-0.5/-0.7	-0.7/-0.9	-1.1/-1.7	-1.5/-1.7	-2.1/-2.7	-2.9/-2.2	-2.7/-4.5	-2.6/-4.6	-2.3/-4.8	-1.2/-4.9	-0.9/-5.1	-0.5/-5.2	-0.5/-5.2	-1.0/--
BRO	2.34	0.6/0.0	0.7/1.6	1.0/1.2	1.3/2.6	2.7/2.8	3.2/4.5	3.7/4.2	2.5/2.7	2.6/2.6	2.7/2.5	2.4/2.4	2.6/2.2	2.9/2.1	2.8/2.1	3.4/--
BTV	-0.14	0.2/0.0	-0.2/-0.5	-0.0/-0.9	-0.2/-3.5	-0.0/-4.8	-0.1/-4.9	-0.4/-5.3	-0.4/-11.0	-0.5/-11.1	-1.7/-11.2	-0.2/-11.4	-0.3/-11.5	0.8/-11.5	0.9/-11.6	0.0/--
BUF	0.62	-0.1/0.0	0.3/1.9	0.4/1.8	0.5/1.2	0.4/0.3	-0.5/-0.5	-0.8/0.0	-1.9/-1.9	-3.4/-2.0	-0.2/-2.1	2.6/-2.2	2.8/-2.2	3.8/-2.3	3.2/-2.4	2.2/--
BUR	0.57	0.2/0.0	0.5/1.2	1.0/1.3	1.2/0.7	1.1/0.8	1.0/1.5	0.9/1.2	1.6/-2.3	1.2/-2.4	1.6/-2.5	-0.4/-2.6	-0.2/-2.7	-0.4/-2.8	-0.5/-2.9	-0.4/--
BWI	-0.54	-0.7/0.0	-0.6/+0.6	-0.6/-1.0	-0.7/-1.4	-0.6/-1.0	-0.2/-2.0	-0.6/-2.6	-0.7/1.0	-0.7/0.9	0.2/0.8	-1.5/0.6	-1.1/0.5	-0.7/0.4	0.3/0.2	0.0/--
CAE	-1.08	0.5/0.0	0.0/1.1	-0.5/0.5	-0.9/0.4	-1.9/1.3	-2.2/+0.0	-2.9/0.1	-2.9/4.2	-2.8/4.1	-2.3/4.0	-1.2/3.9	-0.4/3.8	0.0/3.8	0.8/3.7	0.4/--
CHA	0.26	0.1/0.0	-0.1/0.1	0.1/0.6	0.2/0.7	-0.1/-0.1	-0.4/0.1	-0.5/0.3	-0.6/2.2	-0.6/2.1	-0.1/2.0	0.5/1.9	1.6/1.8	1.3/1.6	1.3/1.5	1.2/--
CLE	-3.89	-1.9/0.0	-2.7/-0.8	-2.1/-1.1	-2.6/-1.8	-3.9/-2.1	-4.5/-2.6	-5.8/-2.1	-7.0/-3.2	-7.8/-3.4	-5.7/-3.5	-4.4/-3.7	-2.6/-3.8	-2.6/-3.9	-2.3/-4.0	-2.5/--
CLT	-2.41	-0.3/0.0	-0.7/-1.4	-1.2/-1.0	-1.8/-0.5	-2.7/-0.6	-3.4/-2.1	-4.2/-1.1	-4.5/4.4	-4.2/4.2	-4.1/4.1	-3.2/4.0	-1.9/3.9	-1.7/3.8	-1.1/3.7	-1.3/--
CMH	-2.65	-1.0/0.0	-1.6/2.2	-1.1/1.5	-1.3/1.5	-2.8/0.5	-3.5/0.0	-4.7/-1.4	-5.6/1.1	-6.2/0.9	-3.9/0.8	-2.9/0.6	-1.5/0.5	-1.3/0.3	-1.1/0.2	-1.3/--
CON	-3.02	0.0/0.0	-0.6/-3.0	-0.8/-3.1	-2.2/-4.7	-2.4/-6.0	-3.4/-6.5	-3.7/-6.7	-3.8/-10.6	-4.1/-10.8	-5.6/-11.0	-4.0/-11.2	-3.8/-11.3	-3.7/-11.5	-2.9/-11.6	-4.2/--
COS	-3.58	-1.4/0.0	-2.5/+0.5	-3.4/-0.4	-4.6/-0.1	-4.9/0.4	-6.0/0.6	-6.5/0.8	-6.9/-0.9	-6.1/-1.1	-5.3/-1.2	-3.2/-1.4	-1.6/-1.5	-1.0/-1.6	-0.3/-1.7	-0.1/--
COU	2.21	0.1/0.0	0.5/1.8	0.4/0.7	0.7/0.6	1.0/-1.2	0.8/-0.5	0.6/-0.0	1.3/2.5	1.8/2.3	3.0/2.0	3.6/1.8	4.7/1.6	4.5/1.4	4.7/1.1	5.3/--
CQT	-0.36	-0.1/0.0	-0.1/-0.9	0.0/-1.0	-0.1/-1.6	-0.3/-1.7	-0.5/-1.0	-0.3/-0.8	-0.2/-1.8	-0.3/-1.9	-0.2/-2.0	-1.1/-2.0	-0.9/-2.0	-0.6/-2.1	-0.7/-2.1	-0.1/--
CRP	1.69	-0.2/0.0	-0.3/0.2	-0.5/1.0	-0.2/1.8	1.1/2.5	1.7/3.8	2.2/3.8	1.6/2.1	2.3/2.0	2.7/1.8	2.5/1.7	3.0/1.5	2.9/1.4	3.0/1.3	3.7/--
CRW	-1.71	-1.2/0.0	-1.5/+0.8	-1.9/-1.4	-2.1/-1.4	-2.3/-2.7	-1.7/-3.3	-2.8/-2.9	-2.9/0.5	-2.8/0.4	-2.6/0.2	-2.1/0.1	-0.8/0.0	-0.4/0.1	-0.2/0.2	-0.2/--
CVG	-2.34	-0.8/0.0	-0.8/3.6	-1.3/2.7	-1.2/2.1	-1.8/1.0	-3.2/0.8	-5.1/1.7	-6.1/3.8	-6.3/3.6	-4.3/3.4	-2.5/3.2	-0.8/3.1	-0.5/2.9	-0.5/2.8	0.2/--
DAY	-3.11	-0.6/0.0	-0.8/3.0	-1.0/2.5	-1.8/1.2	-2.7/0.4	-3.9/0.4	-5.9/-0.3	-6.9/2.3	-7.3/2.1	-5.2/1.9	-3.8/1.7	-1.9/1.6	-1.8/1.4	-1.7/1.2	-1.3/--
DBQ	-0.25	-0.8/0.0	-1.3/1.4	-1.9/-0.4	-1.5/-2.0	-1.6/-2.2	-1.8/-2.1	-2.0/-1.6	-1.8/-1.1	-0.5/-1.4	0.4/-1.7	1.1/-2.0	1.9/-2.3	2.3/-2.5	2.2/-2.8	1.7/--
DCA	-0.25	-0.1/0.0	0.1/-1.4	0.0/-1.4	-0.1/-1.9	0.1/-2.4	0.1/-1.9	-0.4/-2.5	-0.6/0.5	-0.4/0.4	-0.0/0.2	-1.6/0.1	-1.0/0.0	-0.5/0.1	0.3/-0.2	0.1/--
DEC	-2.15	-1.1/0.0	-1.1/2.8	-2.0/1.2	-3.0/0.9	-3.5/0.1	-4.2/-0.5	-5.2/-0.6	-4.6/2.1	-4.1/1.8	-2.3/1.6	-0.8/1.4	0.1/1.1	-1.1/0.9	-0.3/0.8	0.0/--
DEN	0.02	-0.2/0.0	-0.1/-1.8	0.2/-1.9	-0.3/-1.0	-0.1/-0.1	-0.4/0.1	-0.4/0.5	-0.8/-1.6	-0.4/-1.7	-0.4/-1.9	-0.4/-2.1	0.1/-2.3	0.7/-2.4	1.2/-2.6	1.4/--
DFW	1.54	-0.4/0.0	-0.4/1.0	-0.7/1.9	-0.6/1.6	0.4/1.9	1.2/2.8	0.8/1.8	1.2/2.9	2.0/2.7	2.4/2.5	2.4/2.2	3.3/2.1	3.4/1.9	3.6/1.7	4.2/--
DLH	2.36	0.4/0.0	0.9/-0.1	1.2/-0.3	1.3/-1.4	0.7/-3.3	1.3/-3.8	1.5/-3.0	2.6/-7.3	2.1/-7.6	2.7/-7.9	4.1/-8.3	4.1/-8.5	4.6/-8.8	4.2/-9.1	3.7/--
DSM	0.62	0.9/0.0	0.2/-1.0	0.2/-2.0	0.3/-0.9	0.9/-0.7	0.8/-1.4	-1.1/-1.4	-0.6/1.0	-0.1/0.7	0.9/0.4	1.6/0.2	1.5/0.1	1.5/0.4	1.3/0.6	0.9/--
DTW	-4.84	-1.3/0.0	-1.9/-1.0	-2.7/-1.4	-3.6/+2.5	-4.8/-2.8	-6.1/-2.7	-6.8/-2.9	-8.2/-3.9	-8.2/-4.1	-6.2/-4.2	-5.4/-4.4	-4.1/-4.5	-4.4/-4.6	-4.4/-4.7	-4.8/--
ELP	-1.91	0.0/0.0	-0.4/1.1	-0.9/0.4	-0.7/0.1	-0.9/0.8	-1.5/-0.9	-1.8/-1.6	-1.9/-2.1	-1.8/2.3	-3.2/-2.5	-3.5/-2.7	-3.2/-2.9	-3.1/-3.1	-2.9/+3.2	-2.9/--
ERI	-0.17	0.4/0.0	0.8/1.1	0.9/1.3	0.7/0.7	0.0/0.1	-1.0/-0.4	-1.9/0.0	-2.4/-0.2	-3.9/-0.3	-2.2/-0.4	-0.2/0.5	0.8/-0.5	2.1/-0.5	1.9/0.6	1.5/--
EUG	1.26	0.4/0.0	0.6/-0.6	0.4/-1.9	0.4/-1.9	1.4/-2.6	1.3/-2.0	1.3/-2.9	1.6/-4.4	1.4/-4.5	1.6/-4.5	1.6/-4.6	1.7/-4.7	2.1/-4.8	1.9/-4.8	1.2/--
EVV	-1.20	-1.5/0.0	-1.8/2.5	-2.3/1.5	-2.9/1.3	-3.9/0.1	-3.3/-0.1	-3.2/-0.9	-3.5/2.4	-2.4/2.2	-0.9/2.0	0.3/1.8	1.3/1.6	1.9/1.5	2.0/1.3	2.4/--
EWR	-1.05	0.1/0.0	-0.0/-0.7	-0.2/-0.9	-0.4/-1.0	-0.8/-1.3	-1.4/-2.2	-2.5/-2.2	-2.4/-1.6	-2.9/-1.8	-2.3/-1.9	-1.0/-2.0	-0.9/-2.1	-0.2/-2.2	-0.0/-2.4	-0.8/--
FAR	-0.04	-0.4/0.0	-0.5/-1.8	0.9/-2.1	1.9/-3.8	0.4/-3.8	-0.3/-5.1	-1.4/-4.9	-1.9/-6.1	-1.2/-6.5	0.2/-6.9	0.8/-7.3	1.2/-7.6	0.2/-7.9	-0.2/-8.2	-0.4/--
FAT	0.08	0.6/0.0	0.2/-0.1	0.4/-0.8	0.5/-1.0	0.6/-1.0	0.3/-0.5	0.2/-0.2	0.4/-4.1	-0.0/-4.2	0.6/-4.3	-0.3/-4.4	-0.1/-4.5	-0.4/-4.6	-0.4/-4.7	-0.4/--
FLG	0.36	-0.3/0.0	-0.4/3.0	-0.3/3.7	-0.1/2.6	0.1/1.6	0.1/1.5	0.4/1.0	1.0/-0.8	1.1/-0.9	0.6/-1.0	1.0/-1.0	1.1/-1.1	0.5/-1.2	0.7/-1.2	-0.1/--
FMY	-0.08	-0.1/0.0	-0.0/0.5	0.2/-0.5	-0.2/1.1	-0.2/2.5	-0.0/2.4	0.4/4.5	1.1/5.2	1.0/5.1	0.9/5.1	-0.9/5.0	-0.6/4.9	-1.0/4.9	-1.3/4.9	-0.6/--
FSD	-1.68	0.3/0.0	-0.4/-4.4	-0.9/-2.9	-0.8/-4.8	-1.6/-3.4	-1.8/-3.6	-3.4/-2.2	-2.0/-4.5	-0.6/-4.9	-2.1/-5.2	-2.4/-5.5	-2.0/-5.8	-2.0/-6.1	-2.8/-6.4	-2.6/--
FWA	-2.95	-0.5/0.0	-0.7/0.7	-0.6/-0.1	-1.3/-1.4	-2.5/-1.9	-3.4/-1.6	-4.7/-1.4	-5.9/-1.5	-6.7/-1.7	-4.4/-1.9	-3.3/-2.0	-2.2/-2.2	-2.5/-2.4	-2.6/-2.5	-2.8/--

GAD	0.98	0.3/0.0	-0.1/0.1	-0.2/-0.3	0.2/1.4	0.1/1.6	0.4/1.1	0.2/2.0	0.2/3.4	0.6/3.3	1.3/3.2	1.8/3.1	2.5/3.0	2.3/2.9	2.7/2.8	2.4/--
GEG	1.29	0.5/0.0	0.8/-2.0	0.4/-2.6	1.4/-3.4	2.0/-3.5	2.5/-4.5	2.6/-3.6	2.8/-7.1	2.9/-7.3	2.2/-7.5	1.0/-7.6	0.7/-7.8	0.4/-7.9	-0.1/-8.1	-0.9/--
GTF	-0.48	-0.8/0.0	-2.0/-4.5	-2.9/-4.5	-2.7/-4.4	-1.2/-3.0	-1.4/-2.6	-0.5/-4.1	-0.4/-6.7	1.0/-6.8	1.0/-7.0	0.1/-7.2	0.7/-7.4	0.3/-7.6	0.7/-7.7	0.9/--
HOU	2.47	0.5/0.0	0.4/1.6	0.3/2.0	0.8/2.6	1.6/3.2	2.2/4.5	2.9/4.4	3.4/6.1	4.0/6.0	3.6/5.9	3.2/5.7	3.2/5.6	3.5/5.5	3.6/5.4	3.9/--
HSV	0.54	0.5/0.0	0.5/0.5	0.7/-0.2	0.5/0.8	0.3/0.0	-0.4/0.7	-0.4/-0.1	-0.5/3.2	-0.1/3.0	0.1/2.9	0.9/2.8	1.8/2.6	1.4/2.5	1.6/2.4	1.4/--
IAH	1.55	-0.0/0.0	-0.2/0.8	-0.5/2.5	-0.2/2.0	0.6/2.2	1.3/3.9	1.7/4.0	1.7/3.8	2.1/3.6	2.8/3.5	1.9/3.3	2.5/3.2	2.9/3.0	3.1/2.9	3.7/--
ICT	-0.28	-0.7/0.0	-1.1/-0.7	-1.2/-2.0	-1.2/-3.2	-0.8/-2.8	-1.2/-1.8	-0.9/-1.7	0.2/-1.0	0.6/-1.2	0.4/-1.5	0.4/-1.7	0.5/-1.9	0.1/-2.1	0.4/-2.3	0.3/--
ILG	-0.92	-0.5/0.0	-0.4/-0.4	-0.5/-1.0	-0.4/-1.1	-0.5/-1.7	-0.4/-2.8	-1.0/-2.9	-1.3/0.0	-1.6/-0.1	-0.9/-0.3	-2.0/-0.4	-1.6/-0.5	-1.3/-0.6	-0.5/-0.7	-0.9/--
IND	-3.27	-1.7/0.0	-1.8/1.9	-2.0/1.8	-2.1/1.1	-3.5/0.1	-5.0/0.2	-6.1/-1.0	-6.9/1.1	-7.2/0.9	-4.9/0.7	-3.1/0.5	-1.8/0.3	-1.4/0.1	-1.2/-0.1	-0.3/--
IPT	-3.29	-0.9/0.0	-1.2/-1.4	-1.5/-2.0	-1.8/-2.5	-2.7/-3.1	-3.5/-4.0	-4.9/-4.1	-5.4/-4.6	-6.6/-4.7	-5.2/-4.9	-3.9/-5.0	-3.2/-5.1	-2.9/-5.2	-2.4/-5.3	-3.1/--
JAN	2.29	0.2/0.0	0.3/1.7	0.3/2.2	0.5/3.3	0.6/3.1	1.8/3.8	2.1/4.2	1.7/6.3	1.7/6.2	2.9/6.0	4.0/5.9	4.4/5.8	4.7/5.6	4.5/5.5	4.8/--
JAX	0.78	-0.1/0.0	-0.1/-0.6	-0.0/-0.9	-0.3/1.1	-0.3/1.7	-0.5/1.8	-0.1/3.4	0.4/6.3	-0.2/6.2	0.4/6.1	1.7/6.0	2.7/5.9	2.7/5.8	2.6/5.7	2.9/--
JFK	-1.50	-0.1/0.0	0.2/-1.4	0.1/-1.7	-0.3/-2.0	-1.3/-2.3	-2.1/-2.6	-2.9/-2.8	-3.1/-2.9	-3.4/-3.0	-2.8/-3.1	-1.7/-3.2	-1.5/-3.3	-1.1/-3.4	-1.1/-3.5	-1.5/--
LAN	-4.41	-1.9/0.0	-3.0/-1.5	-3.4/-1.5	-4.3/-2.6	-5.0/-2.3	-6.4/-2.0	-6.8/-2.8	-7.6/-5.0	-8.3/-5.1	-5.4/-5.2	-3.9/-5.4	-2.4/-5.5	-2.4/-5.6	-2.4/-5.6	-2.9/--
LAS	-0.44	-0.1/0.0	0.1/1.4	0.3/0.3	0.4/0.1	0.2/-0.2	-0.2/-0.5	-0.6/-0.3	-0.1/-4.2	-0.2/-4.4	-0.5/-4.5	-1.4/-4.7	-1.2/-4.9	-1.2/-5.1	-1.1/-5.2	-1.1/--
LAX	-0.49	-0.2/0.0	-0.2/-0.1	-0.2/0.1	-0.3/-0.4	-0.2/-0.5	-0.4/-0.8	-0.2/-0.1	-0.0/-0.8	-0.0/-0.9	0.2/-0.9	-1.1/-0.9	-1.0/-1.0	-1.2/-1.0	-1.3/-1.0	-1.3/--
LEX	-1.64	-2.0/0.0	-2.4/2.5	-3.1/1.1	-3.2/1.1	-3.3/-0.2	-3.3/0.1	-3.9/4.4	-3.3/4.2	-1.9/4.0	-0.9/3.9	0.6/3.7	1.6/3.6	1.9/3.4	2.4/--	2.4/--
LFK	1.46	-0.1/0.0	-0.3/0.1	-0.9/1.1	-0.9/1.8	0.1/1.6	1.1/2.3	1.6/3.0	1.6/4.6	2.1/4.4	2.9/4.3	2.0/4.1	2.6/4.0	2.9/3.9	3.1/3.8	4.0/--
LGA	-0.39	-0.2/0.0	0.1/-0.6	0.1/-0.5	0.2/-1.5	-0.2/-1.8	-0.7/-2.9	-1.4/-2.2	-1.4/-2.0	-1.9/-2.1	-1.6/-2.2	0.4/-2.3	0.1/-2.4	0.6/-2.5	0.3/-2.6	-0.2/--
LGB	0.31	0.0/0.0	0.2/2.4	1.0/2.0	0.9/1.8	0.5/1.1	0.3/2.0	0.0/1.7	1.2/0.6	0.5/0.5	1.0/0.4	-0.4/0.4	-0.2/0.3	-0.2/0.2	0.0/0.1	-0.0/--
LIT	1.22	0.1/0.0	0.2/0.8	0.0/1.0	-0.6/0.6	-0.5/0.7	0.1/0.1	0.1/0.5	0.6/3.4	1.0/3.2	1.3/3.0	2.2/2.9	3.3/2.7	3.5/2.6	2.9/2.4	4.1/--
LNS	-1.80	-0.8/0.0	-0.9/-0.2	-1.1/-0.3	-1.5/-1.0	-1.9/-1.0	-2.4/-2.5	-3.5/-2.4	-4.0/-7.5	-4.6/-7.6	-3.3/-7.7	-1.4/-7.8	-1.1/-7.9	-0.6/-8.0	0.4/-8.1	-0.2/--
MAF	-0.58	-0.3/0.0	-0.7/2.2	-0.8/3.1	-1.2/2.9	-1.1/2.4	-1.2/2.4	-1.2/2.9	-1.3/0.8	-1.2/0.6	-1.4/0.4	-0.1/0.2	0.3/-0.1	0.9/-0.2	0.4/--	0.4/--
MBA	-1.52	-0.1/0.0	-0.6/-0.5	-0.8/-1.0	-1.2/-2.1	-1.7/-3.0	-2.4/-3.9	-3.3/-3.6	-3.2/-5.8	-3.5/-6.0	-2.9/-6.1	-1.4/-6.2	-0.7/-6.4	-0.4/-6.5	0.2/-6.6	-0.9/--
MCI	0.18	-0.3/0.0	-0.5/-0.5	-0.5/-1.2	-0.4/-0.9	-0.6/-1.9	-0.9/-2.5	-0.8/-1.4	-0.0/1.5	0.8/1.2	1.0/1.0	1.5/0.7	1.4/0.5	0.8/0.3	0.5/0.0	0.8/--
MCN	-0.16	0.3/0.0	0.4/0.7	0.2/1.0	0.1/2.2	-0.4/1.7	-0.8/2.4	-0.9/2.1	-0.9/4.4	-1.7/4.3	-1.2/4.2	-0.2/4.1	0.8/4.0	0.7/3.9	0.8/3.8	0.5/--
MCO	0.26	-0.3/0.0	-0.2/0.1	-0.2/-0.2	-0.8/0.2	-1.0/1.5	-0.8/2.8	-0.4/3.4	0.3/5.7	-0.3/5.6	0.5/5.5	1.0/5.4	1.4/5.2	1.3/5.2	1.3/5.2	1.7/--
MDT	-1.19	-0.4/0.0	-0.7/-2.4	-0.7/-1.1	-0.8/-2.2	-1.3/-2.6	-1.4/-3.7	-2.0/-3.8	-1.9/-0.8	-2.1/-0.9	-2.0/-1.0	-1.4/-1.1	-1.0/-1.2	-0.9/-1.2	-0.4/-1.3	-0.9/--
MEM	0.71	-0.4/0.0	-0.0/2.3	-0.3/2.0	0.1/2.0	-0.2/1.8	-0.0/1.2	-0.5/1.1	-0.1/4.4	0.4/4.1	1.2/3.9	1.3/3.8	1.9/3.6	2.1/3.4	2.3/3.2	2.8/--
MHT	-1.90	-0.5/0.0	-0.9/-2.4	-1.0/-2.6	-1.3/-4.1	-1.7/-4.6	-2.5/-5.6	-3.2/-4.6	-3.1/-18.1	-3.5/-18.2	-3.5/-18.4	-2.1/-18.6	-1.4/-18.8	-1.2/-19.0	-0.7/-19.1	-1.7/--
MIA	0.92	0.4/0.0	0.6/-0.1	0.5/-0.9	0.4/0.9	0.2/2.5	0.6/3.0	0.9/4.5	1.5/4.1	1.2/4.0	1.7/4.0	1.5/3.9	1.3/3.8	1.0/3.8	0.9/3.7	1.3/--
MKE	-2.74	0.8/0.0	-0.2/-2.8	-0.4/-4.0	-0.5/-4.5	-0.9/-5.2	-2.2/-5.1	-3.8/-5.4	-4.5/-6.4	-4.0/-6.6	-4.7/-6.9	-4.4/-7.1	-3.4/-7.3	-3.7/-7.5	-4.2/-7.8	-5.0/--
MOB	1.64	0.3/0.0	-0.3/-1.1	-0.5/2.0	-0.7/3.6	-0.2/3.4	0.7/3.2	1.2/4.3	1.2/6.7	1.1/6.5	2.1/6.4	3.3/6.3	4.0/6.2	4.2/6.0	4.1/5.9	4.1/--
MSP	-0.16	-0.2/0.0	-0.5/0.1	-0.8/-0.6	-0.2/-2.5	-0.1/-1.7	-0.3/-0.8	-2.3/-2.1	-2.9/-2.1	-1.8/-2.5	-0.2/-2.9	0.4/-3.2	1.5/-3.5	1.8/-3.8	1.8/-4.1	1.4/--
MSY	3.03	-0.3/0.0	-0.3/0.0	-0.1/1.2	0.4/1.6	0.8/2.6	2.2/2.8	2.8/3.6	2.3/5.1	2.9/5.0	4.2/4.9	5.4/4.7	5.9/4.6	6.3/4.5	6.4/4.4	6.4/--
MWL	1.25	0.1/0.0	-0.4/1.4	-0.8/2.0	-0.6/1.9	-0.1/2.5	0.3/3.4	0.3/2.5	0.3/4.6	1.5/4.4	2.0/4.2	2.3/4.1	2.9/3.9	3.3/3.7	3.7/3.5	3.8/--
NKX	0.48	0.3/0.0	0.5/0.7	1.4/1.4	1.7/0.4	1.8/-0.5	1.3/0.8	1.0/0.9	0.9/0.0	0.7/0.0	1.2/0.0	-1.0/0.0	-0.7/0.0	-0.8/0.0	-0.4/0.0	-0.7/--
NTU	0.64	0.6/0.0	0.7/-0.1	0.7/0.2	1.1/-0.1	1.4/-0.5	1.6/-0.1	0.3/-0.4	0.2/4.4	0.5/4.3	0.7/4.2	-1.2/4.1	-1.0/4.0	0.4/3.9	1.4/3.9	1.4/--
OAK	-0.81	0.0/0.0	-0.1/-1.1	0.1/-0.6	-0.0/-0.4	-0.4/-1.0	-0.9/-0.6	-0.8/-0.9	-0.6/0.1	-0.9/0.0	-1.0/-0.1	-1.6/-0.2	-1.5/-0.3	-1.5/-0.4	-1.4/-0.5	-1.5/--
OKC	0.79	0.2/0.0	0.3/-0.0	0.3/-1.7	-0.1/-1.8	1.2/-1.0	1.1/-0.0	0.8/-0.1	1.4/0.4	1.7/0.1	0.3/-0.1	0.6/-0.3	1.0/-0.5	0.6/-0.8	1.4/-0.9	1.0/--
OMA	0.93	-1.5/0.0	-1.7/0.2	-1.1/-1.7	-0.1/-0.8	1.0/0.2	0.5/-1.1	0.3/-0.2	0.6/1.4	2.6/1.2	1.9/0.9	2.8/0.6	2.3/0.3	2.4/0.1	1.7/-0.2	2.1/--
ORD	-2.56	0.3/0.0	-0.3/-0.8	-0.9/-2.5	-1.5/-3.2	-2.2/-3.4	-3.0/-3.0	-4.4/-3.1	-4.4/-3.9	-4.5/-4.1	-3.8/-4.4	-2.8/-4.6	-2.3/-4.8	-2.5/-5.0	-2.9/-5.2	-3.1/--
ORH	0.47	1.5/0.0	1.4/-0.6	1.6/-0.5	1.3/-0.8	0.6/-2.0	-0.3/-2.3	-1.2/-1.9	-0.8/-5.1	-1.2/-5.2	-1.2/-5.4	0.9/-5.5	0.9/-5.6	1.3/-5.7	1.7/-5.8	0.6/--
PDT	1.24	-0.7/0.0	-0.7/-0.9	-0.6/-1.4	-0.8/-1.5	0.3/-1.6	0.7/-3.4	1.4/-2.6	2.3/-4.0	2.4/-4.1	2.1/-4.2	3.3/-4.4	3.0/-4.5	2.7/-4.6	2.2/-4.8	1.1/--
PDX	0.67	-0.2/0.0	0.2/0.8	0.0/-0.9	-0.1/-0.0	0.2/-1.0	-0.1/-1.4	0.2/-1.2	0.4/-3.9	0.4/-4.0	0.9/-4.0	1.8/-4.1	1.8/-4.2	1.7/-4.2	1.8/-4.3	1.0/--
PHL	-0.92	-0.3/0.0	-0.1/0.2	-0.2/-0.5	-0.4/-0.5	-0.6/-0.6	-0.9/-1.0	-2.1/-1.8	-2.2/0.9	-2.5/0.8	-1.7/0.6	-1.4/0.5	-1.1/0.4	-0.6/0.3	0.3/0.2	-0.1/--
PHX	-0.33	-0.1/0.0	-0.2/-0.0	-0.3/-0.6	0.0/-0.5	0.3/-0.8	0.3/-1.0	-0.2/-1.0	-0.0/-3.7	0.0/-3.8	-0.4/-4.0	-0.9/-4.1	-0.7/-4.2	-0.8/-4.3	-0.8/-4.5	-1.1/--
PIR	2.19	1.2/0.0	1.7/1.2	1.8/0.9	2.6/0.3	1.9/-0.3	1.8/1.4	2.2/2.3	2.1/1.6	3.8/1.3	3.2/1.0	3.0/0.7	2.6/0.4	1.8/0.2	1.7/-0.2	1.6/--
PIT	-2.95	-1.6/0.0	-1.7/1.1	-1.1/1.0	-1.1/0.7	-2.2/-0.1	-3.2/-0.9	-4.9/-0.6	-5.2/0.6	-6.0/0.4	-5.2/0.3	-3.9/0.1	-2.2/0.0	-1.8/-0.1	-1.7/-0.2	-1.9/--
PVD	-1.83	-0.2/0.0	-0.5/-1.5	-0.9/-1.0	-1.3/-2.3	-2.1/-2.7	-3.0/-3.4	-3.7/-3.4	-3.4/-5.0	-4.2/-5.1	-3.7/-5.2	-1.6/-5.4	-1.0/-5.5	-0.6/-5.6	-0.2/-5.7	-1.1/--
PWM	-1.58	-0.4/0.0	-1.0/-1.6	-1.4/-2.2	-1.6/-3.6	-1.7/-4.7	-2.0/-5.7	-2.7/-4.9	-2.5/-9.3	-2.3/-9.5	-2.7/-9.6	-1.5/-9.8	-1.0/-10.0	-0.9/-10.1	-0.5/-10.2	-1.3/--
RAL	0.06	0.1/0.0	0.3/5.3	0.7/4.8	1.0/4.6	0.8/3.9	0.4/4.8	0.4/4.6	0.5/5.3	0.4/5.2	0.3/5.2	-0.9/5.1	-0.9/5.1	-0.9/5.1	-0.8/5.0	-0.6/--
RAP	2.66	-0.6/0.0	0.2/1.1	0.8/0.7	1.5/0.3	2.0/1.0	2.7/0.6	3.1/2.6	3.5/2.5	3.5/2.3	3.7/2.1	4.8/1.9	4.8/1.7	4.5/1.5	2.4/1.3	3.0/--
RBL	0.04	0.4/0.0	0.3/-2.2	0.2/-1.2	0.2/-2.1	-0.3/-2.6	-0.2/-2.2	-0.4/-1.9	0.3/-3.1	-0.2/-3.3	-0.1/-3.4	0.1/-3.5	0.0/-3.6	0.1/-3.7	0.2/-3.8	0.1/--
RDD	-0.25	0.3/0.0	-0.3/-1.5	-0.3/-1.9	-0.3/-1.1	-0.2/-2.4	-0.2/-1.6	-0.3/-0.7	0.3/-4.4	0.1/-4.5	0.2/-4.6	-0.9/-4.7	-1.1/-4.8	-0.3/-4.9	-0.3/-4.9	-0.3/--
RDU	-1.83	0.2/0.0	-0.3/0.3	-0.7/0.6	-1.1/-1.4	-1.8/-0.8	-2.5/-0.9	-3.7/-0.7	-3.9/2.6	-3.5/2.5	-3.5/2.3	-2.8/2.2	-1.6/2.1	-1.1/2.0	-0.5/1.9	-0.5/--
RIC	-1.59	-0.4/0.0	-0.7/-1.1	-0.9/-0.8	-0.7/-1.0	-1.0/-1.5	-1.3/-2.4	-3.0/-2.0	-3.8/2.0	-4.0/1.9	-3.5/1.8	-2.4/1.6	-1.3/1.5	-0.9/1.4	-0.1/1.3	0.2/--
RNO	0.40	1.1/0.0	0.9/-1.2	1.4/-1.6	1.5/-2.1	1.4/-3.2	1.6/-2.5	1.4/-1.8	2.0/-6.5	1.8/-6.6	-0.4/-6.7	-0.4/-6.9	-0.7/-7.0	-1.3/-7.1	-1.7/-7.3	-2.7/--

ROA	-3.84	-0.5/0.0	-2.6/-0.9	-3.1/-0.4	-2.8/-1.0	-3.7/-1.8	-4.0/-2.4	-5.0/-2.1	-6.1/0.8	-6.9/0.7	-6.7/0.6	-4.2/0.4	-3.6/0.3	-3.3/0.2	-2.7/0.1	-2.3/--
ROC	-0.91	-0.2/0.0	0.2/1.2	0.5/1.1	0.2/0.3	0.2/0.0	-0.9/-1.1	-1.1/-0.6	-1.8/-3.7	-2.8/-3.8	-2.7/-3.9	-1.8/-3.9	-1.5/-4.0	-0.2/-4.0	-0.4/-4.1	-1.4/--
SAC	-0.65	0.1/0.0	-0.3/-1.1	-0.4/-2.1	-0.4/-1.3	-0.7/-3.0	-1.0/-1.7	-0.9/-2.0	-0.6/-3.2	-1.0/-3.4	-1.0/-3.5	-0.5/-3.6	-0.8/-3.7	-0.7/-3.8	-0.8/-3.9	-0.9/--
SAN	0.37	0.3/0.0	0.4/0.7	0.5/0.8	0.7/0.3	0.8/0.5	0.6/0.5	0.6/0.9	0.5/-0.7	0.5/-0.8	0.7/-0.8	-0.2/-0.9	-0.1/-1.0	-0.1/-1.0	0.1/-1.1	0.0/--
SAT	1.29	0.6/0.0	0.3/1.8	-0.3/2.0	-0.3/1.6	0.0/2.2	0.4/2.5	1.0/3.6	0.9/1.5	1.9/1.3	1.8/1.2	1.8/1.0	2.2/0.9	2.5/0.8	3.1/0.6	3.7/--
SAV	1.40	0.8/0.0	1.0/-1.4	1.2/-2.0	1.5/0.0	1.1/0.8	1.0/0.4	1.2/1.5	1.4/4.4	1.2/4.2	1.7/4.1	1.1/4.0	1.9/3.9	2.1/3.8	2.1/3.6	1.8/--
SDF	-1.09	-1.6/0.0	-1.6/2.9	-2.0/2.0	-2.0/2.0	-2.6/1.0	-2.7/0.2	-2.8/2.2	-3.1/3.2	-3.1/3.0	-1.6/2.9	-0.6/2.7	0.8/2.6	1.7/2.4	2.2/2.2	2.6/--
SEA	0.88	-0.2/0.0	-0.1/-1.1	-0.1/-0.8	0.0/-1.0	0.4/-1.2	0.5/-2.2	0.9/-0.7	1.1/-4.0	1.6/-4.0	2.4/-4.1	2.4/-4.1	1.4/-4.1	1.3/-4.2	1.1/-4.2	0.4/--
SFO	-0.85	-0.3/0.0	-0.7/-0.9	-0.7/-0.9	-0.8/-1.2	-1.0/-1.8	-1.1/-1.2	-1.0/-1.0	-0.9/-3.9	-1.0/-4.0	-0.8/-4.1	-1.0/-4.2	-1.1/-4.3	-0.9/-4.4	-0.7/-4.5	-0.7/--
SJC	-0.70	0.0/0.0	-0.2/-0.2	-0.0/-0.2	-0.1/-0.8	-0.5/-1.6	-0.9/-1.4	-0.6/0.0	-0.4/-2.5	-0.8/-2.6	-0.8/-2.7	-1.4/-2.8	-1.3/-2.9	-1.3/-3.0	-1.2/-3.1	-1.1/--
SJT	-0.03	-0.0/0.0	-0.8/2.6	-1.3/2.1	-1.3/1.8	-1.3/2.1	-0.7/2.7	-0.5/2.9	-0.8/0.3	-0.1/0.1	0.0/-0.0	0.7/-0.2	1.0/-0.4	1.3/-0.5	1.9/-0.7	1.5/--
SLC	-1.83	1.3/0.0	0.5/-2.7	-0.1/-4.7	-0.8/-4.5	-1.1/-4.8	-2.0/-4.1	-2.3/-2.9	-2.5/-5.1	-2.5/-5.3	-2.7/-5.5	-3.3/-5.7	-2.9/-5.9	-2.7/-6.0	-2.8/-6.2	-3.7/--
SSI	0.16	-0.5/0.0	-0.5/-1.0	-0.4/-2.0	-0.5/-0.4	-0.5/1.2	-0.5/1.7	-0.4/1.8	-0.1/5.8	-0.1/5.6	0.4/5.5	0.1/5.4	0.8/5.3	1.3/5.2	1.4/5.1	1.9/--
STL	-0.89	-0.3/0.0	-0.4/0.6	-0.8/0.0	-1.5/-1.2	-1.8/-2.4	-2.0/-1.9	-3.2/-1.4	-2.6/1.0	-2.6/0.7	-1.2/0.5	-0.1/0.2	0.7/0.0	0.6/-0.2	0.7/-0.4	1.2/--
SYR	-1.63	0.2/0.0	-0.1/0.8	-0.2/0.6	-0.8/-0.4	-1.1/-1.6	-1.7/-2.2	-2.1/-2.1	-2.6/-6.4	-2.7/-6.6	-3.4/-6.7	-2.6/-6.8	-2.6/-6.9	-1.5/-7.0	-1.4/-7.1	-2.0/--
TLH	1.46	0.2/0.0	0.2/-0.1	0.6/0.3	0.3/0.9	0.3/1.3	1.0/2.2	1.5/3.4	2.0/7.0	1.8/6.9	1.4/6.8	2.2/6.7	2.4/6.6	2.3/6.5	2.7/6.4	3.1/--
TPA	-0.01	-0.4/0.0	-0.6/-0.4	-0.7/-0.5	-0.8/0.8	-1.0/1.6	-0.4/2.4	0.2/2.3	0.7/6.2	0.6/6.2	0.8/6.1	-0.2/6.0	0.1/6.0	0.4/5.9	0.6/5.8	0.6/--
TRM	-0.77	0.5/0.0	0.5/-0.6	0.6/0.3	0.7/0.0	0.5/-2.1	0.3/-2.1	-0.3/-1.0	-0.1/-2.4	-0.7/-2.5	-2.4/-2.7	-2.0/-2.8	-1.9/-3.0	-1.9/-3.2	-2.6/-3.3	-2.9/--
TUL	1.41	0.2/0.0	0.5/0.6	0.2/-0.5	-0.4/-1.2	0.9/-1.2	1.4/-0.1	1.3/-0.9	1.9/1.6	1.9/1.4	1.3/1.1	2.0/0.9	2.5/0.7	2.4/0.5	2.5/0.3	2.8/--
TUS	0.42	0.2/0.0	-0.2/0.9	0.0/0.5	0.2/0.5	0.1/0.5	0.2/-0.3	-0.3/-0.2	-0.1/-1.8	0.2/-1.9	0.2/-2.0	0.8/-2.1	1.2/-2.2	1.4/-2.3	1.5/-2.4	0.8/--
TYR	2.28	0.1/0.0	0.2/1.1	-0.1/3.0	-0.1/2.2	1.2/2.8	2.1/3.7	2.4/3.2	2.4/5.7	2.4/5.6	3.3/5.4	3.3/5.3	3.8/5.1	3.9/5.0	4.3/4.9	5.0/--
TYS	0.94	0.4/0.0	0.7/1.0	1.3/0.1	0.4/1.1	-0.1/0.5	0.0/-0.3	-0.4/-0.9	-0.3/2.9	0.2/2.8	1.0/2.6	1.4/2.5	2.5/2.4	2.6/2.3	2.4/2.2	1.9/--
VCT	1.98	0.1/0.0	0.0/1.6	-0.2/2.3	-0.2/2.8	0.7/3.6	1.5/4.6	2.1/4.2	2.1/4.9	2.8/4.7	3.2/4.6	3.0/4.5	3.5/4.2	3.5/4.2	3.6/4.1	4.1/--
WJF	-1.50	-0.1/0.0	0.2/0.2	0.4/0.4	0.3/-1.6	0.1/-2.0	-0.1/-0.6	-0.2/-0.1	-0.3/-3.4	-0.5/-3.5	-2.4/-3.6	-3.7/-3.8	-3.7/-3.9	-4.0/-4.0	-4.1/-4.1	-4.4/--
YKM	0.86	0.6/0.0	0.6/-1.9	0.6/-4.7	0.8/-4.1	1.0/-4.1	0.9/4.8	1.4/4.0	1.6/-8.5	1.5/-8.7	0.8/-8.9	1.1/-9.0	1.0/-9.1	1.3/-9.3	0.2/-9.4	-0.3/--
YNG	-4.13	-2.2/0.0	-3.4/-0.6	-2.7/-0.7	-3.1/-0.9	-4.0/-1.6	-4.5/-2.5	-5.9/-2.9	-6.6/-2.4	-7.9/-2.5	-5.9/-2.6	-4.4/-2.7	-3.1/-2.8	-2.8/-2.9	-2.7/-3.0	-2.9/--

red: S < -0.3

orange: -0.3 < S < -0.1

grey: -0.1 < S < 0.1

green: 0.1 < S < 0.3

blue: S > 0.3

S\_score: average of (1 - ECMWF-value / MEX-value)

red: B >= 4.0

orange: 4.0 > B >= 2.0


black: 2.0 > B >= -2.0

green: -2.0 > B >= -4.0


blue: B < -4.0

avg\_bias: average of ECMWF-value


CME18: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




CME18: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




CME18: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28



CME18: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




USNW: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USNW: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


USNW: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28



USNW: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




USNC: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USNC: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USNC: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USNC: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USNE: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USNE: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


USNE: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28



USNE: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28



USSE: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 04-05/09 05/09 06/09 07/09 08/09 09/09 10/09 11/09 12/09 01/10 02/10

Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USSE: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




05/08 06/08 07/08 08/08 09/08 10/08 11/08 12/08 01/09 02/09 03/09 04/09 04-05/09 05/09 06/09 07/09 08/09 09/09 10/09 11/09 12/09 01/10 02/10


Validation period

- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


USSE: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




USSE: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




USSC: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




USSC: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




USSC: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28



USSC: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




USSW: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USSW: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

USSW: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




day1 day2 day3 day4 day5 day6 day7 day8 day9 day10  
day11 day12 day13 day14 day15

USSW: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




day1 day2 day3 day4 day5 day6 day7 day8 day9 day10  
day11 day12 day13 day14 day15


ATL: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




ATL: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




ATL: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28



ATL: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




BOS: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28





- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

BOS: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28





- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


BOS: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




BOS: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28



BWI: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




BWI: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


BWI: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




BWI: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




CVG: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




CVG: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




CVG: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




CVG: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




DFW: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




DFW: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




DFW: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




DFW: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




DSM: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




DSM: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




DSM: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




DSM: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




DTW: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




DTW: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




DTW: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




DTW: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




IAH: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




IAH: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




IAH: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




IAH: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




LAS: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




LAS: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




LAS: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




LAS: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




LGA: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




LGA: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




LGA: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28



LGA: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




MCI: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

MCI: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


MCI: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




MCI: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




MSP: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




MSP: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




MSP: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




MSP: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




ORD: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




ORD: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




ORD: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




ORD: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28



PDX: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




PDX: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


PDX: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




PDX: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




PHL: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




PHL: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




PHL: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




PHL: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




SAC: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




SAC: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




SAC: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28



SAC: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




SLC: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15

SLC: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




- day1
- day2
- day3
- day4
- day5
- day6
- day7
- day8
- day9
- day10
- day11
- day12
- day13
- day14
- day15


SLC: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




SLC: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




TUS: ECMWF Tmax MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




TUS: ECMWF Tmax bias for Monthly Period from 2008-05-01 ~ 2010-02-28




TUS: ECMWF Tmin MAE for Monthly Period from 2008-05-01 ~ 2010-02-28




TUS: ECMWF Tmin bias for Monthly Period from 2008-05-01 ~ 2010-02-28




CME18: Max Temperature (2010-02-01\_2010-02-28)




CME18: Max Temperature (2010-02-01\_2010-02-28)




CME18: Min Temperature (2010-02-01\_2010-02-28)




CME18: Min Temperature (2010-02-01\_2010-02-28)




USNW: Max Temperature (2010-02-01\_2010-02-28)




USNW: Max Temperature (2010-02-01\_2010-02-28)




USNW: Min Temperature (2010-02-01\_2010-02-28)




USNW: Min Temperature (2010-02-01\_2010-02-28)




USNC: Max Temperature (2010-02-01\_2010-02-28)




USNC: Max Temperature (2010-02-01\_2010-02-28)




USNC: Min Temperature (2010-02-01\_2010-02-28)




USNC: Min Temperature (2010-02-01\_2010-02-28)




USNE: Max Temperature (2010-02-01\_2010-02-28)




USNE: Max Temperature (2010-02-01\_2010-02-28)




USNE: Min Temperature (2010-02-01\_2010-02-28)




USNE: Min Temperature (2010-02-01\_2010-02-28)




USSE: Max Temperature (2010-02-01\_2010-02-28)




USSE: Max Temperature (2010-02-01\_2010-02-28)




USSE: Min Temperature (2010-02-01\_2010-02-28)




USSE: Min Temperature (2010-02-01\_2010-02-28)




USSC: Max Temperature (2010-02-01\_2010-02-28)




USSC: Max Temperature (2010-02-01\_2010-02-28)




USSC: Min Temperature (2010-02-01\_2010-02-28)




USSC: Min Temperature (2010-02-01\_2010-02-28)




USSW: Max Temperature (2010-02-01\_2010-02-28)




USSW: Max Temperature (2010-02-01\_2010-02-28)




USSW: Min Temperature (2010-02-01\_2010-02-28)




USSW: Min Temperature (2010-02-01\_2010-02-28)




ATL: Max Temperature (2010-02-01\_2010-02-28)




ATL: Max Temperature (2010-02-01\_2010-02-28)




ATL: Min Temperature (2010-02-01\_2010-02-28)




ATL: Min Temperature (2010-02-01\_2010-02-28)




BOS: Max Temperature (2010-02-01\_2010-02-28)




BOS: Max Temperature (2010-02-01\_2010-02-28)




BOS: Min Temperature (2010-02-01\_2010-02-28)




BOS: Min Temperature (2010-02-01\_2010-02-28)




BWI: Max Temperature (2010-02-01\_2010-02-28)




BWI: Max Temperature (2010-02-01\_2010-02-28)




BWI: Min Temperature (2010-02-01\_2010-02-28)




BWI: Min Temperature (2010-02-01\_2010-02-28)




CVG: Max Temperature (2010-02-01\_2010-02-28)




CVG: Max Temperature (2010-02-01\_2010-02-28)




CVG: Min Temperature (2010-02-01\_2010-02-28)




CVG: Min Temperature (2010-02-01\_2010-02-28)




DFW: Max Temperature (2010-02-01\_2010-02-28)




DFW: Max Temperature (2010-02-01\_2010-02-28)




DFW: Min Temperature (2010-02-01\_2010-02-28)




DFW: Min Temperature (2010-02-01\_2010-02-28)




DSM: Max Temperature (2010-02-01\_2010-02-28)




DSM: Max Temperature (2010-02-01\_2010-02-28)




DSM: Min Temperature (2010-02-01\_2010-02-28)




DSM: Min Temperature (2010-02-01\_2010-02-28)




DTW: Max Temperature (2010-02-01\_2010-02-28)




DTW: Max Temperature (2010-02-01\_2010-02-28)




DTW: Min Temperature (2010-02-01\_2010-02-28)




DTW: Min Temperature (2010-02-01\_2010-02-28)




IAH: Max Temperature (2010-02-01\_2010-02-28)




IAH: Max Temperature (2010-02-01\_2010-02-28)




IAH: Min Temperature (2010-02-01\_2010-02-28)




IAH: Min Temperature (2010-02-01\_2010-02-28)




LAS: Max Temperature (2010-02-01\_2010-02-28)




LAS: Max Temperature (2010-02-01\_2010-02-28)




LAS: Min Temperature (2010-02-01\_2010-02-28)




LAS: Min Temperature (2010-02-01\_2010-02-28)




LGA: Max Temperature (2010-02-01\_2010-02-28)




LGA: Max Temperature (2010-02-01\_2010-02-28)




LGA: Min Temperature (2010-02-01\_2010-02-28)




LGA: Min Temperature (2010-02-01\_2010-02-28)




MCI: Max Temperature (2010-02-01\_2010-02-28)




MCI: Max Temperature (2010-02-01\_2010-02-28)




MCI: Min Temperature (2010-02-01\_2010-02-28)




MCI: Min Temperature (2010-02-01\_2010-02-28)




MSP: Max Temperature (2010-02-01\_2010-02-28)




MSP: Max Temperature (2010-02-01\_2010-02-28)




MSP: Min Temperature (2010-02-01\_2010-02-28)




MSP: Min Temperature (2010-02-01\_2010-02-28)




ORD: Max Temperature (2010-02-01\_2010-02-28)




ORD: Max Temperature (2010-02-01\_2010-02-28)




ORD: Min Temperature (2010-02-01\_2010-02-28)




ORD: Min Temperature (2010-02-01\_2010-02-28)




PDX: Max Temperature (2010-02-01\_2010-02-28)




PDX: Max Temperature (2010-02-01\_2010-02-28)




PDX: Min Temperature (2010-02-01\_2010-02-28)




PDX: Min Temperature (2010-02-01\_2010-02-28)




PHL: Max Temperature (2010-02-01\_2010-02-28)




PHL: Max Temperature (2010-02-01\_2010-02-28)




PHL: Min Temperature (2010-02-01\_2010-02-28)




PHL: Min Temperature (2010-02-01\_2010-02-28)




SAC: Max Temperature (2010-02-01\_2010-02-28)




SAC: Max Temperature (2010-02-01\_2010-02-28)




SAC: Min Temperature (2010-02-01\_2010-02-28)




SAC: Min Temperature (2010-02-01\_2010-02-28)




SLC: Max Temperature (2010-02-01\_2010-02-28)




SLC: Max Temperature (2010-02-01\_2010-02-28)




SLC: Min Temperature (2010-02-01\_2010-02-28)




SLC: Min Temperature (2010-02-01\_2010-02-28)




TUS: Max Temperature (2010-02-01\_2010-02-28)



TUS: Max Temperature (2010-02-01\_2010-02-28)



TUS: Min Temperature (2010-02-01\_2010-02-28)



TUS: Min Temperature (2010-02-01\_2010-02-28)

